

Gregory Arutyunov

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5575870/gregory-arutyunov-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

46
papers

7,189
citations

17
h-index

72
g-index

72
ext. papers

8,731
ext. citations

4.3
avg, IF

5.11
L-index

| # | Paper | IF | Citations |
|----|---|-----|-----------|
| 46 | ACTIV SARS-CoV-2 registry (Analysis of Chronic Non-infectious Diseases Dynamics After COVID-19 Infection in Adult Patients). Assessment of impact of combined original comorbid diseases in patients with COVID-19 on the prognosis. <i>Terapevticheskii Arkhiv</i> , 2022 , 94, 32-47 | 0.9 | 5 |
| 45 | Comparative analysis of echocardiographic and electrocardiographic data of survivors and deceased patients with COVID-19 (sub-analysis of the international register Dynamics analysis of comorbidities in SARS-CoV-2 survivors) <i>Russian Journal of Cardiology</i> , 2022 , 27, 4855 | 1.3 | 1 |
| 44 | Fractures of the proximal femur. Clinical features, diagnosis and treatment (Clinical guidelines, abridged version). <i>N N Priorov Journal of Traumatology and Orthopedics</i> , 2022 , 28, 49-89 | 0.1 | 0 |
| 43 | Clinical features of post-COVID-19 period. Results of the international register Dynamic analysis of comorbidities in SARS-CoV-2 survivors (AKTIV SARS-CoV-2) Data from 6-month follow-up. <i>Russian Journal of Cardiology</i> , 2021 , 26, 4708 | 1.3 | 17 |
| 42 | Rehabilitation after COVID-19. Resolution of the International Expert Council of the Eurasian Association of Therapists and the Russian Society of Cardiology. <i>Russian Journal of Cardiology</i> , 2021 , 26, 4694 | 1.3 | 5 |
| 41 | Questionnaire for initial self-assessment in post-COVID period: Recommendations of Multidisciplinary expert board on screening of post-COVID syndrome during an expanded medical check-up. <i>Pulmonologiya</i> , 2021 , 31, 599-612 | 0.8 | |
| 40 | Impact of salt intake on inflammation markers in cardiovascular disease: a retrospective observational case-control study. <i>Kuban Scientific Medical Bulletin</i> , 2021 , 28, 47-63 | 0.2 | |
| 39 | Effect of metformin therapy on muscle mass and strength in patients with and without diabetes. Meta-analysis of 15 studies. <i>Russian Journal of Cardiology</i> , 2021 , 26, 4331 | 1.3 | |
| 38 | International register Dynamics analysis of comorbidities in SARS-CoV-2 survivors (AKTIV) and the register Analysis of hospitalizations of comorbid patients infected during the second wave of SARS-CoV-2 outbreak (AKTIV 2). <i>Russian Journal of Cardiology</i> , 2021 , 26, 4358 | 1.3 | 15 |
| 37 | International register Dynamics analysis of comorbidities in SARS-CoV-2 survivors (AKTIV SARS-CoV-2): analysis of predictors of short-term adverse outcomes in COVID-19. <i>Russian Journal of Cardiology</i> , 2021 , 26, 4470 | 1.3 | 21 |
| 36 | An open-label multicenter observational study (registry) of patients recovered from coronavirus disease 2019 (COVID-19) with involvement of the cardiovascular system or with baseline severe cardiovascular diseases: rationale, design, and implications for clinical practice. <i>Russian Journal of Cardiology</i> , 2021 , 26, 4287 | 1.3 | 8 |
| 35 | Bendopnea as a risk factor for the incidence of COVID-19 in patients with CHF. <i>Zdorov'e Megapolis</i> , 2021 , 2, 26-34 | | |
| 34 | Digital Technology Tools to Examine Patient Adherence to a Prescription-Only Omega-3 Polyunsaturated Fatty Acid Therapy To Mitigate Cardiovascular Risk: Protocol for a Prospective Observational Study and Preliminary Demographic Analysis. <i>JMIR Research Protocols</i> , 2021 , 10, e29061 | 2 | 0 |
| 33 | 2020 Clinical practice guidelines for Myocarditis in adults. <i>Russian Journal of Cardiology</i> , 2021 , 26, 4790 | 1.3 | 1 |
| 32 | Empagliflozin and heart failure: position paper of the experts on the results of the online meeting and discussion of the EMPEROR-Preserved Trial. <i>Terapevticheskii Arkhiv</i> , 2021 , 93, 1491-1497 | 0.9 | 1 |
| 31 | International register Analysis of Chronic Non-infectious Diseases Dynamics After COVID-19 Infection in Adult Patients (ACTIV SARS-CoV-2) <i>Kardiologiya</i> , 2020 , 60, 30-34 | 1.5 | 3 |
| 30 | Emergency care in a sudden individually significant blood pressure increase without clinically overt target organ damage: rationale for captopril use. Expert Council opinion. <i>Russian Journal of Cardiology</i> , 2020 , 25, 103-110 | 1.3 | 4 |

| | | | |
|----|--|------|------|
| 29 | Modern antihypertensive therapy: the effectiveness of a unique Russian fixed-dose combination of ramipril and indapamide. <i>Russian Journal of Cardiology</i> , 2020 , 25, 3782 | 1.3 | 5 |
| 28 | Arterial hypertension in adults. Clinical guidelines 2020. <i>Russian Journal of Cardiology</i> , 2020 , 25, 3786 | 1.3 | 155 |
| 27 | Guidelines for the diagnosis and treatment of circulatory diseases in the context of the COVID-19 pandemic. <i>Russian Journal of Cardiology</i> , 2020 , 25, 3801 | 1.3 | 57 |
| 26 | International register Dynamics analysis of comorbidities in SARS-CoV-2 survivors (AKTIV SARS-CoV-2): analysis of 1,000 patients. <i>Russian Journal of Cardiology</i> , 2020 , 25, 4165 | 1.3 | 3 |
| 25 | Detection of excess sodium in the myocardium under conditions of sodium loading using dual-energy computed tomography. <i>Diagnostic Radiology and Radiotherapy</i> , 2020 , 11, 52-58 | 0.4 | |
| 24 | Resolution of the online meeting of Russian experts on the EMPEROR-REDUCED trial. <i>Russian Journal of Cardiology</i> , 2020 , 25, 4167 | 1.3 | 0 |
| 23 | Correction of hypertriglyceridemia in order to reduce the residual risk in atherosclerosis-related diseases. Expert Council Opinion. <i>Russian Journal of Cardiology</i> , 2019 , 44-51 | 1.3 | 7 |
| 22 | Modification of the daily blood pressure profile in hypertensive patients with type 2 diabetes mellitus. <i>Arterial Hypertension (Russian Federation)</i> , 2019 , 25, 307-318 | 0.7 | |
| 21 | Correction of Hypertriglyceridemia as the Way to Reduce Residual Risk in Diseases Caused by Atherosclerosis. Conclusion of the Advisory Board of the Russian Society of Cardiology, the Russian Scientific Medical Society of Therapists, the Eurasian Association of Therapists, the Russian National Atherosclerosis Society, the Russian Association of Endocrinologists, and the National League of Cardiologists. <i>Rational Pharmacotherapy in Cardiology</i> , 2019 , 15, 282-288 | 0.5 | 5 |
| 20 | Effects of ferric carboxymaltose on hospitalisations and mortality rates in iron-deficient heart failure patients: an individual patient data meta-analysis. <i>European Journal of Heart Failure</i> , 2018 , 20, 125-133 | 12.3 | 186 |
| 19 | Russian Society of Cardiology position paper on 2018 Guidelines of the European Society of Cardiology/European Society of Arterial Hypertension for the management of arterial hypertension. <i>Russian Journal of Cardiology</i> , 2018 , 131-142 | 1.3 | 26 |
| 18 | Hospital register of patients with acute cerebrovascular accident (REGION): characteristics of patient and outcomes of hospital treatment. <i>Cardiovascular Therapy and Prevention (Russian Federation)</i> , 2018 , 17, 32-38 | 0.9 | 15 |
| 17 | Russian Heart Failure Society, Russian Society of Cardiology. Russian Scientific Medical Society of Internal Medicine Guidelines for Heart failure: chronic (CHF) and acute decompensated (ADHF). Diagnosis, prevention and treatment. <i>Kardiologiya</i> , 2018 , 17, 1-164 | 1.5 | 173 |
| 16 | Exercise training in chronic heart failure: practical guidance of the Russian Heart Failure Society. <i>Russian Heart Failure Journal</i> , 2017 , 18, 41-66 | | 12 |
| 15 | Clinical guidelines. Chronic heart failure (CHF). <i>Russian Heart Failure Journal</i> , 2017 , 18, 3-40 | | 38 |
| 14 | Empagliflozin and Progression of Kidney Disease in Type 2 Diabetes. <i>New England Journal of Medicine</i> , 2016 , 375, 323-34 | 59.2 | 1956 |
| 13 | A Novel Hypoxia-Inducible Factor-Prolyl Hydroxylase Inhibitor (GSK1278863) for Anemia in CKD: A 28-Day, Phase 2A Randomized Trial. <i>American Journal of Kidney Diseases</i> , 2016 , 67, 861-71 | 7.4 | 110 |
| 12 | THE STUDY "REGISTER OF PATIENTS AFTER ACUTE STROKE (REGION)." Part 1. Hospital Prospective Register of Patients after Acute Stroke (According to the Results of the Pilot Phase of the Study). <i>Rational Pharmacotherapy in Cardiology</i> , 2016 , 12, 645-653 | 0.5 | 12 |

| | | | |
|----|--|------|------|
| 11 | CHALLENGING PROBLEMS OF HYPERTENSION MANAGEMENT: THE EFFECT OF INCREASED HEART RATE AND COMORBIDITIES ON THE CHOICE OF ANTIHYPERTENSIVE THERAPY IN PRACTICE OF CARDIOLOGIST AND THERAPIST. The Conclusion of the Expert Council. <i>Rational Pharmacotherapy in Cardiology</i> , 2015 , 11, 63-67 | 0.5 | 2 |
| 10 | Edoxaban versus warfarin in patients with atrial fibrillation. <i>New England Journal of Medicine</i> , 2013 , 369, 2093-104 | 59.2 | 3215 |
| 9 | Respiratory muscle trainings as a way of physical rehabilitation for old patients with complicated myocardial infarction. <i>European Heart Journal</i> , 2013 , 34, P5786-P5786 | 9.5 | |
| 8 | The Role of Proinflammatory Cytokines in Regulation of Cardiac Bioelectrical Activity: Link to Mechanoelectrical Feedback 2012 , 107-153 | | 2 |
| 7 | Prasugrel versus clopidogrel for acute coronary syndromes without revascularization. <i>New England Journal of Medicine</i> , 2012 , 367, 1297-309 | 59.2 | 631 |
| 6 | Persistent dyslipidemia in statin-treated patients: Russian real-world clinical practice data (Russian part of the DYSIS Study). <i>Cardiovascular Therapy and Prevention (Russian Federation)</i> , 2012 , 11, 70-78 | 0.9 | 19 |
| 5 | Urapidil: management of complicated hypertensive crises and effects on renal function. Therapeutist's view. <i>Cardiovascular Therapy and Prevention (Russian Federation)</i> , 2012 , 11, 28-35 | 0.9 | 1 |
| 4 | Meta-analysis of combined therapy with angiotensin receptor antagonists versus ACE inhibitors alone in patients with heart failure. <i>PLoS ONE</i> , 2010 , 5, e9946 | 3.7 | 34 |
| 3 | Saxagliptin given in combination with metformin as initial therapy improves glycaemic control in patients with type 2 diabetes compared with either monotherapy: a randomized controlled trial. <i>Diabetes, Obesity and Metabolism</i> , 2009 , 11, 611-22 | 6.7 | 249 |
| 2 | Collagen accumulation and dysfunctional mucosal barrier of the small intestine in patients with chronic heart failure. <i>International Journal of Cardiology</i> , 2008 , 125, 240-5 | 3.2 | 68 |
| 1 | RATIONAL USE OF NONSTEROIDAL ANTI-INFLAMMATORY DRUGS. CLINICAL GUIDELINES. <i>Nauchno-Prakticheskaya Revmatologiya</i> , 2008 , 56, 1-29 | 0.9 | 73 |