Rafael Mayoral Monibas

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5576109/rafael-mayoral-monibas-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

33	1,751 citations	22	35
papers		h-index	g-index
35	2,102 ext. citations	7.4	4.02
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
33	Differential regulation of hepatic physiology and injury by the TAM receptors Axl and Mer. <i>Life Science Alliance</i> , 2020 , 3,	5.8	7
32	In Situ Forming Injectable Thermoresponsive Hydrogels for Controlled Delivery of Biomacromolecules. <i>ACS Omega</i> , 2020 , 5, 17531-17542	3.9	13
31	Targeting a ceramide double bond improves insulin resistance and hepatic steatosis. <i>Science</i> , 2019 , 365, 386-392	33.3	171
30	Catestatin Inhibits Obesity-Induced Macrophage Infiltration and Inflammation in the Liver and Suppresses Hepatic Glucose Production, Leading to Improved Insulin Sensitivity. <i>Diabetes</i> , 2018 , 67, 84	1-848	27
29	Quantifying ceramide kinetics in vivo using stable isotope tracers and LC-MS/MS. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2018 , 315, E416-E424	6	3
28	Cyclooxygenase-2 expression in hepatocytes attenuates non-alcoholic steatohepatitis and liver fibrosis in mice. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2016 , 1862, 1710-23	6.9	27
27	Distinct Hepatic Macrophage Populations in Lean and Obese Mice. <i>Frontiers in Endocrinology</i> , 2016 , 7, 152	5.7	10
26	Caveolin-1-dependent activation of the metalloprotease TACE/ADAM17 by TGF-In hepatocytes requires activation of Src and the NADPH oxidase NOX1. <i>FEBS Journal</i> , 2016 , 283, 1300-10	5.7	16
25	LTB4 promotes insulin resistance in obese mice by acting on macrophages, hepatocytes and myocytes. <i>Nature Medicine</i> , 2015 , 21, 239-247	50.5	189
24	Adipocyte SIRT1 knockout promotes PPAR activity, adipogenesis and insulin sensitivity in chronic-HFD and obesity. <i>Molecular Metabolism</i> , 2015 , 4, 378-91	8.8	102
23	Regulation of MicroRNA 183 by Cyclooxygenase 2 in Liver Is DEAD-Box Helicase p68 (DDX5) Dependent: Role in Insulin Signaling. <i>Molecular and Cellular Biology</i> , 2015 , 35, 2554-67	4.8	30
22	Hepatic cyclooxygenase-2 expression protects against diet-induced steatosis, obesity, and insulin resistance. <i>Diabetes</i> , 2015 , 64, 1522-31	0.9	30
21	Omega-3 fatty acids reduce obesity-induced tumor progression independent of GPR120 in a mouse model of postmenopausal breast cancer. <i>Oncogene</i> , 2015 , 34, 3504-13	9.2	48
20	Characterization of distinct subpopulations of hepatic macrophages in HFD/obese mice. <i>Diabetes</i> , 2015 , 64, 1120-30	0.9	103
19	GPR43 Potentiates ECell Function in Obesity. <i>Diabetes</i> , 2015 , 64, 3203-17	0.9	121
18	Impaired autophagic flux is associated with increased endoplasmic reticulum stress during the development of NAFLD. <i>Cell Death and Disease</i> , 2014 , 5, e1179	9.8	325
17	Caveolin-1 is required for TGF-Induced transactivation of the EGF receptor pathway in hepatocytes through the activation of the metalloprotease TACE/ADAM17. <i>Cell Death and Disease</i> , 2014 , 5, e1326	9.8	33

LIST OF PUBLICATIONS

16	PPAR gamma pro12Ala polymorphism and type 2 diabetes: a study in a spanish cohort 2014 , 2, 1		1
15	Cyclooxygenase-2 over-expression inhibits liver apoptosis induced by hyperglycemia. <i>Journal of Cellular Biochemistry</i> , 2013 , 114, 669-80	4.7	16
14	Progression of liver oncogenesis in the double transgenic mice c-myc/TGF (Is not enhanced by cyclooxygenase-2 expression. <i>Prostaglandins and Other Lipid Mediators</i> , 2013 , 106, 106-15	3.7	1
13	Cyclooxygenase-2 is a target of microRNA-16 in human hepatoma cells. <i>PLoS ONE</i> , 2012 , 7, e50935	3.7	30
12	Evaluation of epigenetic modulation of cyclooxygenase-2 as a prognostic marker for hepatocellular carcinoma. <i>Oncogenesis</i> , 2012 , 1, e23	6.6	22
11	Transgenic mice expressing cyclooxygenase-2 in hepatocytes reveal a minor contribution of this enzyme to chemical hepatocarcinogenesis. <i>American Journal of Pathology</i> , 2011 , 178, 1361-73	5.8	9
10	Protein Tyrosine Phosphatase 1B (PTP1B) deficiency accelerates hepatic regeneration in mice. <i>American Journal of Pathology</i> , 2011 , 178, 1591-604	5.8	26
9	Hepatic insulin resistance is associated with increased apoptosis and fibrogenesis in nonalcoholic steatohepatitis and chronic hepatitis C. <i>Journal of Hepatology</i> , 2011 , 54, 142-52	13.4	72
8	Impairment of transforming growth factor beta signaling in caveolin-1-deficient hepatocytes: role in liver regeneration. <i>Journal of Biological Chemistry</i> , 2010 , 285, 3633-3642	5.4	30
7	COX-2 in liver, from regeneration to hepatocarcinogenesis: what we have learned from animal models?. <i>World Journal of Gastroenterology</i> , 2010 , 16, 1430-5	5.6	23
6	TNFalpha-dependent hepatic steatosis and liver degeneration caused by mutation of zebrafish S-adenosylhomocysteine hydrolase. <i>Development (Cambridge)</i> , 2009 , 136, 865-75	6.6	64
5	Constitutive expression of cyclo-oxygenase 2 transgene in hepatocytes protects against liver injury. <i>Biochemical Journal</i> , 2008 , 416, 337-46	3.8	24
4	Protection against Fas-induced liver apoptosis in transgenic mice expressing cyclooxygenase 2 in hepatocytes. <i>Hepatology</i> , 2007 , 45, 631-8	11.2	36
3	Dispensability and dynamics of caveolin-1 during liver regeneration and in isolated hepatic cells. Hepatology, 2007 , 46, 813-22	11.2	45
2	Cyclo-oxygenase 2 expression impairs serum-withdrawal-induced apoptosis in liver cells. <i>Biochemical Journal</i> , 2006 , 398, 371-80	3.8	22
1	Prostaglandin E2 promotes migration and adhesion in hepatocellular carcinoma cells. <i>Carcinogenesis</i> , 2005 , 26, 753-61	4.6	75