

Richard Houghton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5576520/publications.pdf>

Version: 2024-02-01

10
papers

457
citations

949033

11
h-index

1181555

14
g-index

14
all docs

14
docs citations

14
times ranked

388
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Fumarate Metabolic Signature for the Detection of Reed Syndrome in Humans. <i>Clinical Cancer Research</i> , 2020, 26, 391-396. | 3.2 | 11 |
| 2 | Determination of avibactam and ceftazidime in human plasma samples by LC-MS. <i>Bioanalysis</i> , 2015, 7, 1423-1434. | 0.6 | 39 |
| 3 | 7th GCC Insights: incurred samples use; fit-for-purpose validation, solution stability, electronic laboratory notebook and hyperlipidemic matrix testing. <i>Bioanalysis</i> , 2014, 6, 2713-2720. | 0.6 | 16 |
| 4 | Recommendations on incurred sample stability (ISS) by GCC. <i>Bioanalysis</i> , 2014, 6, 2385-2390. | 0.6 | 26 |
| 5 | Efficacy of plasma phospholipid removal during sample preparation and subsequent retention under typical UHPLC conditions. <i>Bioanalysis</i> , 2012, 4, 795-807. | 0.6 | 29 |
| 6 | Recommendations on bioanalytical method stability implications of co-administered and co-formulated drugs by Global CRO Council for Bioanalysis (GCC). <i>Bioanalysis</i> , 2012, 4, 2117-2126. | 0.6 | 29 |
| 7 | Recommendations on ISR in multi analyte assays, QA/bioanalytical consultants and GCP by Global CRO Council for Bioanalysis (GCC). <i>Bioanalysis</i> , 2012, 4, 1723-1730. | 0.6 | 21 |
| 8 | Recommendations on the interpretation of the new European Medicines Agency Guideline on Bioanalytical Method Validation by Global CRO Council for Bioanalysis (GCC). <i>Bioanalysis</i> , 2012, 4, 651-660. | 0.6 | 37 |
| 9 | Recommendations on: internal standard criteria, stability, incurred sample reanalysis and recent 483s by the Global CRO Council for Bioanalysis. <i>Bioanalysis</i> , 2011, 3, 1323-1332. | 0.6 | 78 |
| 10 | Generic approach to validation of small-molecule LC-MS/MS biomarker assays. <i>Bioanalysis</i> , 2009, 1, 1365-1374. | 0.6 | 65 |