

Sergio Fantini

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/55767/sergio-fantini-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58

papers

1,637

citations

19

h-index

39

g-index

67

ext. papers

2,103

ext. citations

3

avg, IF

5.09

L-index

#	Paper	IF	Citations
58	Noninvasive Optical Measurements of Dynamic Cerebral Autoregulation by Inducing Oscillatory Cerebral Hemodynamics. <i>Frontiers in Neurology</i> , 2021 , 12, 745987	4.1	2
57	Structural heterogeneity and old-growthness: A first regional-scale assessment of Sardinian forests. <i>Annals of Forest Research</i> , 2021 , 63, 103-120	2.4	3
56	Tracking Brain Development From Neonates to the Elderly by Hemoglobin Phase Measurement Using Functional Near-Infrared Spectroscopy. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2021 , 25, 2497-2509	7.2	5
55	Dual-Slope Diffuse Reflectance Instrument for Calibration-Free Broadband Spectroscopy. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 1757	2.6	6
54	Broadband absorption spectroscopy of heterogeneous biological tissue. <i>Applied Optics</i> , 2021 , 60, 7552-7562		2
53	Domain adaptation for robust workload level alignment between sessions and subjects using fNIRS. <i>Journal of Biomedical Optics</i> , 2021 , 26,	3.5	1
52	Sensitivity of frequency-domain optical measurements to brain hemodynamics: simulations and human study of cerebral blood flow during hypercapnia. <i>Biomedical Optics Express</i> , 2021 , 12, 766-789	3.5	4
51	Dual-slope imaging in highly scattering media with frequency-domain near-infrared spectroscopy. <i>Optics Letters</i> , 2020 , 45, 4464-4467	3	6
50	Design of a source-detector array for dual-slope diffuse optical imaging. <i>Review of Scientific Instruments</i> , 2020 , 91, 093702	1.7	4
49	Transformational change in the field of diffuse optics: From going bananas to going nuts. <i>Journal of Innovative Optical Health Sciences</i> , 2020 , 13, 1930013	1.2	9
48	Phase dual-slopes in frequency-domain near-infrared spectroscopy for enhanced sensitivity to brain tissue: First applications to human subjects. <i>Journal of Biophotonics</i> , 2020 , 13, e201960018	3.1	15
47	Frequency-Domain Techniques for Cerebral and Functional Near-Infrared Spectroscopy. <i>Frontiers in Neuroscience</i> , 2020 , 14, 300	5.1	29
46	Frequency-resolved analysis of coherent oscillations of local cerebral blood volume, measured with near-infrared spectroscopy, and systemic arterial pressure in healthy human subjects. <i>PLoS ONE</i> , 2019 , 14, e0211710	3.7	8
45	Multi-distance frequency-domain optical measurements of coherent cerebral hemodynamics. <i>Photonics</i> , 2019 , 6,	2.2	9
44	Quantitative measurements of cerebral blood flow with near-infrared spectroscopy. <i>Biomedical Optics Express</i> , 2019 , 10, 2117-2134	3.5	9
43	Dual-slope method for enhanced depth sensitivity in diffuse optical spectroscopy. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2019 , 36, 1743-1761	1.8	15
42	Depth dependence of coherent hemodynamics in the human head. <i>Journal of Biomedical Optics</i> , 2018 , 23, 1-9	3.5	10

41	The meaning of "coherent" and its quantification in coherent hemodynamics spectroscopy. <i>Journal of Innovative Optical Health Sciences</i> , 2018 , 11,	1.2	5
40	Perspective: Prospects of non-invasive sensing of the human brain with diffuse optical imaging. <i>APL Photonics</i> , 2018 , 3,	5.2	19
39	Low-resolution mapping of the effective attenuation coefficient of the human head: a multidistance approach applied to high-density optical recordings. <i>Neurophotonics</i> , 2017 , 4, 021103	3.9	10
38	Optical Mammography in Patients with Breast Cancer Undergoing Neoadjuvant Chemotherapy: Individual Clinical Response Index. <i>Academic Radiology</i> , 2017 , 24, 1240-1255	4.3	6
37	Cerebral blood flow and autoregulation: current measurement techniques and prospects for noninvasive optical methods. <i>Neurophotonics</i> , 2016 , 3, 031411	3.9	141
36	Blood-pressure-induced oscillations of deoxy- and oxyhemoglobin concentrations are in-phase in the healthy breast and out-of-phase in the healthy brain. <i>Journal of Biomedical Optics</i> , 2016 , 21, 101410	3.5	10
35	Optical mammography: bilateral breast symmetry in hemoglobin saturation maps. <i>Journal of Biomedical Optics</i> , 2016 , 21, 101403	3.5	6
34	Nonlinear extension of a hemodynamic linear model for coherent hemodynamics spectroscopy. <i>Journal of Theoretical Biology</i> , 2016 , 389, 132-45	2.3	4
33	Quantitative Biomedical Optics: Theory, Methods, and Applications 2016 ,		37
32	Broadband optical mammography instrument for depth-resolved imaging and local dynamic measurements. <i>Review of Scientific Instruments</i> , 2016 , 87, 024302	1.7	1
31	Study of capillary transit time distribution in coherent hemodynamics spectroscopy. <i>Journal of Innovative Optical Health Sciences</i> , 2015 , 08, 1550025	1.2	1
30	Broadband optical mammography: chromophore concentration and hemoglobin saturation contrast in breast cancer. <i>PLoS ONE</i> , 2015 , 10, e0117322	3.7	33
29	Cerebral autoregulation in the microvasculature measured with near-infrared spectroscopy. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2015 , 35, 959-66	7.3	68
28	Dynamic model for the tissue concentration and oxygen saturation of hemoglobin in relation to blood volume, flow velocity, and oxygen consumption: Implications for functional neuroimaging and coherent hemodynamics spectroscopy (CHS). <i>NeuroImage</i> , 2014 , 85 Pt 1, 202-21	7.9	63
27	Practical steps for applying a new dynamic model to near-infrared spectroscopy measurements of hemodynamic oscillations and transient changes: implications for cerebrovascular and functional brain studies. <i>Academic Radiology</i> , 2014 , 21, 185-96	4.3	30
26	Cerebral blood volume and vasodilation are independently diminished by aging and hypertension: a near infrared spectroscopy study. <i>Journal of Alzheimer's Disease</i> , 2014 , 42 Suppl 3, S189-98	4.3	8
25	COHERENT HEMODYNAMICS SPECTROSCOPY BASED ON A PACED BREATHING PARADIGM □ REVISITED. <i>Journal of Innovative Optical Health Sciences</i> , 2014 , 07, 1450013	1.2	1
24	Coherent hemodynamics spectroscopy in a single step. <i>Biomedical Optics Express</i> , 2014 , 5, 3403-16	3.5	7

23	A new hemodynamic model shows that temporal perturbations of cerebral blood flow and metabolic rate of oxygen cannot be measured individually using functional near-infrared spectroscopy. <i>Physiological Measurement</i> , 2014 , 35, N1-9	2.9	18
22	Reduced speed of microvascular blood flow in hemodialysis patients versus healthy controls: a coherent hemodynamics spectroscopy study. <i>Journal of Biomedical Optics</i> , 2014 , 19, 026005	3.5	22
21	Optical characterization of two-layered turbid media for non-invasive, absolute oximetry in cerebral and extracerebral tissue. <i>PLoS ONE</i> , 2013 , 8, e64095	3.7	40
20	Aging diminishes cerebral blood volume and vasodilation in rats: non-invasive absolute measurements by Near Infrared Spectroscopy. <i>FASEB Journal</i> , 2013 , 27, 1186.2	0.9	
19	Near-infrared optical mammography for breast cancer detection with intrinsic contrast. <i>Annals of Biomedical Engineering</i> , 2012 , 40, 398-407	4.7	45
18	Phase-amplitude investigation of spontaneous low-frequency oscillations of cerebral hemodynamics with near-infrared spectroscopy: a sleep study in human subjects. <i>NeuroImage</i> , 2012 , 63, 1571-84	7.9	62
17	Absolute measurement of cerebral optical coefficients, hemoglobin concentration and oxygen saturation in old and young adults with near-infrared spectroscopy. <i>Journal of Biomedical Optics</i> , 2012 , 17, 081406-1	3.5	32
16	Biomedical engineering continues to make the future. <i>IEEE Pulse</i> , 2011 , 2, 70-3	0.7	2
15	Perturbation theory for the diffusion equation by use of the moments of the generalized temporal point-spread function. III. Frequency-domain and time-domain results. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2010 , 27, 1723-42	1.8	14
14	NEAR-INFRARED, BROAD-BAND SPECTRAL IMAGING OF THE HUMAN BREAST FOR QUANTITATIVE OXIMETRY: APPLICATIONS TO HEALTHY AND CANCEROUS BREASTS. <i>Journal of Innovative Optical Health Sciences</i> , 2010 , 03, 267-277	1.2	10
13	Folate deficiency impairs brain oxygen delivery in rat. <i>FASEB Journal</i> , 2010 , 24, lb392	0.9	
12	Near-infrared signals associated with electrical stimulation of peripheral nerves. <i>Proceedings of SPIE</i> , 2009 , 7174,	1.7	2
11	DISCRIMINATION OF MENTAL WORKLOAD LEVELS IN HUMAN SUBJECTS WITH FUNCTIONAL NEAR-INFRARED SPECTROSCOPY. <i>Journal of Innovative Optical Health Sciences</i> , 2008 , 01, 227-237	1.2	40
10	Perturbation theory for the diffusion equation by use of the moments of the generalized temporal point-spread function. I. Theory. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2006 , 23, 2105-18	1.8	17
9	Spatial and spectral information in optical mammography. <i>Technology in Cancer Research and Treatment</i> , 2005 , 4, 471-82	2.7	15
8	Comment on the modified Beer-Lambert law for scattering media. <i>Physics in Medicine and Biology</i> , 2004 , 49, N255-7	3.8	189
7	A haemodynamic model for the physiological interpretation of in vivo measurements of the concentration and oxygen saturation of haemoglobin. <i>Physics in Medicine and Biology</i> , 2002 , 47, N249-57 ^{3.8}		37
6	Non-invasive optical monitoring of the newborn piglet brain using continuous-wave and frequency-domain spectroscopy. <i>Physics in Medicine and Biology</i> , 1999 , 44, 1543-63	3.8	180

5	New optical probe designs for absolute (self-calibrating) NIR tissue hemoglobin measurements 1999 ,		40
4	Influence of a superficial layer in the quantitative spectroscopic study of strongly scattering media. <i>Applied Optics</i> , 1998 , 37, 7447-58	1.7	113
3	Photon path distributions in turbid media: applications for imaging 1995 , 2389, 340		4
2	Semi-infinite-geometry boundary problem for light migration in highly scattering media: a frequency-domain study in the diffusion approximation. <i>Journal of the Optical Society of America B: Optical Physics</i> , 1994 , 11, 2128	1.7	165
1	Incorporating the visibility analysis of fire lookouts for old-growth wood fire risk reduction in the Mediterranean island of Sardinia. <i>Geocarto International</i> , 1-9	2.7	1