
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5577065/publications.pdf Version: 2024-02-01



Μλελτλκλ ΠΜΕΠΛ

#	Article	IF	CITATIONS
1	Inhibition of calcium/calmodulin-dependent protein kinase IV in arthritis: dual effect on Th17 cell activation and osteoclastogenesis. Rheumatology, 2023, 62, 861-871.	1.9	5
2	Atypical Cogan's Syndrome Mimicking Giant Cell Arteritis Successfully Treated with Early Administration of Tocilizumab. Internal Medicine, 2022, , .	0.7	5
3	Severe Anemia Due to Cold Agglutinin Syndrome in a COVID-19 Patient with IgM Monoclonal Gammopathy of Undetermined Significance Successfully Treated with Corticosteroids. Internal Medicine, 2022, , .	0.7	0
4	Clinical Characteristics of Patients With IgG4-Related Disease Complicated by Hypocomplementemia. Frontiers in Immunology, 2022, 13, 828122.	4.8	2
5	Role of Glutaminase 2 in Promoting CD4+ T Cell Production of Interleukinâ€⊋ by Supporting Antioxidant Defense in Systemic Lupus Erythematosus. Arthritis and Rheumatology, 2022, 74, 1204-1210.	5.6	8
6	Comparison of complications during 1-year follow-up between remitting seronegative symmetrical synovitis with pitting edema syndrome and elderly-onset rheumatoid arthritis. Immunological Medicine, 2022, , 1-7.	2.6	2
7	The deacetylase SIRT2 contributes to autoimmune disease pathogenesis by modulating IL-17A and IL-2 transcription. , 2022, 19, 738-750.		12
8	ADAM9 enhances Th17 cell differentiation and autoimmunity by activating TGF-β1. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	7.1	8
9	Inhibitory effect of HTLVâ€1 infection on the production of Bâ€cell activating factors in established follicular dendritic cellâ€like cells. Immunity, Inflammation and Disease, 2021, 9, 777-791.	2.7	5
10	Serum checkpoint molecules in patients with IgG4-related disease (IgG4-RD). Arthritis Research and Therapy, 2021, 23, 148.	3.5	6
11	Intravenous Cyclophosphamide Treatment for Systemic Lupus Erythematosus with Severe Autonomic Disorders Confirmed by Head-Up Tilt Table Test: A Case Series. Modern Rheumatology Case Reports, 2021, , .	0.7	0
12	Myocardial Damage and Microvasculopathy in a Patient With Systemic Sclerosis. Circulation Journal, 2021, 85, 224.	1.6	2
13	Granulocyte-macrophage colony-stimulating factor and tumor necrosis factor-α in combination is a useful diagnostic biomarker to distinguish familial Mediterranean fever from sepsis. Arthritis Research and Therapy, 2021, 23, 260.	3.5	Ο
14	Methotrexate Alters the Expression of microRNA in Fibroblast-like Synovial Cells in Rheumatoid Arthritis. International Journal of Molecular Sciences, 2021, 22, 11561.	4.1	9
15	A case of tocilizumab-refractory idiopathic multicentric Castleman's disease successfully treated with sirolimus. Clinical Immunology, 2021, 233, 108887.	3.2	3
16	Successful hydroxychloroquine treatment for familial Mediterranean fever in a Japanese patient with concurrent systemic lupus erythematosus. Rheumatology, 2020, 59, 903-905.	1.9	5
17	Drop Head Syndrome as a Rare Complication in Mixed Connective Tissue Disease. Internal Medicine, 2020, 59, 729-732.	0.7	0
18	Successful canakinumab treatment for activated innate response in idiopathic Castleman's disease with multiple heterozygous MEFV exon 2 variants. Clinical Immunology, 2020, 219, 108547.	3.2	5

#	Article	IF	CITATIONS
19	Reduction in the percentage of circulating variable delta 2ÂT cells in systemic lupus erythematosus. Clinical Immunology, 2020, 220, 108577.	3.2	1
20	Interleukin-18 and fibroblast growth factor 2 in combination is a useful diagnostic biomarker to distinguish adult-onset Still's disease from sepsis. Arthritis Research and Therapy, 2020, 22, 108.	3.5	20
21	Detecting gastrointestinal manifestations in patients with systemic sclerosis using anti-gAChR antibodies. Arthritis Research and Therapy, 2020, 22, 32.	3.5	13
22	Behçet's Disease with Severe Autonomic Disorders Developing after Herpes Zoster. Internal Medicine, 2020, 59, 1099-1104.	0.7	3
23	Myocarditis in a Patient With Clinically Amyopathic Dermatomyositis. Circulation Journal, 2020, 84, 1194.	1.6	1
24	Thymus and Activation-regulated Chemokine as a Biomarker for IgG4-related Disease. Scientific Reports, 2020, 10, 6010.	3.3	14
25	The potential role of CD4+CD52lo T-cell populations in systemic lupus erythematosus. Clinical Immunology, 2019, 200, 35-36.	3.2	1
26	Combination of ultrasound power Dopplerâ€verified synovitis and seropositivity accurately identifies patients with earlyâ€stage rheumatoid arthritis. International Journal of Rheumatic Diseases, 2019, 22, 842-851.	1.9	7
27	Atypical Familial Mediterranean Fever Complicated with Gastrointestinal Amyloidosis Diagnosed due to Paroxysmal Arthralgia and Intractable Diarrhea, Successfully Treated with Tocilizumab. Internal Medicine, 2019, 58, 1781-1785.	0.7	3
28	Chlamydia-induced reactive arthritis diagnosed during gout flares. Medicine (United States), 2019, 98, e17233.	1.0	3
29	Denosumab is effective toward glucocorticoid-induced osteoporosis patients complicated with rheumatic diseases regardless of prior anti-osteoporotic drugs. Journal of Bone and Mineral Metabolism, 2019, 37, 554-562.	2.7	14
30	Scleroderma Renal Crisis Complicated with Thrombotic Microangiopathy Triggered by Influenza B Virus Infection. Internal Medicine, 2019, 58, 441-445.	0.7	11
31	Antineutrophilic cytoplasmic antibodyâ€associated vasculitis with and without renal involvement: C3 contributes to prognosis, but renal involvement does not. International Journal of Rheumatic Diseases, 2019, 22, 789-796.	1.9	9
32	Promotion of Calcium/Calmodulinâ€Dependent Protein Kinase 4 by GLUT1â€Dependent Glycolysis in Systemic Lupus Erythematosus. Arthritis and Rheumatology, 2019, 71, 766-772.	5.6	41
33	Pyruvate kinase M2 is requisite for Th1 and Th17 differentiation. JCI Insight, 2019, 4, .	5.0	79
34	Brief Report: Attenuated Effectiveness of Tumor Necrosis Factor Inhibitors for Anti–Human T Lymphotropic Virus Type I Antibody–Positive Rheumatoid Arthritis. Arthritis and Rheumatology, 2018, 70, 1014-1021.	5.6	18
35	Successful treatment of plasma exchange for rapidly progressive interstitial lung disease with anti-MDA5 antibody-positive dermatomyositis. Medicine (United States), 2018, 97, e0436.	1.0	37
36	MicroRNA-204-3p inhibits lipopolysaccharide-induced cytokines in familial Mediterranean fever via the phosphoinositide 3-kinase γ pathway. Rheumatology, 2018, 57, 718-726.	1.9	30

#	Article	IF	CITATIONS
37	Peripheral Ulcerative Keratitis Associated with Granulomatosis with Polyangiitis Emerging Despite Cyclophosphamide, Successfully Treated with Rituximab. Internal Medicine, 2018, 57, 1783-1788.	0.7	13
38	CD4+ CD52lo T-cell expression contributes to the development of systemic lupus erythematosus. Clinical Immunology, 2018, 187, 50-57.	3.2	9
39	Novel anti-suprabasin antibodies may contribute to the pathogenesis of neuropsychiatric systemic lupus erythematosus. Clinical Immunology, 2018, 193, 123-130.	3.2	23
40	Subclinical inflammation in a case of menstruation-induced familial Mediterranean fever. Medicine (United States), 2018, 97, e12305.	1.0	3
41	Recurrence of anti-MDA5 antibody-positive clinically amyopathic dermatomyositis after long-term remission. Medicine (United States), 2018, 97, e11024.	1.0	12
42	Serum amyloid A1 (SAA1) gene polymorphisms in Japanese patients with adult-onset Still's disease. Medicine (United States), 2018, 97, e13394.	1.0	16
43	Efficacy of infliximab as a switched biologic in rheumatoid arthritis patients in daily clinical practice. Immunological Medicine, 2018, 41, 181-186.	2.6	6
44	Association of serum levels of fibrosis-related biomarkers with disease activity in patients with IgG4-related disease. Arthritis Research and Therapy, 2018, 20, 277.	3.5	12
45	Musculoskeletal manifestations occur predominantly in patients with later-onset familial Mediterranean fever: Data from a multicenter, prospective national cohort study in Japan. Arthritis Research and Therapy, 2018, 20, 257.	3.5	18
46	Podocyte foot process width is a prediction marker for complete renal response at 6 and 12†months after induction therapy in lupus nephritis. Clinical Immunology, 2018, 197, 161-168.	3.2	10
47	Osteogenic differentiation of fibroblast-like synovial cells in rheumatoid arthritis is induced by microRNA-218 through a ROBO/Slit pathway. Arthritis Research and Therapy, 2018, 20, 189.	3.5	34
48	Reversible Cognitive Dysfunction in Elderly-onset Systemic Lupus Erythematosus, Successfully Treated with Aggressive Immunosuppressive Therapy. Internal Medicine, 2018, 57, 3025-3028.	0.7	7
49	A case of familial Mediterranean fever triggered by acute adrenal insufficiency due to an abrupt withdrawal of corticosteroids. Modern Rheumatology Case Reports, 2018, 2, 221-224.	0.7	1
50	Diffuse Alveolar Hemorrhage Developing Immediately after Immunosuppressive Treatments in a Patient with Granulomatosis with Polyangiitis Who Had Pulmonary Nodules. Internal Medicine, 2018, 57, 417-421.	0.7	2
51	Rituximab-induced Acute Thrombocytopenia in Granulomatosis with Polyangiitis. Internal Medicine, 2018, 57, 2247-2250.	0.7	7
52	Anti-MDA5 Antibody-positive Dermatomyositis Complicated by Autoimmune-associated Hemophagocytic Syndrome That Was Successfully Treated with Immunosuppressive Therapy and Plasmapheresis. Internal Medicine, 2018, 57, 3473-3478.	0.7	19
53	Frequency of Hospitalized Infections Is Reduced in Rheumatoid Arthritis Patients Who Received Biological and Targeted Synthetic Disease-Modifying Antirheumatic Drugs after 2010. Journal of Immunology Research, 2018, 2018, 1-8.	2.2	123
54	Effect of a gonadotropinâ€releasing hormone analog for ovarian function preservation after intravenous cyclophosphamide therapy in systemic lupus erythematosus patients: a retrospective inception cohort study. International Journal of Rheumatic Diseases, 2018, 21, 1287-1292.	1.9	16

#	Article	IF	CITATIONS
55	A Japanese familial Mediterranean fever patient with a rare G632S MEFV mutation in exon 10. Modern Rheumatology, 2017, 27, 378-379.	1.8	2
56	P2_93 Renal Involvements in ANCA Associated Vasculitis. Rheumatology, 2017, 56, iii135-iii139.	1.9	0
57	Baseline MRI bone erosion predicts the subsequent radiographic progression in early rheumatoid arthritis patients who achieved sustained good clinical response. Modern Rheumatology, 2017, 27, 961-966.	1.8	6
58	Synovitis of sternoclavicular and peripheral joints can be detected by ultrasound in patients with SAPHO syndrome. Modern Rheumatology, 2017, 27, 881-885.	1.8	6
59	Tocilizumab is effective in a familial <scp>M</scp> editerranean fever patient complicated with histologically proven recurrent fasciitis and myositis. International Journal of Rheumatic Diseases, 2017, 20, 1868-1871.	1.9	18
60	Ultrasound-detected bone erosion is a relapse risk factor after discontinuation of biologic disease-modifying antirheumatic drugs in patients with rheumatoid arthritis whose ultrasound power Doppler synovitis activity and clinical disease activity are well controlled. Arthritis Research and Therapy, 2017, 19, 108.	3.5	23
61	Ultrasound disease activity of bilateral wrist and finger joints at three months reflects the clinical response at six months of patients with rheumatoid arthritis treated with biologic disease-modifying anti-rheumatic drugs. Modern Rheumatology, 2017, 27, 252-256.	1.8	12
62	Clinical outcomes in the first year of remitting seronegative symmetrical synovitis with pitting edema (RS3PE) syndrome. Modern Rheumatology, 2017, 27, 150-154.	1.8	27
63	Ganglionic acetylcholine receptor autoantibodies in patients with autoimmune diseases including primary biliary cirrhosis. Modern Rheumatology, 2017, 27, 664-668.	1.8	18
64	Familial Mediterranean fever complicated with refractory asthma: Successful treatment with colchicine. Modern Rheumatology, 2017, 27, 182-183.	1.8	1
65	Assessment of both articular synovitis and tenosynovitis by ultrasound is useful for evaluations of hand dysfunction in early rheumatoid arthritis patients. Modern Rheumatology, 2017, 27, 605-608.	1.8	4
66	Giant cell arteritis complicated with microscopic polyangiitis: two cases. Modern Rheumatology Case Reports, 2017, 1, 134-138.	0.7	0
67	Efficacy and safety at 24 weeks of daily clinical use of tofacitinib in patients with rheumatoid arthritis. PLoS ONE, 2017, 12, e0177057.	2.5	23
68	Effects of HLA-DRB1 alleles on susceptibility and clinical manifestations in Japanese patients with adult onset Still's disease. Arthritis Research and Therapy, 2017, 19, 199.	3.5	25
69	Anti-transcription Intermediary Factor1Î <sup>3</sup> -antibody-positive Dermatomyositis Complicated by Dysphagia. Internal Medicine, 2017, 56, 2965-2966.	0.7	1
70	M1 and M2 Monocytes in Rheumatoid Arthritis: A Contribution of Imbalance of M1/M2 Monocytes to Osteoclastogenesis. Frontiers in Immunology, 2017, 8, 1958.	4.8	148
71	Putative Infundibular And Pituitary Involvements Of Sapho Syndrome. AACE Clinical Case Reports, 2017, 3, e158-e161.	1.1	0
72	Multiple Serum Cytokine Profiling to Identify Combinational Diagnostic Biomarkers in Attacks of Familial Mediterranean Fever. Medicine (United States), 2016, 95, e3449.	1.0	48

#	Article	IF	CITATIONS
73	Calcium/Calmodulinâ€Dependent Kinase IV Facilitates the Recruitment of Interleukinâ€17–Producing Cells to Target Organs Through the CCR6/CCL20 Axis in Th17 Cell–Driven Inflammatory Diseases. Arthritis and Rheumatology, 2016, 68, 1981-1988.	5.6	41
74	Giant Cell Arteritis which Developed after the Administration of Granulocyte-colony Stimulating Factor for Cyclic Neutropenia. Internal Medicine, 2016, 55, 2291-2294.	0.7	19
75	Familial Mediterranean fever is no longer a rare disease in Japan. Arthritis Research and Therapy, 2016, 18, 175.	3.5	63
76	Successful treatment of palmoplantar pustulosis with rheumatoid arthritis, with tofacitinib: Impact of this JAK inhibitor on T-cell differentiation. Clinical Immunology, 2016, 173, 147-148.	3.2	23
77	The Severity of Takayasu Arteritis Is Associated with the HLA-B52 Allele in Japanese Patients. Tohoku Journal of Experimental Medicine, 2016, 239, 67-72.	1.2	15
78	Magnetic Resonance Imaging Bone Edema at Enrollment Predicts Rapid Radiographic Progression in Patients with Early RA: Results from the Nagasaki University Early Arthritis Cohort. Journal of Rheumatology, 2016, 43, 1278-1284.	2.0	14
79	Fewer subsequent relapses and lower levels of IL-17 in Takayasu arteritis developed after the age of 40Âyears. Arthritis Research and Therapy, 2016, 18, 293.	3.5	10
80	Antineutrophilic cytoplasmic antibody-associated vasculitis with hypocomplementemia has a higher incidence of serious organ damage and a poor prognosis. Medicine (United States), 2016, 95, e4871.	1.0	34
81	Predictors of clinical outcomes in patients with neuropsychiatric systemic lupus erythematosus. Cytokine, 2016, 79, 31-37.	3.2	18
82	Insights from the ganglionic acetylcholine receptor autoantibodies in patients with Sjögren's syndrome. Modern Rheumatology, 2016, 26, 708-715.	1.8	31
83	Soluble α-klotho is a potential biomarker associated with neuropsychiatric systemic lupus erythematosus. Clinical Immunology, 2016, 165, 29-34.	3.2	14
84	Hypocholesterolemia predicts relapses in patients with Takayasu arteritis. Modern Rheumatology, 2016, 26, 415-420.	1.8	1
85	Evaluation of switching from intravenous to subcutaneous formulation of tocilizumab in patients with rheumatoid arthritis. Modern Rheumatology, 2016, 26, 662-666.	1.8	19
86	Diffuse Alveolar Hemorrhage Emerging One Week after Starting High-dose Corticosteroid Therapy for Granulomatosis with Polyangiitis (GPA) with Systemic Lupus Erythematosus (SLE). Internal Medicine, 2015, 54, 2681-2686.	0.7	3
87	Eosinophilic Granulomatosis With Polyangiitis With Thrombotic Microangiopathy. Medicine (United) Tj ETQq1 I	0.784314 1.0	rgBT /Over
88	Hemophagocytic Syndrome and Inflammatory Myopathy with Abundant Macrophages in a Patient with Adult-onset Still's Disease. Internal Medicine, 2014, 53, 2385-2389.	0.7	6
89	Macrophage activation syndrome after BNT162b2 mRNA vaccination successfully treated with corticosteroids. Clinical and Experimental Rheumatology, 0, , .	0.8	2