John J Reilly

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/557865/john-j-reilly-publications-by-year.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

106
papers6,220
citations40
h-index78
g-index111
ext. papers7,374
ext. citations4.6
avg, IF5.9
L-index

#	Paper	IF	Citations
106	Nature-Based Early Childhood Education and Children's Physical Activity, Sedentary Behavior, Motor Competence, and Other Physical Health Outcomes: A Mixed-Methods Systematic Review <i>Journal of Physical Activity and Health</i> , 2022 , 1-17	2.5	O
105	Nature-Based Early Childhood Education and Children Social, Emotional and Cognitive Development: A Mixed-Methods Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 5967	4.6	1
104	Compliance with a physical activity guideline among junior high school students. <i>Pediatrics International</i> , 2021 , 63, 1514-1520	1.2	1
103	Associations between meeting 24-hour movement guidelines and health in the early years: A systematic review and meta-analysis. <i>Journal of Sports Sciences</i> , 2021 , 39, 2545-2557	3.6	2
102	Obesity in young children and its relationship with diagnosis of asthma, vitamin D deficiency, iron deficiency, specific allergies and flat-footedness: A systematic review and meta-analysis. <i>Obesity Reviews</i> , 2021 , 22, e13129	10.6	10
101	Interventions to Increase Moderate-to-Vigorous Physical Activity in Elementary School Physical Education Lessons: Systematic Review. <i>Journal of School Health</i> , 2021 , 91, 836-845	2.1	3
100	Differences in educational attainment between obese and non-obese Kuwaiti female university students. <i>Journal of Nutritional Science</i> , 2020 , 9, e30	2.7	
99	Paediatric obesity and brain functioning: The role of physical activity-A novel and important expert opinion of the European Childhood Obesity Group. <i>Pediatric Obesity</i> , 2020 , 15, e12649	4.6	7
98	Public health surveillance of habitual physical activity in adolescents and adults in Namibia: a cross-sectional validation of activity questionnaires against accelerometry. <i>Journal of Public Health</i> , 2020 ,	3.5	1
97	Variations in accelerometry measured physical activity and sedentary time across Europe - harmonized analyses of 47,497 children and adolescents. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020 , 17, 38	8.4	71
96	GRADE-ADOLOPMENT Process to Develop 24-Hour Movement Behavior Recommendations and Physical Activity Guidelines for the Under 5s in the United Kingdom, 2019. <i>Journal of Physical Activity and Health</i> , 2020 , 17, 101-108	2.5	11
95	The South African 24-Hour Movement Guidelines for Birth to 5 Years: An Integration of Physical Activity, Sitting Behavior, Screen Time, and Sleep. <i>Journal of Physical Activity and Health</i> , 2020 , 17, 109-7	179	32
94	Longitudinal changes in moderate-to-vigorous-intensity physical activity in children and adolescents: A systematic review and meta-analysis. <i>Obesity Reviews</i> , 2020 , 21, e12953	10.6	84
93	Nature-based early childhood education for child health, wellbeing and development: a mixed-methods systematic review protocol. <i>Systematic Reviews</i> , 2020 , 9, 226	3	2
92	Level of agreement between objectively determined body composition and perceived body image in 6- to 8-year-old South African children: The Body Composition-Isotope Technique study. <i>PLoS ONE</i> , 2020 , 15, e0237399	3.7	O
91	Classification Accuracy of Body Mass Index for Excessive Body Fatness in Kuwaiti Adolescent Girls and Young Adult Women. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2020 , 13, 104	3 ² : 1 049	3
90	International Comparison of the Levels and Potential Correlates of Objectively Measured Sedentary Time and Physical Activity among Three-to-Four-Year-Old Children. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	12

(2018-2019)

89	An active play intervention to improve physical activity and fundamental movement skills in children of low socio-economic status: feasibility cluster randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2019 , 5, 45	1.9	11
88	Non-linear longitudinal associations between moderate-to-vigorous physical activity and adiposity across the adiposity distribution during childhood and adolescence: Gateshead Millennium Study. <i>International Journal of Obesity</i> , 2019 , 43, 744-750	5.5	12
87	Physical activity interventions in early life aimed at reducing later risk of obesity and related non-communicable diseases: A rapid review of systematic reviews. <i>Obesity Reviews</i> , 2019 , 20 Suppl 1, 61-73	10.6	13
86	Feasibility of wearable cameras to assess screen time and time spent restrained in children aged 3 to 5 years: a study protocol. <i>BMJ Open</i> , 2019 , 9, e028265	3	1
85	Prevalence of obesity among school-age children and adolescents in the Gulf cooperation council (GCC) states: a systematic review. <i>BMC Obesity</i> , 2019 , 6, 3	3.6	17
84	Results from the Japan's 2018 report card on physical activity for children and youth. <i>Journal of Exercise Science and Fitness</i> , 2019 , 17, 20-25	3.1	16
83	Longitudinal changes in vigorous intensity physical activity from childhood to adolescence: Gateshead Millennium Study. <i>Journal of Science and Medicine in Sport</i> , 2019 , 22, 450-455	4.4	10
82	Physical activity, diet and other behavioural interventions for improving cognition and school achievement in children and adolescents with obesity or overweight. <i>The Cochrane Library</i> , 2018 , 1, CD	oð ⁹ 728	34
81	Determining the worldwide prevalence of obesity. <i>Lancet, The</i> , 2018 , 391, 1773-1774	40	71
80	Physical activity, sedentary behaviour, and sleep: movement behaviours in early life. <i>The Lancet Child and Adolescent Health</i> , 2018 , 2, 233-235	14.5	16
79	Timing of the decline in physical activity in childhood and adolescence: Gateshead Millennium Cohort Study. <i>British Journal of Sports Medicine</i> , 2018 , 52, 1002-1006	10.3	173
78	Utilising active play interventions to promote physical activity and improve fundamental movement skills in children: a systematic review and meta-analysis. <i>BMC Public Health</i> , 2018 , 18, 789	4.1	19
77	Changes in Weight, Sedentary Behaviour and Physical Activity during the School Year and Summer Vacation. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	6
76	Comparison of accelerometer measured levels of physical activity and sedentary time between obese and non-obese children and adolescents: a systematic review. <i>BMC Pediatrics</i> , 2018 , 18, 106	2.6	40
<i>75</i>	Body mass index vs deuterium dilution method for establishing childhood obesity prevalence, Ghana, Kenya, Mauritius, Morocco, Namibia, Senegal, Tunisia and United Republic of Tanzania. <i>Bulletin of the World Health Organization</i> , 2018 , 96, 772-781	8.2	12
74	Feasibility and pilot study of an intervention to support active lifestyles in youth with type 1 diabetes: The ActivPals study. <i>Pediatric Diabetes</i> , 2018 , 19, 443-449	3.6	5
73	Global Matrix 3.0 Physical Activity Report Card Grades for Children and Youth: Results and Analysis From 49 Countries. <i>Journal of Physical Activity and Health</i> , 2018 , 15, S251-S273	2.5	329
72	Bidirectional Associations Between Adiposity, Sedentary Behavior, and Physical Activity: A Longitudinal Study in Children. <i>Journal of Physical Activity and Health</i> , 2018 , 1-9	2.5	6

71	Early-Life Obesity Prevention: Critique of Intervention Trials During the First One Thousand Days. <i>Current Obesity Reports</i> , 2017 , 6, 127-133	8.4	20
70	Pragmatic evaluation of the Go2Play Active Play intervention on physical activity and fundamental movement skills in children. <i>Preventive Medicine Reports</i> , 2017 , 7, 58-63	2.6	22
69	Accelerometer measured levels of moderate-to-vigorous intensity physical activity and sedentary time in children and adolescents with chronic disease: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2017 , 12, e0179429	3.7	26
68	Systematic review of the relationships between sedentary behaviour and health indicators in the early years (0-4\(\text{Iyears}\)). <i>BMC Public Health</i> , 2017 , 17, 868	4.1	143
67	Canadian 24-Hour Movement Guidelines for the Early Years (0-4lyears): An Integration of Physical Activity, Sedentary Behaviour, and Sleep. <i>BMC Public Health</i> , 2017 , 17, 874	4.1	253
66	Longitudinal Associations Between Childhood Obesity and Academic Achievement: Systematic Review with Focus Group Data. <i>Current Obesity Reports</i> , 2017 , 6, 297-313	8.4	34
65	Risk factors for eating disorder symptoms at 12 years of age: A 6-year longitudinal cohort study. <i>Appetite</i> , 2017 , 108, 12-20	4.5	27
64	Contribution of Walking to School to Individual and Population Moderate-Vigorous Intensity Physical Activity: Systematic Review and Meta-Analysis. <i>Pediatric Exercise Science</i> , 2016 , 28, 353-63	2	52
63	Predictive Validity of a Thigh-Worn Accelerometer METs Algorithm in 5- to 12-Year-old Children. Journal of Physical Activity and Health, 2016 , 13, S78-83	2.5	6
62	Results From Scotland's 2016 Report Card on Physical Activity for Children and Youth. <i>Journal of Physical Activity and Health</i> , 2016 , 13, S251-S255	2.5	8
61	Global Matrix 2.0: Report Card Grades on the Physical Activity of Children and Youth Comparing 38 Countries. <i>Journal of Physical Activity and Health</i> , 2016 , 13, S343-S366	2.5	278
60	Seasonal changes in objectively measured sedentary behavior and physical activity in Japanese primary school children. <i>BMC Public Health</i> , 2016 , 16, 969	4.1	24
59	Development and feasibility testing of an intervention to support active lifestyles in youths with type 1 diabetes-the ActivPals programme: a study protocol. <i>Pilot and Feasibility Studies</i> , 2016 , 2, 66	1.9	5
58	When does it all go wrong? Longitudinal studies of changes in moderate-to-vigorous-intensity physical activity across childhood and adolescence. <i>Journal of Exercise Science and Fitness</i> , 2016 , 14, 1-6	3.1	54
57	Equating accelerometer estimates among youth: The Rosetta Stone 2. <i>Journal of Science and Medicine in Sport</i> , 2016 , 19, 242-249	4.4	29
56	Contribution of School Recess to Daily Physical Activity: Systematic Review and Evidence Appraisal. Health Behavior and Policy Review, 2016 , 3, 581-589	1.2	13
55	Development of sedentary behavior across childhood and adolescence: longitudinal analysis of the Gateshead Millennium Study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016 , 13, 88	8.4	57
54	Results From Japan's 2016 Report Card on Physical Activity for Children and Youth. <i>Journal of Physical Activity and Health</i> , 2016 , 13, S189-S194	2.5	17

(2012-2015)

Influence of adiposity on health-related quality of life in the Gateshead Millennium Study cohort: longitudinal study at 12 years. <i>Archives of Disease in Childhood</i> , 2015 , 100, 779-83	2.2	6
Appropriateness of the definition of 'sedentary' in young children: Whole-room calorimetry study. <i>Journal of Science and Medicine in Sport</i> , 2015 , 18, 565-8	4.4	8
Objective measurement of sedentary behavior: impact of non-wear time rules on changes in sedentary time. <i>BMC Public Health</i> , 2015 , 15, 504	4.1	34
Longitudinal associations between sports participation, body composition and physical activity from childhood to adolescence. <i>Journal of Science and Medicine in Sport</i> , 2015 , 18, 178-82	4.4	46
Objectively measured physical activity and sedentary time in youth: the International children's accelerometry database (ICAD). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015 , 12, 113	8.4	407
Timing of adiposity rebound and adiposity in adolescence. <i>Pediatrics</i> , 2014 , 134, e1354-61	7.4	70
Validation and calibration of the activPALIfor estimating METs and physical activity in 4-6 year olds. <i>Journal of Science and Medicine in Sport</i> , 2014 , 17, 602-6	4.4	16
Physical activity of children: a global matrix of grades comparing 15 countries. <i>Journal of Physical Activity and Health</i> , 2014 , 11 Suppl 1, S113-25	2.5	237
Validation of activPAL defined sedentary time and breaks in sedentary time in 4- to 6-year-olds. <i>Pediatric Exercise Science</i> , 2014 , 26, 110-7	2	19
Prevalence of being underweight and overweight and obesity at diagnosis in UK patients with childhood acute lymphoblastic leukaemia 1985-2002. <i>Journal of Human Nutrition and Dietetics</i> , 2014 , 27, 76-9	3.1	8
Health related quality of life of obese adolescents in Kuwait. <i>BMC Pediatrics</i> , 2013 , 13, 105	2.6	22
Objectively measured physical activity levels of children and adolescents in rural South Africa: high volume of physical activity at low intensity. <i>Applied Physiology, Nutrition and Metabolism</i> , 2013 , 38, 81-4	3	25
Practical utility and reliability of whole-room calorimetry in young children. <i>British Journal of Nutrition</i> , 2013 , 109, 1917-22	3.6	8
Importance of adjusting dual-energy X-ray output for body size: an example from survivors of childhood acute lymphoblastic leukemia. <i>Journal of Pediatric Hematology/Oncology</i> , 2013 , 35, e27-9	1.2	3
The influence of minimum sitting period of the ActivPALIbn the measurement of breaks in sitting in young children. <i>PLoS ONE</i> , 2013 , 8, e71854	3.7	17
Predictive validity and classification accuracy of ActiGraph energy expenditure equations and cut-points in young children. <i>PLoS ONE</i> , 2013 , 8, e79124	3.7	100
Evidence-based obesity prevention in childhood and adolescence: critique of recent etiological studies, preventive interventions, and policies. <i>Advances in Nutrition</i> , 2012 , 3, 636S-641S	10	4
Physical activity, sedentary behavior, and adiposity in English children. <i>American Journal of Preventive Medicine</i> , 2012 , 42, 445-51	6.1	66
	Appropriateness of the definition of 'sedentary' in young children: Whole-room calorimetry study. Journal of Science and Medicine in Sport, 2015, 18, 565-8 Objective measurement of sedentary behavior: impact of non-wear time rules on changes in sedentary time. BMC Public Health, 2015, 15, 504 Longitudinal associations between sports participation, body composition and physical activity from childhood to adolescence. Journal of Science and Medicine in Sport, 2015, 18, 178-92 Objectively measured physical activity and sedentary time in youth: the International children's accelerometry database (ICAD). International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, 113 Timing of adiposity rebound and adiposity in adolescence. Pediatrics, 2014, 134, e1354-61 Validation and calibration of the activPALIfor estimating METs and physical activity in 4-6 year olds. Journal of Science and Medicine in Sport, 2014, 17, 602-6 Physical activity of children: a global matrix of grades comparing 15 countries. Journal of Physical Activity and Health, 2014, 11 Suppl 1, S113-25 Validation of activPAL defined sedentary time and breaks in sedentary time in 4- to 6-year-olds. Pediatric Exercise Science, 2014, 26, 110-7 Prevalence of being underweight and overweight and obesity at diagnosis in UK patients with childhood acute lymphoblastic leukaemia 1985-2002. Journal of Human Nutrition and Dietetics, 2014, 27, 66-9 Health related quality of life of obese adolescents in Kuwait. BMC Pediatrics, 2013, 13, 105 Objectively measured physical activity levels of children and adolescents in rural South Africa: high volume of physical activity at low intensity. Applied Physiology, Nutrition and Metabolism, 2013, 38, 81-4 Practical utility and reliability of whole-room calorimetry in young children. British Journal of Nutrition, 2013, 109, 1917-22 Importance of minimum sitting period of the ActivPALIbn the measurement of breaks in sitting in young children. PLos ONE, 2013, 8, e71854 Predictive validity an	Appropriateness of the definition of 'sedentary' in young children: Whole-room calorimetry study. Journal of Science and Medicine in Sport, 2015, 18, 565-8 44 Objective measurement of sedentary behavior: impact of non-wear time rules on changes in sedentary time. BMC Public Health, 2015, 15, 504 Longitudinal associations between sports participation, body composition and physical activity from childhood to adolescence. Journal of Science and Medicine in Sport, 2015, 18, 178-82 Objectively measured physical activity and sedentary time in youth: the International children's accelerometry database (ICAD). International Journal of Behavioral Nutrition and Physical Activity, 84, 2015, 12, 113 Timing of adiposity rebound and adiposity in adolescence. Pediatrics, 2014, 134, e1354-61 74 Validation and calibration of the activPALIfor estimating METs and physical activity in 4-6 year olds. Journal of Science and Medicine in Sport, 2014, 17, 602-6 Physical activity of children: a global matrix of grades comparing 15 countries. Journal of Physical Activity and Health, 2014, 11 Suppl. 1, S113-25 Validation of activPAL defined sedentary time and breaks in sedentary time in 4- to 6-year-olds. Pediatric Exercise Science, 2014, 26, 110-7 Prevalence of being underweight and overweight and obesity at diagnosis in UK patients with childhood acute lymphoblastic leukaemia 1985-2002. Journal of Human Nutrition and Dietetics, 2014, 27, 76-9 Health related quality of life of obese adolescents in Kuwait. BMC Pediatrics, 2013, 13, 105 2.6 Objectively measured physical activity levels of children and adolescents in rural South Africa: high volume of physical activity at low intensity. Applied Physiology, Nutrition and Metabolism, 2013, 38, 81-4 Practical utility and reliability of whole-room calorimetry in young children. British Journal of Nutrition, 2013, 109, 1917-22 Importance of adjusting dual-energy X-ray output for body size: an example from survivors of childhood acute lymphoblastic leukemia. Journal of Pediatric He

35	Effect of choice of outcome measure on studies of the etiology of obesity in children. <i>Annals of Epidemiology</i> , 2012 , 22, 888-91	6.4	20
34	Early predictors of objectively measured physical activity and sedentary behaviour in 8-10 year old children: the Gateshead Millennium Study. <i>PLoS ONE</i> , 2012 , 7, e37975	3.7	46
33	Obesity and metabolic syndrome in adolescent survivors of standard risk childhood acute lymphoblastic leukemia in Saudi Arabia. <i>Pediatric Blood and Cancer</i> , 2012 , 59, 133-7	3	28
32	Objective measurement of posture and posture transitions in the pre-school child. <i>Physiological Measurement</i> , 2012 , 33, 1913-21	2.9	15
31	Validity, practical utility, and reliability of the activPALIIn preschool children. <i>Medicine and Science in Sports and Exercise</i> , 2012 , 44, 761-8	1.2	70
30	Incidence of obesity during childhood and adolescence in a large contemporary cohort. <i>Preventive Medicine</i> , 2011 , 52, 300-4	4.3	61
29	Stability of habitual physical activity and sedentary behavior monitoring by accelerometry in 6- to 8-year-olds. <i>Journal of Physical Activity and Health</i> , 2011 , 8, 543-7	2.5	52
28	Longitudinal study of physical activity and sedentary behavior in children. <i>Pediatrics</i> , 2011 , 127, e24-30	7.4	150
27	Cohort profile: the Gateshead Millennium Study. International Journal of Epidemiology, 2011, 40, 308-17	7 7.8	44
26	Impact of using national v. international definitions of underweight, overweight and obesity: an example from Kuwait. <i>Public Health Nutrition</i> , 2011 , 14, 2074-8	3.3	11
25	Correlates of objectively measured physical activity and sedentary behaviour in English children. <i>European Journal of Public Health</i> , 2011 , 21, 424-31	2.1	87
24	Timing of excess weight gain in the Avon Longitudinal Study of Parents and Children (ALSPAC). <i>Pediatrics</i> , 2011 , 127, e730-6	7.4	26
23	Associations between objectively measured habitual physical activity and adiposity in children and adolescents: Systematic review. <i>Pediatric Obesity</i> , 2010 , 5, 3-18		304
22	Methodological considerations in using accelerometers to assess habitual physical activity in children aged 0-5 years. <i>Journal of Science and Medicine in Sport</i> , 2009 , 12, 557-67	4.4	288
21	Disease Management Programs Targeting Obesity in Children. <i>Disease Management and Health Outcomes</i> , 2008 , 16, 255-266		5
20	Physical activity, sedentary behaviour and energy balance in the preschool child: opportunities for early obesity prevention. <i>Proceedings of the Nutrition Society</i> , 2008 , 67, 317-25	2.9	137
19	Use of accelerometers in a large field-based study of children: protocols, design issues, and effects on precision. <i>Journal of Physical Activity and Health</i> , 2008 , 5 Suppl 1, S98-111	2.5	265
18	Energy balance and its measurement in childhood disease. <i>Pediatric Blood and Cancer</i> , 2008 , 50, 452-5; discussion 468	3	9

LIST OF PUBLICATIONS

17	Childhood Obesity: An Overview. <i>Children and Society</i> , 2007 , 21, 390-396	1.4	27
16	Epidemiological and physiological approaches to understanding the etiology of pediatric obesity: finding the needle in the haystack. <i>Pediatric Research</i> , 2007 , 61, 646-52	3.2	40
15	Prevention of childhood obesity: the new search for the holy grail?. Future Lipidology, 2007, 2, 271-276		
14	The social patterning of fat and lean mass in a contemporary cohort of children. <i>Pediatric Obesity</i> , 2006 , 1, 59-61		31
13	Validation of Actigraph accelerometer estimates of total energy expenditure in young children. <i>Pediatric Obesity</i> , 2006 , 1, 161-7		50
12	Physical activity to prevent obesity in young children: cluster randomised controlled trial. <i>BMJ, The</i> , 2006 , 333, 1041	5.9	263
11	Monitoring of Physical Activity in Young Children: How Much Is Enough?. <i>Pediatric Exercise Science</i> , 2006 , 18, 483-491	2	152
10	Physical activity and obesity in childhood and adolescence. <i>Lancet, The</i> , 2005 , 366, 268-9	40	26
9	Metabolisable energy consumption in the exclusively breast-fed infant aged 36 months from the developed world: a systematic review. <i>British Journal of Nutrition</i> , 2005 , 94, 56-63	3.6	43
8	Duration of exclusive breast-feeding: introduction of complementary feeding may be necessary before 6 months of age. <i>British Journal of Nutrition</i> , 2005 , 94, 869-72	3.6	59
7	Seasonality in Physical Activity and Sedentary Behavior in Young Children. <i>Pediatric Exercise Science</i> , 2005 , 17, 31-40	2	96
6	Fundamental movement skills and habitual physical activity in young children. <i>Medicine and Science in Sports and Exercise</i> , 2005 , 37, 684-8	1.2	309
5	An objective method for measurement of sedentary behavior in 3- to 4-year olds. <i>Obesity</i> , 2003 , 11, 11	55-8	152
4	Assessment of childhood obesity: national reference data or international approach?. <i>Obesity</i> , 2002 , 10, 838-40		74
3	Assessment of body composition in infants and children. <i>Nutrition</i> , 1998 , 14, 821-5	4.8	41
2	No evidence for an effect of nutritional status at diagnosis on prognosis in children with acute lymphoblastic leukemia. <i>Journal of Pediatric Hematology/Oncology</i> , 1998 , 20, 534-8	1.2	43
1	Feasibility of an intervention for increasing moderate-to-vigorous intensity physical activity (MVPA) in primary school physical education: a study protocol. <i>F1000Research</i> ,11, 258	3.6	