Ryan H Purcell

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5579267/publications.pdf

Version: 2024-02-01

20 papers 1,308 citations

687363 13 h-index 19 g-index

24 all docs

24 docs citations

times ranked

24

2208 citing authors

#	Article	IF	CITATIONS
1	Chronic Corticosterone Exposure Increases Expression and Decreases Deoxyribonucleic Acid Methylation of Fkbp5 in Mice. Endocrinology, 2010, 151, 4332-4343.	2.8	248
2	Maternal High-Fat Diet During Gestation or Suckling Differentially Affects Offspring Leptin Sensitivity and Obesity. Diabetes, 2012, 61, 2833-2841.	0.6	204
3	Prenatal stress decreases <i>Bdnf</i> expression and increases methylation of <i>Bdnf</i> exon IV in rats. Epigenetics, 2014, 9, 437-447.	2.7	154
4	Maternal stress and high-fat diet effect on maternal behavior, milk composition, and pup ingestive behavior. Physiology and Behavior, 2011, 104, 474-479.	2.1	138
5	A measure of glucocorticoid load provided by DNA methylation of Fkbp5 in mice. Psychopharmacology, 2011, 218, 303-312.	3.1	100
6	Stalk-dependent and Stalk-independent Signaling by the Adhesion G Protein-coupled Receptors GPR56 (ADGRG1) and BAI1 (ADGRB1). Journal of Biological Chemistry, 2016, 291, 3385-3394.	3.4	100
7	Adhesion G Protein–Coupled Receptors as Drug Targets. Annual Review of Pharmacology and Toxicology, 2018, 58, 429-449.	9.4	87
8	The BAI subfamily of adhesion GPCRs: synaptic regulation and beyond. Trends in Pharmacological Sciences, 2014, 35, 208-215.	8.7	54
9	Chimeric Peptide Species Contribute to Divergent Dipeptide Repeat Pathology in c9ALS/FTD and SCA36. Neuron, 2020, 107, 292-305.e6.	8.1	51
10	Behavioral changes and growth deficits in a CRISPR engineered mouse model of the schizophrenia-associated 3q29 deletion. Molecular Psychiatry, 2021, 26, 772-783.	7.9	35
11	Deep phenotyping in 3q29 deletion syndrome: recommendations for clinical care. Genetics in Medicine, 2021, 23, 872-880.	2.4	32
12	Early postweaning exercise improves central leptin sensitivity in offspring of rat dams fed high-fat diet during pregnancy and lactation. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2013, 305, R1076-R1084.	1.8	30
13	A disease-associated mutation in the adhesion GPCR BAI2 (<i>ADGRB2</i>) increases receptor signaling activity. Human Mutation, 2017, 38, 1751-1760.	2.5	24
14	Effects of an epilepsy-causing mutation in the SCN1A sodium channel gene on cocaine-induced seizure susceptibility in mice. Psychopharmacology, 2013, 228, 263-270.	3.1	12
15	Convergent and distributed effects of the 3q29 deletion on the human neural transcriptome. Translational Psychiatry, 2021, 11, 357.	4.8	12
16	Internet-Based Brain Training Games, Citizen Scientists, and Big Data: Ethical Issues in Unprecedented Virtual Territories. Neuron, 2015, 86, 356-359.	8.1	9
17	Mice lacking full length Adgrb1 (Bai1) exhibit social deficits, increased seizure susceptibility, and altered brain development. Experimental Neurology, 2022, 351, 113994.	4.1	9
18	Metabolic effects of the schizophrenia-associated 3q29 deletion. Translational Psychiatry, 2022, 12, 66.	4.8	4

#	Article	lF	CITATIONS
19	Harnessing rare variants in neuropsychiatric and neurodevelopment disordersâ€"a Keystone Symposia report. Annals of the New York Academy of Sciences, 2021, , .	3.8	2
20	Biometric Tracking From Professional Athletes to Consumers. American Journal of Bioethics, 2017, 17, 72-74.	0.9	1