

Patricia Serradas

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5579598/patricia-serradas-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

26
papers

1,285
citations

15
h-index

26
g-index

26
ext. papers

1,522
ext. citations

4.6
avg, IF

3.52
L-index

#	Paper	IF	Citations
26	Enteroendocrine System and Gut Barrier in Metabolic Disorders.. <i>International Journal of Molecular Sciences</i> , 2022 , 23,	6.3	1
25	Hnf4g invalidation prevents diet-induced obesity via intestinal lipid malabsorption. <i>Journal of Endocrinology</i> , 2021 , 252, 31-44	4.7	0
24	Type 2 diabetes is associated with impaired jejunal enteroendocrine GLP-1 cell lineage in human obesity. <i>International Journal of Obesity</i> , 2021 , 45, 170-183	5.5	13
23	Intestinal alteration of Egustducin and sweet taste signaling pathway in metabolic diseases is partly rescued after weight loss and diabetes remission. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2021 , 321, E417-E432	6	2
22	Hyperglycemia drives intestinal barrier dysfunction and risk for enteric infection. <i>Science</i> , 2018 , 359, 1376-1383	33.3	334
21	Intestinal invalidation of the glucose transporter GLUT2 delays tissue distribution of glucose and reveals an unexpected role in gut homeostasis. <i>Molecular Metabolism</i> , 2017 , 6, 61-72	8.8	37
20	Glucose Tolerance Is Improved in Mice Invalidated for the Nuclear Receptor HNF-4A Critical Role for Enteroendocrine Cell Lineage. <i>Diabetes</i> , 2015 , 64, 2744-56	0.9	15
19	Lipid-rich diet enhances L-cell density in obese subjects and in mice through improved L-cell differentiation. <i>Journal of Nutritional Science</i> , 2015 , 4, e22	2.7	26
18	Regenerating 1 and 3b gene expression in the pancreas of type 2 diabetic Goto-Kakizaki (GK) rats. <i>PLoS ONE</i> , 2014 , 9, e90045	3.7	15
17	Mutations in SLC2A2 gene reveal hGLUT2 function in pancreatic β cell development. <i>Journal of Biological Chemistry</i> , 2013 , 288, 31080-92	5.4	18
16	GLUT2 accumulation in enterocyte apical and intracellular membranes: a study in morbidly obese human subjects and ob/ob and high fat-fed mice. <i>Diabetes</i> , 2011 , 60, 2598-607	0.9	100
15	Detection of extracellular glucose by GLUT2 contributes to hypothalamic control of food intake. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2010 , 298, E1078-87	6	61
14	Undernutrition of the GK rat during gestation improves pancreatic IGF-2 and beta-cell mass in the fetuses. <i>Growth Factors</i> , 2009 , 27, 409-18	1.6	3
13	Insulin internalizes GLUT2 in the enterocytes of healthy but not insulin-resistant mice. <i>Diabetes</i> , 2008 , 57, 555-62	0.9	89
12	Loss of sugar detection by GLUT2 affects glucose homeostasis in mice. <i>PLoS ONE</i> , 2007 , 2, e1288	3.7	29
11	Islet Inflammation in Type 2 Diabetes (T2D): From Endothelial to β Cell Dysfunction. <i>Current Immunology Reviews</i> , 2007 , 3, 216-232	1.3	12
10	Islet inflammation and fibrosis in a spontaneous model of type 2 diabetes, the GK rat. <i>Diabetes</i> , 2006 , 55, 1625-33	0.9	157

9	Consequences of fetal exposure to maternal diabetes in offspring. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 3718-24	5.6	196
8	Is defective pancreatic beta-cell mass environmentally programmed in Goto-Kakizaki rat model of type 2 diabetes?: insights from crossbreeding studies during suckling period. <i>Pancreas</i> , 2006 , 33, 412-7	2.6	14
7	Restitution of defective glucose-stimulated insulin secretion in diabetic GK rat by acetylcholine uncovers paradoxical stimulatory effect of beta-cell muscarinic receptor activation on cAMP production. <i>Diabetes</i> , 2005 , 54, 3229-37	0.9	24
6	Fetal insulin-like growth factor-2 production is impaired in the GK rat model of type 2 diabetes. <i>Diabetes</i> , 2002 , 51, 392-7	0.9	41
5	Effect of gliclazide treatment on insulin secretion and beta-cell mass in non-insulin dependent diabetic Goto-Kakisaki rats. <i>European Journal of Pharmacology</i> , 1998 , 361, 243-51	5.3	11
4	Specific inhibition of GLUT2 in arcuate nucleus by antisense oligonucleotides suppresses nervous control of insulin secretion. <i>Molecular Brain Research</i> , 1998 , 57, 275-80		59
3	Transplantation of syngenic pancreatic islets into rats with streptozotocin induced non insulin dependent diabetes mellitus. <i>Advances in Experimental Medicine and Biology</i> , 1997 , 426, 441-5	3.6	
2	Effect of benfluorex on insulin secretion and insulin action in streptozotocin-diabetic rats. <i>Diabetes/metabolism Reviews</i> , 1993 , 9 Suppl 1, 57S-63S		3
1	The desensitization of normal B-cells to glucose in vitro is transient and not related to high glucose levels. <i>Endocrinology</i> , 1989 , 125, 1999-2007	4.8	25