

# FATMA ALIBAZ-ONER

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5579704/fatma-alibaz-oner-publications-by-year.pdf>

**Version:** 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

23 papers	266 citations	10 h-index	15 g-index
25 ext. papers	360 ext. citations	3.3 avg, IF	3.22 L-index

#	Paper	IF	Citations
23	Femoral Vein Wall Thickness Measurement May Be a Distinctive Diagnostic Tool to Differentiate Behçet's Disease with Intestinal Involvement and Crohn's Disease. <i>Digestive Diseases and Sciences</i> , <b>2021</b> , 66, 2750-2755	4	3
22	Genetic Association of a Gain-of-Function IFNGR1 Polymorphism and the Intergenic Region LNCAROD/DKK1 With Behçet's Disease. <i>Arthritis and Rheumatology</i> , <b>2021</b> , 73, 1244-1252	9.5	6
21	Advances in the Treatment of Behcet's Disease. <i>Current Rheumatology Reports</i> , <b>2021</b> , 23, 47	4.9	3
20	Risk of tuberculosis is increased in Behçet's disease compared to other rheumatological disorders after anti-TNF treatments: a case series and review of the literature. <i>Turkish Journal of Medical Sciences</i> , <b>2021</b> , 51, 1689-1694	2.7	
19	Myocardial involvement in Behçet's disease may be higher in patients with Neuro-Behçet's disease: a speckle tracking echocardiographic study. <i>Acta Cardiologica</i> , <b>2021</b> , 1-9	0.9	2
18	Efficacy of TNF inhibitors for refractory vascular Behçet's disease: A multicenter observational study of 27 patients and a review of the literature. <i>International Journal of Rheumatic Diseases</i> , <b>2020</b> , 23, 256-261	2.3	13
17	Moderation analysis exploring associations between age and mucocutaneous activity in Behçet's syndrome: A multicenter study from Turkey. <i>Journal of Dermatology</i> , <b>2020</b> , 47, 1403-1410	1.6	2
16	Predictive factors for work-day loss in Behçet's syndrome: A multi-center study. <i>International Journal of Rheumatic Diseases</i> , <b>2020</b> , 23, 240-246	2.3	4
15	Venous vessel wall thickness in lower extremity is increased in male patients with Behcet's disease. <i>Clinical Rheumatology</i> , <b>2019</b> , 38, 1447-1451	3.9	14
14	Management of vascular Behçet's disease. <i>International Journal of Rheumatic Diseases</i> , <b>2019</b> , 22 Suppl 1, 105-108	2.3	10
13	Oral health is a mediator for disease severity in patients with Behçet's disease: A multiple mediation analysis study. <i>Journal of Oral Rehabilitation</i> , <b>2019</b> , 46, 349-354	3.4	8
12	The assessment of contributing factors to oral ulcer presence in Behçet's disease: Dietary and non-dietary factors. <i>European Journal of Rheumatology</i> , <b>2018</b> , 5, 240-243	1.7	13
11	Impaired cardiac and vascular motion in patients with Takayasu's arteritis: A velocity vector imaging-based study. <i>European Journal of Rheumatology</i> , <b>2018</b> , 5, 16-21	1.7	1
10	Patient-reported outcomes in Takayasu's arteritis. <i>Presse Medicale</i> , <b>2017</b> , 46, e225-e227	2.2	2
9	Response rate of initial conventional treatments, disease course, and related factors of patients with adult-onset Still's disease: Data from a large multicenter cohort. <i>Journal of Autoimmunity</i> , <b>2016</b> , 69, 59-63	15.5	39
8	Post-thrombotic syndrome and venous disease-specific quality of life in patients with vascular Behçet's disease. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , <b>2016</b> , 4, 301-6	3.2	12
7	Vitamin D Levels in Takayasu's Arteritis and a Review of the Literature on Vasculitides. <i>Journal of Clinical Laboratory Analysis</i> , <b>2016</b> , 30, 529-33	3	4

6	Patients with Takayasu's arteritis having persistent acute-phase response usually have an increased major vessel uptake by 18F-FDG-PET/CT. <i>Modern Rheumatology</i> , <b>2015</b> , 25, 752-5	3.3	22
5	Evaluation of asymptomatic venous disease by venous Doppler ultrasonography in patients with Behcet's disease without overt thrombosis. <i>Clinical Rheumatology</i> , <b>2014</b> , 33, 277-80	3.9	11
4	Unmet need in Behcet's disease: most patients in routine follow-up continue to have oral ulcers. <i>Clinical Rheumatology</i> , <b>2014</b> , 33, 1773-6	3.9	28
3	Impaired endothelial function in patients with Takayasu's arteritis. <i>Acta Cardiologica</i> , <b>2014</b> , 69, 45-9	0.9	19
2	Advances in the diagnosis, assessment and outcome of Takayasu's arteritis. <i>Clinical Rheumatology</i> , <b>2013</b> , 32, 541-6	3.9	41
1	Impact of levosimendan on right ventricular functions by using novel tissue Doppler derived indices in patients with ischaemic left ventricular failure. <i>Kardiologia Polska</i> , <b>2013</b> , 71, 1036-41	0.9	7