Kjerstin Stigmar

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5580468/publications.pdf

Version: 2024-02-01

1039880 839398 28 369 9 18 citations g-index h-index papers 29 29 29 451 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Arts on prescription in Scandinavia: a review of current practice and future possibilities. Perspectives in Public Health, 2017, 137, 268-274.	0.8	65
2	The rate of joint replacement in osteoarthritis depends on the patient's socioeconomic status. Monthly Notices of the Royal Astronomical Society: Letters, 2016, 87, 245-251.	1.2	36
3	Early workplace dialogue in physiotherapy practice improved work ability at 1-year follow-up—WorkUp, a randomised controlled trial in primary care. Pain, 2018, 159, 1456-1464.	2.0	36
4	Sick leave in Sweden before and after total joint replacement in hip and knee osteoarthritis patients. Monthly Notices of the Royal Astronomical Society: Letters, 2017, 88, 152-157.	1.2	31
5	Work ability – experiences and perceptions among physicians. Disability and Rehabilitation, 2010, 32, 1780-1789.	0.9	23
6	Health and Work Environment among Female and Male Swedish Elementary School Teachersâ€"A Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2020, 17, 227.	1.2	22
7	Comparison of the Swedish STarT Back Screening Tool and the Short Form of the Örebro Musculoskeletal Pain Screening Questionnaire in patients with acute or subacute back and neck pain. BMC Musculoskeletal Disorders, 2017, 18, 89.	0.8	17
8	Can the STarT Back Tool predict health-related quality of life and work ability after an acute/subacute episode with back or neck pain? A psychometric validation study in primary care. BMJ Open, 2018, 8, e021748.	0.8	14
9	Developing a practice guideline for the occupational health services by using a community of practice approach: a process evaluation of the development process. BMC Public Health, 2017, 17, 89.	1.2	12
10	Work-Focused Health Care: The Role of Physical Therapists. Physical Therapy, 2020, 100, 2231-2236.	1.1	11
11	Physical activity patterns, adherence to using a wearable activity tracker during a 12-week period and correlation between self-reported function and physical activity in working age individuals with hip and/or knee osteoarthritis. BMC Musculoskeletal Disorders, 2021, 22, 450.	0.8	11
12	Self-Perceived Life Satisfaction during the First Wave of the COVID-19 Pandemic in Sweden: A Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2021, 18, 6234.	1.2	10
13	Structured physiotherapy including a work place intervention for patients with neck and/or back pain in primary care: an economic evaluation. European Journal of Health Economics, 2019, 20, 317-327.	1.4	9
14	Promoting work ability with a wearable activity tracker in working age individuals with hip and/or knee osteoarthritis: a randomized controlled trial. BMC Musculoskeletal Disorders, 2022, 23, 112.	0.8	9
15	Implementation of the Swedish Guideline for Prevention of Mental ill-health at the Workplace: study protocol of a cluster randomized controlled trial, using multifaceted implementation strategies in schools. BMC Public Health, 2019, 19, 1668.	1.2	8
16	A systematic review of work interventions to promote safe patient handling and movement in the healthcare sector. International Journal of Occupational Safety and Ergonomics, 2022, 28, 2520-2532.	1.1	8
17	Evaluation of a multimodal pain rehabilitation programme in primary care based on clinical register data: a feasibility study. Primary Health Care Research and Development, 2020, 21, e2.	0.5	7
18	Referring to multimodal rehabilitation for patients with musculoskeletal disorders – a register study in primary health care. BMC Health Services Research, 2017, 17, 15.	0.9	6

#	Article	IF	CITATIONS
19	"Blue flagsâ€, development of a short clinical questionnaire on work-related psychosocial risk factors - a validation study in primary care. BMC Musculoskeletal Disorders, 2017, 18, 318.	0.8	6
20	Long-term effects on function, health-related quality of life and work ability after structured physiotherapy including a workplace intervention. A secondary analysis of a randomised controlled trial (WorkUp) in primary care for patients with neck and/or back pain. Scandinavian Journal of Primary Health Care, 2020, 38, 92-100.	0.6	6
21	Physical activity and health-related quality of life in men and women with hip and/or knee osteoarthritis before and after a supported self-management programme $\hat{a} \in $ a prospective observational study. Disability and Rehabilitation, 2021, , 1-9.	0.9	5
22	Effectiveness of a multifaceted implementation strategy for improving adherence to the guideline for prevention of mental ill-health among school personnel in Sweden: a cluster randomized trial. Implementation Science, 2022, 17, 23.	2.5	5
23	Physiotherapists' experiences of osteoarthritis guidelines in primary health care – an interview study. BMC Family Practice, 2021, 22, 259.	2.9	5
24	How do physiotherapists perceive their role in work ability assessments? A prospective focus group study. Primary Health Care Research and Development, 2014, 15, 268-276.	0.5	4
25	Exploring the Environment behind In-Patient Falls and Their Relation to Hospital Overcrowdedness—A Register-Based Observational Study. International Journal of Environmental Research and Public Health, 2021, 18, 10742.	1.2	1
26	Utilization of healthcare and prescription medicines after non-pharmacological interventions for depression - A 3-year register follow-up of an RCT in primary care. Preventive Medicine Reports, 2022, 25, 101658.	0.8	1
27	Translation, adaptation, validity and reliability of the Dutch version of the †blue flags' questionnaire. European Journal of Physiotherapy, 0, , 1-10.	0.7	0
28	Associations Between Physical Activity, Self-reported Joint Function, and Molecular Biomarkers in Working Age Individuals With Hip and/or Knee Osteoarthritis. Clinical Medicine Insights: Arthritis and Musculoskeletal Disorders, 2022, 15, 117954412210810.	0.3	0