

Kjerstin Stigmar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5580468/publications.pdf>

Version: 2024-02-01

28
papers

369
citations

1039880

9
h-index

839398

18
g-index

29
all docs

29
docs citations

29
times ranked

451
citing authors

#	ARTICLE	IF	CITATIONS
1	A systematic review of work interventions to promote safe patient handling and movement in the healthcare sector. <i>International Journal of Occupational Safety and Ergonomics</i> , 2022, 28, 2520-2532.	1.1	8
2	Utilization of healthcare and prescription medicines after non-pharmacological interventions for depression - A 3-year register follow-up of an RCT in primary care. <i>Preventive Medicine Reports</i> , 2022, 25, 101658.	0.8	1
3	Promoting work ability with a wearable activity tracker in working age individuals with hip and/or knee osteoarthritis: a randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, 112.	0.8	9
4	Effectiveness of a multifaceted implementation strategy for improving adherence to the guideline for prevention of mental ill-health among school personnel in Sweden: a cluster randomized trial. <i>Implementation Science</i> , 2022, 17, 23.	2.5	5
5	Associations Between Physical Activity, Self-reported Joint Function, and Molecular Biomarkers in Working Age Individuals With Hip and/or Knee Osteoarthritis. <i>Clinical Medicine Insights: Arthritis and Musculoskeletal Disorders</i> , 2022, 15, 117954412210810.	0.3	0
6	Physical activity and health-related quality of life in men and women with hip and/or knee osteoarthritis before and after a supported self-management programme – a prospective observational study. <i>Disability and Rehabilitation</i> , 2021, , 1-9.	0.9	5
7	Physical activity patterns, adherence to using a wearable activity tracker during a 12-week period and correlation between self-reported function and physical activity in working age individuals with hip and/or knee osteoarthritis. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 450.	0.8	11
8	Self-Perceived Life Satisfaction during the First Wave of the COVID-19 Pandemic in Sweden: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6234.	1.2	10
9	Exploring the Environment behind In-Patient Falls and Their Relation to Hospital Overcrowdedness – A Register-Based Observational Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10742.	1.2	1
10	Physiotherapists'™ experiences of osteoarthritis guidelines in primary health care – an interview study. <i>BMC Family Practice</i> , 2021, 22, 259.	2.9	5
11	Health and Work Environment among Female and Male Swedish Elementary School Teachers – A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 227.	1.2	22
12	Work-Focused Health Care: The Role of Physical Therapists. <i>Physical Therapy</i> , 2020, 100, 2231-2236.	1.1	11
13	Evaluation of a multimodal pain rehabilitation programme in primary care based on clinical register data: a feasibility study. <i>Primary Health Care Research and Development</i> , 2020, 21, e2.	0.5	7
14	Long-term effects on function, health-related quality of life and work ability after structured physiotherapy including a workplace intervention. A secondary analysis of a randomised controlled trial (WorkUp) in primary care for patients with neck and/or back pain. <i>Scandinavian Journal of Primary Health Care</i> , 2020, 38, 92-100.	0.6	6
15	Implementation of the Swedish Guideline for Prevention of Mental ill-health at the Workplace: study protocol of a cluster randomized controlled trial, using multifaceted implementation strategies in schools. <i>BMC Public Health</i> , 2019, 19, 1668.	1.2	8
16	Structured physiotherapy including a work place intervention for patients with neck and/or back pain in primary care: an economic evaluation. <i>European Journal of Health Economics</i> , 2019, 20, 317-327.	1.4	9
17	Early workplace dialogue in physiotherapy practice improved work ability at 1-year follow-up – WorkUp, a randomised controlled trial in primary care. <i>Pain</i> , 2018, 159, 1456-1464.	2.0	36
18	Can the STarT Back Tool predict health-related quality of life and work ability after an acute/subacute episode with back or neck pain? A psychometric validation study in primary care. <i>BMJ Open</i> , 2018, 8, e021748.	0.8	14

#	ARTICLE	IF	CITATIONS
19	Arts on prescription in Scandinavia: a review of current practice and future possibilities. Perspectives in Public Health, 2017, 137, 268-274.	0.8	65
20	Sick leave in Sweden before and after total joint replacement in hip and knee osteoarthritis patients. Monthly Notices of the Royal Astronomical Society: Letters, 2017, 88, 152-157.	1.2	31
21	Developing a practice guideline for the occupational health services by using a community of practice approach: a process evaluation of the development process. BMC Public Health, 2017, 17, 89.	1.2	12
22	Comparison of the Swedish STarT Back Screening Tool and the Short Form of the Å–rebro Musculoskeletal Pain Screening Questionnaire in patients with acute or subacute back and neck pain. BMC Musculoskeletal Disorders, 2017, 18, 89.	0.8	17
23	Referring to multimodal rehabilitation for patients with musculoskeletal disorders – a register study in primary health care. BMC Health Services Research, 2017, 17, 15.	0.9	6
24	“Blue flags”, development of a short clinical questionnaire on work-related psychosocial risk factors - a validation study in primary care. BMC Musculoskeletal Disorders, 2017, 18, 318.	0.8	6
25	The rate of joint replacement in osteoarthritis depends on the patient’s socioeconomic status. Monthly Notices of the Royal Astronomical Society: Letters, 2016, 87, 245-251.	1.2	36
26	How do physiotherapists perceive their role in work ability assessments? A prospective focus group study. Primary Health Care Research and Development, 2014, 15, 268-276.	0.5	4
27	Work ability – experiences and perceptions among physicians. Disability and Rehabilitation, 2010, 32, 1780-1789.	0.9	23
28	Translation, adaptation, validity and reliability of the Dutch version of the “blue flags” questionnaire. European Journal of Physiotherapy, 0, , 1-10.	0.7	0