
Ã-mer Oruç

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5580747/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | A strong-form local meshless approach based on radial basis function-finite difference (RBF-FD) method for solving multi-dimensional coupled damped Schrödinger system appearing in Bose–Einstein condensates. Communications in Nonlinear Science and Numerical Simulation, 2022, 104, 106042. | 1.7 | 26 |
| 2 | Numerical simulation of twoâ€dimensional and threeâ€dimensional generalized <scp>Klein–Gordon–Zakharov</scp> equations with power law nonlinearity via a meshless collocation method based on barycentric rational interpolation. Numerical Methods for Partial Differential Equations, 2022, 38, 1068-1089. | 2.0 | 7 |
| 3 | An application of Chebyshev wavelet method for the nonlinear time fractional SchrĶdinger equation. Mathematical Methods in the Applied Sciences, 2022, 45, 6635-6649. | 1.2 | 6 |
| 4 | Higher order Haar wavelet method integrated with strang splitting for solving regularized long wave equation. Mathematics and Computers in Simulation, 2022, 197, 277-290. | 2.4 | 18 |
| 5 | An accurate computational method for two-dimensional (2D) fractional Rayleigh-Stokes problem for a heated generalized second grade fluid via linear barycentric interpolation method. Computers and Mathematics With Applications, 2022, 118, 120-131. | 1.4 | 4 |
| 6 | Application of a collocation method based on linear barycentric interpolation for solving 2D and 3D Klein-Gordon-Schrödinger (KGS) equations numerically. Engineering Computations, 2021, 38, 2394-2414. | 0.7 | 4 |
| 7 | Two meshless methods based on pseudo spectral delta-shaped basis functions and barycentric rational interpolation for numerical solution of modified Burgers equation. International Journal of Computer Mathematics, 2021, 98, 461-479. | 1.0 | 15 |
| 8 | A radial basis function finite difference (RBF-FD) method for numerical simulation of interaction of high and low frequency waves: Zakharov–Rubenchik equations. Applied Mathematics and Computation, 2021, 394, 125787. | 1.4 | 15 |
| 9 | An efficient meshfree method based on Pascal polynomials and multiple-scale approach for numerical solution of 2-D and 3-D second order elliptic interface problems. Journal of Computational Physics, 2021, 428, 110070. | 1.9 | 16 |
| 10 | Delta-shaped basis functions-pseudospectral method for numerical investigation of nonlinear generalized equal width equation in shallow water waves. Wave Motion, 2021, 101, 102687. | 1.0 | 12 |
| 11 | A local radial basis function-finite difference (RBF-FD) method for solving 1D and 2D coupled Schr¶dinger-Boussinesq (SBq) equations. Engineering Analysis With Boundary Elements, 2021, 129, 55-66. | 2.0 | 27 |
| 12 | Highly accurate numerical scheme based on polynomial scaling functions for equal width equation. Wave Motion, 2021, 105, 102760. | 1.0 | 7 |
| 13 | A meshless multiple-scale polynomial method for numerical solution of 3D convection–diffusion problems with variable coefficients. Engineering With Computers, 2020, 36, 1215-1228. | 3.5 | 18 |
| 14 | An efficient wavelet collocation method for nonlinear two-space dimensional Fisher–Kolmogorov–Petrovsky–Piscounov equation and two-space dimensional extended Fisher–Kolmogorov equation. Engineering With Computers, 2020, 36, 839-856. | 3.5 | 32 |
| 15 | A local hybrid kernel meshless method for numerical solutions of twoâ€dimensional fractional cable equation in neuronal dynamics. Numerical Methods for Partial Differential Equations, 2020, 36, 1699-1717. | 2.0 | 20 |
| 16 | A Strang Splitting Approach Combined with Chebyshev Wavelets to Solve the Regularized Long-Wave Equation Numerically. Mediterranean Journal of Mathematics, 2020, 17, 1. | 0.4 | 17 |
| 17 | A Meshfree Computational Approach Based on Multiple-Scale Pascal Polynomials for Numerical Solution of a 2D Elliptic Problem with Nonlocal Boundary Conditions. International Journal of Computational Methods, 2020, 17, 1950080. | 0.8 | 14 |
| 18 | Two meshless methods based on local radial basis function and barycentric rational interpolation for solving 2D viscoelastic wave equation. Computers and Mathematics With Applications, 2020, 79, 3272-3288. | 1.4 | 35 |

Ã-мег Oruç

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Numerical investigation of nonlinear generalized regularized long wave equation via delta-shaped basis functions. International Journal of Optimization and Control: Theories and Applications, 2020, 10, 244-258. | 0.8 | 6 |
| 20 | Numerical solution to the deflection of thin plates using the two-dimensional Berger equation with a meshless method based on multiple-scale Pascal polynomials. Applied Mathematical Modelling, 2019, 74, 441-456. | 2.2 | 23 |
| 21 | A non-uniform Haar wavelet method for numerically solving two-dimensional convection-dominated equations and two-dimensional near singular elliptic equations. Computers and Mathematics With Applications, 2019, 77, 1799-1820. | 1.4 | 32 |
| 22 | A haar wavelet approximation for two-dimensional time fractional reaction–subdiffusion equation. Engineering With Computers, 2019, 35, 75-86. | 3.5 | 53 |
| 23 | A unified finite difference Chebyshev wavelet method for numerically solving time fractional Burgers' equation. Discrete and Continuous Dynamical Systems - Series S, 2019, 12, 533-542. | 0.6 | 17 |
| 24 | A numerical procedure based on Hermite wavelets for two-dimensional hyperbolic telegraph equation. Engineering With Computers, 2018, 34, 741-755. | 3.5 | 20 |
| 25 | A new numerical treatment based on Lucas polynomials for 1D and 2D sinh-Gordon equation. Communications in Nonlinear Science and Numerical Simulation, 2018, 57, 14-25. | 1.7 | 32 |
| 26 | A computational method based on Hermite wavelets for twoâ€dimensional Sobolev and regularized long wave equations in fluids. Numerical Methods for Partial Differential Equations, 2018, 34, 1693-1715. | 2.0 | 37 |
| 27 | Chebyshev Wavelet Method for Numerical Solutions of Coupled Burgers Equation. Hacettepe Journal of Mathematics and Statistics, 2018, 48, . | 0.3 | 6 |
| 28 | A new algorithm based on Lucas polynomials for approximate solution of 1D and 2D nonlinear generalized Benjamin–Bona–Mahony–Burgers equation. Computers and Mathematics With Applications, 2017, 74, 3042-3057. | 1.4 | 35 |
| 29 | A numerical treatment based on Haar wavelets for coupled KdV equation. International Journal of Optimization and Control: Theories and Applications, 2017, 7, 195-204. | 0.8 | 11 |
| 30 | Numerical solution of the KdV equation by Haar wavelet method. Pramana - Journal of Physics, 2016, 87, 1. | 0.9 | 22 |
| 31 | A unified approach for the numerical solution of time fractional Burgers' type equations. European Physical Journal Plus, 2016, 131, 1. | 1.2 | 29 |
| 32 | Numerical Solutions of Regularized Long Wave Equation By Haar Wavelet Method. Mediterranean Journal of Mathematics, 2016, 13, 3235-3253. | 0.4 | 52 |
| 33 | A Haar wavelet collocation method for coupled nonlinear Schrödinger–KdV equations. International Journal of Modern Physics C, 2016, 27, 1650103. | 0.8 | 21 |
| 34 | A Haar wavelet-finite difference hybrid method for the numerical solution of the modified Burgers' equation. Journal of Mathematical Chemistry, 2015, 53, 1592-1607. | 0.7 | 62 |
| 35 | An algorithm for the solution of second order fuzzy initial value problems. Expert Systems With Applications, 2013, 40, 953-957. | 4.4 | 38 |
| 36 | A combination of Lie group-based high order geometric integrator and delta-shaped basis functions for solving Korteweg–de Vries (KdV) equation. International Journal of Geometric Methods in Modern Physics, 0, , . | 0.8 | 6 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Numerical investigation of dynamic Euler-Bernoulli equation via 3-Scale Haar wavelet collocation method. , 0, , 1-21. | 0.3 | 5 |