

# Christina Andreou

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/5581498/christina-andreou-publications-by-citations.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

111  
papers

2,437  
citations

28  
h-index

44  
g-index

117  
ext. papers

2,999  
ext. citations

5.1  
avg, IF

5.19  
L-index

#	Paper	IF	Citations
111	Sowing the seeds of doubt: a narrative review on metacognitive training in schizophrenia. <i>Clinical Psychology Review</i> , <b>2014</b> , 34, 358-66	10.8	208
110	Longitudinal studies of cognition in first episode psychosis: a systematic review of the literature. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2011</b> , 45, 93-108	2.6	125
109	Sustained and "sleeper" effects of group metacognitive training for schizophrenia: a randomized clinical trial. <i>JAMA Psychiatry</i> , <b>2014</b> , 71, 1103-11	14.5	107
108	Complementary group Metacognitive Training (MCT) reduces delusional ideation in schizophrenia. <i>Schizophrenia Research</i> , <b>2013</b> , 151, 61-9	3.6	91
107	Increased Resting-State Gamma-Band Connectivity in First-Episode Schizophrenia. <i>Schizophrenia Bulletin</i> , <b>2015</b> , 41, 930-9	1.3	89
106	Resting-state connectivity in the prodromal phase of schizophrenia: insights from EEG microstates. <i>Schizophrenia Research</i> , <b>2014</b> , 152, 513-20	3.6	85
105	Beyond the usual suspects: positive attitudes towards positive symptoms is associated with medication noncompliance in psychosis. <i>Schizophrenia Bulletin</i> , <b>2013</b> , 39, 917-22	1.3	72
104	Impaired perception of affective prosody in schizophrenia. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , <b>2006</b> , 18, 81-5	2.7	56
103	Dopaminergic modulation of probabilistic reasoning and overconfidence in errors: a double-blind study. <i>Schizophrenia Bulletin</i> , <b>2014</b> , 40, 558-65	1.3	54
102	A two-stage cognitive theory of the positive symptoms of psychosis. Highlighting the role of lowered decision thresholds. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , <b>2017</b> , 56, 12-20	2.6	51
101	Resting-state theta-band connectivity and verbal memory in schizophrenia and in the high-risk state. <i>Schizophrenia Research</i> , <b>2015</b> , 161, 299-307	3.6	48
100	The predictive significance of neurocognitive factors for functional outcome in bipolar disorder. <i>Current Opinion in Psychiatry</i> , <b>2013</b> , 26, 54-9	4.9	45
99	Clinical and functional long-term outcome of patients at clinical high risk (CHR) for psychosis without transition to psychosis: A systematic review. <i>Schizophrenia Research</i> , <b>2019</b> , 210, 39-47	3.6	45
98	Conscious auditory perception related to long-range synchrony of gamma oscillations. <i>NeuroImage</i> , <b>2014</b> , 100, 435-43	7.9	43
97	Response confidence for emotion perception in schizophrenia using a Continuous Facial Sequence Task. <i>Psychiatry Research</i> , <b>2012</b> , 200, 202-7	9.9	40
96	Subjective competence breeds overconfidence in errors in psychosis. A hubris account of paranoia. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , <b>2015</b> , 48, 118-24	2.6	38
95	Theta and high-beta networks for feedback processing: a simultaneous EEG-fMRI study in healthy male subjects. <i>Translational Psychiatry</i> , <b>2017</b> , 7, e1016	8.6	37

94	Assessment of subjective cognitive and emotional effects of antipsychotic drugs. Effect by defect?. <i>Neuropharmacology</i> , <b>2013</b> , 72, 179-86	5.5	36
93	Overconfidence in incorrect perceptual judgments in patients with schizophrenia. <i>Schizophrenia Research: Cognition</i> , <b>2014</b> , 1, 165-170	2.8	36
92	EEG-Informed fMRI Reveals a Disturbed Gamma-Band-Specific Network in Subjects at High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , <b>2016</b> , 42, 239-49	1.3	35
91	Impaired perception of affective prosody in remitted patients with bipolar disorder. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , <b>2007</b> , 19, 436-40	2.7	34
90	Factors contributing to social cognition impairment in borderline personality disorder and schizophrenia. <i>Psychiatry Research</i> , <b>2015</b> , 229, 872-9	9.9	33
89	Relationship between oscillatory neuronal activity during reward processing and trait impulsivity and sensation seeking. <i>PLoS ONE</i> , <b>2013</b> , 8, e83414	3.7	33
88	A new paradigm to measure probabilistic reasoning and a possible answer to the question why psychosis-prone individuals jump to conclusions. <i>Journal of Abnormal Psychology</i> , <b>2017</b> , 126, 406-415	7	31
87	Reduced auditory evoked gamma band response and cognitive processing deficits in first episode schizophrenia. <i>World Journal of Biological Psychiatry</i> , <b>2015</b> , 16, 387-397	3.8	31
86	Embracing Psychosis: A Cognitive Insight Intervention Improves Personal Narratives and Meaning-Making in Patients With Schizophrenia. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, 307-316	1.3	31
85	Can we trust the internet to measure psychotic symptoms?. <i>Schizophrenia Research and Treatment</i> , <b>2013</b> , 2013, 457010	0.6	31
84	Multimodal Machine Learning Workflows for Prediction of Psychosis in Patients With Clinical High-Risk Syndromes and Recent-Onset Depression. <i>JAMA Psychiatry</i> , <b>2021</b> , 78, 195-209	14.5	31
83	Deficits in sustained attention in schizophrenia but not in bipolar disorder. <i>Schizophrenia Research</i> , <b>2005</b> , 78, 225-33	3.6	28
82	Sex differences in prolactin levels in emerging psychosis: Indication for enhanced stress reactivity in women. <i>Schizophrenia Research</i> , <b>2017</b> , 189, 111-116	3.6	27
81	Individualized metacognitive therapy for delusions: A randomized controlled rater-blind study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , <b>2017</b> , 56, 144-151	2.6	26
80	Structural and functional imaging markers for susceptibility to psychosis. <i>Molecular Psychiatry</i> , <b>2020</b> , 25, 2773-2785	15.1	25
79	Glutamatergic deficit and schizophrenia-like negative symptoms: new evidence from ketamine-induced mismatch negativity alterations in healthy male humans. <i>Journal of Psychiatry and Neuroscience</i> , <b>2017</b> , 42, 273-283	4.5	25
78	Reasoning in psychosis: risky but not necessarily hasty. <i>Cognitive Neuropsychiatry</i> , <b>2016</b> , 21, 91-106	2	24
77	Investigation of metamemory functioning in the at-risk mental state for psychosis. <i>Psychological Medicine</i> , <b>2015</b> , 45, 3329-40	6.9	23

76	Effects of online intervention for depression on mood and positive symptoms in schizophrenia. <i>Schizophrenia Research</i> , <b>2016</b> , 175, 216-222	3.6	22
75	Plasma and serum brain-derived neurotrophic factor (BDNF) levels and their association with neurocognition in at-risk mental state, first episode psychosis and chronic schizophrenia patients. <i>World Journal of Biological Psychiatry</i> , <b>2019</b> , 20, 545-554	3.8	21
74	Investigation of the role of the jumping-to-conclusions bias for short-term functional outcome in schizophrenia. <i>Psychiatry Research</i> , <b>2014</b> , 218, 341-7	9.9	20
73	Clinical and functional ultra-long-term outcome of patients with a clinical high risk (CHR) for psychosis. <i>European Psychiatry</i> , <b>2019</b> , 62, 30-37	6	19
72	Oscillatory responses to reward processing in borderline personality disorder. <i>World Journal of Biological Psychiatry</i> , <b>2015</b> , 16, 575-86	3.8	19
71	Localizing bicoherence from EEG and MEG. <i>NeuroImage</i> , <b>2018</b> , 174, 352-363	7.9	19
70	Beads task vs. box task: The specificity of the jumping to conclusions bias. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , <b>2017</b> , 56, 42-50	2.6	19
69	Reduced auditory evoked gamma-band response and schizophrenia-like clinical symptoms under subanesthetic ketamine. <i>Neuropsychopharmacology</i> , <b>2019</b> , 44, 1239-1246	8.7	18
68	P300 in obsessive-compulsive disorder: source localization and the effects of treatment. <i>Journal of Psychiatric Research</i> , <b>2013</b> , 47, 1975-83	5.2	18
67	Bias against disconfirmatory evidence in the at-risk mental state and during psychosis. <i>Psychiatry Research</i> , <b>2016</b> , 238, 242-250	9.9	17
66	Treatment of Huntington's disease with galantamine. <i>International Clinical Psychopharmacology</i> , <b>2004</b> , 19, 49-50	2.2	17
65	Alterations in interhemispheric gamma-band connectivity are related to the emergence of auditory verbal hallucinations in healthy subjects during NMDA-receptor blockade. <i>Neuropsychopharmacology</i> , <b>2018</b> , 43, 1608-1615	8.7	16
64	Auditory verbal hallucinations related to altered long-range synchrony of gamma-band oscillations. <i>Scientific Reports</i> , <b>2017</b> , 7, 8401	4.9	16
63	Generators and Connectivity of the Early Auditory Evoked Gamma Band Response. <i>Brain Topography</i> , <b>2015</b> , 28, 865-78	4.3	16
62	Pellagra encephalopathy following B-complex vitamin treatment without niacin. <i>International Journal of Psychiatry in Medicine</i> , <b>2004</b> , 34, 91-5	1	16
61	Dopamine effects on evidence gathering and integration. <i>Journal of Psychiatry and Neuroscience</i> , <b>2015</b> , 40, 422-8	4.5	16
60	EEG microstates as biomarker for psychosis in ultra-high-risk patients. <i>Translational Psychiatry</i> , <b>2020</b> , 10, 300	8.6	16
59	Gender differences of patients at-risk for psychosis regarding symptomatology, drug use, comorbidity and functioning - Results from the EU-GEI study. <i>European Psychiatry</i> , <b>2019</b> , 59, 52-59	6	15

58	Traces of Trauma: A Multivariate Pattern Analysis of Childhood Trauma, Brain Structure, and Clinical Phenotypes. <i>Biological Psychiatry</i> , <b>2020</b> , 88, 829-842	7.9	15
57	Knowledge corruption for visual perception in individuals high on paranoia. <i>Psychiatry Research</i> , <b>2014</b> , 215, 700-5	9.9	15
56	Coronavirus conspiracy beliefs in the German-speaking general population: endorsement rates and links to reasoning biases and paranoia. <i>Psychological Medicine</i> , <b>2021</b> , 1-15	6.9	15
55	Gender differences in first self-perceived signs and symptoms in patients with an at-risk mental state and first-episode psychosis. <i>Microbial Biotechnology</i> , <b>2019</b> , 13, 582-588	3.3	14
54	Prolonged rather than hasty decision-making in schizophrenia using the box task. Must we rethink the jumping to conclusions account of paranoia?. <i>Schizophrenia Research</i> , <b>2020</b> , 222, 202-208	3.6	13
53	The Time Course of Activity within the Dorsal and Rostral-Ventral Anterior Cingulate Cortex in the Emotional Stroop Task. <i>Brain Topography</i> , <b>2017</b> , 30, 30-45	4.3	13
52	Factor structure of the Greek translation of the Scale for the Assessment of Thought, Language and Communication. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2008</b> , 42, 636-42	2.6	13
51	The relationship between negative symptoms and cognitive functioning in patients at clinical high risk for psychosis. <i>Psychiatry Research</i> , <b>2018</b> , 268, 21-27	9.9	13
50	Neurocognitive deficits are relevant for the jumping-to-conclusions bias, but not for delusions: A longitudinal study. <i>Schizophrenia Research: Cognition</i> , <b>2015</b> , 2, 8-11	2.8	12
49	Emotional perception and theory of mind in first episode psychosis: the role of obsessive-compulsive symptomatology. <i>Psychiatry Research</i> , <b>2014</b> , 220, 112-7	9.9	12
48	The role of attachment anxiety in the relationship between childhood trauma and schizophrenia-spectrum psychosis. <i>Psychiatry Research</i> , <b>2019</b> , 276, 223-231	9.9	10
47	Semantic priming in remitted patients with bipolar disorder. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , <b>2013</b> , 44, 48-52	2.6	10
46	Predictors of early stable symptomatic remission after an exacerbation of schizophrenia: the significance of symptoms, neuropsychological performance and cognitive biases. <i>Psychiatry Research</i> , <b>2013</b> , 210, 729-34	9.9	10
45	The Benefits of Doubt: Cognitive Bias Correction Reduces Hasty Decision-Making in Schizophrenia. <i>Cognitive Therapy and Research</i> , <b>2015</b> , 39, 627-635	2.7	10
44	Effects of dopaminergic modulation on automatic semantic priming: a double-blind study. <i>Journal of Psychiatry and Neuroscience</i> , <b>2014</b> , 39, 110-7	4.5	8
43	Effects of sentence context on lexical ambiguity resolution in patients with schizophrenia. <i>Neuropsychologia</i> , <b>2009</b> , 47, 1079-87	3.2	8
42	Incubus syndrome and folie à deux: a case report. <i>European Psychiatry</i> , <b>2003</b> , 18, 322	6	8
41	Assessment and treatment of individuals at high risk for psychosis. <i>BJ Psych Advances</i> , <b>2019</b> , 25, 177-184	6.8	7

40	Neural Habituation to Painful Stimuli Is Modulated by Dopamine: Evidence from a Pharmacological fMRI Study. <i>Frontiers in Human Neuroscience</i> , <b>2017</b> , 11, 630	3.3	7
39	Association of antidepressants with brain morphology in early stages of psychosis: an imaging genomics approach. <i>Scientific Reports</i> , <b>2019</b> , 9, 8516	4.9	6
38	Alterations of oscillatory neuronal activity during reward processing in schizophrenia. <i>Journal of Psychiatric Research</i> , <b>2020</b> , 129, 80-87	5.2	6
37	Differential relationship of jumping-to-conclusions and incorrigibility with delusion severity. <i>Psychiatry Research</i> , <b>2018</b> , 264, 297-301	9.9	6
36	Can neuropsychological testing facilitate differential diagnosis between at-risk mental state (ARMS) for psychosis and adult attention-deficit/hyperactivity disorder (ADHD)?. <i>European Psychiatry</i> , <b>2018</b> , 52, 38-44	6	6
35	Antipsychotics decrease response confidence. <i>Journal of Psychopharmacology</i> , <b>2016</b> , 30, 831-3	4.6	6
34	Exploring the predictive power of the unspecific risk category of the Basel Screening Instrument for Psychosis. <i>Microbial Biotechnology</i> , <b>2019</b> , 13, 969-976	3.3	6
33	Predictors of study drop-out and service disengagement in patients at clinical high risk for psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2020</b> , 55, 539-548	4.5	6
32	An overlapping pattern of cerebral cortical thinning is associated with both positive symptoms and aggression in schizophrenia via the ENIGMA consortium. <i>Psychological Medicine</i> , <b>2020</b> , 50, 2034-2045	6.9	6
31	Associations between visual perception accuracy and confidence in a dopaminergic manipulation study. <i>Frontiers in Psychology</i> , <b>2015</b> , 6, 414	3.4	5
30	Letter to the Editor: Metacognitive training and metacognitive therapy. A reply to Lora Capobianco and Adrian Wells. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , <b>2018</b> , 59, 162-163	2.6	5
29	Effective use of olanzapine for obsessive-compulsive symptoms in a patient with bipolar disorder. <i>Canadian Journal of Psychiatry</i> , <b>2004</b> , 49, 572-3	4.8	5
28	Investigation of sex differences in delusion-associated cognitive biases. <i>Psychiatry Research</i> , <b>2019</b> , 272, 515-520	9.9	5
27	The role of effective connectivity between the task-positive and task-negative network for evidence gathering [Evidence gathering and connectivity]. <i>NeuroImage</i> , <b>2018</b> , 173, 49-56	7.9	4
26	fMRI correlates of jumping-to-conclusions in patients with delusions: Connectivity patterns and effects of metacognitive training. <i>NeuroImage: Clinical</i> , <b>2018</b> , 20, 119-127	5.3	4
25	Validation of the Bullying Scale for Adults - Results of the PRONIA-study. <i>Journal of Psychiatric Research</i> , <b>2020</b> , 129, 88-97	5.2	4
24	No associations between medial temporal lobe volumes and verbal learning/memory in emerging psychosis. <i>European Journal of Neuroscience</i> , <b>2019</b> , 50, 3060-3071	3.5	3
23	Social cognition in the course of psychosis and its correlation with biomarkers in a male cohort. <i>Cognitive Neuropsychiatry</i> , <b>2018</b> , 23, 103-115	2	3

22	Liberale Akzeptanz als kognitiver Mechanismus bei Psychose: Eine 2-Stufen-Theorie der Pathogenese schizophrener Positivsymptome. <i>Verhaltenstherapie</i> , <b>2017</b> , 27, 108-118	0.9	3
21	Illusory Control in Schizophrenia. <i>Journal of Experimental Psychopathology</i> , <b>2014</b> , 5, 113-122	2.3	3
20	Metformine for psychosis associated with the menstrual cycle in a patient with polycystic ovary syndrome. <i>Archives of Women's Mental Health</i> , <b>2008</b> , 11, 387-8	5	3
19	Moderators of treatment efficacy in individualized metacognitive training for psychosis (MCT+). <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , <b>2020</b> , 68, 101547	2.6	3
18	EEG Microstate Differences in Medicated vs. Medication-Naïve First-Episode Psychosis Patients. <i>Frontiers in Psychiatry</i> , <b>2020</b> , 11, 600606	5	3
17	Multimodal prognosis of negative symptom severity in individuals at increased risk of developing psychosis. <i>Translational Psychiatry</i> , <b>2021</b> , 11, 312	8.6	3
16	Ketamine Alters Functional Gamma and Theta Resting-State Connectivity in Healthy Humans: Implications for Schizophrenia Treatment Targeting the Glutamate System. <i>Frontiers in Psychiatry</i> , <b>2021</b> , 12, 671007	5	3
15	Association Splitting: A randomized controlled trial of a new method to reduce craving among inpatients with alcohol dependence. <i>Psychiatry Research</i> , <b>2016</b> , 238, 310-317	9.9	3
14	Psychotic disorders, dopaminergic agents and EEG/MEG resting-state functional connectivity: A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , <b>2021</b> , 120, 354-371	9	3
13	The role of obsessive-compulsive symptoms in the perception of insincere speech in first-episode psychosis. <i>Journal of Clinical and Experimental Neuropsychology</i> , <b>2015</b> , 37, 842-52	2.1	2
12	Evaluating verbal learning and memory in patients with an at-risk mental state or first episode psychosis using structural equation modelling. <i>PLoS ONE</i> , <b>2018</b> , 13, e0196936	3.7	2
11	Treatment of neuropsychiatric symptoms associated with euthyroid Hashimoto thyroiditis with antidepressants: a case report. <i>General Hospital Psychiatry</i> , <b>2009</b> , 31, 199-200	5.6	2
10	Does Hippocampal Volume Predict Transition to Psychosis in a High-Risk Group? A Meta-Analysis. <i>Frontiers in Psychiatry</i> , <b>2020</b> , 11, 614659	5	2
9	Altered Oscillatory Responses to Feedback in Borderline Personality Disorder are Linked to Symptom Severity. <i>Brain Topography</i> , <b>2019</b> , 32, 482-491	4.3	1
8	Abnormal brain connectivity during error-monitoring in the psychosis high-risk state. <i>Schizophrenia Research</i> , <b>2018</b> , 193, 261-262	3.6	1
7	Comorbidities in Patients with an At-risk Mental State and First Episode Psychosis. <i>European Psychiatry</i> , <b>2017</b> , 41, S198-S198	6	1
6	Bridging the Gap? Altered Thalamocortical Connectivity in Psychotic and Psychedelic States. <i>Frontiers in Psychiatry</i> , <b>2021</b> , 12, 706017	5	1
5	Borderline Personality Disorder: Associations Between Dimensional Personality Profiles and Self-Destructive Behaviors. <i>Journal of Personality Disorders</i> , <b>2019</b> , 33, 249-261	2.6	1

4	Is intuition allied with jumping to conclusions in decision-making? An intensive longitudinal study in patients with delusions and in non-clinical individuals.. <i>PLoS ONE</i> , <b>2021</b> , 16, e0261296	3.7	o
3	The Relationship Between Negative Symptoms and Cognitive Functioning in Patients with an at Risk Mental State for Psychosis. <i>European Psychiatry</i> , <b>2017</b> , 41, S270-S271	6	
2	Beyond Pairwise Interactions: The Totally Antisymmetric Part of the Bispectrum as Coupling Measure of at Least Three Interacting Sources. <i>Frontiers in Neuroinformatics</i> , <b>2020</b> , 14, 573750	3.9	
1	P300 and delay-discounting in obsessive-compulsive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2021</b> , 1	5.1	