

Christina Andreou

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5581498/christina-andreou-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

111
papers

2,437
citations

28
h-index

44
g-index

117
ext. papers

2,999
ext. citations

5.1
avg. IF

5.19
L-index

#	Paper	IF	Citations
111	Bridging the Gap? Altered Thalamocortical Connectivity in Psychotic and Psychedelic States. <i>Frontiers in Psychiatry</i> , 2021 , 12, 706017	5	1
110	Coronavirus conspiracy beliefs in the German-speaking general population: endorsement rates and links to reasoning biases and paranoia. <i>Psychological Medicine</i> , 2021 , 1-15	6.9	15
109	Multimodal prognosis of negative symptom severity in individuals at increased risk of developing psychosis. <i>Translational Psychiatry</i> , 2021 , 11, 312	8.6	3
108	Ketamine Alters Functional Gamma and Theta Resting-State Connectivity in Healthy Humans: Implications for Schizophrenia Treatment Targeting the Glutamate System. <i>Frontiers in Psychiatry</i> , 2021 , 12, 671007	5	3
107	P300 and delay-discounting in obsessive-compulsive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 1	5.1	
106	Psychotic disorders, dopaminergic agents and EEG/MEG resting-state functional connectivity: A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 120, 354-371	9	3
105	Multimodal Machine Learning Workflows for Prediction of Psychosis in Patients With Clinical High-Risk Syndromes and Recent-Onset Depression. <i>JAMA Psychiatry</i> , 2021 , 78, 195-209	14.5	31
104	Is intuition allied with jumping to conclusions in decision-making? An intensive longitudinal study in patients with delusions and in non-clinical individuals.. <i>PLoS ONE</i> , 2021 , 16, e0261296	3.7	0
103	Traces of Trauma: A Multivariate Pattern Analysis of Childhood Trauma, Brain Structure, and Clinical Phenotypes. <i>Biological Psychiatry</i> , 2020 , 88, 829-842	7.9	15
102	Prolonged rather than hasty decision-making in schizophrenia using the box task. Must we rethink the jumping to conclusions account of paranoia?. <i>Schizophrenia Research</i> , 2020 , 222, 202-208	3.6	13
101	Alterations of oscillatory neuronal activity during reward processing in schizophrenia. <i>Journal of Psychiatric Research</i> , 2020 , 129, 80-87	5.2	6
100	Structural and functional imaging markers for susceptibility to psychosis. <i>Molecular Psychiatry</i> , 2020 , 25, 2773-2785	15.1	25
99	Moderators of treatment efficacy in individualized metacognitive training for psychosis (MCT+). <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2020 , 68, 101547	2.6	3
98	Validation of the Bullying Scale for Adults - Results of the PRONIA-study. <i>Journal of Psychiatric Research</i> , 2020 , 129, 88-97	5.2	4
97	Predictors of study drop-out and service disengagement in patients at clinical high risk for psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 539-548	4.5	6
96	Beyond Pairwise Interactions: The Totally Antisymmetric Part of the Bispectrum as Coupling Measure of at Least Three Interacting Sources. <i>Frontiers in Neuroinformatics</i> , 2020 , 14, 573750	3.9	
95	EEG Microstate Differences in Medicated vs. Medication-Naïve First-Episode Psychosis Patients. <i>Frontiers in Psychiatry</i> , 2020 , 11, 600606	5	3

94	EEG microstates as biomarker for psychosis in ultra-high-risk patients. <i>Translational Psychiatry</i> , 2020 , 10, 300	8.6	16
93	An overlapping pattern of cerebral cortical thinning is associated with both positive symptoms and aggression in schizophrenia via the ENIGMA consortium. <i>Psychological Medicine</i> , 2020 , 50, 2034-2045	6.9	6
92	Does Hippocampal Volume Predict Transition to Psychosis in a High-Risk Group? A Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2020 , 11, 614659	5	2
91	Clinical and functional ultra-long-term outcome of patients with a clinical high risk (CHR) for psychosis. <i>European Psychiatry</i> , 2019 , 62, 30-37	6	19
90	Altered Oscillatory Responses to Feedback in Borderline Personality Disorder are Linked to Symptom Severity. <i>Brain Topography</i> , 2019 , 32, 482-491	4.3	1
89	Association of antidepressants with brain morphology in early stages of psychosis: an imaging genomics approach. <i>Scientific Reports</i> , 2019 , 9, 8516	4.9	6
88	Gender differences of patients at-risk for psychosis regarding symptomatology, drug use, comorbidity and functioning - Results from the EU-GEI study. <i>European Psychiatry</i> , 2019 , 59, 52-59	6	15
87	The role of attachment anxiety in the relationship between childhood trauma and schizophrenia-spectrum psychosis. <i>Psychiatry Research</i> , 2019 , 276, 223-231	9.9	10
86	No associations between medial temporal lobe volumes and verbal learning/memory in emerging psychosis. <i>European Journal of Neuroscience</i> , 2019 , 50, 3060-3071	3.5	3
85	Reduced auditory evoked gamma-band response and schizophrenia-like clinical symptoms under subanesthetic ketamine. <i>Neuropsychopharmacology</i> , 2019 , 44, 1239-1246	8.7	18
84	Assessment and treatment of individuals at high risk for psychosis. <i>BJ Psych Advances</i> , 2019 , 25, 177-184	6.8	7
83	Exploring the predictive power of the unspecific risk category of the Basel Screening Instrument for Psychosis. <i>Microbial Biotechnology</i> , 2019 , 13, 969-976	3.3	6
82	Plasma and serum brain-derived neurotrophic factor (BDNF) levels and their association with neurocognition in at-risk mental state, first episode psychosis and chronic schizophrenia patients. <i>World Journal of Biological Psychiatry</i> , 2019 , 20, 545-554	3.8	21
81	Investigation of sex differences in delusion-associated cognitive biases. <i>Psychiatry Research</i> , 2019 , 272, 515-520	9.9	5
80	Clinical and functional long-term outcome of patients at clinical high risk (CHR) for psychosis without transition to psychosis: A systematic review. <i>Schizophrenia Research</i> , 2019 , 210, 39-47	3.6	45
79	Gender differences in first self-perceived signs and symptoms in patients with an at-risk mental state and first-episode psychosis. <i>Microbial Biotechnology</i> , 2019 , 13, 582-588	3.3	14
78	Borderline Personality Disorder: Associations Between Dimensional Personality Profiles and Self-Destructive Behaviors. <i>Journal of Personality Disorders</i> , 2019 , 33, 249-261	2.6	1
77	The role of effective connectivity between the task-positive and task-negative network for evidence gathering [Evidence gathering and connectivity]. <i>NeuroImage</i> , 2018 , 173, 49-56	7.9	4

76	Differential relationship of jumping-to-conclusions and incorrigibility with delusion severity. <i>Psychiatry Research</i> , 2018 , 264, 297-301	9.9	6
75	Social cognition in the course of psychosis and its correlation with biomarkers in a male cohort. <i>Cognitive Neuropsychiatry</i> , 2018 , 23, 103-115	2	3
74	Letter to the Editor: Metacognitive training and metacognitive therapy. A reply to Lora Capobianco and Adrian Wells. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2018 , 59, 162-163	2.6	5
73	Localizing bicoherence from EEG and MEG. <i>NeuroImage</i> , 2018 , 174, 352-363	7.9	19
72	Alterations in interhemispheric gamma-band connectivity are related to the emergence of auditory verbal hallucinations in healthy subjects during NMDA-receptor blockade. <i>Neuropsychopharmacology</i> , 2018 , 43, 1608-1615	8.7	16
71	Can neuropsychological testing facilitate differential diagnosis between at-risk mental state (ARMS) for psychosis and adult attention-deficit/hyperactivity disorder (ADHD)?. <i>European Psychiatry</i> , 2018 , 52, 38-44	6	6
70	Embracing Psychosis: A Cognitive Insight Intervention Improves Personal Narratives and Meaning-Making in Patients With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018 , 44, 307-316	1.3	31
69	Abnormal brain connectivity during error-monitoring in the psychosis high-risk state. <i>Schizophrenia Research</i> , 2018 , 193, 261-262	3.6	1
68	fMRI correlates of jumping-to-conclusions in patients with delusions: Connectivity patterns and effects of metacognitive training. <i>NeuroImage: Clinical</i> , 2018 , 20, 119-127	5.3	4
67	Evaluating verbal learning and memory in patients with an at-risk mental state or first episode psychosis using structural equation modelling. <i>PLoS ONE</i> , 2018 , 13, e0196936	3.7	2
66	The relationship between negative symptoms and cognitive functioning in patients at clinical high risk for psychosis. <i>Psychiatry Research</i> , 2018 , 268, 21-27	9.9	13
65	Theta and high-beta networks for feedback processing: a simultaneous EEG-fMRI study in healthy male subjects. <i>Translational Psychiatry</i> , 2017 , 7, e1016	8.6	37
64	Sex differences in prolactin levels in emerging psychosis: Indication for enhanced stress reactivity in women. <i>Schizophrenia Research</i> , 2017 , 189, 111-116	3.6	27
63	A new paradigm to measure probabilistic reasoning and a possible answer to the question why psychosis-prone individuals jump to conclusions. <i>Journal of Abnormal Psychology</i> , 2017 , 126, 406-415	7	31
62	Individualized metacognitive therapy for delusions: A randomized controlled rater-blind study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2017 , 56, 144-151	2.6	26
61	Auditory verbal hallucinations related to altered long-range synchrony of gamma-band oscillations. <i>Scientific Reports</i> , 2017 , 7, 8401	4.9	16
60	Comorbidities in Patients with an At-risk Mental State and First Episode Psychosis. <i>European Psychiatry</i> , 2017 , 41, S198-S198	6	1
59	The Relationship Between Negative Symptoms and Cognitive Functioning in Patients with an at Risk Mental State for Psychosis. <i>European Psychiatry</i> , 2017 , 41, S270-S271	6	

58	A two-stage cognitive theory of the positive symptoms of psychosis. Highlighting the role of lowered decision thresholds. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2017 , 56, 12-20	2.6	51
57	The Time Course of Activity within the Dorsal and Rostral-Ventral Anterior Cingulate Cortex in the Emotional Stroop Task. <i>Brain Topography</i> , 2017 , 30, 30-45	4.3	13
56	Beads task vs. box task: The specificity of the jumping to conclusions bias. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2017 , 56, 42-50	2.6	19
55	Liberale Akzeptanz als kognitiver Mechanismus bei Psychose: Eine 2-Stufen-Theorie der Pathogenese schizophrener Positivsymptome. <i>Verhaltenstherapie</i> , 2017 , 27, 108-118	0.9	3
54	Neural Habituation to Painful Stimuli Is Modulated by Dopamine: Evidence from a Pharmacological fMRI Study. <i>Frontiers in Human Neuroscience</i> , 2017 , 11, 630	3.3	7
53	Glutamatergic deficit and schizophrenia-like negative symptoms: new evidence from ketamine-induced mismatch negativity alterations in healthy male humans. <i>Journal of Psychiatry and Neuroscience</i> , 2017 , 42, 273-283	4.5	25
52	Antipsychotics decrease response confidence. <i>Journal of Psychopharmacology</i> , 2016 , 30, 831-3	4.6	6
51	Effects of online intervention for depression on mood and positive symptoms in schizophrenia. <i>Schizophrenia Research</i> , 2016 , 175, 216-222	3.6	22
50	Bias against disconfirmatory evidence in the at -risk mental state and during psychosis. <i>Psychiatry Research</i> , 2016 , 238, 242-250	9.9	17
49	Reasoning in psychosis: risky but not necessarily hasty. <i>Cognitive Neuropsychiatry</i> , 2016 , 21, 91-106	2	24
48	EEG-Informed fMRI Reveals a Disturbed Gamma-Band-Specific Network in Subjects at High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2016 , 42, 239-49	1.3	35
47	Association Splitting: A randomized controlled trial of a new method to reduce craving among inpatients with alcohol dependence. <i>Psychiatry Research</i> , 2016 , 238, 310-317	9.9	3
46	Subjective competence breeds overconfidence in errors in psychosis. A hubris account of paranoia. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2015 , 48, 118-24	2.6	38
45	Associations between visual perception accuracy and confidence in a dopaminergic manipulation study. <i>Frontiers in Psychology</i> , 2015 , 6, 414	3.4	5
44	Reduced auditory evoked gamma band response and cognitive processing deficits in first episode schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2015 , 16, 387-397	3.8	31
43	Neurocognitive deficits are relevant for the jumping-to-conclusions bias, but not for delusions: A longitudinal study. <i>Schizophrenia Research: Cognition</i> , 2015 , 2, 8-11	2.8	12
42	The role of obsessive-compulsive symptoms in the perception of insincere speech in first-episode psychosis. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2015 , 37, 842-52	2.1	2
41	Oscillatory responses to reward processing in borderline personality disorder. <i>World Journal of Biological Psychiatry</i> , 2015 , 16, 575-86	3.8	19

40	Investigation of metamemory functioning in the at-risk mental state for psychosis. <i>Psychological Medicine</i> , 2015 , 45, 3329-40	6.9	23
39	Generators and Connectivity of the Early Auditory Evoked Gamma Band Response. <i>Brain Topography</i> , 2015 , 28, 865-78	4.3	16
38	Increased Resting-State Gamma-Band Connectivity in First-Episode Schizophrenia. <i>Schizophrenia Bulletin</i> , 2015 , 41, 930-9	1.3	89
37	The Benefits of Doubt: Cognitive Bias Correction Reduces Hasty Decision-Making in Schizophrenia. <i>Cognitive Therapy and Research</i> , 2015 , 39, 627-635	2.7	10
36	Factors contributing to social cognition impairment in borderline personality disorder and schizophrenia. <i>Psychiatry Research</i> , 2015 , 229, 872-9	9.9	33
35	Resting-state theta-band connectivity and verbal memory in schizophrenia and in the high-risk state. <i>Schizophrenia Research</i> , 2015 , 161, 299-307	3.6	48
34	Dopamine effects on evidence gathering and integration. <i>Journal of Psychiatry and Neuroscience</i> , 2015 , 40, 422-8	4.5	16
33	Knowledge corruption for visual perception in individuals high on paranoia. <i>Psychiatry Research</i> , 2014 , 215, 700-5	9.9	15
32	Emotional perception and theory of mind in first episode psychosis: the role of obsessive-compulsive symptomatology. <i>Psychiatry Research</i> , 2014 , 220, 112-7	9.9	12
31	Conscious auditory perception related to long-range synchrony of gamma oscillations. <i>NeuroImage</i> , 2014 , 100, 435-43	7.9	43
30	Investigation of the role of the jumping-to-conclusions bias for short-term functional outcome in schizophrenia. <i>Psychiatry Research</i> , 2014 , 218, 341-7	9.9	20
29	Sowing the seeds of doubt: a narrative review on metacognitive training in schizophrenia. <i>Clinical Psychology Review</i> , 2014 , 34, 358-66	10.8	208
28	Resting-state connectivity in the prodromal phase of schizophrenia: insights from EEG microstates. <i>Schizophrenia Research</i> , 2014 , 152, 513-20	3.6	85
27	Illusory Control in Schizophrenia. <i>Journal of Experimental Psychopathology</i> , 2014 , 5, 113-122	2.3	3
26	Overconfidence in incorrect perceptual judgments in patients with schizophrenia. <i>Schizophrenia Research: Cognition</i> , 2014 , 1, 165-170	2.8	36
25	Effects of dopaminergic modulation on automatic semantic priming: a double-blind study. <i>Journal of Psychiatry and Neuroscience</i> , 2014 , 39, 110-7	4.5	8
24	Dopaminergic modulation of probabilistic reasoning and overconfidence in errors: a double-blind study. <i>Schizophrenia Bulletin</i> , 2014 , 40, 558-65	1.3	54
23	Sustained and "sleeper" effects of group metacognitive training for schizophrenia: a randomized clinical trial. <i>JAMA Psychiatry</i> , 2014 , 71, 1103-11	14.5	107

22	P300 in obsessive-compulsive disorder: source localization and the effects of treatment. <i>Journal of Psychiatric Research</i> , 2013 , 47, 1975-83	5.2	18
21	Semantic priming in remitted patients with bipolar disorder. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2013 , 44, 48-52	2.6	10
20	Assessment of subjective cognitive and emotional effects of antipsychotic drugs. Effect by defect?. <i>Neuropharmacology</i> , 2013 , 72, 179-86	5.5	36
19	Complementary group Metacognitive Training (MCT) reduces delusional ideation in schizophrenia. <i>Schizophrenia Research</i> , 2013 , 151, 61-9	3.6	91
18	Predictors of early stable symptomatic remission after an exacerbation of schizophrenia: the significance of symptoms, neuropsychological performance and cognitive biases. <i>Psychiatry Research</i> , 2013 , 210, 729-34	9.9	10
17	Beyond the usual suspects: positive attitudes towards positive symptoms is associated with medication noncompliance in psychosis. <i>Schizophrenia Bulletin</i> , 2013 , 39, 917-22	1.3	72
16	The predictive significance of neurocognitive factors for functional outcome in bipolar disorder. <i>Current Opinion in Psychiatry</i> , 2013 , 26, 54-9	4.9	45
15	Can we trust the internet to measure psychotic symptoms?. <i>Schizophrenia Research and Treatment</i> , 2013 , 2013, 457010	0.6	31
14	Relationship between oscillatory neuronal activity during reward processing and trait impulsivity and sensation seeking. <i>PLoS ONE</i> , 2013 , 8, e83414	3.7	33
13	Response confidence for emotion perception in schizophrenia using a Continuous Facial Sequence Task. <i>Psychiatry Research</i> , 2012 , 200, 202-7	9.9	40
12	Longitudinal studies of cognition in first episode psychosis: a systematic review of the literature. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011 , 45, 93-108	2.6	125
11	Effects of sentence context on lexical ambiguity resolution in patients with schizophrenia. <i>Neuropsychologia</i> , 2009 , 47, 1079-87	3.2	8
10	Treatment of neuropsychiatric symptoms associated with euthyroid Hashimoto thyroiditis with antidepressants: a case report. <i>General Hospital Psychiatry</i> , 2009 , 31, 199-200	5.6	2
9	Factor structure of the Greek translation of the Scale for the Assessment of Thought, Language and Communication. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008 , 42, 636-42	2.6	13
8	Metformine for psychosis associated with the menstrual cycle in a patient with polycystic ovary syndrome. <i>Archives of Women's Mental Health</i> , 2008 , 11, 387-8	5	3
7	Impaired perception of affective prosody in remitted patients with bipolar disorder. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2007 , 19, 436-40	2.7	34
6	Impaired perception of affective prosody in schizophrenia. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2006 , 18, 81-5	2.7	56
5	Deficits in sustained attention in schizophrenia but not in bipolar disorder. <i>Schizophrenia Research</i> , 2005 , 78, 225-33	3.6	28

4	Pellagra encephalopathy following B-complex vitamin treatment without niacin. <i>International Journal of Psychiatry in Medicine</i> , 2004 , 34, 91-5	1	16
3	Treatment of Huntington's disease with galantamine. <i>International Clinical Psychopharmacology</i> , 2004 , 19, 49-50	2.2	17
2	Effective use of olanzapine for obsessive-compulsive symptoms in a patient with bipolar disorder. <i>Canadian Journal of Psychiatry</i> , 2004 , 49, 572-3	4.8	5
1	Incubus syndrome and folie à deux: a case report. <i>European Psychiatry</i> , 2003 , 18, 322	6	8