Benjamin Kilminster

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5581561/benjamin-kilminster-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

662 68 20,527 105 h-index g-index citations papers 680 23,018 2.85 5.4 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
662	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	O
661	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	1
660	Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at European Physical Journal C, 2022 , 82, 153	4.2	O
659	Study of dijet events with large rapidity separation in proton-proton collisions at \$\$ sqrt{s} \$\$ = 2.76 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	
658	High-precision measurement of the boson mass with the CDF II detector <i>Science</i> , 2022 , 376, 170-176	33.3	14
657	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at <i>European Physical Journal C</i> , 2022 , 82, 290	4.2	0
656	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	O
655	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
654	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	O
653	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
652	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\$\$$ sqrt $\$\$$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	O
651	Search for electroweak production of charginos and neutralinos in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
650	Measurement of the inclusive $\$\$$ mathrm{t}overline{mathrm{t}} $\$\$$ production cross section in proton-proton collisions at $\$\$$ sqrt{s} $\$\$$ = 5.02 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	
649	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 970	4.2	3
648	Measurements of production cross sections and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2021 , 81, 200	4.2	5
647	Development and validation of HERWIGI7 tunes from CMS underlying-event measurements. <i>European Physical Journal C</i> , 2021 , 81, 312	4.2	1
646	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at. <i>European Physical Journal C</i> , 2021 , 81, 378	4.2	5

(2020-2021)

645	Measurement of the bulk radioactive contamination of detector-grade silicon with DAMIC at SNOLAB. <i>Journal of Instrumentation</i> , 2021 , 16, P06019	1	О
644	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 488	4.2	5
643	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at ($sqrt{mathrm{s}}$) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	3
642	Search for dark matter produced in association with a leptonically decaying boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 13	4.2	7
641	Search for top squark pair production using dilepton final states in collision data collected at. <i>European Physical Journal C</i> , 2021 , 81, 3	4.2	5
640	MUSiC: a model-unspecific search for new physics in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 629	4.2	4
639	Search for a heavy vector resonance decaying to a ©boson and a Higgs boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 688	4.2	О
638	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 723	4.2	3
637	Measurements of angular distance and momentum ratio distributions in three-jet and + two-jet final states in collisions. <i>European Physical Journal C</i> , 2021 , 81, 852	4.2	O
636	Precision luminosity measurement in proton-proton collisions at in 2015 and 2016 at CMS. <i>European Physical Journal C</i> , 2021 , 81, 800	4.2	7
635	Performance of the CMS Level-1 trigger in proton-proton collisions at ☐ = 13 TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P10017-P10017	1	23
634	Results on Low-Mass Weakly Interacting Massive Particles from an 11lkg d Target Exposure of DAMIC at SNOLAB. <i>Physical Review Letters</i> , 2020 , 125, 241803	7.4	13
633	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	12
632	Dark Matter in CCDs at Modane (DAMIC-M): a silicon detector apparatus searching for low-energy physics processes. <i>Journal of Instrumentation</i> , 2020 , 15, C02050-C02050	1	O
631	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
630	Search for direct pair production of supersymmetric partners to the lepton in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 189	4.2	3
629	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in collisions at and 5.02. <i>European Physical Journal C</i> , 2020 , 80, 534	4.2	6
628	Measurement of electroweak production of a boson in association with two jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 43	4.2	6

627	Evidence for (text {W}text {W}) production from double-parton interactions in proton proton collisions at (sqrt{s} = 13 ,text {TeV}). European Physical Journal C, 2020 , 80, 1	4.2	4
626	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 75	4.2	24
625	Searches for physics beyond the standard model with the variable in hadronic final states with and without disappearing tracks in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 3	4.2	16
624	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i> , 2020 , 80, 4	4.2	61
623	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	7
622	A multi-dimensional search for new heavy resonances decaying to boosted , , or boson pairs in the dijet final state at 13 <i>European Physical Journal C</i> , 2020 , 80, 237	4.2	10
621	Measurement of single-diffractive dijet production in proton-proton collisions at with the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2020 , 80, 1164	4.2	0
620	Measurement of differential cross sections and charge ratios for -channel single top quark production in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 370	4.2	4
619	Measurement of (hbox {t}{bar{hbox {t}}}) normalised multi-differential cross sections in ({text {p}}{text {p}}) collisions at (sqrt{s}=13,{text {TeV}}), and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. <i>European Physical</i>	4.2	13
618	Journal C, 2020, 80, 1 A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. <i>Computing and Software for Big Science</i> , 2020, 4, 10	6	3
617	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at 🛭 = 13 TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P02027-P02027	1	11
616	Calibration of the CMS hadron calorimeters using proton-proton collision data at ☐ = 13 TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P05002-P05002	1	
615	Study of central exclusive production in proton-proton collisions at and 13TeV. <i>European Physical Journal C</i> , 2020 , 80, 718	4.2	2
614	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 752	4.2	2
613	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in collisions at. <i>European Physical Journal C</i> , 2019 , 79, 773	4.2	О
612	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 305	4.2	2
611	Search for the pair production of light top squarks in the e⊞Ø final state in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
610	Combined measurements of Higgs boson couplings in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 421	4.2	153

(2019-2019)

609	Search for supersymmetry in events with a photon, jets, -jets, and missing transverse momentum in proton-proton collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 444	4.2	1
608	Measurements of the pp -> WZ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	10
607	Measurement of the production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. <i>European Physical Journal C</i> , 2019 , 79, 368	4.2	27
606	Measurement of the energy density as a function of pseudorapidity in protonproton collisions at (sqrt{s} =13,text {TeV}). European Physical Journal C, 2019 , 79, 1	4.2	7
605	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 280	4.2	12
604	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 364	4.2	18
603	Search for single production of vector-like quarks decaying to a top quark and a boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 90	4.2	6
602	Study of the underlying event in top quark pair production in collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 123	4.2	4
601	Search for rare decays of and Higgs bosons to and a photon in proton-proton collisions at = 13. European Physical Journal C, 2019 , 79, 94	4.2	7
600	Search for (mathrm{t}overline{mathrm{t}}mathrm{H}) production in the (mathrm{H}to mathrm{b}overline{mathrm{b}}) decay channel with leptonic (mathrm{t}overline{mathrm{t}}) decays in proton-proton collisions at (sqrt{s}=13) TeV. Journal of High Energy Physics, 2019, 2019, 1	5.4	17
599	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
598	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 20	4.2	4
597	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
596	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton $+$ jets final state in pp collisions at (sqrt{s} = 13,text {TeV}). European Physical Journal C, 2019 , 79, 1	4.2	6
595	Measurement of exclusive photoproduction in ultraperipheral pPb collisions at. <i>European Physical Journal C</i> , 2019 , 79, 702	4.2	13
594	Measurement of exclusive photoproduction from protons in Pb collisions at. <i>European Physical Journal C</i> , 2019 , 79, 277	4.2	19
593	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at. <i>European Physical Journal C</i> , 2019 , 79, 564	4.2	20
592	Measurement of the top quark mass in the all-jets final state at and combination with the lepton+jets channel. <i>European Physical Journal C</i> , 2019 , 79, 313	4.2	13

591	Constraints on Light Dark Matter Particles Interacting with Electrons from DAMIC at SNOLAB. <i>Physical Review Letters</i> , 2019 , 123, 181802	7.4	70
590	Measurements of differential Z boson production cross sections in proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	11
589	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in collisions at. <i>European Physical Journal C</i> , 2019 , 79, 969	4.2	1
588	Measurement of the differential Drell-Yan cross section in proton-proton collisions at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	6
587	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 893	4.2	6
586	Search for new physics in top quark production in dilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 886	4.2	6
585	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at. <i>European Physical Journal C</i> , 2018 , 78, 242	4.2	4
584	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at = 13. <i>European Physical Journal C</i> , 2018 , 78, 291	4.2	17
583	Measurements of the production cross section and the branching fraction, and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2018 , 78, 165	4.2	29
582	Measurement of associated Z + charm production in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 287	4.2	11
581	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	2
580	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	40
579	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 140	4.2	20
578	Measurements of the (mathrm $\{p\}$ mathrm $\{p\}$ rightarrow mathrm $\{Z\}$ mathrm $\{Z\}$) production cross section and the (mathrm $\{Z\}$ rightarrow 4ell) branching fraction, and constraints on anomalous triple gauge couplings at (sqrt $\{s\}$ = 13,text $\{TeV\}$) 2018 , 78, 1		3
577	Search for (mathrm{t}overline{mathrm{t}}mathrm{H}) production in the all-jet final state in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	13
576	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
575	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
574	Measurement of the top quark mass with lepton+jets final states using collisions at. <i>European Physical Journal C</i> , 2018 , 78, 891	4.2	13

(2018-2018)

573	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	37	
572	Search for Zīresonances using leptonic and hadronic final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11	
571	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5∙4	9	
570	Search for third-generation scalar leptoquarks decaying to a top quark and a lepton at. <i>European Physical Journal C</i> , 2018 , 78, 707	4.2	23	
569	Measurement of differential cross sections for boson production in association with jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 965	4.2	19	
568	Studies of and mesons including the observation of the decay in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 939	4.2	12	
567	Search for a heavy resonance decaying into a Z boson and a Z or W boson in 20q final states at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7	
566	Measurement of charged particle spectra in minimum-bias events from proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 697	4.2	9	
565	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at (sqrt{s}= 13~hbox {TeV}). European Physical Journal C, 2018 , 78, 1	4.2	4	
564	Search for high-mass resonances in final states with a lepton and missing transverse momentum at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	15	
563	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	8	
562	Measurement of the cross section in pp collisions at and validation of lepton analysis techniques. <i>European Physical Journal C</i> , 2018 , 78, 708	4.2	5	
561	Search for dark matter produced in association with a Higgs boson decaying to lbr lb lbt (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7	
560	Search for a heavy resonance decaying into a Z boson and a vector boson in the (nu overline{nu}mathrm{q}overline{mathrm{q}}) final state. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6	
559	Measurement of the weak mixing angle using the forward-backward asymmetry of Drell-Yan events in collisions at 8. <i>European Physical Journal C</i> , 2018 , 78, 701	4.2	25	
558	Measurement of prompt and nonprompt charmonium suppression in collisions at 5.02. <i>European Physical Journal C</i> , 2018 , 78, 509	4.2	37	
557	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying [leptons at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	23	
556	Electroweak production of two jets in association with a Z boson in protonproton collisions at (sqrt{s}=) 13(,text {TeV}). European Physical Journal C, 2018, 78, 1	4.2	12	

555	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	16	
554	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	10	
553	Measurement of the inelastic proton-proton cross section at ($sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	41	
552	Search for high-mass resonances in dilepton final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	63	
551	Measurements of the [Formula: see text] production cross section in lepton+jets final states in pp collisions at 8 [Formula: see text] and ratio of 8 to 7[[Formula: see text] cross sections. <i>European Physical Journal C</i> , 2017 , 77, 15	4.2	19	
550	Measurement of the [Formula: see text] production cross section using events in the [Formula: see text] final state in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 172	4.2	22	
549	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at (sqrt{s}=8) TeV and cross section ratios to 2.76 and 7 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	34	
548	Measurement of the production cross section of a Wiboson in association with two b jets in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 92	4.2	7	
547	Measurement of the WZ production cross section in pp collisions at [Formula: see text] and 8[Formula: see text] and search for anomalous triple gauge couplings at [Formula: see text]. European Physical Journal C, 2017 , 77, 236	4.2	21	
546	Measurement of prompt and nonprompt [Formula: see text] production in [Formula: see text] and [Formula: see text] collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 269	4.2	26	
545	A search for new phenomena in pp collisions at [Formula: see text] in final states with missing transverse momentum and at least one jet using the [Formula: see text] variable. <i>European Physical Journal C</i> , 2017 , 77, 294	4.2	21	
544	Observation of the Y (4140) structure in the J/ \square mass spectrum in B \exists -> J/ \square K \exists decays. <i>Modern Physics Letters A</i> , 2017 , 32, 1750139	1.3	27	
543	Measurement of double-differential cross sections for top quark pair production in pp collisions at [Formula: see text][Formula: see text] and impact on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 459	4.2	16	
542	Measurement of the jet mass in highly boosted [Formula: see text] events from pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 467	4.2	14	
541	Measurements of the associated production of a Z boson and b jets in pp collisions at. <i>European Physical Journal C</i> , 2017 , 77, 751	4.2	15	
540	Charged-particle nuclear modification factors in PbPb and pPb collisions at (sqrt{s_{mathrm{N};mathrm{N}}}=5.02) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	64	
539	Search for new phenomena with the variable in the all-hadronic final state produced in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 710	4.2	54	
538	First Direct-Detection Constraints on eV-Scale Hidden-Photon Dark Matter with DAMIC at SNOLAB. <i>Physical Review Letters</i> , 2017 , 118, 141803	7.4	42	

(2016-2017)

537	Suppression and azimuthal anisotropy of prompt and nonprompt [Formula: see text] production in PbPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 252	4.2	58	
536	Searches for pair production of third-generation squarks in [Formula: see text][Formula: see text] pp collisions. <i>European Physical Journal C</i> , 2017 , 77, 327	4.2	17	
535	Measurement of the top quark mass using single top quark events in proton-proton collisions at [Formula: see text][TeV. European Physical Journal C, 2017, 77, 354	4.2	8	
534	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 845	4.2	22	
533	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	18	
532	A measurement of the ionization efficiency of nuclear recoils in silicon. <i>Journal of Instrumentation</i> , 2017 , 12, P06014-P06014	1	9	
531	Search for top squark pair production in pp collisions at (sqrt{s}=13) TeV using single lepton events. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	25	
530	Measurement of the (mathrm{t}overline{mathrm{t}}) production cross section using events with one lepton and at least one jet in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	14	
529	Measurement of the D+-meson production cross section at low transverse momentum in pp□ collisions at s=1.96 TeV. <i>Physical Review D</i> , 2017 , 95,	4.9	1	
528	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 578	4.2	21	
527	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	21	
526	Search for new phenomena with multiple charged leptons in protonproton collisions at (sqrt{s}=13) (,text {TeV}). European Physical Journal C, 2017 , 77, 1	4.2	2	
525	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at. <i>European Physical Journal C</i> , 2017 , 77, 636	4.2	20	
524	Measurement of the triple-differential dijet cross section in proton-proton collisions at and constraints on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 746	4.2	8	
523	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	77	
522	Forward-backward asymmetry of Drell-Yan lepton pairs in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 325	4.2	13	
521	Search for new physics in same-sign dilepton events in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 439	4.2	34	
520	Results of the engineering run of the Coherent Neutrino Nucleus Interaction Experiment (CONNIE). Journal of Instrumentation, 2016 , 11, P07024-P07024	1	43	

519	Measurement of the Bc \oplus production cross section in pp \Box collisions at s=1.96 TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	6
518	Measurement of the forward-backward asymmetry in low-mass bottom-quark pairs produced in proton-antiproton collisions. <i>Physical Review D</i> , 2016 , 93,	4.9	1
517	Measurement of the forwardBackward asymmetry of top-quark and antiquark pairs using the full CDF Run II data set. <i>Physical Review D</i> , 2016 , 93,	4.9	6
516	Measurement of sin2目fflept using e+elpairs from □/Z bosons produced in pp□collisions at a center-of-momentum energy of 1.96 TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	9
515	Measurement of the single top quark production cross section and Vtb in 1.96 TeV pp□collisions with missing transverse energy and jets and final CDF combination. <i>Physical Review D</i> , 2016 , 93,	4.9	3
514	Measurement of vector boson plus D*(2010)+ meson production in p \mathbb{D} collisions at s=1.96 TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	3
513	Search for low-mass WIMPs in a 0.6 kg day exposure of the DAMIC experiment at SNOLAB. <i>Physical Review D</i> , 2016 , 94,	4.9	84
512	Measurement of dijet azimuthal decorrelation in ppleollisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 536	4.2	6
511	Search for s channel single top quark production in pp collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	8
510	Measurement of the WW and WZ production cross section using final states with a charged lepton and heavy-flavor jets in the full CDF Run II data set. <i>Physical Review D</i> , 2016 , 94,	4.9	3
509	Measurement of inclusive jet production and nuclear modifications in pPb collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 372	4.2	24
508	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	15
507	Measurement of the (mathrm{t}overline{mathrm{t}}) production cross section in the elthannel in proton-proton collisions at (sqrt{s}=7) and 8 TeV. Journal of High Energy Physics, 2016 , 2016, 1	5.4	30
506	Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
505	The CONNIE experiment. <i>Journal of Physics: Conference Series</i> , 2016 , 761, 012057	0.3	38
504	Evidence for exclusive II> W + W [production and constraints on anomalous quartic gauge couplings in pp collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	27
503	Search for supersymmetry in pp collisions at (sqrt{s}=13) TeV in the single-lepton final state using the sum of masses of large-radius jets. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	7
502	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 460	4.2	14

501	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, 2016 , 2016, 1	5.4	9
500	Phenomenological MSSM interpretation of CMS searches in pp collisions at (sqrt{s}=7) and 8 TeV. Journal of High Energy Physics, 2016 , 2016, 1	5.4	11
499	Measurement of the inclusive jet cross section in pp collisions at $(sqrt\{s\} = 2.76, text \{TeV\})$. European Physical Journal C, 2016 , 76, 1	4.2	17
498	Measurement of [Formula: see text] production with additional jet activity, including [Formula: see text] quark jets, in the dilepton decay channel using pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 379	4.2	20
497	Measurement of the differential cross section and charge asymmetry for inclusive [Formula: see text] production at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2016 , 76, 469	4.2	37
496	Observation of top quark pairs produced in association with a vector boson in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	18
495	Search for W? -> tb in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	2
494	Correlations between jets and charged particles in PbPb and pp collisions at (sqrt{s_{mathrm{NN}}}=2.76) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	21
493	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	2
492	Search for excited leptons in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
491	Measurement of the [Formula: see text] production cross section in the all-jets final state in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 128	4.2	21
490	Event generator tunes obtained from underlying event and multiparton scattering measurements. <i>European Physical Journal C</i> , 2016 , 76, 155	4.2	250
489	Search for massive WH resonances decaying into the [Formula: see text] final state at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 237	4.2	19
488	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	14
487	Measurement of top quark polarisation in t-channel single top quark production. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	7
486	Search for heavy Majorana neutrinos in $e \oplus e \oplus + jets$ and $e \oplus \oplus + jets$ events in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	28
485	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into [leptons in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
484	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 13	4.2	35

483	Measurement of radioactive contamination in the CCDI of the DAMIC experiment. <i>Journal of Physics: Conference Series</i> , 2016 , 718, 042057	0.3	
482	Measurement of the double-differential inclusive jet cross section in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 451	4.2	36
481	Measurement of the [Formula: see text] cross section in pp collisions at [Formula: see text] TeVand limits on anomalous gauge couplings. <i>European Physical Journal C</i> , 2016 , 76, 401	4.2	38
480	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. <i>European Physical Journal C</i> , 2016 , 76, 371	4.2	25
479	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	14
47 ⁸	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an [Formula: see text] pair in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 317	4.2	9
477	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at (sqrt{s_{mathrm{NN}}}=2.76) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	21
476	Search for anomalous single top quark production in association with a photon in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	20
475	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	6
474	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
473	Constraints on models of the Higgs boson with exotic spin and parity using decays to bottom-antibottom quarks in the full CDF data set. <i>Physical Review Letters</i> , 2015 , 114, 141802	7.4	1
472	Studies of high-transverse momentum jet substructure and top quarks produced in 1.96 TeV proton-antiproton collisions. <i>Physical Review D</i> , 2015 , 91,	4.9	1
471	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. <i>European Physical Journal C</i> , 2015 , 75, 251	4.2	55
470	Search for production of an [11S) meson in association with a W or Z boson using the full 1.96 TeV pp collision data set at CDF. <i>Physical Review D</i> , 2015 , 91,	4.9	5
469	Measurement of central exclusive \blacksquare \Box production in pp \Box collisions at s=0.9 and 1.96 TeV at CDF. <i>Physical Review D</i> , 2015 , 91,	4.9	19
468	Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 66	4.2	21
467	Measurements of differential and double-differential Drell-Yan cross sections in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 147	4.2	50
466	Search for decays of stopped long-lived particles produced in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 151	4.2	33

(2015-2015)

465	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	19
464	Measurement of the ratio of the production cross sections times branching fractions of B $\exists c \rightarrow J/\Box \exists$ and B $\exists -> J/B \exists$ and (mathrm{mathcal{B}}left({mathrm{B}}_{mathrm{c}}^{pm}to mathrm{J}/psi {pi}^{pm}{pm}{pi}^{mp}right)/mathrm{mathcal{B}}left({mathrm{B}}_{mathrm{c}}^{pm}to mathrm{c}}^{pm}to	5.4	13
463	Search for disappearing tracks in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	35
462	Study of Z production in PbPb and pp collisions at (sqrt{s_{mathrm{NN}}}=2.76) TeV in the dimuon and dielectron decay channels. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	18
461	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	69
460	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at (sqrt{s}=2.76) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	6
459	Measurement of differential production cross sections for \mathbb{Z}/\mathbb{Z} bosons in association with jets in pp \square collisions at s=1.96 TeV. <i>Physical Review D</i> , 2015 , 91,	4.9	7
458	Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 235	4.2	250
457	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 288	4.2	37
456	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 237	4.2	48
455	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 302	4.2	4
454	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 325	4.2	24
453	Measurement of the top-quark mass in the tt dilepton channel using the full CDF Run II data set. <i>Physical Review D</i> , 2015 , 92,	4.9	4
452	Study of the energy dependence of the underlying event in proton-antiproton collisions. <i>Physical Review D</i> , 2015 , 92,	4.9	8
451	Measurement of the production and differential cross sections of W+W[bosons in association with jets in pp[] collisions at s=1.96 TeV. <i>Physical Review D</i> , 2015 , 91,	4.9	3
450	Search for Resonances Decaying to Top and Bottom Quarks with the CDF Experiment. <i>Physical Review Letters</i> , 2015 , 115, 061801	7.4	5
449	Measurement of radioactive contamination in the high-resistivity silicon CCDs of the DAMIC experiment. <i>Journal of Instrumentation</i> , 2015 , 10, P08014-P08014	1	25
448	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	22

447	Search for third-generation scalar leptoquarks in the tichannel in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	19
446	Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	26
445	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	33
444	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	17
443	Search for a charged Higgs boson in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	61
442	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	11
441	Search for a light charged Higgs boson decaying to (mathrm{c}overline{mathrm{s}}) in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-37	5.4	33
440	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	16
439	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	
438	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	73
437	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8[Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 212	4.2	399
436	Measurement of the Ziproduction cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	7
435	Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at 7 TeVand determination of the strong coupling constant in the TeVange. <i>European Physical Journal C</i> , 2015 , 75, 186	4.2	41
434	Measurement of the differential cross section for top quark pair production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 542	4.2	98
433	Measurements of the [Formula: see text] [Formula: see text] production cross sections in the [Formula: see text] channel in proton-proton collisions at [Formula: see text] and [Formula: see text] and combined constraints on triple gauge couplings. European Physical Journal C, 2015, 75, 511	4.2	25
432	First measurement of the forward-backward asymmetry in bottom-quark pair production at high mass. <i>Physical Review D</i> , 2015 , 92,	4.9	4
431	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	18
430	Measurement of the (toverline{t}) production cross section in the dilepton channel in pp collisions at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	43

429	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at (sqrt{{{s_{NN }}}}) = 2.76 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	60	
428	Measurement of associated W + charm production in pp collisions at (sqrt $\{s\}$) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	37	
427	Search for new physics in events with same-sign dileptons and jets in pp collisions at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	38	
426	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at (sqrt{s_{mathrm{NN}}} = 5.02) (,text {TeV}). European Physical Journal C, 2014, 74, 1	4.2	67	
425	Measurement of WZ and ZZ production in pp collisions at [Formula: see text] in final states with b-tagged jets. <i>European Physical Journal C</i> , 2014 , 74, 2973	4.2	16	
424	Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. <i>European Physical Journal C</i> , 2014 , 74, 2980	4.2	131	
423	Measurement of jet multiplicity distributions in [Formula: see text] production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3014	4.2	11	
422	Study of double parton scattering using W + 2-jet events in proton-proton collisions at (sqrt $\{s\}$) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	61	
421	Event activity dependence of (Y)(nS) production in ($sqrt\{\{s_{NN}\}\}\}$) = 5.02 TeV pPb and ($sqrt\{s\}$) = 2.76 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	42	
420	. Journal of High Energy Physics, 2014 , 2014, 1	5.4	18	
419	Evidence for the 125 GeV Higgs boson decaying to a pair of [leptons. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	101	
418	Search for W? -> tb decays in the lepton + jets final state in pp collisions at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	23	
417	Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at (sqrt $\{s\}$) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	15	
416	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at (sqrt $\{s\}$) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	81	
415	Measurement of the t-channel single-top-quark production cross section and of the $ V $ tb CKM matrix element in pp collisions at (sqrt{s}) = 8 TeV. Journal of High Energy Physics, 2014 , 2014, 1	5.4	48	
414	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at (sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	21	
413	Search for pair production of excited top quarks in the lepton + jets final state. <i>Journal of High</i>	5.4	3	
	Energy Physics, 2014 , 2014, 1			

411	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	59
410	Measurement of the top-quark mass in all-jets [Formula: see text] events in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2014 , 74, 2758	4.2	21
409	Study of the production of charged pions, kaons, and protons in pPb collisions at [Formula: see text]5.02[Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 2847	4.2	71
408	Probing color coherence effects in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 2901	4.2	13
407	Indirect measurement of sin2₩ (or MW) using ⊞pairs from ½Z bosons produced in pp□ collisions at a center-of-momentum energy of 1.96 TeV. <i>Physical Review D</i> , 2014 , 89,	4.9	16
406	Measurement of the single top quark production cross section and Vtb in events with one charged lepton, large missing transverse energy, and jets at CDF. <i>Physical Review Letters</i> , 2014 , 113, 261804	7.4	10
405	Measurement of the top-quark mass in the all-hadronic channel using the full CDF data set. <i>Physical Review D</i> , 2014 , 90,	4.9	7
404	Measurement of indirect CP-violating asymmetries in D0->K+Kland D0->Hildecays at CDF. <i>Physical Review D</i> , 2014 , 90,	4.9	11
403	Search for heavy neutrinos and [Formula: see text] bosons with right-handed couplings in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3149	4.2	149
402	Measurement of top quark-antiquark pair production in association with a W or Z boson in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3060	4.2	29
401	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3129	4.2	29
400	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	70
399	Measurement of pseudorapidity distributions of charged particles in proton β roton collisions at (sqrt{s} = 8) TeV by the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	37
398	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV. <i>European Physical Journal C</i> , 2014 , 74, 3036	4.2	183
397	Measurement of prompt J/ \Box pair production in pp collisions at (sqrt{s}) = 7 Tev. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	41
396	Mass and lifetime measurements of bottom and charm baryons in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2014 , 89,	4.9	18
395	Measurement of the ZZ production cross section using the full CDF II data set. <i>Physical Review D</i> , 2014 , 89,	4.9	7
394	Invariant-mass distribution of jet pairs produced in association with a W boson in pp□collisions at s=1.96 TeV using the full CDF Run II data set. <i>Physical Review D</i> , 2014 , 89,	4.9	5

(2014-2014)

393	Search for new physics in trilepton events and limits on the associated chargino-neutralino production at CDF. <i>Physical Review D</i> , 2014 , 90,	4.9	2
392	Measurement of the inclusive leptonic asymmetry in top-quark pairs that decay to two charged leptons at CDF. <i>Physical Review Letters</i> , 2014 , 113, 042001	7.4	22
391	Study of top quark production and decays involving a tau lepton at CDF and limits on a charged Higgs boson contribution. <i>Physical Review D</i> , 2014 , 89,	4.9	10
390	First search for exotic Z Boson decays into photons and neutral pions in hadron collisions. <i>Physical Review Letters</i> , 2014 , 112, 111803	7.4	9
389	Measurement of B(t->Wb)/B(t->Wq) in top-quark-pair decays using dilepton events and the full CDF Run II data set. <i>Physical Review Letters</i> , 2014 , 112, 221801	7.4	11
388	Search for s-channel single-top-quark production in events with missing energy plus jets in pp collisions at sqrt[s] = 1.96 TeV. <i>Physical Review Letters</i> , 2014 , 112, 231805	7.4	9
387	Evidence for s-channel single-top-quark production in events with one charged lepton and two jets at CDF. <i>Physical Review Letters</i> , 2014 , 112, 231804	7.4	13
386	Observation of the diphoton decay of the Higgs boson and measurement of its properties. <i>European Physical Journal C</i> , 2014 , 74, 3076	4.2	239
385	Study of orbitally excited B mesons and evidence for a new Blresonance. <i>Physical Review D</i> , 2014 , 90,	4.9	40
384	Precise measurement of the W-boson mass with the Collider Detector at Fermilab. <i>Physical Review D</i> , 2014 , 89,	4.9	16
383	Measurements of direct CP-violating asymmetries in charmless decays of bottom baryons. <i>Physical Review Letters</i> , 2014 , 113, 242001	7.4	23
382	Search for the associated production of the Higgs boson with a top-quark pair. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	45
381	Study of hadronic event-shape variables in multijet final states in pp collisions at (sqrt{s} = 7) TeV. Journal of High Energy Physics, 2014 , 2014, 1	5.4	3
380	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	15
379	Identification techniques for highly boosted W bosons that decay into hadrons. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	32
378	Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	144
377	Measurement of the (toverline{t}) production cross section in the dilepton channel in pp collisions at (sqrt{s}) = $8 \text{ TeV } 2014$, 2014, 1		3
376	Search for the associated production of the Higgs boson with a top-quark pair 2014 , 2014, 1		6

375	Search for microscopic black holes in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	38
374	Measurement of the (Lambda_{mathrm{b}}^0) lifetime in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	14
373	Searches for long-lived charged particles in pp collisions at (sqrt{s}) = 7 and 8 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	96
372	Study of exclusive two-photon production of W+Wlin pp collisions at (sqrt{s}=7) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	56
371	Observation of a new boson with mass near 125 GeV in pp collisions at (sqrt{s}=7) and 8 TeV. Journal of High Energy Physics, 2013 , 2013, 1	5.4	261
370	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	35
369	Studies of jet mass in dijet and W/Z + jet events. Journal of High Energy Physics, 2013, 2013, 1	5.4	39
368	Measurement of the (mathrm{t}overline{mathrm{t}}) production cross section in the all-jet final state in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	14
367	Measurement of the X(3872) production cross section via decays to J/I In pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	44
366	Study of the underlying event at forward rapidity in pp collisions at (sqrt{s}=0.9,2.76,;mathrm{and};7;mathrm{TeV}). <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	39
365	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	15
364	Search for new physics in events with same-sign dileptons and b jets in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	33
363	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	30
362	Search for exotic resonances decaying into WZ/ZZ in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	16
361	Search for the Higgs boson in the all-hadronic final state using the full CDF data set. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	5
360	Search for supersymmetry in pp collisions at [Formula: see text] TeV in events with a single lepton, jets, and missing transverse momentum. <i>European Physical Journal C</i> , 2013 , 73, 2404	4.2	15
359	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 2469	4.2	49
358	W-boson polarization measurement in the ttldilepton channel using the CDF II detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 722, 48-54	4.2	3

357	Indirect measurement of sin 2ຟ (MW) using e+eଢpairs in the Z-boson region with pp□collisions at a center-of-momentum energy of 1.96 TeV. <i>Physical Review D</i> , 2013 , 88,	4.9	14
356	Measurement of the production cross section for (mathrm{Z}gamma to nu overline{nu}gamma) in pp collisions at (sqrt{s} = 7) TeV and limits on ZZIand ZIIriple gauge boson couplings. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	12
355	Measurement of the W-boson helicity in top-quark decays from (mathrm{t}overline{mathrm{t}}) production in lepton+jets events in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	25
354	Search for supersymmetry in hadronic final states with missing transverse energy using the variables and b-quark multiplicity in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2568	4.2	82
353	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, 2013, 2013, 1	5.4	10
352	Measurement of masses in the [Formula: see text] system by kinematic endpoints in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2494	4.2	37
351	Search for physics beyond the standard model in events with leptons, jets, and large transverse momentum imbalance in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2493	34.2	10
350	Measurement of the (mathrm $\{t\}$ bar $\{mathrm\{t\}\}$) production cross section in the \exists jets channel in pp collisions at (sqrt $\{s\}=7$ mbox $\{TeV\}$). European Physical Journal C, 2013 , 73, 1	4.2	21
349	Jet and underlying event properties as a function of charged-particle multiplicity in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2674	4.2	24
348	Search for top-squark pair production in the single-lepton final state in pp collisions at (sqrt{s}=8 mathrm{TeV}). European Physical Journal C, 2013 , 73, 1	4.2	162
347	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at (sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	43
346	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at ($sqrt\{s\}$) = 7 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	26
345	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at (sqrt{s} = 7 mathrm{TeV}) and first determination of the strong coupling constant in the TeV range. European Physical Journal C, 2013, 73, 1	4.2	50
344	Measurement of the W+W \mathbb{L} ross section in pp collisions at (sqrt{s} = 7mbox{ TeV}) and limits on anomalous WW \mathbb{L} and WWZ couplings. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	56
343	Measurement of W-boson polarization in top-quark decay using the full CDF Run II data set. <i>Physical Review D</i> , 2013 , 87,	4.9	15
342	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	37
341	Measurement of the ZZ production cross section and search for anomalous couplings in 200 final states in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	39
340	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or B b-quark jets in 7 TeV pp collisions using the variable <code>H</code> T. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	29

339	Search for heavy quarks decaying into a top quark and a W or Z boson using lepton + jets events in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	12
338	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2283	4.2	45
337	Measurement of differential top-quark-pair production cross sections in pp collisions at $(sqrt\{s\} = 7 mathrm\{TeV\})$. European Physical Journal C, 2013 , 73, 1	4.2	102
336	Combination of searches for the Higgs boson using the full CDF data set. <i>Physical Review D</i> , 2013 , 88,	4.9	14
335	Measurement of the mass difference between top and antitop quarks. <i>Physical Review D</i> , 2013 , 87,	4.9	9
334	Search for supersymmetry with like-sign lepton-tau events at CDF. <i>Physical Review Letters</i> , 2013 , 110, 201802	7.4	4
333	Searches for the Higgs boson decaying to W+WI→III with the CDF II detector. <i>Physical Review D</i> , 2013 , 88,	4.9	6
332	Observation of D⊞mixing using the CDF II detector. <i>Physical Review Letters</i> , 2013 , 111, 231802	7.4	20
331	Updated search for the standard model Higgs boson in events with jets and missing transverse energy using the full CDF data set. <i>Physical Review D</i> , 2013 , 87,	4.9	12
330	Measurement of the top-quark pair-production cross section in events with two leptons and bottom-quark jets using the full CDF data set. <i>Physical Review D</i> , 2013 , 88,	4.9	11
329	Search for a dijet resonance in events with jets and missing transverse energy in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2013 , 88,	4.9	2
328	Measurement of the cross section for prompt isolated diphoton production using the full CDF run II data sample. <i>Physical Review Letters</i> , 2013 , 110, 101801	7.4	16
327	Production of KS0, K* \mathbb{H} (892) and ?0(1020) in minimum bias events and KS0 and \mathbb{O} in jets in pp \mathbb{O} collisions at s=1.96 TeV. <i>Physical Review D</i> , 2013 , 88,	4.9	5
326	Signature-based search for delayed photons in exclusive photon plus missing transverse energy events from pp□collisions with s=1.96 TeV. <i>Physical Review D</i> , 2013 , 88,	4.9	4
325	Measurement of the cross section for direct-photon production in association with a heavy quark in $pp[over \ \square]$ collisions at $sqrt[s]=1.96$ TeV. <i>Physical Review Letters</i> , 2013 , 111, 042003	7.4	21
324	Search for pair production of strongly interacting particles decaying to pairs of jets in pp collisions at B=1.96 TeV. <i>Physical Review Letters</i> , 2013 , 111, 031802	7.4	25
323	Measurement of the BcImeson lifetime in the decay BcE⊳J/□ <i>Physical Review D</i> , 2013 , 87,	4.9	15
322	Top-quark mass measurement in events with jets and missing transverse energy using the full CDF data set. <i>Physical Review D</i> , 2013 , 88,	4.9	11

321	Measurement of the differential cross section d[d(cos(t)) for Top-Quark Pair Production in pp Collisions at sqrt[s] = 1.96 TeV. <i>Physical Review Letters</i> , 2013 , 111, 182002	7.4	21
320	Evidence for a bottom baryon resonance B *0 in CDF data. <i>Physical Review D</i> , 2013 , 88,	4.9	24
319	Search for Bs0->Hand B0->Hadecays with the full CDF Run II data set. <i>Physical Review D</i> , 2013 , 87,	4.9	16
318	Measurement of the leptonic asymmetry in $tt\square$ events produced in pp \square collisions at s=1.96 TeV. <i>Physical Review D</i> , 2013 , 88,	4.9	29
317	Measurement of the top quark forward-backward production asymmetry and its dependence on event kinematic properties. <i>Physical Review D</i> , 2013 , 87,	4.9	96
316	Exclusion of exotic top-like quarks with \$\mathbb{A}\$/3 electric charge using jet-charge tagging in single-lepton tt\$\Pi\$ events at CDF. <i>Physical Review D</i> , 2013 , 88,	4.9	16
315	Observation of the production of a W boson in association with a single charm quark. <i>Physical Review Letters</i> , 2013 , 110, 071801	7.4	20
314	Direct measurement of the total decay width of the top quark. <i>Physical Review Letters</i> , 2013 , 111, 2020	0 1 .4	27
313	Search for the production of ZW and ZZ boson pairs decaying into charged leptons and jets in pp collisions at s=1.96 TeV. <i>Physical Review D</i> , 2013 , 88,	4.9	4
312	Search for resonant top-antitop production in the lepton plus jets decay mode using the full CDF data set. <i>Physical Review Letters</i> , 2013 , 110, 121802	7.4	15
311	Search for a two-Higgs-boson doublet using a simplified model in pp collisions at sqrt[s] = 1.96 TeV. <i>Physical Review Letters</i> , 2013 , 110, 121801	7.4	4
310	Measurement of R=B(t->Wb)/B(t->Wq) in top-quark-pair decays using lepton+jets events and the full CDF run II dataset. <i>Physical Review D</i> , 2013 , 87,	4.9	14
309	Search for new physics in events with same-sign dileptons and b jets in pp collisions at ($sqrt{s}=8$) TeV 2013 , 2013, 1		2
308	An additional study of multi-muon events produced in . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 710, 278-283	4.2	
307	Direct search for low mass dark matter particles with CCDs. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 711, 264-269	4.2	69
306	Search for heavy bottom-like quarks in 4.9 fb¶ of pp collisions at (sqrt {s} = 7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	44
305	Search for anomalous production of multilepton events in pp collisions at (sqrt $\{s\}$ = 7,TeV). Journal of High Energy Physics, 2012 , 2012, 1	5.4	65
304	Search for a light charged Higgs boson in top quark decays in pp collisions at (sqrt {s} = 7;TeV). Journal of High Energy Physics, 2012, 2012, 1	5.4	101

303	Search for leptonic decays of W? bosons in pp collisions at (sqrt $\{s\} = \{7\}$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	43
302	Search for stopped long-lived particles produced in pp collisions at (sqrt $\{s\} = \{\text{text}\{7\text{TeV}\}\}$). Journal of High Energy Physics, 2012, 2012, 1	5.4	17
301	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at (sqrt {s} = 7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5∙4	24
300	Measurement of the underlying event activity in pp collisions at (sqrt $\{s\}$ = 0.9) and 7 TeV with the novel jet-area/median approach. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	11
299	Search for anomalous (toverline t) production in the highly-boosted all-hadronic final state. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	57
298	Search for dark matter and large extra dimensions in monojet events in pp collisions at (sqrt {s} = {7}) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	155
297	Search for a fermiophobic Higgs boson in pp collisions at (sqrt {s} = 7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	13
296	Search for supersymmetry in hadronic final states using M T2 in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, 2012, 2012, 1	5.4	92
295	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at (sqrt{{{s_{mathrm{NN}}}}} = 2.76) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	73
294	Search for scalar top quark production in (pbar{p}) collisions at (sqrt{s}=1.96;mathrm{TeV}). Journal of High Energy Physics, 2012 , 2012, 1	5.4	16
293	Measurement of the (mathrm{t}overline{mathrm{t}}) production cross section in the dilepton channel in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, 2012, 2012, 1	5.4	64
292	Search for exclusive or semi-exclusive ©production and observation of exclusive and semi-exclusive e+e©production in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	45
291	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at (sqrt{s}=7)TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	6
290	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	41
289	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	10
288	Search for resonant (mathrm{t}overline{mathrm{t}}) production in lepton+jets events in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	25
287	Observation of Z decays to four leptons with the CMS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	30
286	Measurement of the single-top-quark t-channel cross section in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, 2012, 2012, 1	5.4	70

(2012-2012)

285	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at (sqrt{s}=7;TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	12	
284	Measurement of the top-quark mass in (mathrm $\{t\}$ overline $\{mathrm\{t\}\}$) events with lepton+jets final states in pp collisions at (sqrt $\{s\}=7$) TeV. Journal of High Energy Physics, 2012 , 2012, 1	5.4	30	
283	Measurement of the branching fraction B(B0->日+日和at CDF. <i>Physical Review D</i> , 2012 , 85,	4.9	4	
282	Search for WZ+ZZ production with missing transverse energy+jets with b enhancement at s=1.96 TeV. <i>Physical Review D</i> , 2012 , 85,	4.9	4	
281	Search for standard model Higgs boson production in association with a W boson at CDF. <i>Physical Review D</i> , 2012 , 85,	4.9	3	
280	Measurement of CP-violating asymmetries in D0->冊and D0->K+Kdecays at CDF. <i>Physical Review D</i> , 2012 , 85,	4.9	57	
279	Search for new phenomena in events with two Z bosons and missing transverse momentum in pp collisions at s=1.96 TeV. <i>Physical Review D</i> , 2012 , 85,	4.9	3	
278	Search for Higgs bosons produced in association with b quarks. <i>Physical Review D</i> , 2012 , 85,	4.9	23	
277	Measurement of the CP-violating phase IJ/II in Bs0->J/II decays with the CDF II detector. <i>Physical Review D</i> , 2012 , 85,	4.9	32	
276	Measurement of the masses and widths of the bottom baryons $B \oplus B \oplus B \oplus B$. <i>Physical Review D</i> , 2012 , 85,	4.9	22	
275	Search for high-mass resonances decaying into ZZ in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2012 , 85,	4.9	11	
274	Measurement of the top quark mass in the all-hadronic mode at CDF. <i>Physics Letters, Section B:</i> Nuclear, Elementary Particle and High-Energy Physics, 2012 , 714, 24-31	4.2	15	
273	Search for the standard model Higgs boson produced in association with a Z boson in . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 715, 98-104	4.2	2	
272	Study of the inclusive production of charged pions, kaons, and protons in pp collisions at (sqrt{s} = 0.9 , 2.76 ,mbox{ and }7~mbox{TeV}). European Physical Journal C, 2012 , 72, 1	4.2	133	
271	A search for a doubly-charged Higgs boson in pp collisions at ($sqrt{s} = 7 \text{ mbox{TeV}}$). European Physical Journal C, 2012 , 72, 1	4.2	111	
270	Measurement of the top-quark mass in (mathrm $\{t\}$) overline $\{mathrm\{t\}\}$) events with dilepton final states in pp collisions at (sqrt $\{s\}=7$ mbox $\{TeV\}$). European Physical Journal C, 2012 , 72, 1	4.2	36	
269	Measurement of the relative prompt production rate of and in pp collisions at [Formula: see text]. European Physical Journal C, 2012 , 72, 2251	4.2	46	
268	Search for a Higgs boson in the diphoton final state using the full CDF data set from . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 717, 173-181	4.2	14	

267	Precise measurement of the W-boson mass with the CDF II detector. <i>Physical Review Letters</i> , 2012 , 108, 151803	7.4	74
266	Search for ({text{B}}_{text{s}}^0) -> I II III III III III III III III III	5.4	52
265	Measurement of the mass difference between top and antitop quarks. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	13
264	Measurements of the angular distributions of muons from [decays in pp collisions at sqrt[s] = 1.96 TeV. <i>Physical Review Letters</i> , 2012 , 108, 151802	7.4	37
263	Search for a Higgs boson in the diphoton final state in pp collisions at sqrt[s]=1.96 TeV. <i>Physical Review Letters</i> , 2012 , 108, 011801	7.4	5
262	Transverse momentum cross section of e+elpairs in the Z-boson region from pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2012 , 86,	4.9	24
261	Observation of exclusive [production in pp□ collisions at 🗉=1.96 TeV. <i>Physical Review Letters</i> , 2012 , 108, 081801	7.4	30
260	Search for the standard model Higgs boson decaying to a bb pair in events with no charged leptons and large missing transverse energy using the full CDF data set. <i>Physical Review Letters</i> , 2012 , 109, 111	805 ⁴	12
259	Search for the standard model Higgs boson decaying to a bb pair in events with two oppositely charged leptons using the full CDF data set. <i>Physical Review Letters</i> , 2012 , 109, 111803	7.4	25
258	Measurement of ZZ production in leptonic final states at sqrt[s] of 1.96 TeV at CDF. <i>Physical Review Letters</i> , 2012 , 108, 101801	7.4	20
257	Search for a heavy vector boson decaying to two gluons in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2012 , 86,	4.9	2
256	Production of Ū, ⊡, ∃, and ∃ hyperons in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2012 , 86,	4.9	2
255	Search for a low-mass standard model Higgs boson in the Idecay channel in pp collisions at sqrt[s]=1.96 TeV. <i>Physical Review Letters</i> , 2012 , 108, 181804	7.4	12
254	Diffractive dijet production in ptp collisions at s=1.96 TeV. <i>Physical Review D</i> , 2012 , 86,	4.9	17
253	Precision top-quark mass measurement at CDF. Physical Review Letters, 2012, 109, 152003	7.4	36
252	Measurements of the top-quark mass and the tt cross section in the hadronic ⊞jets decay channel at sqrt[s] = 1.96 TeV. <i>Physical Review Letters</i> , 2012 , 109, 192001	7.4	11
251	Search for the rare radiative decay W->Ūn pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2012 , 85,	4.9	5
250	Search for dark matter in events with one jet and missing transverse energy in pp□collisions at B=1.96 TeV. <i>Physical Review Letters</i> , 2012 , 108, 211804	7.4	63

249	Study of substructure of high transverse momentum jets produced in proton-antiproton collisions at s=1.96 TeV. <i>Physical Review D</i> , 2012 , 85,	4.9	21	
248	Search for standard model Higgs boson production in association with a W boson using a matrix element technique at CDF in pp[] collisions at s=1.96 TeV. <i>Physical Review D</i> , 2012 , 85,	4.9	8	
247	Search for anomalous production of multiple leptons in association with W and Z bosons at CDF. <i>Physical Review D</i> , 2012 , 85,	4.9	5	
246	Search for heavy metastable particles decaying to jet pairs in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2012 , 85,	4.9	14	
245	Search for a heavy particle decaying to a top quark and a light quark in pp □collisions at №1.96 TeV. <i>Physical Review Letters</i> , 2012 , 108, 211805	7.4	11	
244	Measurement of the difference in CP-violating asymmetries in D(0)->K(+)K(-) and D(0)->[+)[+)[+) decays at CDF. <i>Physical Review Letters</i> , 2012 , 109, 111801	7.4	77	
243	Measurement of the bottom-strange meson mixing phase in the full CDF data set. <i>Physical Review Letters</i> , 2012 , 109, 171802	7.4	46	
242	Novel inclusive search for the Higgs boson in the four-lepton final state at CDF. <i>Physical Review D</i> , 2012 , 86,	4.9	7	
241	Measurements of the angular distributions in the decays B->K(*)(+)(+)(+) (+) at CDF. <i>Physical Review Letters</i> , 2012 , 108, 081807	7.4	89	
240	Search for the standard model Higgs boson produced in association with a W \oplus boson with 7.5 fb Π integrated luminosity at CDF. <i>Physical Review D</i> , 2012 , 86,	4.9	8	
239	Search for the standard model Higgs boson decaying to a bb pair in events with one charged lepton and large missing transverse energy using the full CDF data set. <i>Physical Review Letters</i> , 2012 , 109, 1118	3 0 4	25	
238	Search for a dark matter candidate produced in association with a single top quark in pp collisions at [b]=1.96 TeV. <i>Physical Review Letters</i> , 2012 , 108, 201802	7.4	15	
237	Combined search for the standard model Higgs boson decaying to a bb pair using the full CDF data set. <i>Physical Review Letters</i> , 2012 , 109, 111802	7.4	22	
236	Measurement of the WZ cross section and triple gauge couplings in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2012 , 86,	4.9	24	
235	Measurement of Bs0->Ds(*)+Ds(*)- branching ratios. <i>Physical Review Letters</i> , 2012 , 108, 201801	7.4	15	
234	Measurement of CP-violation asymmetries in D0->KS0⊞□ <i>Physical Review D</i> , 2012 , 86,	4.9	10	
233	Search for the standard model Higgs Boson produced in association with top quarks using the full CDF data set. <i>Physical Review Letters</i> , 2012 , 109, 181802	7.4	13	
232	Evidence for the charmless annihilation decay mode B(s)(0)->(+)(+). <i>Physical Review Letters</i> , 2012 , 108, 211803	7.4	32	

231	Evidence for a mass dependent forward-backward asymmetry in top quark pair production. <i>Physical Review D</i> , 2011 , 83,	4.9	219
230	Prompt and non-prompt J/ြproduction in pp collisions at (sqrt{s} = 7) TeV. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	118
229	Improved determination of the sample composition of dimuon events produced in (pbar{p}) collisions at (sqrt{s}=1.96) TeV. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	1
228	Charged particle multiplicities in pp interactions at (sqrt $\{s\}$ = 0.9), 2.36, and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	89
227	Measurements of inclusive W and Z cross sections in pp collisions at (sqrt $\{s\} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	104
226	Search for heavy stable charged particles in pp collisions at (sqrt $\{s\} = 7; \{\text{text}\{\text{TeV}\}\}$). Journal of High Energy Physics, 2011 , 2011, 1	5.4	34
225	Inclusive b-hadron production cross section with muons in pp collisions at (sqrt $\{s\} = 7$; $\{\text{text}\{\text{TeV}\}\}$). Journal of High Energy Physics, 2011 , 2011, 1	5.4	21
224	Measurement of ($\{\text{text}\{B\}\}\}$) angular correlations based on secondary vertex reconstruction at ($\text{sqrt}\{s\} = 7$, $\{\text{text}\{\text{TeV}\}\}$). Journal of High Energy Physics, 2011 , 2011, 1	5.4	27
223	Measurement of Bose-Einstein correlations in pp collisions at (sqrt $\{s\}$ = 0.9) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	22
222	Strange particle production in pp collisions at (sqrt $\{s\}$ = 0.9) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	78
221	Measurements of the properties of E(2595), E(2625), E(2455), and E(2520) baryons. <i>Physical Review D</i> , 2011 , 84,	4.9	42
220	Search for Randall-Sundrum gravitons in the diphoton channel at CDF. <i>Physical Review D</i> , 2011 , 83,	4.9	16
219	Measurement of branching ratio and Bs0 lifetime in the decay Bs0->J/f0(980) at CDF. <i>Physical Review D</i> , 2011 , 84,	4.9	46
218	Top quark mass measurement using the template method at CDF. <i>Physical Review D</i> , 2011 , 83,	4.9	22
217	Measurement of $tt \square spin$ correlation in $pp \square collisions$ using the CDF II detector at the Tevatron. <i>Physical Review D</i> , 2011 , 83,	4.9	42
216	Search for B(s)(0) -> ⊞ □and B(0) -> ⊞ □decays with CDF II. Physical Review Letters, 2011 , 107, 191801	7.4	64
215	Measurement of the top-quark mass in the lepton+jets channel using a matrix element technique with the CDF II detector. <i>Physical Review D</i> , 2011 , 84,	4.9	7
214	Search for the Higgs boson in the all-hadronic final state using the CDF II detector. <i>Physical Review D</i> , 2011 , 84,	4.9	3

213	Search for resonant production of tt□pairs in 4.8 fb □ of integrated luminosity of pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2011 , 84,	4.9	16
212	Measurement of event shapes in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2011 , 83,	4.9	11
211	Measurement of the ttll production cross section with an in situ calibration of b-jet identification efficiency. <i>Physical Review D</i> , 2011 , 83,	4.9	5
210	Measurement of the top quark mass in the lepton+jets channel using the lepton transverse momentum. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 698, 371-379	4.2	8
209	Measurement of the forward-backward asymmetry in the B->K*($\!\!\downarrow$ +)($\!\!\downarrow$ -) decay and first observation of the B(s)0->?($\!\!\downarrow$ +)($\!\!\downarrow$ -) decay. <i>Physical Review Letters</i> , 2011 , 106, 161801	7.4	37
208	Search for a heavy toplike quark in pp collisions at 🛭 = 1.96 TeV. <i>Physical Review Letters</i> , 2011 , 107, 26180) 1 7.4	28
207	Invariant mass distribution of jet pairs produced in association with a W boson in pp collisions at sqrt[s]=1.96 TeV. <i>Physical Review Letters</i> , 2011 , 106, 171801	7.4	105
206	Measurement of the Blifetime using a simulation free approach for trigger bias correction. <i>Physical Review D</i> , 2011 , 83,	4.9	7
205	Search for a new heavy gauge boson W? with event signature electron+missing transverse energy in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2011 , 83,	4.9	22
204	Search for heavy bottomlike quarks decaying to an electron or muon and jets in pp collisions at 🛭 = 1.96 TeV. <i>Physical Review Letters</i> , 2011 , 106, 141803	7.4	50
203	Measurement of b hadron lifetimes in exclusive decays containing a J/Ūn pp collisions at ಔ=1.96 TeV. <i>Physical Review Letters</i> , 2011 , 106, 121804	7.4	23
202	Search for New T' particles in final states with large jet multiplicities and missing transverse energy in p p collisions at sqrt[s] = 1.96 TeV. <i>Physical Review Letters</i> , 2011 , 107, 191803	7.4	23
201	Search for new heavy particles decaying to ZZ->llll, lljj in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2011 , 83,	4.9	7
200	Measurement of the top pair production cross section in the lepton+jets channel using a jet flavor discriminant. <i>Physical Review D</i> , 2011 , 84,	4.9	10
199	Search for resonant production of tt□decaying to jets in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2011 , 84,	4.9	13
198	Measurement of the tt□production cross section in pp□collisions at s=1.96 TeV using events with large missing transverse energy and jets. <i>Physical Review D</i> , 2011 , 84,	4.9	6
197	Measurement of the B(s)0 lifetime in fully and partially reconstructed B(s)0->D(s)(-)(?($\frac{1}{4}$))X decays in p\(\text{D}\) collisions at \(\text{B}=1.96\) TeV. <i>Physical Review Letters</i> , 2011 , 107, 272001	7.4	11
196	First search for multijet resonances in sqrt(s) = 1.96 TeV pp collisions. <i>Physical Review Letters</i> , 2011 , 107, 042001	7.4	35

195	Measurement of the cross section for prompt isolated diphoton production in pp collisions at square root(s) = 1.96 TeV. <i>Physical Review Letters</i> , 2011 , 107, 102003	7.4	7
194	Measurement of polarization and search for CP violation in B(s)0->Idecays. <i>Physical Review Letters</i> , 2011 , 107, 261802	7.4	24
193	Limits on anomalous trilinear gauge couplings in ZIevents from pp□ collisions at 日=1.96 TeV. <i>Physical Review Letters</i> , 2011 , 107, 051802	7.4	24
192	Search for production of heavy particles decaying to top quarks and invisible particles in pp collisions at $\blacksquare = 1.96 \text{TeV}$. <i>Physical Review Letters</i> , 2011 , 106, 191801	7.4	23
191	First measurement of the angular coefficients of Drell-Yan e(+)e(-) pairs in the Z mass region from pp□collisions at B=1.96 TeV. <i>Physical Review Letters</i> , 2011 , 106, 241801	7.4	38
190	Evidence for ttllproduction and measurement of Etll/Etll. <i>Physical Review D</i> , 2011 , 84,	4.9	22
189	Measurement of the cross section for prompt isolated diphoton production in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2011 , 84,	4.9	15
188	Search for a very light CP-odd Higgs boson in top quark decays from pp collisions at sqrt(s)]=1.96 TeV. <i>Physical Review Letters</i> , 2011 , 107, 031801	7.4	11
187	Observation of the baryonic flavor-changing neutral current decay B(0)->\H\Delta Physical Review Letters, 2011 , 107, 201802	7.4	95
186	Publisher Note: Search for Bs0->- Bod	7.4	34
185	Observation of Bs0->J/K*(892)0 and Bs0->J/KS0 decays. <i>Physical Review D</i> , 2011 , 83,	4.9	20
184	Measurements of branching fraction ratios and CP-asymmetries in suppressed BE>D(->K+JKIand BE>D(->K+JIdecays. <i>Physical Review D</i> , 2011 , 84,	4.9	15
183	Search for new dielectron resonances and Randall-Sundrum gravitons at the collider detector at Fermilab. <i>Physical Review Letters</i> , 2011 , 107, 051801	7.4	19
182	Top-quark mass measurement using events with missing transverse energy and jets at CDF. <i>Physical Review Letters</i> , 2011 , 107, 232002	7.4	7
181	Measurements of direct CP violating asymmetries in charmless decays of strange bottom mesons and bottom baryons. <i>Physical Review Letters</i> , 2011 , 106, 181802	7.4	41
180	Observation of the (b)(0) baryon. <i>Physical Review Letters</i> , 2011 , 107, 102001	7.4	24
179	Measurement of the mass difference between t and t quarks. <i>Physical Review Letters</i> , 2011 , 106, 15200)1 _{7.4}	24
178	Search for new physics in high pT like-sign dilepton events at CDF II. <i>Physical Review Letters</i> , 2011 , 107, 181801	7.4	16

(2010-2011)

177	Search for high mass resonances decaying to muon pairs in 🖺 1.96 TeV pp collisions. <i>Physical Review Letters</i> , 2011 , 106, 121801	7.4	26	
176	Search for R-parity violating decays of sneutrinos to e∏and eြpairs in pp collisions at square root s = 1.96 TeV. <i>Physical Review Letters</i> , 2010 , 105, 191801	7.4	17	
175	Search for technicolor particles produced in association with a W Boson at CDF. <i>Physical Review Letters</i> , 2010 , 104, 111802	7.4	6	
174	Inclusive search for standard model Higgs boson production in the WW decay channel using the CDF II detector. <i>Physical Review Letters</i> , 2010 , 104, 061803	7.4	35	
173	Measurement of the Lambdab0 lifetime in Lambdab0> Lambdac+pi- decays in pp collisions at square root of $s = 1.96$ TeV. <i>Physical Review Letters</i> , 2010 , 104, 102002	7.4	24	
172	Search for the production of scalar bottom quarks in pp collisions at square root(s) = 1.96 TeV. <i>Physical Review Letters</i> , 2010 , 105, 081802	7.4	23	
171	Improved search for a Higgs boson produced in association with $Z \rightarrow l + l - in pp$ collisions sqrt[s] = 1.96 TeV. <i>Physical Review Letters</i> , 2010 , 105, 251802	7.4	9	
170	Measurement of the W+ W- production cross section and search for anomalous WWIand WWZ couplings in pp collisions at square root(s)=1.96 TeV. <i>Physical Review Letters</i> , 2010 , 104, 201801	7.4	55	
169	Measurement of the WW + WZ production cross section using the lepton + jets final state at CDF II. <i>Physical Review Letters</i> , 2010 , 104, 101801	7.4	21	
168	Exclusion of an exotic top quark with -4/3 electric charge using soft lepton tagging. <i>Physical Review Letters</i> , 2010 , 105, 101801	7.4	14	
167	Measurement of W-boson polarization in Top-Quark Decay in pp collisions at sqrt[s]=1.96 TeV. <i>Physical Review Letters</i> , 2010 , 105, 042002	7.4	30	
166	Search for the Higgs boson using neural networks in events with missing energy and b-quark jets in pp collisions at square root(s) = 1.96 TeV. <i>Physical Review Letters</i> , 2010 , 104, 141801	7.4	10	
165	Measurement of the top quark mass and pp⊕>tt□cross section in the all-hadronic mode with the CDF II detector. <i>Physical Review D</i> , 2010 , 81,	4.9	25	
164	Measurement of the WW+WZ production cross section using a matrix element technique in lepton+jets events. <i>Physical Review D</i> , 2010 , 82,	4.9	8	
163	Search for WW and WZ resonances decaying to electron, missing E(T), and two jets in pp collisions at square root(s) = 1.96 TeV. <i>Physical Review Letters</i> , 2010 , 104, 241801	7.4	26	
162	Measurement of the ratio [Lt]/[\mathbb{Z} /[\mathbb{F} }->ll} and precise extraction of the tt cross section. <i>Physical Review Letters</i> , 2010 , 105, 012001	7.4	54	
161	Search for new physics with a dijet plus missing E(T) signature in pp collisions at № 1.96 TeV. <i>Physical Review Letters</i> , 2010 , 105, 131801	7.4	8	
160	Search for supersymmetry with gauge-mediated breaking in diphoton events with missing transverse energy at CDF II. <i>Physical Review Letters</i> , 2010 , 104, 011801	7.4	31	

159	Search for new bottomlike quark pair decays QQ>(tW(+)(-))(tW(+)(-)in same-charge dilepton events. <i>Physical Review Letters</i> , 2010 , 104, 091801	7.4	70
158	Top quark mass measurement in the lepton + jets channel using a matrix element method and in situ jet energy calibration. <i>Physical Review Letters</i> , 2010 , 105, 252001	7.4	34
157	Diffractive W and Z production at the Fermilab Tevatron. <i>Physical Review D</i> , 2010 , 82,	4.9	23
156	Direct top-quark width measurement at CDF. <i>Physical Review Letters</i> , 2010 , 105, 232003	7.4	23
155	Search for the supersymmetric partner of the top quark in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2010 , 82,	4.9	19
154	Observation of single top quark production and measurement of Vtb with CDF. <i>Physical Review D</i> , 2010 , 82,	4.9	74
153	Studying the underlying event in Drell-Yan and high transverse momentum jet production at the Tevatron. <i>Physical Review D</i> , 2010 , 82,	4.9	45
152	Study of the associated production of photons and b-quark jets in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2010 , 81,	4.9	20
151	Measurement of Z[production in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2010 , 82,	4.9	7
150	Search for anomalous production of events with two photons and additional energetic objects at CDF. <i>Physical Review D</i> , 2010 , 82,	4.9	12
149	Measurement of the top pair production cross section in the dilepton decay channel in pp \Box collisions at s=1.96 TeV. <i>Physical Review D</i> , 2010 , 82,	4.9	28
148	Measurement of the top quark mass in the dilepton channel using mT2 at CDF. <i>Physical Review D</i> , 2010 , 81,	4.9	21
147	Measurements of branching fraction ratios and CP asymmetries in B \parallel ->DCPK \parallel decays in hadron collisions. <i>Physical Review D</i> , 2010 , 81,	4.9	21
146	Updated search for the flavor-changing neutral-current decay D0->⊞In pp□ collisions at s=1.96 TeV. <i>Physical Review D</i> , 2010 , 82,	4.9	7
145	Search for single top quark production in pp□collisions at s=1.96 TeV in the missing transverse energy plus jets topology. <i>Physical Review D</i> , 2010 , 81,	4.9	15
144	Study of multi-muon events produced in (pbar{p}) interactions at (sqrt{s}=1.96) TeV. <i>European Physical Journal C</i> , 2010 , 68, 109-118	4.2	4
143	Comments and Reply on: Btudy of multi-muon events produced in (pbar{p}) interactions at (sqrt{s}=1.96) TeVIT. Aaltonen et al. (The CDF Collaboration). <i>European Physical Journal C</i> , 2010 , 68, 119-123	4.2	
142	First measurement of the underlying event activity at the LHC with ($sqrt{s} = 0.9$) TeV. European Physical Journal C, 2010 , 70, 555-572	4.2	36

CMS tracking performance results from early LHC operation. European Physical Journal C, 2010, 70, 1165412192 99 141 Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. 140 5.4 389 Journal of High Energy Physics, 2010, 2010, 1 Search for new color-octet vector particle decaying to . Physics Letters, Section B: Nuclear, 16 139 4.2 Elementary Particle and High-Energy Physics, **2010**, 691, 183-190 Measurement of . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 138 63 4.2 2010, 692, 232-239 Inclusive search for squark and gluino production in pp[over] collisions at sqrt[s]=1.96 TeV. Physical 64 137 7.4 Review Letters, 2009, 102, 121801 Search for high-mass resonances decaying to dimuons at CDF. Physical Review Letters, 2009, 102, 091805,.4 136 83 First observation of B(s)(0) --> D(s)(+/-)K(-/+) and measurement of the ratio of branching fractions 17 135 7.4 B(B(s)(0) --> D(s)(+/-)K(-/+)/B(B(s)(0) --> D(s)(+)pi(-)). Physical Review Letters, **2009**, 103, 191802 Observation of new charmless decays of bottom hadrons. *Physical Review Letters*, **2009**, 103, 031801 134 40 7.4 Direct bound on the total decay width of the top quark in pp collisions at sqrt[s]=1.96 TeV. Physical 15 133 7.4 Review Letters, 2009, 102, 042001 Search for long-lived massive charged particles in 1.96 TeV pp collisions. Physical Review Letters, 56 132 7.4 2009, 103, 021802 Direct measurement of the W production charge asymmetry in pp collisions at square root s=1.96 131 7.4 67 TeV. Physical Review Letters, 2009, 102, 181801 Search for the neutral current top quark decay t->Zc using the ratio of Z-boson+4 jets to 130 4.9 4 W-boson+4 jets production. *Physical Review D*, **2009**, 80, Measurement of resonance parameters of orbitally excited narrow B0 mesons. Physical Review 129 7.4 32 Letters, 2009, 102, 102003 Search for a Higgs boson decaying to two W bosons at CDF. Physical Review Letters, 2009, 102, 021802 7.4 128 19 Search for anomalous production of events with a photon, jet, b-quark jet, and missing transverse 127 4.9 3 energy. Physical Review D, 2009, 80, Evidence for a narrow near-threshold structure in the J/psivarphi mass spectrum in B;{+}--> 126 211 7.4 J/psivarphiK;{+} decays. Physical Review Letters, 2009, 102, 242002 Measurement of cross sections for b jet production in events with a Z boson in pp□collisions at 125 26 4.9 s=1.96 TeV. Physical Review D, 2009, 79, Search for a standard model Higgs boson in WH --> lvbb in pp collisions at square root s = 1.96 TeV. 124 30 7.4 Physical Review Letters, **2009**, 103, 101802

123	Search for the decays B_{(s)};{0}> e;{+} micro;{-} and B_{(s)};{0}> e;{+} e;{-} in CDF run II. <i>Physical Review Letters</i> , 2009 , 102, 201801	7.4	31
122	Top quark mass measurement in the lepton plus jets channel using a modified matrix element method. <i>Physical Review D</i> , 2009 , 79,	4.9	15
121	Search for top-quark production via flavor-changing neutral currents in W+1 jet events at CDF. <i>Physical Review Letters</i> , 2009 , 102, 151801	7.4	51
120	Observation of exclusive charmonium production and gammagamma> micro;{+}micro;{-} in pp[over] collisions at sqrt[s] = 1.96 TeV. <i>Physical Review Letters</i> , 2009 , 102, 242001	7.4	126
119	Measurement of the k(T) distribution of particles in jets produced in pp collisions at sqrt(s)=1.96 TeV. <i>Physical Review Letters</i> , 2009 , 102, 232002	7.4	10
118	Search for Gluino-Mediated Bottom Squark Production in pp[over] Collisions at sqrt[s]=1.96 TeV. <i>Physical Review Letters</i> , 2009 , 102, 221801	7.4	13
117	First measurement of the tt[over] differential cross section dsigma/dM_{tt[over]} in pp[over] collisions at sqrt[s]=1.96 TeV. <i>Physical Review Letters</i> , 2009 , 102, 222003	7.4	113
116	Search for new physics in the He/HE T channel with a low-pT lepton threshold at the Collider Detector at Fermilab. <i>Physical Review D</i> , 2009 , 79,	4.9	5
115	Search for high-mass e+e- resonances in pp collisions at sqrt[s]=1.96 TeV. <i>Physical Review Letters</i> , 2009 , 102, 031801	7.4	55
114	Search for the associated production of the standard-model Higgs Boson in the all-hadronic channel. <i>Physical Review Letters</i> , 2009 , 103, 221801	7.4	9
113	Search for a fermiophobic Higgs boson decaying into diphotons in pp[over] collisions at sqrt[s] = 1.96 TeV. <i>Physical Review Letters</i> , 2009 , 103, 061803	7.4	24
112	Measurement of the top-quark mass with dilepton events selected using neuroevolution at CDF. <i>Physical Review Letters</i> , 2009 , 102, 152001	7.4	38
111	Observation of electroweak single top-quark production. <i>Physical Review Letters</i> , 2009 , 103, 092002	7.4	174
110	First measurement of the ratio of branching fractions B(B0->日+II)/B(B0->日+II <i>Physical Review D</i> , 2009 , 79,	4.9	16
109	Search for charged Higgs bosons in decays of top quarks in pp collisions at square root s = 1.96 TeV. <i>Physical Review Letters</i> , 2009 , 103, 101803	7.4	87
108	Search for narrow resonances lighter than ? mesons. European Physical Journal C, 2009, 62, 319-326	4.2	6
107	Search for new particles decaying into dijets in proton-antiproton collisions at s=1.96 TeV. <i>Physical Review D</i> , 2009 , 79,	4.9	159
106	Measurement of the inclusive isolated prompt photon cross section in pp□collisions at s=1.96 TeV using the CDF detector. <i>Physical Review D</i> , 2009 , 80,	4.9	26

(2008-2009)

105	Global search for new physics with 2.0 fb1 at CDF. <i>Physical Review D</i> , 2009 , 79,	4.9	44
104	Search for the rare decays B+->⊞K+, B0->⊞K*(892)0, and Bs0->⊞D at CDF. <i>Physical Review D</i> , 2009 , 79,	4.9	18
103	Measurement of the ttllproduction cross section in 2 fbll of ppllcollisions at s=1.96 TeV using lepton plus jets events with soft muon b tagging. <i>Physical Review D</i> , 2009 , 79,	4.9	13
102	Top quark mass measurement in the tt□all hadronic channel using a matrix element technique in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2009 , 79,	4.9	10
101	Measurement of the fraction of tt□ production via gluon-gluon fusion in pp□ collisions at s=1.96 TeV. <i>Physical Review D</i> , 2009 , 79,	4.9	12
100	First simultaneous measurement of the top quark mass in the lepton+jets and dilepton channels at CDF. <i>Physical Review D</i> , 2009 , 79,	4.9	25
99	Measurement of the top quark mass at CDF using the Beutrino? weighting the method on a lepton plus isolated track sample. <i>Physical Review D</i> , 2009 , 79,	4.9	10
98	Measurement of inclusive jet cross sections in Z/gamma*(>e+e-) + jets production in pp[over] collisions at square root s = 1.96 TeV. <i>Physical Review Letters</i> , 2008 , 100, 102001	7.4	60
97	First run II measurement of the W boson mass at the Fermilab Tevatron. <i>Physical Review D</i> , 2008 , 77,	4.9	44
96	Search for heavy, long-lived neutralinos that decay to photons at CDF II using photon timing. <i>Physical Review D</i> , 2008 , 78,	4.9	14
95	Model-independent and quasi-model-independent search for new physics at CDF. <i>Physical Review D</i> , 2008 , 78,	4.9	30
94	Measurement of the inclusive jet cross section at the Fermilab Tevatron pp□collider using a cone-based jet algorithm. <i>Physical Review D</i> , 2008 , 78,	4.9	119
93	Search for standard model Higgs bosons produced in association with W bosons. <i>Physical Review Letters</i> , 2008 , 100, 041801	7.4	12
92	Measurement of the single-top-quark production cross section at CDF. <i>Physical Review Letters</i> , 2008 , 101, 252001	7.4	44
91	Measurement of b-jet shapes in inclusive jet production in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2008 , 78,	4.9	9
90	Forward-backward asymmetry in top-quark production in pp[over] collisions at sqrt[s]=1.96 TeV. <i>Physical Review Letters</i> , 2008 , 101, 202001	7.4	177
89	First observation of the decay Bs0>Ds-Ds+ and measurement of its branching ratio. <i>Physical Review Letters</i> , 2008 , 100, 021803	7.4	15
88	Search for supersymmetry in pp collisions at sqrt[s]=1.96 TeV Using the trilepton signature for chargino-neutralino production. <i>Physical Review Letters</i> , 2008 , 101, 251801	7.4	52

87	Search for standard model Higgs boson production in association with a W boson at CDF. <i>Physical Review D</i> , 2008 , 78,	4.9	10
86	Search for the Higgs boson produced in association with Z>l+l in pp collisions at sqrt[s]=1.96 TeV. <i>Physical Review Letters</i> , 2008 , 101, 251803	7.4	4
85	Measurement of Lifetime and Decay-Width Difference in B_{s};{0}>J/psivarphi Decays. <i>Physical Review Letters</i> , 2008 , 100, 121803	7.4	36
84	Search for resonant tt[overline] production in pp[overline] collisions at sqrt[s]=1.96 TeV. <i>Physical Review Letters</i> , 2008 , 100, 231801	7.4	37
83	Observation of orbitally excited B(s) mesons. <i>Physical Review Letters</i> , 2008 , 100, 082001	7.4	73
82	Search for the flavor-changing neutral-current decay t>Zq in pp collisions at $sqrt[s] = 1.96$ TeV. <i>Physical Review Letters</i> , 2008 , 101, 192002	7.4	50
81	Evidence for D0-D(0) mixing using the CDF II detector. <i>Physical Review Letters</i> , 2008 , 100, 121802	7.4	91
80	Search for large extra dimensions in final states containing one photon or jet and large missing transverse energy produced in pp collisions at square root[s]=1.96 TeV. <i>Physical Review Letters</i> , 2008 , 101, 181602	7.4	72
79	Cross-section-constrained top-quark mass measurement from dilepton events at the Tevatron. <i>Physical Review Letters</i> , 2008 , 100, 062005	7.4	15
78	The CDF II eXtremely Fast Tracker upgrade. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment,</i> 2007 , 572, 358-360	1.2	
77	Measurement of the azimuthal angle distribution of leptons from W boson decays as a function of the W transverse momentum in pp□collisions at s=1.8 TeV. <i>Physical Review D</i> , 2006 , 73,	4.9	8
76	KS0 and D production studies in pp□collisions at s=1800 and 630 GeV. <i>Physical Review D</i> , 2005 , 72,	4.9	23
75	Comparison of three-jet events in pp[] collisions at s=1.8 TeV to predictions from a next-to-leading order QCD calculation. <i>Physical Review D</i> , 2005 , 71,	4.9	3
74	Measurements of bottom-antibottom azimuthal production correlations in proton-antiproton collisions at s=1.8 TeV. <i>Physical Review D</i> , 2005 , 71,	4.9	25
73	Measurement of the W boson polarization in top decay at CDF at s=1.8 TeV. <i>Physical Review D</i> , 2005 , 71,	4.9	22
72	The level-3 trigger at the CDF experiment at Tevatron run II. <i>IEEE Transactions on Nuclear Science</i> , 2005 , 52, 1212-1216	1.7	5
71	Search for Higgs bosons decaying into bb and produced in association with a vector boson in pp collisions at square root of $s = 1.8$ TeV. <i>Physical Review Letters</i> , 2005 , 95, 051801	7.4	13
7º	Search for supersymmetric Higgs bosons in the di-tau decay mode in pp□collisions at s=1.8 TeV. <i>Physical Review D</i> , 2005 , 72,	4.9	8

(2003-2005)

69	Measurement of charged-particle multiplicities in gluon and quark jets in pp collisions at square root of s = 1.8 TeV. <i>Physical Review Letters</i> , 2005 , 94, 171802	7.4	13
68	Observation of the narrow state X(3872)>J/psipi+pi- in pp collisions at sqaure root of s=1.96 TeV. <i>Physical Review Letters</i> , 2004 , 93, 072001	7.4	469
67	Measurement of the average time-integrated mixing probability of b-flavored hadrons produced at the Fermilab Tevatron. <i>Physical Review D</i> , 2004 , 69,	4.9	14
66	Search for B0s>micro+micro- and B0d>micro+micro- decays in pp collisions at square root s = 1.96 TeV. <i>Physical Review Letters</i> , 2004 , 93, 032001	7.4	57
65	Search for Kaluza-Klein graviton emission in pp collisions at square root[s] = 1.8 TeV using the missing energy signature. <i>Physical Review Letters</i> , 2004 , 92, 121802	7.4	21
64	Optimized search for single-top-quark production at the Fermilab Tevatron. <i>Physical Review D</i> , 2004 , 69,	4.9	24
63	Measurement of the polar-angle distribution of leptons from W boson decay as a function of the W transverse momentum in pp□collisions at s=1.8TeV. <i>Physical Review D</i> , 2004 , 70,	4.9	9
62	Underlying event in hard interactions at the Fermilab Tevatron plp collider. <i>Physical Review D</i> , 2004 , 70,	4.9	62
61	Heavy flavor properties of jets produced in pp□interactions at s=1.8TeV. <i>Physical Review D</i> , 2004 , 69,	4.9	15
60	Search for pair production of scalar top quarks in R-parity violating decay modes in pp collisions at square root of s=1.8 TeV. <i>Physical Review Letters</i> , 2004 , 92, 051803	7.4	18
59	Inclusive double-pomeron exchange at the fermilab tevatron p p collider. <i>Physical Review Letters</i> , 2004 , 93, 141601	7.4	10
58	Measurement of the tt production cross section in pp collisions at sqrt[s]=1.96 TeV using dilepton events. <i>Physical Review Letters</i> , 2004 , 93, 142001	7.4	55
57	Direct photon cross section with conversions at CDF. <i>Physical Review D</i> , 2004 , 70,	4.9	23
56	Inclusive search for anomalous production of high-pT like-sign lepton pairs in pp collisions at square root s = 1.8 TeV. <i>Physical Review Letters</i> , 2004 , 93, 061802	7.4	9
55	Search for lepton flavor violating decays of a heavy neutral particle in p(-)p collisions at sqrt[s]=1.8 TeV. <i>Physical Review Letters</i> , 2003 , 91, 171602	7.4	9
54	Momentum distribution of charged particles in jets in dijet events in pp□collisions at s=1.8TeV and comparisons to perturbative QCD predictions. <i>Physical Review D</i> , 2003 , 68,	4.9	36
53	Search for a W' boson decaying to a top and bottom quark pair in 1.8 TeV pp collisions. <i>Physical Review Letters</i> , 2003 , 90, 081802	7:4	20
52	Search for long-lived charged massive particles in pp collisions at square root s = 1.8 TeV. <i>Physical Review Letters</i> , 2003 , 90, 131801	7.4	46

51	Search for the supersymmetric partner of the top quark in dilepton events from pp collisions at square root of s=1.8 TeV. <i>Physical Review Letters</i> , 2003 , 90, 251801	7.4	17
50	Search for associated production of Upsilon and vector boson in pp collisions at sqrt[s]=1.8 TeV. <i>Physical Review Letters</i> , 2003 , 90, 221803	7.4	11
49	Measurement of prompt charm meson production cross sections in pp collisions at square root s = 1.96 TeV. <i>Physical Review Letters</i> , 2003 , 91, 241804	7.4	125
48	Central pseudorapidity gaps in events with a leading antiproton at the fermilab tevatron pp collider. <i>Physical Review Letters</i> , 2003 , 91, 011802	7.4	8
47	Search for the flavor-changing neutral current decay D0->⊞In ppI collisions at s=1.96TeV. <i>Physical Review D</i> , 2003 , 68,	4.9	8
46	Charged jet evolution and the underlying event in proton-antiproton collisions at 1.8 TeV. <i>Physical Review D</i> , 2002 , 65,	4.9	125
45	Measurement of B-meson lifetimes using fully reconstructed B decays produced in pp□collisions at s=1.8 TeV. <i>Physical Review D</i> , 2002 , 65,	4.9	5
44	Branching ratio measurements of exclusive B+ decays to charmonium with the Collider Detector at Fermilab. <i>Physical Review D</i> , 2002 , 66,	4.9	12
43	Measurement of the strong coupling constant from inclusive jet production at the Tevatron pp collider. <i>Physical Review Letters</i> , 2002 , 88, 042001	7.4	35
42	Search for new physics in photon-lepton events in pp□collisions at s=1.8 TeV. <i>Physical Review D</i> , 2002 , 66,	4.9	14
41	Measurement of the ratio of b quark production cross sections in p \Box p collisions at s=630 GeV and s=1800 GeV. <i>Physical Review D</i> , 2002 , 66,	4.9	22
40	Cross section for forward J/͡production in pp□collisions at s=1.8TeV. <i>Physical Review D</i> , 2002 , 66,	4.9	7
39	Search for new heavy particles in the WZ0 final state in pp collisions at square root[s] = 1.8 TeV. <i>Physical Review Letters</i> , 2002 , 88, 071806	7.4	5
38	Upsilon production and polarization in p p macro collisions at square root of $s = 1.8$ TeV. <i>Physical Review Letters</i> , 2002 , 88, 161802	7.4	125
37	Search for the decay Bs->⊞In pp□ collisions at s=1.8 TeV. <i>Physical Review D</i> , 2002 , 65,	4.9	6
36	Diffractive dijet production at sqrt[s] = 630 and 1800 GeV at the Fermilab Tevatron. <i>Physical Review Letters</i> , 2002 , 88, 151802	7.4	18
35	Search for radiative b-hadron decays in pp□collisions at s=1.8TeV. <i>Physical Review D</i> , 2002 , 66,	4.9	10
34	Search for gluinos and scalar quarks in pp collisions at square root[s] = 1.8 TeV using the missing energy plus multijets signature. <i>Physical Review Letters</i> , 2002 , 88, 041801	7.4	73

(2001-2002)

33	Limits on extra dimensions and new particle production in the exclusive photon and missing energy signature in pp collisions at square root [s]=1.8 TeV. <i>Physical Review Letters</i> , 2002 , 89, 281801	7.4	37
32	Searches for new physics in events with a photon and b-quark jet at CDF. <i>Physical Review D</i> , 2002 , 65,	4.9	12
31	Soft and hard interactions in pp□collisions at s=1800 and 630 GeV. <i>Physical Review D</i> , 2002 , 65,	4.9	40
30	Study of the heavy flavor content of jets produced in association with W bosons in pp□collisions at s=1.8TeV. <i>Physical Review D</i> , 2002 , 65,	4.9	19
29	Comparison of the isolated direct photon cross sections in pp \Box collisions at s=1.8 TeV and s=0.63 TeV. <i>Physical Review D</i> , 2002 , 65,	4.9	47
28	Search for new physics in photon-lepton events in pp collisions at sqrt[s] = 1.8 TeV. <i>Physical Review Letters</i> , 2002 , 89, 041802	7.4	16
27	Search for single-top-quark production in pp□collisions at s=1.8 TeV. <i>Physical Review D</i> , 2002 , 65,	4.9	42
26	Study of B0> J/psiK(*)0pi(+)pi(-) decays with the collider detector at Fermilab. <i>Physical Review Letters</i> , 2002 , 88, 071801	7.4	5
25	Measurement of the B+ total cross section and B+ differential cross section d $\not\!\! D$ dpT in pp \Box collisions at s=1.8 TeV. <i>Physical Review D</i> , 2002 , 65,	4.9	72
24	Measurement of the tt□production cross section in pp□collisions at s=1.8TeV. <i>Physical Review D</i> , 2001 , 64,	4.9	58
23	Search for the supersymmetric partner of the top quark in pp□collisions at s=1.8 TeV. <i>Physical Review D</i> , 2001 , 63,	4.9	11
22	Measurement of the top quark p(T) distribution. <i>Physical Review Letters</i> , 2001 , 87, 102001	7.4	20
21	Search for gluinos and squarks using like-sign dileptons in pp macro collisions at square root of s = 1.8 TeV. <i>Physical Review Letters</i> , 2001 , 87, 251803	7.4	17
20	Cross section and heavy quark composition of Hevents produced in pp[collisions. <i>Physical Review D</i> , 2001 , 65,	4.9	3
19	Observation of diffractive J/psi production at the Fermilab Tevatron. <i>Physical Review Letters</i> , 2001 , 87, 241802	7.4	14
18	Measurement of d sigma/dM and forward-backward charge asymmetry for high-mass Drell-Yan $e(+)e(-)$ pairs from pp macro collisions at square root of $s=1.8$ TeV. <i>Physical Review Letters</i> , 2001 , 87, 131802	7.4	26
17	Measurement of the inclusive jet cross section in pp□collisions at s=1.8 TeV. <i>Physical Review D</i> , 2001 , 64,	4.9	73
16	First measurement of the ratio B(t> Wb)/B(t> Wq) and associated limit on the Cabibbo-Kobayashi-Maskawa element /V(tb)/. <i>Physical Review Letters</i> , 2001 , 86, 3233-8	7.4	32

15	Search for neutral supersymmetric Higgs bosons in pp collisions at sqrt[s] = 1.8TeV. <i>Physical Review Letters</i> , 2001 , 86, 4472-8	7.4	50
14	Measurement of the W boson mass with the Collider Detector at Fermilab. <i>Physical Review D</i> , 2001 , 64,	4.9	52
13	Tests of enhanced leading order QCD in W boson plus jets events from 1.8 TeV p□p collisions. <i>Physical Review D</i> , 2001 , 63,	4.9	7
12	Search for narrow diphoton resonances and for $\mathbb{H}W/Z$ signatures in pp \mathbb{D} collisions at s=1.8 TeV. <i>Physical Review D</i> , 2001 , 64,	4.9	24
11	Charged-particle multiplicity pp collisions at square root of (s) = 1.8 TeV. <i>Physical Review Letters</i> , 2001 , 87, 211804	7.4	16
10	Production of chi(c1) and chi(c2) in pp collisions at sqrt[S] = 1.8 TeV. <i>Physical Review Letters</i> , 2001 , 86, 3963-8	7.4	27
9	Search for quark-lepton compositeness and a heavy W' Boson using the enu channel in p p macro collisions at square root of $[s] = 1.8$ TeV. <i>Physical Review Letters</i> , 2001 , 87, 231803	7.4	37
8	Double diffraction dissociation at the Fermilab Tevatron collider. <i>Physical Review Letters</i> , 2001 , 87, 141	8924	34
7	Measurement of the top quark mass with the collider detector at Fermilab. <i>Physical Review D</i> , 2001 , 63,	4.9	50
6	Dijet production by double pomeron exchange at the fermilab tevatron. <i>Physical Review Letters</i> , 2000 , 85, 4215-20	7.4	49
5	Direct measurement of the W boson width in p&pmacr collisions at radicals = 1.8 TeV. <i>Physical Review Letters</i> , 2000 , 85, 3347-52	7.4	20
4	Measurement of dIdy for high mass Drell-Yan e+elpairs from pp□collisions at s=1.8 TeV. <i>Physical Review D</i> , 2000 , 63,	4.9	17
3	Search for second and third generation leptoquarks including production via technicolor interactions in p&pmacr collisions at radicals = 1.8 TeV. <i>Physical Review Letters</i> , 2000 , 85, 2056-61	7.4	28
2	Measurement of the decay amplitudes of B0> J/psiK*0 and B(s)(0)> J/psistraight phi decays. <i>Physical Review Letters</i> , 2000 , 85, 4668-73	7.4	26
1	Measurement of J/psi and psi(2S) polarization in pp collisions at sqrt[s] = 1.8 TeV. <i>Physical Review Letters</i> . 2000 , 85, 2886-91	7.4	171