

Renaud Snanoudj

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5581839/publications.pdf>

Version: 2024-02-01

82
papers

3,521
citations

117625

34
h-index

144013

57
g-index

91
all docs

91
docs citations

91
times ranked

4434
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-term survival benefit from dual kidney transplantation using kidneys from donors with very extended criteria—a French cohort between 2002 and 2014. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, 982-990.	0.7	1
2	Cryptococcal Meningitis in Kidney Transplant Recipients: A Two-Decade Cohort Study in France. <i>Pathogens</i> , 2022, 11, 699.	2.8	6
3	COVID-19 severity in kidney transplant recipients is similar to nontransplant patients with similar comorbidities. <i>American Journal of Transplantation</i> , 2021, 21, 1285-1294.	4.7	69
4	Is COVID-19 infection more severe in kidney transplant recipients?. <i>American Journal of Transplantation</i> , 2021, 21, 1295-1303.	4.7	190
5	The spectrum of kidney biopsies in hospitalized patients with COVID-19, acute kidney injury and/or proteinuria. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 1253-1262.	0.7	54
6	Clinical Utility of Biochemical Markers for the Prediction of COVID-19-Related Mortality in Kidney Transplant Recipients. <i>Kidney International Reports</i> , 2021, 6, 2689-2693.	0.8	8
7	CRISPR/Cas9-Engineered HLA-Deleted Glomerular Endothelial Cells as a Tool to Predict Pathogenic Non-HLA Antibodies in Kidney Transplant Recipients. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 3231-3251.	6.1	8
8	Central nervous system complications in adult cystinosis patients. <i>Journal of Inherited Metabolic Disease</i> , 2020, 43, 348-356.	3.6	14
9	COVID-19 in Patients on Maintenance Dialysis in the Paris Region. <i>Kidney International Reports</i> , 2020, 5, 1535-1544.	0.8	49
10	An initial report from the French SOT COVID Registry suggests high mortality due to COVID-19 in recipients of kidney transplants. <i>Kidney International</i> , 2020, 98, 1549-1558.	5.2	213
11	Deciphering the Prognostic and Predictive Value of Urinary CXCL10 in Kidney Recipients With BK Virus Reactivation. <i>Frontiers in Immunology</i> , 2020, 11, 604353.	4.8	9
12	IMPact of the COVID-19 epidemic on the moRTality of kidney transplant recipients and candidates in a French Nationwide registry sTudy (IMPORTANT). <i>Kidney International</i> , 2020, 98, 1568-1577.	5.2	85
13	Predictive value of mixed antigen screen beads in pre-transplant assessment of HLA immunization in solid organ transplant recipients. <i>Clinical Transplantation</i> , 2020, 34, e14002.	1.6	3
14	Uterus Transplantation with Live Donors: Screening Candidates in One French Center. <i>Journal of Clinical Medicine</i> , 2020, 9, 2001.	2.4	19
15	Development and validation of an optimized integrative model using urinary chemokines for noninvasive diagnosis of acute allograft rejection. <i>American Journal of Transplantation</i> , 2020, 20, 3462-3476.	4.7	38
16	Trends and Outcomes with Kidney Failure from Antineoplastic Treatments and Urinary Tract Cancer in France. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020, 15, 484-492.	4.5	3
17	Epitope load identifies kidney transplant recipients at risk of allosensitization following minimization of immunosuppression. <i>Kidney International</i> , 2019, 95, 1471-1485.	5.2	40
18	Conversion From Calcineurin Inhibitors to Belatacept in HLA-sensitized Kidney Transplant Recipients With Low-level Donor-specific Antibodies. <i>Transplantation</i> , 2019, 103, 2150-2156.	1.0	18

#	ARTICLE	IF	CITATIONS
19	No clinical benefit of rapid versus gradual tapering of immunosuppression to treat sustained <sc>BK</sc> virus viremia after kidney transplantation: a single-center experience. <i>Transplant International</i> , 2019, 32, 481-492.	1.6	8
20	Baseline graft status is a critical predictor of kidney graft failure after diarrhoea. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 1597-1604.	0.7	2
21	Response to: "Renal allograft histology at 10 years after transplantation in the tacrolimus era: Evidence of pervasive chronic injury". <i>American Journal of Transplantation</i> , 2018, 18, 1292-1292.	4.7	0
22	Benefits of kidney transplantation for a national cohort of patients aged 70 years and older starting renal replacement therapy. <i>American Journal of Transplantation</i> , 2018, 18, 2695-2707.	4.7	46
23	Correlation between Pre-Transplant Bead-Based Screening of Anti-HLA Antibodies and Single Antigen Arrays. <i>Transplantation</i> , 2018, 102, S212-S213.	1.0	0
24	Pretransplant Discordant Sera with a Negative Bead-Based Screening Test and a Positive Single Antigen Test May Reveal the Presence of Antibodies against Denatured HLA Antigens. <i>Transplantation</i> , 2018, 102, S629.	1.0	0
25	Long-term Outcomes of Kidney Transplantation in Patients With High Levels of Preformed DSA. <i>Transplantation</i> , 2017, 101, 2440-2448.	1.0	60
26	Dual Kidney Transplantation: Is It Worth It?. <i>Transplantation</i> , 2017, 101, 488-497.	1.0	32
27	Efficacy and safety of febuxostat in 73 gouty patients with stage 4/5 chronic kidney disease: A retrospective study of 10 centers. <i>Joint Bone Spine</i> , 2017, 84, 595-598.	1.6	37
28	Midterm Outcomes of 12 Renal Transplant Recipients Treated With Eculizumab to Prevent Atypical Hemolytic Syndrome Recurrence. <i>Transplantation</i> , 2017, 101, 2924-2930.	1.0	21
29	Cancer After Kidney Transplantation. , 2017, , 525-542.		0
30	Eight-year results of the Spiesser study, a randomized trial comparing <i>de novo</i> sirolimus and cyclosporine in renal transplantation. <i>Transplant International</i> , 2016, 29, 41-50.	1.6	32
31	Prognosis of Invasive Aspergillosis in Kidney Transplant Recipients: A Case-Control Study. <i>Transplantation Direct</i> , 2016, 2, e90.	1.6	12
32	Early Low Urinary CXCL9 and CXCL10 Might Predict Immunological Quiescence in Clinically and Histologically Stable Kidney Recipients. <i>American Journal of Transplantation</i> , 2016, 16, 1868-1881.	4.7	49
33	Long-term CD4 lymphopenia is associated with accelerated decline of kidney allograft function. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 487-495.	0.7	23
34	Excellent long-term outcome of renal transplantation in cystinosis patients. <i>Orphanet Journal of Rare Diseases</i> , 2015, 10, 90.	2.7	27
35	Immunological risks of minimization strategies. <i>Transplant International</i> , 2015, 28, 901-910.	1.6	12
36	Restricted specificity of peripheral alloreactive memory B cells in HLA-sensitized patients awaiting a kidney transplant. <i>Kidney International</i> , 2015, 87, 1230-1240.	5.2	39

#	ARTICLE	IF	CITATIONS
37	Dramatic Improvement of Severe Cryptococcosis-Induced Immune Reconstitution Syndrome With Adalimumab in a Renal Transplant Recipient. <i>American Journal of Transplantation</i> , 2015, 15, 560-564.	4.7	25
38	Successful Outcome of a Corticoid-dependent Henoch-Schönlein Purpura Adult with Rituximab. <i>Case Reports in Medicine</i> , 2014, 2014, 1-4.	0.7	25
39	Outcome of Kidney Transplantations Performed With Preformed Donor-Specific Antibodies of Unknown Etiology. <i>American Journal of Transplantation</i> , 2014, 14, 193-201.	4.7	37
40	Risk of Antibody-Mediated Rejection in Kidney Transplant Recipients With Anti-HLA-C Donor-Specific Antibodies. <i>American Journal of Transplantation</i> , 2014, 14, 1439-1445.	4.7	39
41	Inhibition of the mTORC Pathway in the Antiphospholipid Syndrome. <i>New England Journal of Medicine</i> , 2014, 371, 303-312.	27.0	282
42	Severe infections requiring intensive care unit admission in kidney transplant recipients: impact on graft outcome. <i>Transplant Infectious Disease</i> , 2014, 16, 588-596.	1.7	38
43	Peripheral B-Cell Phenotype and BAFF Levels are Associated With HLA Immunization in Patients Awaiting Kidney Transplantation. <i>Transplantation</i> , 2014, 97, 917-924.	1.0	29
44	T-Cell-Depleting Antibodies and Risk of Cancer After Transplantation. <i>Transplantation</i> , 2014, 97, 808-809.	1.0	6
45	Late-onset post-transplantation lymphoproliferative disorders after kidney transplantation: a monocentric study over three decades. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 471-478.	0.7	18
46	Home and Office Blood Pressure Monitoring in Renal Transplant Recipients. <i>Journal of Transplantation</i> , 2012, 2012, 1-6.	0.5	12
47	Five-Year Results of a Randomized Trial Comparing De Novo Sirolimus and Cyclosporine in Renal Transplantation: The Spiesser Study. <i>American Journal of Transplantation</i> , 2012, 12, 1801-1810.	4.7	48
48	Impact of Norovirus/Sapovirus-Related Diarrhea in Renal Transplant Recipients Hospitalized for Diarrhea. <i>Transplantation</i> , 2011, 92, 61-69.	1.0	130
49	Specificity of Histological Markers of Long-Term CNI Nephrotoxicity in Kidney Transplant Recipients Under Low-Dose Cyclosporine Therapy. <i>American Journal of Transplantation</i> , 2011, 11, 2635-2646.	4.7	101
50	Single graft loss in dual renal transplant recipients: impact of graft placement on recipient outcomes. <i>Transplant International</i> , 2011, 24, 51-57.	1.6	14
51	Targeting B cells in sensitized kidney transplant patients: state of the art and future perspectives. <i>Current Opinion in Organ Transplantation</i> , 2010, 15, 709-715.	1.6	6
52	Bortezomib as the Sole Post-Renal Transplantation Desensitization Agent Does Not Decrease Donor-Specific Anti-HLA Antibodies. <i>American Journal of Transplantation</i> , 2010, 10, 681-686.	4.7	110
53	Recurrence of nephrotic syndrome after transplantation in a mixed population of children and adults: course of glomerular lesions and value of the Columbia classification of histological variants of focal and segmental glomerulosclerosis (FSGS). <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 1321-1328.	0.7	81
54	Co-Stimulation Blockade as a New Strategy in Kidney Transplantation. <i>Drugs</i> , 2010, 70, 2121-2131.	10.9	32

#	ARTICLE	IF	CITATIONS
55	Intensive and Prolonged Treatment of Focal and Segmental Glomerulosclerosis Recurrence in Adult Kidney Transplant Recipients: A Pilot Study. <i>American Journal of Transplantation</i> , 2009, 9, 1081-1086.	4.7	115
56	Incidence, Risk Factors and Clinical Consequences of Neutropenia Following Kidney Transplantation: A Retrospective Study. <i>American Journal of Transplantation</i> , 2009, 9, 1816-1825.	4.7	93
57	Donor-Estimated GFR as an Appropriate Criterion for Allocation of ECD Kidneys into Single or Dual Kidney Transplantation. <i>American Journal of Transplantation</i> , 2009, 9, 2542-2551.	4.7	75
58	FOXP3-enriched infiltrates associated with better outcome in renal allografts with inflamed fibrosis. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 3847-3854.	0.7	25
59	Sirolimus May Reduce Fertility in Male Renal Transplant Recipients. <i>American Journal of Transplantation</i> , 2008, 8, 1471-1479.	4.7	144
60	SINGLE GRAFT LOSS IN DUAL RENAL TRANSPLANT RECIPIENTS: IMPACT OF GRAFT PLACEMENT AND PATIENTS OUTCOME. <i>Journal of Urology</i> , 2008, 179, 694-694.	0.4	0
61	Early conservative intervention for candida contamination of preservative fluid without allograft nephrectomy. <i>Nephrology Dialysis Transplantation</i> , 2008, 24, 1325-1327.	0.7	22
62	Presentation and Outcome of Patients with Systemic Amyloidosis Undergoing Dialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008, 3, 375-381.	4.5	57
63	High-Dosage Intravenous Immunglobulinâ€“Associated Macrovacuoles Are Associated with Chronic Tubulointerstitial Lesion Worsening in Renal Transplant Recipients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008, 3, 1461-1468.	4.5	14
64	Fetal malformations associated with mycophenolate mofetil for lupus nephritis. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 2722-2722.	0.7	35
65	Fanconi syndrome and nephrogenic diabetes insipidus associated with didanosine therapy in HIV infection: a case report and literature review. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 3656-3659.	0.7	31
66	Recurrence of HUS Due to CD46/MCP Mutation After Renal Transplantation: A Role for Endothelial Microchimerism. <i>American Journal of Transplantation</i> , 2007, 7, 2047-2051.	4.7	43
67	The blockade of T-cell co-stimulation as a therapeutic stratagem for immunosuppression: Focus on belatacept. <i>Biologics: Targets and Therapy</i> , 2007, 1, 203-13.	3.2	10
68	Interaction between Tacrolimus and Fumagillin in Two Kidney Transplant Recipients. <i>Transplantation</i> , 2006, 81, 136-137.	1.0	10
69	<i>Candida albicans</i> Arteritis Transmitted by Conservative Liquid After Renal Transplantation: A Report of Four Cases and Review of the Literature. <i>Transplantation</i> , 2006, 82, 1163-1167.	1.0	63
70	Parvovirus B19-induced anemia in renal transplantation: a role for rHuEPO in resistance to classical treatment. <i>Transplant International</i> , 2006, 19, 166-169.	1.6	19
71	Costimulation blockade and its possible future use in clinical transplantation. <i>Transplant International</i> , 2006, 19, 693-704.	1.6	45
72	Risk Factors and Long-Term Outcome of Transplant Renal Artery Stenosis in Adult Recipients After Treatment by Percutaneous Transluminal Angioplasty. <i>American Journal of Transplantation</i> , 2006, 6, 95-99.	4.7	142

#	ARTICLE	IF	CITATIONS
73	Immunological Strategies Targeting B Cells in Organ Grafting. <i>Transplantation</i> , 2005, 79, S33-S36.	1.0	25
74	A novel biological assay to detect the active form of TGF- β 2 in urine to monitor renal allograft rejection. <i>Kidney International</i> , 2005, 68, 1875-1883.	5.2	14
75	First Nosocomial Outbreak of Vancomycin-Resistant <i>Enterococcus faecium</i> Expressing a VanD-Like Phenotype Associated with a vanA Genotype. <i>Journal of Clinical Microbiology</i> , 2005, 43, 3642-3649.	3.9	67
76	Changes in renal function in patients with familial amyloid polyneuropathy treated with orthotopic liver transplantation. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 1779-1785.	0.7	38
77	Recovery from Pure Red Cell Aplasia Caused by Anti-Erythropoietin Antibodies After Kidney Transplantation. <i>American Journal of Transplantation</i> , 2004, 4, 274-277.	4.7	15
78	Single-Center experience with cyclosporine therapy for kidney transplantation: analysis of a Twenty-Year period in 1200 patients. <i>Transplantation Proceedings</i> , 2004, 36, S83-S88.	0.6	16
79	A Role for CD2 Antibodies (BTI-322 and its Humanized Form) in the in vivo Elimination of Human T Lymphocytes Infiltrating an Allogeneic Human Skin Graft in SCID Mice: An Fc γ 3 Receptor-Related Mechanism Involving Co-Injected Human NK Cells. <i>Transplantation</i> , 2004, 78, 50-58.	1.0	10
80	Recovery of acute renal failure and nephrotic syndrome following autologous stem cell transplantation for primary (AL) amyloidosis. <i>Nephrology Dialysis Transplantation</i> , 2003, 18, 2175-2177.	0.7	6
81	Primary brain lymphomas after kidney transplantation: presentation and outcome. <i>Transplantation</i> , 2003, 76, 930-937.	1.0	99
82	Case Report: Post-Partum SARS-CoV-2 Infection After the First French Uterus Transplantation. <i>Frontiers in Surgery</i> , 0, 9, .	1.4	6