## Maria Luisa Scattoni

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5582522/publications.pdf

Version: 2024-02-01

71651 87843 6,692 106 38 76 citations h-index g-index papers 119 119 119 7683 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Haploinsufficiency of the autism-associated Shank3 gene leads to deficits in synaptic function, social interaction, and social communication. Molecular Autism, 2010, 1, 15.	2.6	521
2	Unusual Repertoire of Vocalizations in the BTBR T+tf/J Mouse Model of Autism. PLoS ONE, 2008, 3, e3067.	1.1	492
3	Ultrasonic vocalizations: A tool for behavioural phenotyping of mouse models of neurodevelopmental disorders. Neuroscience and Biobehavioral Reviews, 2009, 33, 508-515.	2.9	413
4	Reduced Excitatory Neurotransmission and Mild Autism-Relevant Phenotypes in Adolescent <i>Shank3</i> Null Mutant Mice. Journal of Neuroscience, 2012, 32, 6525-6541.	1.7	342
5	Unusual repertoire of vocalizations in adult BTBR T+tf/J mice during three types of social encounters. Genes, Brain and Behavior, 2011, 10, 44-56.	1.1	316
6	Minimal aberrant behavioral phenotypes of neuroliginâ€3 R451C knockin mice. Autism Research, 2008, 1, 147-158.	2.1	263
7	Anxiolytic-Like Properties of the Anandamide Transport Inhibitor AM404. Neuropsychopharmacology, 2006, 31, 2652-2659.	2.8	208
8	Association of Mouse <i>Dlg4 </i> (PSD-95) Gene Deletion and Human <i>DLG4 </i> Gene Variation With Phenotypes Relevant to Autism Spectrum Disorders and Williams' Syndrome. American Journal of Psychiatry, 2010, 167, 1508-1517.	4.0	191
9	Chronic and Acute Intranasal Oxytocin Produce Divergent Social Effects in Mice. Neuropsychopharmacology, 2014, 39, 1102-1114.	2.8	176
10	The Female Urine Sniffing Test: A Novel Approach for Assessing Reward-Seeking Behavior in Rodents. Biological Psychiatry, 2010, 67, 864-871.	0.7	174
11	Behavioural methods used in rodent models of autism spectrum disorders: Current standards and new developments. Behavioural Brain Research, 2013, 251, 5-17.	1.2	167
12	Reduced ultrasonic vocalizations in vasopressin 1b knockout mice. Behavioural Brain Research, 2008, 187, 371-378.	1.2	144
13	Translating mouse vocalizations: prosody and frequency modulation1. Genes, Brain and Behavior, 2011, 10, 4-16.	1.1	128
14	Reduced social interaction, behavioural flexibility and BDNF signalling in the BTBR T+tf/J strain, a mouse model of autism. Behavioural Brain Research, 2013, 251, 35-40.	1.2	125
15	Altered Neocortical Gene Expression, Brain Overgrowth and Functional Over-Connectivity in Chd8 Haploinsufficient Mice. Cerebral Cortex, 2018, 28, 2192-2206.	1.6	118
16	Neuroimaging Evidence of Major Morpho-Anatomical and Functional Abnormalities in the BTBR T+TF/J Mouse Model of Autism. PLoS ONE, 2013, 8, e76655.	1.1	115
17	Prevalence of Autism Spectrum Disorder in a large Italian catchment area: a school-based population study within the ASDEU project. Epidemiology and Psychiatric Sciences, 2020, 29, e5.	1.8	111
18	Developmental delays and reduced pup ultrasonic vocalizations but normal sociability in mice lacking the postsynaptic cell adhesion protein neuroligin2. Behavioural Brain Research, 2013, 251, 50-64.	1.2	110

#	Article	IF	Citations
19	Social approach behaviors are similar on conventional versus reverse lighting cycles, and in replications across cohorts, in BTBR T+ $tf J$ , C57BL/6J, and vasopressin receptor 1B mutant mice. Frontiers in Behavioral Neuroscience, 2007, 1, 1.	1.0	109
20	Altered functional connectivity networks in acallosal and socially impaired BTBR mice. Brain Structure and Function, 2016, 221, 941-954.	1.2	90
21	Deletion of Autism Risk Gene Shank3 Disrupts Prefrontal Connectivity. Journal of Neuroscience, 2019, 39, 5299-5310.	1.7	87
22	Cognitive and neurological deficits induced by early and prolonged basal forebrain cholinergic hypofunction in rats. Experimental Neurology, 2004, 189, 162-172.	2.0	84
23	Homozygous Loss of Autism-Risk Gene CNTNAP2 Results in Reduced Local and Long-Range Prefrontal Functional Connectivity. Cerebral Cortex, 2018, 28, 1141-1153.	1.6	82
24	Difference in Visual Social Predispositions Between Newborns at Low- and High-risk for Autism. Scientific Reports, 2016, 6, 26395.	1.6	80
25	Early behavioural markers of disease in P301S tau transgenic mice. Behavioural Brain Research, 2010, 208, 250-257.	1.2	76
26	Cry, Baby, Cry: Expression of Distress As a Biomarker and Modulator in Autism Spectrum Disorder. International Journal of Neuropsychopharmacology, 2017, 20, 498-503.	1.0	75
27	The cannabinoid receptor agonist WIN 55,212-2 attenuates the effects induced by quinolinic acid in the rat striatum. Neuropharmacology, 2006, 51, 1004-1012.	2.0	69
28	Prenatal chlorpyrifos exposure alters motor behavior and ultrasonic vocalization in cd-1 mouse pups. Environmental Health, 2009, 8, 12.	1.7	69
29	Behavioral and electrophysiological effects of the adenosine A2A receptor antagonist SCH 58261 in R6/2 Huntington's disease mice. Neurobiology of Disease, 2007, 28, 197-205.	2.1	67
30	Understanding autism and other neurodevelopmental disorders through experimental translational neurobehavioral models. Neuroscience and Biobehavioral Reviews, 2016, 65, 292-312.	2.9	63
31	The chromatin remodeling factor CHD7 controls cerebellar development by regulating reelin expression. Journal of Clinical Investigation, 2017, 127, 874-887.	3.9	61
32	Dysfunctional dopaminergic neurotransmission in asocial BTBR mice. Translational Psychiatry, 2014, 4, e427-e427.	2.4	59
33	Effects of the food contaminant semicarbazide following oral administration in juvenile Sprague–Dawley rats. Food and Chemical Toxicology, 2009, 47, 472-479.	1.8	50
34	Prenatal Exposure to a Common Organophosphate Insecticide Delays Motor Development in a Mouse Model of Idiopathic Autism. PLoS ONE, 2015, 10, e0121663.	1.1	48
35	Comparative Gene Expression Analysis of Two Mouse Models of Autism: Transcriptome Profiling of the BTBR and En2â^'/â^' Hippocampus. Frontiers in Neuroscience, 2016, 10, 396.	1.4	43
36	Genetic and environmental modulation of neurodevelopmental disorders: Translational insights from labs to beds. Brain Research Bulletin, 2016, 125, 79-91.	1.4	43

#	Article	IF	CITATIONS
37	The Knockout of Synapsin II in Mice Impairs Social Behavior and Functional Connectivity Generating an ASD-like Phenotype. Cerebral Cortex, 2017, 27, 5014-5023.	1.6	43
38	Ultrasonic vocalizations as a fundamental tool for early and adult behavioral phenotyping of Autism Spectrum Disorder rodent models. Neuroscience and Biobehavioral Reviews, 2020, 116, 31-43.	2.9	42
39	The endocannabinoid transport inhibitor AM404 differentially modulates recognition memory in rats depending on environmental aversiveness. Frontiers in Behavioral Neuroscience, 2012, 6, 11.	1.0	41
40	Early Detection, Diagnosis and Intervention Services for Young Children with Autism Spectrum Disorder in the European Union (ASDEU): Family and Professional Perspectives. Journal of Autism and Developmental Disorders, 2020, 50, 3380-3394.	1.7	41
41	Opposite effects of the A2A receptor agonist CGS21680 in the striatum of Huntington's disease versus wild-type mice. Neuroscience Letters, 2007, 417, 78-83.	1.0	39
42	Characterization of Neonatal Vocal and Motor Repertoire of Reelin Mutant Mice. PLoS ONE, 2013, 8, e64407.	1.1	37
43	COMT as a Drug Target for Cognitive Functions and Dysfunctions. CNS and Neurological Disorders - Drug Targets, 2012, 11, 209-221.	0.8	36
44	Automated pose estimation captures key aspects of General Movements at eight to 17Âweeks from conventional videos. Acta Paediatrica, International Journal of Paediatrics, 2019, 108, 1817-1824.	0.7	32
45	Early detection of autism spectrum disorders: From retrospective home video studies to prospective †high risk' sibling studies. Neuroscience and Biobehavioral Reviews, 2015, 55, 627-635.	2.9	30
46	Quantifying ultrasonic mouse vocalizations using acoustic analysis in a supervised statistical machine learning framework. Scientific Reports, 2019, 9, 8100.	1.6	30
47	Progressive behavioural changes in the spatial open-field in the quinolinic acid rat model of Huntington's disease. Behavioural Brain Research, 2004, 152, 375-383.	1.2	29
48	Early behavioral markers for neurodevelopmental disorders in the first 3 years of life: An overview of systematic reviews. Neuroscience and Biobehavioral Reviews, 2020, 116, 183-201.	2.9	29
49	Ambra1 Shapes Hippocampal Inhibition/Excitation Balance: Role in Neurodevelopmental Disorders. Molecular Neurobiology, 2018, 55, 7921-7940.	1.9	28
50	Adenosine A2A receptor blockade before striatal excitotoxic lesions prevents long term behavioural disturbances in the quinolinic rat model of Huntington's disease. Behavioural Brain Research, 2007, 176, 216-221.	1.2	27
51	Sex-dimorphic effects of gestational exposure to the organophosphate insecticide chlorpyrifos on social investigation in mice. Neurotoxicology and Teratology, 2014, 46, 32-39.	1.2	27
52	Impact of antipsychotics in children and adolescents with autism spectrum disorder: a systematic review and meta-analysis. Health and Quality of Life Outcomes, 2021, 19, 33.	1.0	27
53	Premature changes in neuronal excitability account for hippocampal network impairment and autistic-like behavior in neonatal BTBR T+tf/J mice. Scientific Reports, 2016, 6, 31696.	1.6	26
54	Early motor signs of attention-deficit hyperactivity disorder: a systematic review. European Child and Adolescent Psychiatry, 2020, 29, 903-916.	2.8	26

#	Article	IF	CITATIONS
55	Differential Expression of Hippocampal Circular RNAs in the BTBR Mouse Model for Autism Spectrum Disorder. Molecular Neurobiology, 2020, 57, 2301-2313.	1.9	26
56	Ultrasonic vocalization in rats self-administering heroin and cocaine in different settings: evidence of substance-specific interactions between drug and setting. Psychopharmacology, 2016, 233, 1501-1511.	1.5	25
57	Assessing the developmental trajectory of mouse models of neurodevelopmental disorders: Social and communication deficits in mice with Neurexin $\hat{1}$ deletion. Genes, Brain and Behavior, 2020, 19, e12630.	1.1	25
58	Automatic newborn cry analysis: A Non-invasive tool to help autism early diagnosis., 2012, 2012, 2953-6.		24
59	Mapping Pathological Phenotypes in Reelin Mutant Mice. Frontiers in Pediatrics, 2014, 2, 95.	0.9	24
60	Born to Cry: A Genetic Dissection of Infant Vocalization. Frontiers in Behavioral Neuroscience, 2018, 12, 250.	1.0	24
61	Movidea: A Software Package for Automatic Video Analysis of Movements in Infants at Risk for Neurodevelopmental Disorders. Brain Sciences, 2020, 10, 203.	1.1	24
62	Neonatal basal forebrain cholinergic hypofunction affects ultrasonic vocalizations and fear conditioning responses in preweaning rats. Behavioural Brain Research, 2007, 183, 111-117.	1.2	23
63	Bilateral Patterns of Repetitive Movements in 6- to 12-Month-Old Infants with Autism Spectrum Disorders. Frontiers in Psychology, 2017, 8, 1168.	1.1	23
64	AVIM—A contactless system for infant data acquisition and analysis: Software architecture and first results. Biomedical Signal Processing and Control, 2015, 20, 85-99.	3 <b>.</b> 5	21
65	Received Cradling Bias During the First Year of Life: A Retrospective Study on Children With Typical and Atypical Development. Frontiers in Psychiatry, 2020, 11, 91.	1.3	20
66	Real-World Experiences in Autistic Adult Diagnostic Services and Post-diagnostic Support and Alignment with Services Guidelines: Results from the ASDEU Study. Journal of Autism and Developmental Disorders, 2021, 51, 4129-4146.	1.7	20
67	Basal forebrain cholinergic lesions in 7-day-old rats alter ultrasound vocalisations and homing behaviour. Behavioural Brain Research, 2005, 161, 169-172.	1.2	19
68	Maternal Immune Activation in Mice Only Partially Recapitulates the Autism Spectrum Disorders Symptomatology. Neuroscience, 2020, 445, 109-119.	1.1	19
69	Emotional, endocrine and brain anandamide response to social challenge in infant male rats. Psychoneuroendocrinology, 2013, 38, 2152-2162.	1.3	18
70	Early Motor Development Predicts Clinical Outcomes of Siblings at High-Risk for Autism: Insight from an Innovative Motion-Tracking Technology. Brain Sciences, 2020, 10, 379.	1.1	17
71	Improving treatment of neurodevelopmental disorders: recommendations based on preclinical studies. Expert Opinion on Drug Discovery, 2016, 11, 11-25.	2.5	16
72	Impact of polyunsaturated fatty acids on patient-important outcomes in children and adolescents with autism spectrum disorder: a systematic review. Health and Quality of Life Outcomes, 2020, 18, 28.	1.0	15

#	Article	IF	Citations
73	Distinct, dosage-sensitive requirements for the autism-associated factor CHD8 during cortical development. Molecular Autism, 2021, 12, 16.	2.6	15
74	COVID-19 pandemic, the scarcity of medical resources, community-centred medicine and discrimination against persons with disabilities. Journal of Medical Ethics, 2021, 47, 362-366.	1.0	14
75	Does Age Matter? Behavioral and Neuro-anatomical Effects of Neonatal and Adult Basal Forebrain Cholinergic Lesions. Journal of Alzheimer's Disease, 2010, 20, 207-227.	1.2	13
76	Psychiatric disorders among hospitalized patients deceased with COVID-19 in Italy. EClinicalMedicine, 2021, 35, 100854.	3.2	13
77	Register-based cumulative prevalence of Autism Spectrum Disorders during childhood and adolescence in Central Italy. , 2022, $16$ , .		13
78	Intellectual developmental disorder and autism spectrum disorder inÂthe WPA next triennium mainstream. World Psychiatry, 2020, 19, 260-260.	4.8	12
79	Long-term effects of neonatal basal forebrain cholinergic lesions on radial maze learning and impulsivity in rats. Behavioural Pharmacology, 2006, 17, 517-524.	0.8	11
80	Early developmental trajectories of expressive vocabulary and gesture production in a longitudinal cohort of Italian infants at highâ€risk for Autism Spectrum Disorder. Autism Research, 2021, 14, 1421-1433.	2.1	11
81	Intervention Services for Autistic Adults: An ASDEU Study of Autistic Adults, Carers, and Professionals' Experiences. Journal of Autism and Developmental Disorders, 2022, 52, 1623-1639.	1.7	10
82	Rodent Vocalization Studies in Animal Models of the Autism Spectrum Disorder. Handbook of Behavioral Neuroscience, 2018, 25, 445-456.	0.7	9
83	Neonatal cholinergic lesions and development of exploration upon administration of the GABAa receptor agonist muscimol in preweaning rats. Pharmacology Biochemistry and Behavior, 2003, 76, 213-221.	1.3	8
84	Modeling Social Communication Deficits in Mouse Models of Autism. Autism-open Access, 2012, 01, .	0.2	8
85	Antenatal ultrasound value in risk calculation for Autism Spectrum Disorder: A systematic review to support future research. Neuroscience and Biobehavioral Reviews, 2018, 92, 83-92.	2.9	8
86	A Combined Study on the Use of the Child Behavior Checklist $1\hat{A}^{1/2}\hat{a}$ for Identifying Autism Spectrum Disorders at 18 Months. Journal of Autism and Developmental Disorders, 2021, 51, 3829-3842.	1.7	8
87	Autistic Adult Health and Professional Perceptions of It: Evidence From the ASDEU Project. Frontiers in Psychiatry, 2021, 12, 614102.	1.3	8
88	Yield of arrayâ€ <scp>CGH</scp> analysis in Tunisian children with autism spectrum disorder. Molecular Genetics & Company Genomic Medicine, 2022, 10, .	0.6	8
89	Special interest section on mouse ultrasonic vocalizations. Genes, Brain and Behavior, 2011, 10, 1-3.	1.1	7
90	Introduction and methods of the evidence-based guidelines for the diagnosis and management of autism spectrum disorder by the Italian National Institute of Health. Health and Quality of Life Outcomes, 2020, 18, 81.	1.0	7

#	Article	IF	CITATIONS
91	Abnormal visual attention to simple social stimuli in 4-month-old infants at high risk for Autism. Scientific Reports, 2021, 11, 15785.	1.6	7
92	Quantitative and Qualitative Features of Neonatal Vocalizations in Mice. Handbook of Behavioral Neuroscience, 2018, , 139-147.	0.7	6
93	Gut mobilization improves behavioral symptoms and modulates urinary pâ€cresol in chronically constipated autistic children: A prospective study. Autism Research, 2021, , .	2.1	6
94	Ultrasonic vocalizations in laboratory mice: strain, age, and sex differences. Genes, Brain and Behavior, 2022, 21, .	1.1	6
95	Neurobiology of autism. Behavioural Brain Research, 2013, 251, 1-4.	1.2	5
96	Mouse Behavior and Models for Autism Spectrum Disorders. , 2016, , 269-293.		5
97	Acceptability, equity, and feasibility of using antipsychotics in children and adolescents with autism spectrum disorder: a systematic review. BMC Psychiatry, 2020, 20, 561.	1.1	5
98	Equity, acceptability and feasibility of using polyunsaturated fatty acids in children and adolescents with autism spectrum disorder: a rapid systematic review. Health and Quality of Life Outcomes, 2020, 18, 101.	1.0	4
99	Vocal repertoire in mouse pups: strain differences. Handbook of Behavioral Neuroscience, 2010, , 89-95.	0.7	4
100	Determinants of satisfaction with the detection process of autism in Europe: Results from the ASDEU study. Autism, 2022, 26, 2136-2150.	2.4	3
101	Introductory keynote. The state of the art in animal experimentation. Annali Dell'Istituto Superiore Di Sanita, 2004, 40, 151-5.	0.2	2
102	Autistic Adult Services Availability, Preferences, and User Experiences: Results From the Autism Spectrum Disorder in the European Union Survey. Frontiers in Psychiatry, 0, 13, .	1.3	2
103	The cost of caring during recent epidemics: a rapid review of risk factors, psychological manifestations, and strategies for its treatment. Annali Dell'Istituto Superiore Di Sanita, 2021, 57, 7-17.	0.2	1
104	P58 SHORT-TERM BEHAVIOURAL EFFECTS OF NEONATAL BASAL FOREBRAIN CHOLINERGIC LESIONS IN RATS. Behavioural Pharmacology, 2004, 15, A25.	0.8	0
105	An Italy-China Collaboration for Promoting Public Mental Health Recommendations During the COVID-19 Pandemic. Frontiers in Public Health, 2021, 9, 640205.	1.3	0
106	GRADE Notes 2: Criteria for searching non-randomized or indirect evidence should be defined early in the guideline production process. Journal of Clinical Epidemiology, 2021, 139, 210-213.	2.4	0