

Anna de Juan

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5584035/anna-de-juan-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

148
papers

7,228
citations

41
h-index

82
g-index

158
ext. papers

7,924
ext. citations

5.2
avg, IF

6.28
L-index

#	Paper	IF	Citations
148	A graphical user-friendly interface for MCR-ALS: a new tool for multivariate curve resolution in MATLAB. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2005 , 76, 101-110	3.8	852
147	Multivariate Curve Resolution (MCR) from 2000: Progress in Concepts and Applications. <i>Critical Reviews in Analytical Chemistry</i> , 2006 , 36, 163-176	5.2	501
146	MCR-ALS GUI 2.0: New features and applications. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2015 , 140, 1-12	3.8	466
145	Chemometrics applied to unravel multicomponent processes and mixtures: Revisiting latest trends in multivariate resolution. <i>Analytica Chimica Acta</i> , 2003 , 500, 195-210	6.6	448
144	Multivariate Curve Resolution (MCR). Solving the mixture analysis problem. <i>Analytical Methods</i> , 2014 , 6, 4964-4976	3.2	340
143	Combining hard- and soft-modelling to solve kinetic problems. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2000 , 54, 123-141	3.8	259
142	Multivariate image analysis: A review with applications. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2011 , 107, 1-23	3.8	203
141	Comprehensive data analysis of femtosecond transient absorption spectra: A review. <i>Journal of Photochemistry and Photobiology C: Photochemistry Reviews</i> , 2012 , 13, 1-27	16.4	200
140	Vibrational spectroscopic image analysis of biological material using multivariate curve resolution-alternating least squares (MCR-ALS). <i>Nature Protocols</i> , 2015 , 10, 217-40	18.8	190
139	Assessment of new constraints applied to the alternating least squares method. <i>Analytica Chimica Acta</i> , 1997 , 346, 307-318	6.6	175
138	Spectroscopic imaging and chemometrics: a powerful combination for global and local sample analysis. <i>TrAC - Trends in Analytical Chemistry</i> , 2004 , 23, 70-79	14.6	152
137	Comparison of three-way resolution methods for non-trilinear chemical data sets. <i>Journal of Chemometrics</i> , 2001 , 15, 749-771	1.6	152
136	Application of chemometric methods to environmental analysis of organic pollutants: A review. <i>Talanta</i> , 2010 , 80, 1052-67	6.2	102
135	Resolution and segmentation of hyperspectral biomedical images by multivariate curve resolution-alternating least squares. <i>Analytica Chimica Acta</i> , 2011 , 705, 182-92	6.6	91
134	Modeling temperature-dependent protein structural transitions by combined near-IR and mid-IR spectroscopies and multivariate curve resolution. <i>Analytical Chemistry</i> , 2003 , 75, 5592-601	7.8	85
133	Application of a combination of hard and soft modeling for equilibrium systems to the quantitative analysis of pH-modulated mixture samples. <i>Analytical Chemistry</i> , 2003 , 75, 641-7	7.8	84
132	Application of a novel resolution approach combining soft- and hard-modelling features to investigate temperature-dependent kinetic processes. <i>Analytica Chimica Acta</i> , 2001 , 442, 337-350	6.6	82

131	Factor analysis of hyphenated chromatographic data exploration, resolution and quantification of multicomponent systems. <i>Journal of Chromatography A</i> , 2007 , 1158, 184-95	4.5	80
130	Comparison between the direct trilinear decomposition and the multivariate curve resolution-alternating least squares methods for the resolution of three-way data sets. <i>Chemometrics and Intelligent Laboratory Systems</i> , 1998 , 40, 19-32	3.8	74
129	Use of local rank-based spatial information for resolution of spectroscopic images. <i>Journal of Chemometrics</i> , 2008 , 22, 291-298	1.6	74
128	Detection and resolution of intermediate species in protein folding processes using fluorescence and circular dichroism spectroscopies and multivariate curve resolution. <i>Analytical Chemistry</i> , 2002 , 74, 6031-9	7.8	70
127	Relevant aspects of quantification and sample heterogeneity in hyperspectral image resolution. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2012 , 117, 169-182	3.8	62
126	Photodegradation study of decabromodiphenyl ether by UV spectrophotometry and a hybrid hard- and soft-modelling approach. <i>Analytica Chimica Acta</i> , 2008 , 618, 18-28	6.6	62
125	Local rank analysis for exploratory spectroscopic image analysis. Fixed Size Image Window-Evolving Factor Analysis. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2005 , 77, 64-74	3.8	59
124	Three-way data analysis applied to multispectroscopic monitoring of protein folding. <i>Analytica Chimica Acta</i> , 2001 , 446, 185-195	6.6	53
123	Purity assessment and resolution of tetracycline hydrochloride samples analysed using high-performance liquid chromatography with diode array detection. <i>Journal of Chromatography A</i> , 1999 , 832, 67-86	4.5	53
122	Multiset Data Analysis: Extended Multivariate Curve Resolution 2009 , 473-505		52
121	A mixed hard- and soft-modelling approach to study and monitor enzymatic systems in biological fluids. <i>Analytica Chimica Acta</i> , 2006 , 567, 245-254	6.6	52
120	Application of correlation constrained multivariate curve resolution alternating least-squares methods for determination of compounds of interest in biodiesel blends using NIR and UV-visible spectroscopic data. <i>Talanta</i> , 2014 , 125, 233-41	6.2	51
119	Chemometric tools for classification and elucidation of protein secondary structure from infrared and circular dichroism spectroscopic measurements. <i>Proteins: Structure, Function and Bioinformatics</i> , 2006 , 63, 527-41	4.2	48
118	Hybrid hard- and soft-modeling applied to difference spectra. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2007 , 89, 26-35	3.8	47
117	A mixed hard- and soft-modelling approach for the quantitative determination of oxipurines and uric acid in human urine. <i>Analytica Chimica Acta</i> , 2006 , 567, 236-244	6.6	47
116	Local rank exploratory analysis of evolving rank-deficient systems. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2004 , 70, 11-21	3.8	47
115	Comprehensive liquid chromatography-ion-spray tandem mass spectrometry method for the identification and quantification of eight hydroxylated brominated diphenyl ethers in environmental matrices. <i>Journal of Mass Spectrometry</i> , 2007 , 42, 890-9	2.2	45
114	Monitoring polymorphic transformations by using in situ Raman hyperspectral imaging and image multiset analysis. <i>Analytica Chimica Acta</i> , 2014 , 819, 15-25	6.6	44

113	Use of Raman spectroscopy and chemometrics to distinguish blue ballpoint pen inks. <i>Forensic Science International</i> , 2015 , 249, 73-82	2.6	44
112	Quantification of paracetamol through tablet blister packages by Raman spectroscopy and multivariate curve resolution-alternating least squares. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2013 , 125, 58-66	3.8	43
111	Solvent classification based on solvatochromic parameters: a comparison with the Snyder approach. <i>TrAC - Trends in Analytical Chemistry</i> , 1997 , 16, 52-62	14.6	42
110	Application of the local regression method interval partial least-squares to the elucidation of protein secondary structure. <i>Analytical Biochemistry</i> , 2005 , 336, 231-42	3.1	42
109	Application of the needle algorithm for exploratory analysis and resolution of HPLC-DAD data. <i>Chemometrics and Intelligent Laboratory Systems</i> , 1996 , 33, 133-145	3.8	42
108	Determination of phenolic compounds and authentication of PDO Lambrusco wines by HPLC-DAD and chemometric techniques. <i>Analytica Chimica Acta</i> , 2013 , 761, 34-45	6.6	41
107	pH- and time-dependent hemoglobin transitions: a case study for process modelling. <i>Analytica Chimica Acta</i> , 2007 , 595, 198-208	6.6	41
106	Monitoring and modeling of protein processes using mass spectrometry, circular dichroism, and multivariate curve resolution methods. <i>Analytical Chemistry</i> , 2006 , 78, 4768-78	7.8	39
105	Characterization of methanol-water and acetonitrile-water association using multivariate curve resolution methods. <i>Analytical Chemistry</i> , 2000 , 72, 1956-63	7.8	37
104	Chromatographic and spectroscopic data fusion analysis for interpretation of photodegradation processes. <i>Journal of Chromatography A</i> , 2011 , 1218, 9260-8	4.5	36
103	Chemometric Tools for Image Analysis 65-109		36
102	Solvatochromic parameters for binary mixtures and a correlation with equilibrium constants. Part I. Dioxane-water mixtures. <i>Journal of Solution Chemistry</i> , 1992 , 21, 147-162	1.8	35
101	Chemometric strategies to unmix information and increase the spatial description of hyperspectral images: a single-cell case study. <i>Analytical Chemistry</i> , 2013 , 85, 6303-11	7.8	33
100	Matrix augmentation for breaking rank-deficiency: A case study. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2006 , 80, 209-214	3.8	33
99	Comparison of PARAFAC2 and MCR-ALS for resolution of an analytical liquid dilution system. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2006 , 83, 13-25	3.8	33
98	Quantitation of Mixtures of Diprotic Organic Acids by FT-IR Flow Titrations and Multivariate Curve Resolution. <i>Applied Spectroscopy</i> , 2002 , 56, 40-50	3.1	32
97	Multivariate Curve Resolution: 50 years addressing the mixture analysis problem - A review. <i>Analytica Chimica Acta</i> , 2021 , 1145, 59-78	6.6	32
96	A soft-modeling approach to interpret thermodynamic and conformational transitions of polynucleotides. <i>Biophysical Journal</i> , 1997 , 73, 2937-48	2.9	31

95	Combining multiset resolution and segmentation for hyperspectral image analysis of biological tissues. <i>Analytica Chimica Acta</i> , 2015 , 881, 24-36	6.6	30
94	Multivariate curve resolution of rapid-scan FTIR difference spectra of quinone photoreduction in bacterial photosynthetic membranes. <i>Analytical and Bioanalytical Chemistry</i> , 2007 , 387, 1863-73	4.4	30
93	Two-Way Data Analysis: Multivariate Curve Resolution Iterative Resolution Methods 2009 , 325-344		29
92	Distribution of a low dose compound within pharmaceutical tablet by using multivariate curve resolution on Raman hyperspectral images. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 103, 35-43	3.5	28
91	Comparison of second-order multivariate methods for screening and determination of PAHs by total fluorescence spectroscopy. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2014 , 132, 63-74	3.8	28
90	Blending process modeling and control by multivariate curve resolution. <i>Talanta</i> , 2013 , 117, 492-504	6.2	27
89	Monitoring and interpretation of photoinduced biochemical processes by rapid-scan FTIR difference spectroscopy and hybrid hard and soft modeling. <i>Journal of Physical Chemistry B</i> , 2009 , 113, 6031-40	3.4	27
88	Multivariate Curve Resolution-Alternating Least Squares for Spectroscopic Data. <i>Data Handling in Science and Technology</i> , 2016 , 30, 5-51	2.7	27
87	Modeling strategies for pharmaceutical blend monitoring and end-point determination by near-infrared spectroscopy. <i>International Journal of Pharmaceutics</i> , 2014 , 473, 219-31	6.5	26
86	Multivariate Curve Resolution for Quantitative Analysis. <i>Data Handling in Science and Technology</i> , 2015 , 29, 247-292	2.7	26
85	Characterization of Reversed-Phase Liquid Chromatographic Stationary Phases Using Solvatochromism and Multivariate Curve Resolution. <i>Analytical Chemistry</i> , 1999 , 71, 5225-5234	7.8	26
84	Application of a sparseness constraint in multivariate curve resolution - Alternating least squares. <i>Analytica Chimica Acta</i> , 2018 , 1000, 100-108	6.6	25
83	Multivariate unmixing approaches on Raman images of plant cell walls: new insights or overinterpretation of results?. <i>Plant Methods</i> , 2018 , 14, 52	5.8	24
82	Introduction to Multivariate Curve Resolution 2009 , 249-259		24
81	Application of multivariate curve resolution to the temperature-induced unfolding of B-thymotrypsin. <i>Analytica Chimica Acta</i> , 2005 , 544, 159-166	6.6	24
80	Unravelling the Metabolic Progression of Breast Cancer Cells to Bone Metastasis by Coupling Raman Spectroscopy and a Novel Use of MCR-ALS Algorithm. <i>Analytical Chemistry</i> , 2018 , 90, 5594-5602	7.8	23
79	Relevant aspects of unmixing/resolution analysis for the interpretation of biological vibrational hyperspectral images. <i>TrAC - Trends in Analytical Chemistry</i> , 2017 , 94, 130-140	14.6	23
78	Three-way data analysis of pollutant degradation profiles monitored using liquid chromatography-diode array detection. <i>Journal of Chemometrics</i> , 1999 , 13, 331-341	1.6	23

77	Chemometrics description of measurement error structure: study of an ultrafast absorption spectroscopy experiment. <i>Analytica Chimica Acta</i> , 2009 , 642, 19-26	6.6	22
76	Factor analysis applied to the study of the effects of solvent composition and nature of the inert electrolyte on the protonation constants in dioxane/water mixtures. <i>Analytica Chimica Acta</i> , 1993 , 283, 548-558	6.6	22
75	Confocal Raman imaging and chemometrics applied to solve forensic document examination involving crossed lines and obliteration cases by a depth profiling study. <i>Analyst, The</i> , 2017 , 142, 1106-1118	5.18	21
74	Handling Different Spatial Resolutions in Image Fusion by Multivariate Curve Resolution-Alternating Least Squares for Incomplete Image Multisets. <i>Analytical Chemistry</i> , 2018 , 90, 6757-6765	7.8	21
73	Ubiquinol formation in isolated photosynthetic reaction centres monitored by time-resolved differential FTIR in combination with 2D correlation spectroscopy and multivariate curve resolution. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 399, 1999-2014	4.4	21
72	Chemometric strategies for the study of the complexation of Al(III) ions with model molecule of humic substances from UV-Vis data sets. <i>Analytica Chimica Acta</i> , 2005 , 544, 337-344	6.6	21
71	Chemometric determination of PAHs in aerosol samples by fluorescence spectroscopy and second-order data analysis algorithms. <i>Journal of Chemometrics</i> , 2014 , 28, 260-271	1.6	20
70	Hybrid hard- and soft-modeling approach for the resolution of convoluted femtosecond spectrokinetic data. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2011 , 105, 74-82	3.8	20
69	A new matching image preprocessing for image data fusion. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2017 , 164, 32-42	3.8	19
68	Screening and quantification of proteinaceous binders in medieval paints based on Fourier transform infrared spectroscopy and multivariate curve resolution alternating least squares. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2014 , 134, 148-157	3.8	19
67	Multivariate Curve Resolution Applied to Hyperspectral Imaging Analysis of Chocolate Samples. <i>Applied Spectroscopy</i> , 2015 , 69, 993-1003	3.1	19
66	Assessment of solvent parameters and their correlation with protonation constants in dioxane/water mixtures using factor analysis. <i>Chemometrics and Intelligent Laboratory Systems</i> , 1991 , 12, 29-38	3.8	19
65	Study of the photodegradation of 2-bromophenol under UV and sunlight by spectroscopic, chromatographic and chemometric techniques. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 910, 138-48	3.2	18
64	High-throughput carotenoid profiling using multivariate curve resolution. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 5075-86	4.4	17
63	Focus on the potential of hybrid hard- and soft-MCR-ALS in time resolved spectroscopy. <i>Journal of Chemometrics</i> , 2008 , 22, 666-673	1.6	17
62	Determination of the End Point of a Chemical Synthesis Process Using On-Line Measured Mid-Infrared Spectra. <i>Applied Spectroscopy</i> , 2000 , 54, 601-607	3.1	17
61	Evaluation of the adsorption and rate constants of a photocatalytic degradation by means of HS-MCR-ALS. Study of process variables using experimental design. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2012 , 114, 64-71	3.8	16
60	Comprehensive description of the photodegradation of bromophenols using chromatographic monitoring and chemometric tools. <i>Talanta</i> , 2011 , 83, 1134-46	6.2	16

59	Experimental monitoring and data analysis tools for protein folding: study of steady-state evolution and modeling of kinetic transients by multitechnique and multiexperiment data fusion. <i>Analytica Chimica Acta</i> , 2009 , 632, 52-62	6.6	16
58	Multivariate curve resolution--alternating least squares applied to the investigation of ultrafast competitive photoreactions. <i>Analytica Chimica Acta</i> , 2013 , 788, 8-16	6.6	15
57	Multivariate soft-modeling to predict radiocesium soil-to-plant transfer. <i>Environmental Science & Technology</i> , 2008 , 42, 4029-36	10.3	14
56	Soft Modeling of Analytical Data 2000 ,		14
55	Multivariate Curve Resolution 2006 , 417-474		13
54	Local rank-based spatial information for improvement of remote sensing hyperspectral imaging resolution. <i>Talanta</i> , 2016 , 146, 1-9	6.2	12
53	Multivariate Curve Resolution: A Different Way To Examine Chemical Data. <i>ACS Symposium Series</i> , 2015 , 95-128	0.4	11
52	New chemometric approach MCR-ALS to unmix EPR spectroscopic data from complex mixtures. <i>Journal of Magnetic Resonance</i> , 2014 , 248, 27-35	3	10
51	i-motif structures in long cytosine-rich sequences found upstream of the promoter region of the SMARCA4 gene. <i>Biochimie</i> , 2017 , 140, 20-33	4.6	9
50	Multivariate curve resolution for hyperspectral image analysis. <i>Data Handling in Science and Technology</i> , 2020 , 32, 115-150	2.7	9
49	Process modeling and control applied to real-time monitoring of distillation processes by near-infrared spectroscopy. <i>Analytica Chimica Acta</i> , 2017 , 985, 41-53	6.6	9
48	Study of time-dependent structural changes of laponite colloidal system by means of near-infrared spectroscopy and hybrid hard- and soft-modelling multivariate curve resolution--alternating least squares. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2015 , 142, 285-292	3.8	9
47	Assessment of tissue-specific multifactor effects in environmental -omics studies of heterogeneous biological samples: Combining hyperspectral image information and chemometrics. <i>Talanta</i> , 2019 , 194, 390-398	6.2	9
46	Process Monitoring of Moisture Content and Mass Transfer Rate in a Fluidised Bed with a Low Cost Inline MEMS NIR Sensor. <i>Pharmaceutical Research</i> , 2020 , 37, 84	4.5	9
45	Study of conformational transitions of i-motif DNA using time-resolved fluorescence and multivariate analysis methods. <i>Nucleic Acids Research</i> , 2019 , 47, 6590-6605	20.1	8
44	Understanding the Formation of Heartwood in Larch Using Synchrotron Infrared Imaging Combined With Multivariate Analysis and Atomic Force Microscope Infrared Spectroscopy. <i>Frontiers in Plant Science</i> , 2019 , 10, 1701	6.2	8
43	Three-way curve resolution applied to the study of solvent effect on the thermodynamic and conformational transitions related to the protonation of polycytidylic acid. <i>Analytical Biochemistry</i> , 1997 , 249, 174-83	3.1	8
42	3D and 4D Image Fusion: Coping with Differences in Spectroscopic Modes among Hyperspectral Images. <i>Analytical Chemistry</i> , 2020 , 92, 9591-9602	7.8	7

41	Characterization of the polarity of reversed-phase liquid chromatographic stationary phases in the presence of 1-propanol using solvatochromism and multivariate curve resolution. <i>Analytical Chemistry</i> , 2001 , 73, 290-7	7.8	7
40	Determination of a mixture of gamma-emitting radionuclides using solid scintillation detectors and multivariate calibration. <i>Analytica Chimica Acta</i> , 1999 , 379, 121-133	6.6	7
39	Application of a self-modeling curve resolution approach to the study of solvent effects on the acid-base and copper (II)-complexing behavior of polyuridylic acid. <i>Journal of Inorganic Biochemistry</i> , 1996 , 63, 155-73	4.2	7
38	Correlation of acid-base properties of solutes with the polarity parameters and other solvatochromic parameters of dioxane-water mixtures. <i>Inorganica Chimica Acta</i> , 1991 , 187, 187-195	2.7	7
37	Data fusion strategies to combine sensor and multivariate model outputs for multivariate statistical process control. <i>Analytical and Bioanalytical Chemistry</i> , 2020 , 412, 2151-2163	4.4	7
36	MALDI imaging mass spectrometry and chemometric tools to discriminate highly similar colorectal cancer tissues. <i>Talanta</i> , 2020 , 208, 120455	6.2	7
35	Combining hyperspectral imaging and chemometrics to assess and interpret the effects of environmental stressors on zebrafish eye images at tissue level. <i>Journal of Biophotonics</i> , 2018 , 11, e2017000897	2.1	7
34	Extraction of pure spectral signatures and corresponding chemical maps from EPR imaging data sets: identifying defects on a CaF ₂ surface due to a laser beam exposure. <i>Analytical Chemistry</i> , 2015 , 87, 3929-35	7.8	6
33	Hyperspectral image analysis. When space meets Chemistry. <i>Journal of Chemometrics</i> , 2018 , 32, e2985	1.6	6
32	Two-Way Data Analysis: Evolving Factor Analysis 2009 , 261-274		6
31	Multi-way analysis for investigation of industrial pectin using an analytical liquid dilution system. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2006 , 84, 9-20	3.8	6
30	Data Fusion by Multivariate Curve Resolution. <i>Data Handling in Science and Technology</i> , 2019 , 205-233	2.7	5
29	Image Fusion. <i>Data Handling in Science and Technology</i> , 2019 , 311-344	2.7	5
28	Multiset Data Analysis: Extended Multivariate Curve Resolution 2020 , 305-336		5
27	Effect of physicochemical factors and use of milk powder on milk rennet-coagulation: Process understanding by near infrared spectroscopy and chemometrics. <i>Food Control</i> , 2021 , 119, 107494	6.2	5
26	Preprocessing Tools Applied to Improve the Assessment of Aldrin Effects on Prostate Cancer Cells Using Raman Spectroscopy. <i>Applied Spectroscopy</i> , 2018 , 72, 489-500	3.1	5
25	Use of physiological information based on grayscale images to improve mass spectrometry imaging data analysis from biological tissues. <i>Analytica Chimica Acta</i> , 2019 , 1074, 69-79	6.6	4
24	ICRM-2011 international chemometrics research meeting. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2012 , 111, 66	3.8	4

23	Multivariate Curve Resolution Slicing of Multiexponential Time-Resolved Spectroscopy Fluorescence Data. <i>Analytical Chemistry</i> , 2021 , 93, 12504-12513	7.8	4
22	Systematic comparison and potential combination between multivariate curve resolution-alternating least squares (MCR-ALS) and band-target entropy minimization (BTEM). <i>Journal of Chemometrics</i> , 2018 , 32, e3000	1.6	3
21	Chemometric Tools for Image Analysis 2014 , 57-110		3
20	Multivariate Curve Resolution Methods for Food Chemistry. <i>Data Handling in Science and Technology</i> , 2013 , 28, 235-263	2.7	3
19	Linear Soft-Modeling: Introduction 2009 , 207-210		3
18	Introduction to Multivariate Curve Resolution 2020 , 85-94		3
17	Acid recovery from copper metallurgical process streams polluted with arsenic by diffusion dialysis. <i>Journal of Environmental Chemical Engineering</i> , 2021 , 9, 104692	6.8	3
16	Setting local rank constraints by orthogonal projections for image resolution analysis: application to the determination of a low dose pharmaceutical compound. <i>Analytica Chimica Acta</i> , 2015 , 892, 49-58	6.6	2
15	New strategy to identify radicals in a time evolving EPR data set by multivariate curve resolution-alternating least squares. <i>Analytica Chimica Acta</i> , 2016 , 947, 9-15	6.6	2
14	Acid number, viscosity and end-point detection in a multiphase high temperature polymerisation process using an online miniaturised MEMS Fabry-Pérot interferometer. <i>Talanta</i> , 2021 , 224, 121735	6.2	2
13	Two-Way Data Analysis: Multivariate Curve Resolution, Iterative Methods 2019 , 153-171		2
12	SWiVIA - Sliding window variographic image analysis for real-time assessment of heterogeneity indices in blending processes monitored with hyperspectral imaging. <i>Analytica Chimica Acta</i> , 2021 , 1180, 338852	6.6	2
11	Study of light-induced formation of photodimers in the i-motif nucleic acid structure by rapid-scan FTIR difference spectroscopy and hybrid hard- and soft-modelling. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 19635-19646	3.6	1
10	ICRM-2011 International Chemometrics Research Meeting. <i>Journal of Chemometrics</i> , 2012 , 26, 40-40	1.6	1
9	Data fusion of LIBS and PIL hyperspectral imaging: Understanding the luminescence phenomenon of a complex mineral sample.. <i>Analytica Chimica Acta</i> , 2022 , 1192, 339368	6.6	1
8	A perspective on modeling evolution. <i>Journal of Chemometrics</i> , 2020 , 34, e3205	1.6	1
7	Design of Heterogeneity Indices for Blending Quality Assessment Based on Hyperspectral Images and Variographic Analysis. <i>Analytical Chemistry</i> , 2020 , 92, 15880-15889	7.8	1
6	Linear unmixing protocol for hyperspectral image fusion analysis applied to a case study of vegetal tissues. <i>Scientific Reports</i> , 2021 , 11, 18665	4.9	0

- 5 A Soft-Modelling Approach to Interpret PH-Dependent Thermodynamical and Conformational Transitions of Polynucleotides **1997**, 247-248
- 4 A New Strategy of Spectroscopic Monitoring and Interpretation of Biomacromolecular Processes **1997**, 621-622
- 3 Two-Way Data Analysis: Evolving Factor Analysis **2020**, 95-106
- 2 Introduction to Linear Soft-Modeling **2020**, 1-2
- 1 Autofluorescence of stingray skeletal cartilage: hyperspectral imaging as a tool for histological characterization. *Discover Materials*, **2021**, 1, 1