

Jae young Park

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5585214/jae-young-park-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

94
papers

767
citations

14
h-index

21
g-index

101
ext. papers

939
ext. citations

2.5
avg, IF

3.83
L-index

#	Paper	IF	Citations
94	Epidemiologic study of bladder and urethral injury in Korea: A nationwide population-based study.. <i>Investigative and Clinical Urology</i> , 2022 , 63, 92-98	1.9	1
93	A Comparison of the Anesthetic Methods for Recurrence Rates of Bladder Cancer after Transurethral Resection of Bladder Tumors Using National Health Insurance Claims Data of South Korea.. <i>Journal of Clinical Medicine</i> , 2022 , 11,	5.1	1
92	Metastatic renal cell carcinoma to the pancreas: Clinical features and treatment outcome. <i>Journal of Surgical Oncology</i> , 2021 , 123, 204-213	2.8	5
91	Targeted therapy response in early versus late recurrence of renal cell carcinoma after surgical treatment: A propensity score-matched study using the Korean Renal Cancer Study Group database. <i>International Journal of Urology</i> , 2021 , 28, 417-423	2.3	1
90	Prognostic factors for overall survival in patients with clear cell metastatic renal cell carcinoma: Model development and external validation with Memorial Sloan Kettering Cancer Center model and the international metastatic renal cell carcinoma database consortium model. <i>Medicine (United States)</i> , 2021 , 100, e26826	1.8	0
89	The number of metabolic features as a significant prognostic factor in patients with metastatic renal cell carcinoma. <i>Scientific Reports</i> , 2020 , 10, 6967	4.9	1
88	Can natural killer cell activity help screen patients requiring a biopsy for the diagnosis of prostate cancer?. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2020 , 46, 244-252	2	4
87	History of and an analysis of published articles. <i>Investigative and Clinical Urology</i> , 2020 , 61, S64-S69	1.9	1
86	Current perspectives on novel systemic therapeutic agents beyond immune checkpoint inhibition in metastatic urothelial carcinoma.. <i>Translational Cancer Research</i> , 2020 , 9, 6583-6588	0.3	
85	Preoperative sterile pyuria as a prognostic biomarker for intravesical recurrence in upper urinary tract urothelial carcinoma. <i>Investigative and Clinical Urology</i> , 2020 , 61, 51-58	1.9	5
84	Development of the clinical calculator for mortality of patients with metastatic clear cell type renal cell carcinoma: An analysis of patients from Korean Renal Cancer Study Group database. <i>Investigative and Clinical Urology</i> , 2020 , 61, 260-268	1.9	3
83	The platelet-to-lymphocyte ratio as a significant prognostic factor to predict survival outcomes in patients with synchronous metastatic renal cell carcinoma. <i>Investigative and Clinical Urology</i> , 2020 , 61, 475-481	1.9	5
82	Therapeutic Options in High-Risk Nonmuscle Invasive Bladder Cancer During the Shortage of Bacillus Calmette-Guërin. <i>The Korean Journal of Urological Oncology</i> , 2020 , 18, 73-77	0.1	
81	Health-related quality of life after radical cystectomy. <i>Translational Andrology and Urology</i> , 2020 , 9, 2997-3006	3.006	3
80	Sawing toward the fibular head during open-wedge high tibial osteotomy carries the risk of popliteal artery injury. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020 , 28, 1365-1371	5.5	8
79	Comparison of open and pneumovesical approaches for Politano-Leadbetter ureteric reimplantation: a single-center long-term follow-up study. <i>Journal of Pediatric Urology</i> , 2019 , 15, 513.e1-513.e7 ²	1.5	7
78	Is androgen deprivation therapy associated with cerebral infarction in patients with prostate cancer? A Korean nationwide population-based propensity score matching study. <i>Cancer Medicine</i> , 2019 , 8, 4475-4483	4.8	4

77	Survival and clinical prognostic factors in metastatic non-clear cell renal cell carcinoma treated with targeted therapy: A multi-institutional, retrospective study using the Korean metastatic renal cell carcinoma registry. <i>Cancer Medicine</i> , 2019 , 8, 3401-3410	4.8	6
76	Selective clamping hand-assisted laparoscopic partial nephrectomy for localized renal tumors: A novel technique. <i>Investigative and Clinical Urology</i> , 2019 , 60, 99-107	1.9	1
75	Correlation of Androgen Deprivation Therapy with Cognitive Dysfunction in Patients with Prostate Cancer: A Nationwide Population-Based Study Using the National Health Insurance Service Database. <i>Cancer Research and Treatment</i> , 2019 , 51, 593-602	5.2	23
74	Application of the International Metastatic Renal Cell Carcinoma Database Consortium and Memorial Sloan Kettering Cancer Center Risk Models in Patients with Metastatic Non-Clear Cell Renal Cell Carcinoma: A Multi-Institutional Retrospective Study Using the Korean Metastatic Renal Cell Carcinoma Registry. <i>Cancer Research and Treatment</i> , 2019 , 51, 558-568	5.2	5
73	A Novel Technique of Morcellation Using a Pneumovesicum After Holmium Laser Enucleation of the Prostate in Complicated Situations: Our Initial Experience and Tips. <i>International Neurourology Journal</i> , 2019 , 23, 46-55	2.6	2
72	Seasonal Variation of Overactive Bladder Symptoms in Female Patients. <i>International Neurourology Journal</i> , 2019 , 23, 334-340	2.6	7
71	Treatment of Patients With High Risk Prostate Cancer. <i>The Korean Journal of Urological Oncology</i> , 2019 , 17, 34-47	0.1	
70	EBlocker and Risk of Dementia in Patients with Benign Prostatic Hyperplasia: A Nationwide Population Based Study Using the National Health Insurance Service Database. <i>Journal of Urology</i> , 2019 , 202, 362-368	2.5	16
69	The effects of a heating pad on anxiety, pain, and distress during urodynamic study in the female patients with stress urinary incontinence. <i>Neurourology and Urodynamics</i> , 2018 , 37, 997-1001	2.3	3
68	Serum Testosterone Levels Are Negatively Correlated with International Prostate Symptom Score and Transitional Prostate Volume. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2018 , 10, 143-147	1.9	7
67	Changeable Conditional Survival Rates and Associated Prognosticators in Patients with Metastatic Renal Cell Carcinoma Receiving First Line Targeted Therapy. <i>Journal of Urology</i> , 2018 , 200, 989-995	2.5	7
66	Laparoscopic Approach for Intravesical Surgery Using Pneumovesicum in Urology: Literature Review. <i>International Neurourology Journal</i> , 2018 , 22, S10-22	2.6	8
65	Update on Current Role of Perioperative Chemotherapy in Upper Tract Urothelial Carcinoma. <i>The Korean Journal of Urological Oncology</i> , 2018 , 16, 89-96	0.1	
64	Risk Factors for Recurrence and Progression of Nonmuscle Invasive Bladder Cancer 2018 , 187-199		
63	Who are suitable for low-dose tamsulosin monotherapy as initial treatment strategy in male patients with lower urinary tract symptoms?. <i>Medicine (United States)</i> , 2018 , 97, e12354	1.8	
62	Efficacy of First-Line Targeted Therapy in Real-World Korean Patients with Metastatic Renal Cell Carcinoma: Focus on Sunitinib and Pazopanib. <i>Journal of Korean Medical Science</i> , 2018 , 33, e325	4.7	9
61	Does mirabegron relieve ureteric stent-related discomfort? A prospective, randomized, multicentre study. <i>BJU International</i> , 2018 , 122, 866-872	5.6	16
60	Surgical treatment of renal cell carcinoma: Can morphological features of inferior vena cava tumor thrombus on computed tomography or magnetic resonance imaging be a prognostic factor?. <i>International Journal of Urology</i> , 2017 , 24, 102-109	2.3	6

59	Efficacy and safety of silodosin in the treatment of lower urinary tract symptoms in elderly men taking antihypertensive medications. <i>Prostate International</i> , 2017 , 5, 113-118	3.4	4
58	Can Listening to Music Decrease Pain, Anxiety, and Stress During a Urodynamic Study? A Randomized Prospective Trial Focusing on Gender Differences. <i>Urology</i> , 2017 , 104, 59-63	1.6	9
57	Characteristics of Prostate Cancer by Opportunistic Screening in Korean Men with a Prostate-Specific Antigen Level Less Than 4.0 ng per Milliliter. <i>Urologia Internationalis</i> , 2017 , 99, 143-148 ¹⁻⁹		3
56	Clinicopathologic Characteristics and Prognosis of Xp11.2 Translocation Renal Cell Carcinoma: Multicenter, Propensity Score Matching Analysis. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e819-e825	3.3	9
55	Preoperative Computed Tomography Assessment for Perinephric Fat Invasion: Comparison With Pathological Staging. <i>Journal of Computer Assisted Tomography</i> , 2017 , 41, 702-707	2.2	6
54	Efficacy and Safety of Initial Combination Treatment of an Alpha Blocker with an Anticholinergic Medication in Benign Prostatic Hyperplasia Patients with Lower Urinary Tract Symptoms: Updated Meta-Analysis. <i>PLoS ONE</i> , 2017 , 12, e0169248	3.7	13
53	Predicting biochemical recurrence in patients with high-risk prostate cancer using the apparent diffusion coefficient of magnetic resonance imaging. <i>Investigative and Clinical Urology</i> , 2017 , 58, 12-19	1.9	12
52	Development and External Validation of the Korean Prostate Cancer Risk Calculator for High-Grade Prostate Cancer: Comparison with Two Western Risk Calculators in an Asian Cohort. <i>PLoS ONE</i> , 2017 , 12, e0168917	3.7	4
51	Chemotherapy With Androgen Deprivation for Hormone-Naïve Prostate Cancer. <i>The Korean Journal of Urological Oncology</i> , 2017 , 15, 11-15	0.1	
50	Does uneven geographic distribution of urologists effect bladder and prostate cancers mortality? National health insurance data in Korea from 2007-2011. <i>Oncotarget</i> , 2017 , 8, 65292-65301	3.3	1
49	Differences in Urodynamic Parameters Between Women With Interstitial Cystitis and/or Bladder Pain Syndrome and Severe Overactive Bladder. <i>Urology</i> , 2016 , 94, 64-9	1.6	7
48	Initial experiences of laparoscopic intravesical detrusorrraphy using the Politano-Leadbetter technique. <i>Journal of Pediatric Urology</i> , 2016 , 12, 110.e1-7	1.5	10
47	Diagnostic Tool for Assessing Overactive Bladder Symptoms: Could the International Prostate Symptom Storage Subscore Replace the Overactive Bladder Symptom Score?. <i>International Neurourology Journal</i> , 2016 , 20, 209-213	2.6	7
46	The Influence of Androgen Deprivation Therapy on Prostate Size and Voiding Symptoms in Prostate Cancer Patients in Korea. <i>International Neurourology Journal</i> , 2016 , 20, 342-348	2.6	5
45	Comparison of the efficacy and safety of 5-mg once-daily versus 5-mg alternate-day tadalafil in men with erectile dysfunction and lower urinary tract symptoms. <i>International Journal of Impotence Research</i> , 2015 , 27, 33-7	2.3	9
44	Terminal dribbling in male patients with lower urinary tract symptoms: relationship with International Prostate Symptom Score and with intravesical prostatic protrusion. <i>BMC Urology</i> , 2015 , 15, 89	2.2	5
43	The clinical significance of a second transurethral resection for T1 high-grade bladder cancer: Results of a prospective study. <i>Korean Journal of Urology</i> , 2015 , 56, 429-34		9
42	Assessment of Tamsulosin 0.2 mg for Symptomatic Bladder Outlet Obstruction Secondary to Benign Prostatic Enlargement: Data from a Korean Multicenter Cross-Sectional Study. <i>Urologia Internationalis</i> , 2015 , 95, 50-5	1.9	4

41	Mirodenafil prevents bladder dysfunction induced by chronic bladder ischemia in rats. <i>International Neurourology Journal</i> , 2015 , 19, 19-26	2.6	4
40	Population-based survey on disease insight, quality of life, and health-seeking behavior associated with female urinary incontinence. <i>International Neurourology Journal</i> , 2015 , 19, 39-46	2.6	16
39	Gum chewing promotes bowel motility after a radical retropubic prostatectomy. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2014 , 10, 53-9	1.9	5
38	Comparison of outpatient versus inpatient transurethral prostate resection for benign prostatic hyperplasia: Comparative, prospective bi-centre study. <i>Canadian Urological Association Journal</i> , 2014 , 8, E30-5	1.2	2
37	Primary testicular carcinoid tumour with mature teratoma in undescended testis metastatic to lymph nodes. <i>Canadian Urological Association Journal</i> , 2014 , 8, E245-8	1.2	1
36	A modified laparoscopic ureterolithotomy by pulling ureter with Carter-Thomason fascial closure and ureter incision by broken 15th blade. <i>Scandinavian Journal of Surgery</i> , 2014 , 103, 195-200	3.1	1
35	Traumatic penile injury: from circumcision injury to penile amputation. <i>BioMed Research International</i> , 2014 , 2014, 375285	3	13
34	Prediction of persistent storage symptoms after transurethral resection of the prostate in patients with benign prostatic enlargement. <i>Urologia Internationalis</i> , 2014 , 93, 425-30	1.9	17
33	Assessment of sexual dysfunction and determination of its risk factors in the Republic of Korea. <i>International Journal of Gynecology and Obstetrics</i> , 2014 , 125, 60-4	4	9
32	Primary renal hydatid cyst: mis-interpretation as a renal malignancy. <i>Korean Journal of Parasitology</i> , 2014 , 52, 295-8	1.7	10
31	Laparoscopic excision of a renal subcapsular abscess presenting as a subcapsular haematoma. <i>West Indian Medical Journal</i> , 2014 , 63, 98-100		
30	Foot Drop of Contralateral Limb after Deformity Correction in a Polio Patient: A Case Report. <i>Journal of Korean Foot and Ankle Society</i> , 2014 , 18, 83	0.2	
29	Factors affecting transient urinary retention after transobturator tape mid-urethral sling surgery for female patients with stress urinary incontinence: a single center experience. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013 , 168, 107-11	2.4	16
28	Association between percent-free prostate-specific antigen and glomerular filtration rate in transrectal ultrasound-guided biopsy-proven patients with prostate-specific antigen levels ranging from 4 to 10 ng/ml. <i>World Journal of Urology</i> , 2013 , 31, 313-8	4	
27	Are hypoechoic lesions on transrectal ultrasonography a marker for clinically significant prostate cancer?. <i>Korean Journal of Urology</i> , 2013 , 54, 666-70		8
26	A prospective randomized controlled trial of the efficacy of tamsulosin after extracorporeal shock wave lithotripsy for a single proximal ureteral stone. <i>Korean Journal of Urology</i> , 2013 , 54, 527-30		11
25	Combination therapy of testosterone enanthate and tadalafil on PDE5 inhibitor non-reponders with severe and intermediate testosterone deficiency. <i>International Journal of Impotence Research</i> , 2013 , 25, 29-33	2.3	11
24	Free prostate-specific antigen provides more precise data on benign prostate volume than total prostate-specific antigen in korean population. <i>International Neurourology Journal</i> , 2013 , 17, 73-7	2.6	4

23	Treatment satisfaction with low-dose tamsulosin for symptomatic benign prostatic hyperplasia: results from a multicentre cross-sectional survey. <i>International Journal of Clinical Practice</i> , 2012 , 66, 1209-15	2.9	5
22	Predicting the histology of small renal masses using preoperative dynamic contrast-enhanced magnetic resonance imaging. <i>Urology</i> , 2012 , 80, 872-6	1.6	22
21	Increased expression of hypoxia-inducible factor-1 α and connective tissue growth factor accompanied by fibrosis in the rat testis of varicocele. <i>Actas Urológicas Españolas (English Edition)</i> , 2012 , 36, 282-288	0.1	1
20	The value of plasma osteopontin levels as a predictive factor of disease stage and recurrence in patients with bladder urothelial carcinoma: a prospective study. <i>Kaohsiung Journal of Medical Sciences</i> , 2012 , 28, 526-30	2.4	4
19	Metastatic squamous cell carcinoma of the kidney from cholangiocarcinoma. <i>World Journal of Men's Health</i> , 2012 , 30, 198-201	6.8	4
18	Clinical features of mumps orchitis in vaccinated postpubertal males: a single-center series of 62 patients. <i>Korean Journal of Urology</i> , 2012 , 53, 865-9		13
17	Concurrent bladder lymphoma and bladder cancer presenting as metastatic bladder cancer. <i>World Journal of Men's Health</i> , 2012 , 30, 141-5	6.8	
16	Acute postoperative pain after ureteroscopic removal of stone: incidence and risk factors. <i>Korean Journal of Urology</i> , 2012 , 53, 34-9		13
15	Can the prostate risk calculator based on Western population be applied to Asian population?. <i>Prostate</i> , 2012 , 72, 721-9	4.2	29
14	Chewing gum has a stimulatory effect on bowel motility in patients after open or robotic radical cystectomy for bladder cancer: a prospective randomized comparative study. <i>Urology</i> , 2011 , 77, 884-90	1.6	71
13	Trauma and Reconstruction of the External Genitalia. <i>Korean Journal of Andrology</i> , 2011 , 29, 191		
12	Initial biopsy outcome prediction in Korean patients-comparison of a noble web-based Korean prostate cancer risk calculator versus prostate-specific antigen testing. <i>Journal of Korean Medical Science</i> , 2011 , 26, 85-91	4.7	13
11	Laparoscopic ureterolithotomy as a primary modality for large proximal ureteral calculi: comparison to rigid ureteroscopic pneumatic lithotripsy. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2011 , 21, 7-13	2.1	24
10	Voiding dysfunction after total mesorectal excision in rectal cancer. <i>International Neurourology Journal</i> , 2011 , 15, 166-71	2.6	12
9	Effects of Spinal and Peripheral Injection of α 1A or α 1D Adrenoceptor Antagonists on Bladder Activity in Rat Models with or without Bladder Outlet Obstruction. <i>International Neurourology Journal</i> , 2011 , 15, 199-205	2.6	4
8	The effect of the partial obstruction site of the renal vein on testis and kidney in rats: is the traditional animal model suitable for varicocele research?. <i>Korean Journal of Urology</i> , 2010 , 51, 565-71		12
7	Re: prostate specific antigen decrease and prostate cancer diagnosis: antibiotic versus placebo prospective randomized clinical trial: R. M. Stopiglia, U. Ferreira, M. M. Silva, W. E. Matheus, f. Denardi and L. O. Reis J Urol 2010; 183: 940-945. <i>Journal of Urology</i> , 2010 , 184, 2214-5; author reply 2215	2.5	1
6	Transitional cell carcinoma in a remnant ureter after retroperitoneoscopic simple nephrectomy for benign renal disease. <i>Journal of Korean Medical Science</i> , 2009 , 24, 992-4	4.7	3

5	Simultaneous laparoscopic radical nephrectomy and laparoscopic sigmoidectomy for synchronous renal cell carcinoma and colonic adenocarcinoma. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2004 , 14, 179-81	2.1	17
4	Preoperative maximal flow rate may be a predictive factor for the outcome of tension-free vaginal tape procedure for stress urinary incontinence. <i>International Urogynecology Journal</i> , 2004 , 15, 413-7; discussion 417	2	2
3	Initial tumor stage and grade as a predictive factor for recurrence in patients with stage T1 grade 3 bladder cancer. <i>Journal of Urology</i> , 2004 , 171, 149-52	2.5	41
2	Clinical characteristics and outcome of hydronephrosis detected by prenatal ultrasonography. <i>Journal of Korean Medical Science</i> , 2003 , 18, 859-62	4.7	36
1	Microsurgical vasovasostomy after failed vasovasostomy. <i>Journal of Urology</i> , 2003 , 169, 1052-5	2.5	21