## Marc Malkoff

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5585497/publications.pdf

Version: 2024-02-01

361296 642610 2,641 33 20 23 citations h-index g-index papers 33 33 33 2059 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	High Rate of Complete Recanalization and Dramatic Clinical Recovery During tPA Infusion When Continuously Monitored With 2-MHz Transcranial Doppler Monitoring. Stroke, 2000, 31, 610-614.	1.0	338
2	Timing of Recanalization After Tissue Plasminogen Activator Therapy Determined by Transcranial Doppler Correlates With Clinical Recovery From Ischemic Stroke. Stroke, 2000, 31, 1812-1816.	1.0	241
3	Transcranial Doppler Ultrasound Criteria for Recanalization After Thrombolysis for Middle Cerebral Artery Stroke. Stroke, 2000, 31, 1128-1132.	1.0	226
4	Intravenous Tissue-Type Plasminogen Activator Therapy for Ischemic Stroke. Archives of Neurology, 2001, 58, 2009.	4.9	216
5	Accuracy and Criteria for Localizing Arterial Occlusion With Transcranial Doppler. Journal of Neuroimaging, 2000, 10, 1-12.	1.0	179
6	Increases in Cardiac Output Can Reverse Flow Deficits from Vasospasm Independent of Blood Pressure: A Study Using Xenon Computed Tomographic Measurement of Cerebral Blood Flow. Neurosurgery, 2003, 53, 1044-1052.	0.6	164
7	Specific Transcranial Doppler Flow Findings Related to the Presence and Site of Arterial Occlusion. Stroke, 2000, 31, 140-146.	1.0	159
8	Intravenous Tissue Plasminogen Activator and Flow Improvement in Acute Ischemic Stroke Patients with Internal Carotid Artery Occlusion. Journal of Neuroimaging, 2002, 12, 119-123.	1.0	150
9	Deterioration Following Spontaneous Improvement. Stroke, 2000, 31, 915-919.	1.0	121
10	Is the Benefit of Early Recanalization Sustained at 3 Months?. Stroke, 2003, 34, 695-698.	1.0	113
11	Screening for Intracranial Stenosis With Transcranial Doppler: The Accuracy of Mean Flow Velocity Thresholds. Journal of Neuroimaging, 2002, 12, 9-14.	1.0	100
12	The Ethnic/Racial Variations of Intracerebral Hemorrhage (ERICH) Study Protocol. Stroke, 2013, 44, e120-5.	1.0	94
13	Surgical Performance Determines Functional Outcome Benefit in the Minimally Invasive Surgery Plus Recombinant Tissue Plasminogen Activator for Intracerebral Hemorrhage Evacuation (MISTIE) Procedure. Neurosurgery, 2019, 84, 1157-1168.	0.6	93
14	Diagnostic Accuracy of Transcranial Doppler for Brain Death Confirmation: Systematic Review and Meta-Analysis. American Journal of Neuroradiology, 2016, 37, 408-414.	1.2	78
15	A Broad Diagnostic Battery for Bedside Transcranial Doppler to Detect Flow Changes With Internal Carotid Artery Stenosis or Occlusion. Journal of Neuroimaging, 2001, 11, 236-242.	1.0	77
16	Randomized, Multicenter Trial of ARTSS-2 (Argatroban With Recombinant Tissue Plasminogen) Tj ETQq0 0 0 rgBT /	/Qyerlock	10 Tf 50 14
17	Residual Flow Signals Predict Complete Recanalization in Stroke Patients Treated With TPA. Journal of Neuroimaging, 2003, 13, 28-33.	1.0	63
18	Clinical and Sonographic Patterns of Tandem Internal Carotid Artery/Middle Cerebral Artery Occlusion in Tissue Plasminogen Activator–Treated Patients. Stroke, 2002, 33, 99-102.	1.0	62

#	Article	IF	CITATIONS
19	Accuracy of Serial National Institutes of Health Stroke Scale Scores to Identify Artery Status in Acute Ischemic Stroke. Circulation, 2007, 115, 2660-2665.	1.6	36
20	Predictors for Tracheostomy with External Validation of the Stroke-Related Early Tracheostomy Score (SETscore). Neurocritical Care, 2019, 30, 185-192.	1.2	31
21	Risk Factors Associated With Mortality and Neurologic Disability After Intracerebral Hemorrhage in a Racially and Ethnically Diverse Cohort. JAMA Network Open, 2022, 5, e221103.	2.8	20
22	Residual Flow Signals Predict Complete Recanalization in Stroke Patients Treated With TPA., 2003, 13, 28-33.		7
23	Abstract 94: Ultra-Fast Performance and Yield of a High-Resolution CT With Head and Neck CT Angiography on a Mobile Stroke Unit. Stroke, 2018, 49, .	1.0	1
24	INCREASED CARDIAC OUTPUT OR MEAN ARTERIAL PRESSURE, BUT NOT HYPERVOLEMIA, REVERSES THE DEFICITS IN CEREBRAL BLOOD FLOW FROM VASOSPASM FOLLOWING SUBARACHNOID HEMORRHAGE. Critical Care Medicine, 1999, 27, A59.	0.4	1
25	Prehospital and Emergency Department Management of Intracerebral Hemorrhage. , 2018, , 1-16.		1
26	Intracranial Hemorrhage Focused on Cancer and Hemato-oncologic Patients., 2020,, 381-394.		1
27	Increased Intracranial Pressure in Critically III Cancer Patients. , 2019, , 1-13.		0
28	The Incidence of Early Seizures in Non-Severe Traumatic Brain Injury Patients and the Efficacy of Prophylactic Antiepileptic Drugs. SN Comprehensive Clinical Medicine, 2021, 3, 2256.	0.3	0
29	Clinical and Sonographic Patterns of Tandem ICA / MCA Occlusion in TPA Treated Patients. Stroke, 2001, 32, 349-349.	1.0	0
30	Abstract WP64: City-wide Stroke Team in the U.S. Delivers the Highest Intravenous Thrombolysis Treatment Rate. Stroke, 2017, 48, .	1.0	0
31	Abstract TP357: BP Management on the Mobile Stroke Unit for Ultra-Early Treatment of ICH and Acute Ischemic Stroke. Stroke, 2018, 49, .	1.0	0
32	Abstract 75: Predictors of Poor Outcome After Intracerebral Hemorrhage: Ethnic/Racial Variations of Intracerebral Hemorrhage (ERICH) Study. Stroke, 2019, 50, .	1.0	0
33	Abstract WP394: Compliance With Statin Therapy and Risk of Recurrent Adverse Events in Intracerebral Hemorrhage: Analysis of the ATACH II Trial. Stroke, 2020, 51, .	1.0	0