
## Marc Malkoff

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5585497/publications.pdf Version: 2024-02-01



MARC MALKOFF

1.0

113

#	Article	IF	CITATIONS
1	Risk Factors Associated With Mortality and Neurologic Disability After Intracerebral Hemorrhage in a Racially and Ethnically Diverse Cohort. JAMA Network Open, 2022, 5, e221103.	2.8	20
2	The Incidence of Early Seizures in Non-Severe Traumatic Brain Injury Patients and the Efficacy of Prophylactic Antiepileptic Drugs. SN Comprehensive Clinical Medicine, 2021, 3, 2256.	0.3	0
3	Intracranial Hemorrhage Focused on Cancer and Hemato-oncologic Patients. , 2020, , 381-394.		1
4	Abstract WP394: Compliance With Statin Therapy and Risk of Recurrent Adverse Events in Intracerebral Hemorrhage: Analysis of the ATACH II Trial. Stroke, 2020, 51, .	1.0	0
5	Increased Intracranial Pressure in Critically Ill Cancer Patients. , 2019, , 1-13.		0
6	Surgical Performance Determines Functional Outcome Benefit in the Minimally Invasive Surgery Plus Recombinant Tissue Plasminogen Activator for Intracerebral Hemorrhage Evacuation (MISTIE) Procedure. Neurosurgery, 2019, 84, 1157-1168.	0.6	93
7	Predictors for Tracheostomy with External Validation of the Stroke-Related Early Tracheostomy Score (SETscore). Neurocritical Care, 2019, 30, 185-192.	1.2	31
8	Abstract 75: Predictors of Poor Outcome After Intracerebral Hemorrhage: Ethnic/Racial Variations of Intracerebral Hemorrhage (ERICH) Study. Stroke, 2019, 50, .	1.0	0
9	Abstract 94: Ultra-Fast Performance and Yield of a High-Resolution CT With Head and Neck CT Angiography on a Mobile Stroke Unit. Stroke, 2018, 49, .	1.0	1
10	Abstract TP357: BP Management on the Mobile Stroke Unit for Ultra-Early Treatment of ICH and Acute Ischemic Stroke. Stroke, 2018, 49, .	1.0	0
11	Prehospital and Emergency Department Management of Intracerebral Hemorrhage. , 2018, , 1-16.		1
12	Randomized, Multicenter Trial of ARTSS-2 (Argatroban With Recombinant Tissue Plasminogen) Tj ETQq0 0 0 rgB <sup>-</sup>	[ /Qverlocl	R 10 Tf 50 30
13	Abstract WP64: City-wide Stroke Team in the U.S. Delivers the Highest Intravenous Thrombolysis Treatment Rate. Stroke, 2017, 48, .	1.0	0
14	Diagnostic Accuracy of Transcranial Doppler for Brain Death Confirmation: Systematic Review and Meta-Analysis. American Journal of Neuroradiology, 2016, 37, 408-414.	1.2	78
15	The Ethnic/Racial Variations of Intracerebral Hemorrhage (ERICH) Study Protocol. Stroke, 2013, 44, e120-5.	1.0	94
16	Accuracy of Serial National Institutes of Health Stroke Scale Scores to Identify Artery Status in Acute Ischemic Stroke. Circulation, 2007, 115, 2660-2665.	1.6	36
17	Residual Flow Signals Predict Complete Recanalization in Stroke Patients Treated With TPA. Journal of Neuroimaging, 2003, 13, 28-33.	1.0	63

18 Is the Benefit of Early Recanalization Sustained at 3 Months?. Stroke, 2003, 34, 695-698.

2

# ARTICLE IF CITATIONS Increases in Cardiac Output Can Reverse Flow Deficits from Vasospasm Independent of Blood Pressure: A Study Using Xenon Computed Tomographic Measurement of Cerebral Blood Flow. Neurosurgery, 2003, 53, 1044-1052. 164 Residual Flow Signals Predict Complete Recanalization in Stroke Patients Treated With TPA., 2003, 13, 20 7 28-33. Clinical and Sonographic Patterns of Tandem Internal Carotid Artery/Middle Cerebral Artery 1.0 Occlusion in Tissue Plasminogen Activator–Treated Patients. Stroke, 2002, 33, 99-102. Screening for Intracranial Stenosis With Transcranial Doppler: The Accuracy of Mean Flow Velocity 22 1.0 100 Thresholds. Journal of Neuroimaging, 2002, 12, 9-14. Intravenous Tissue Plasminogen Activator and Flow Improvement in Acute Ischemic Stroke Patients 1.0 with Internal Carotid Artery Öcclusion. Journal of Neuroimaging, 2002, 12, 119-123. A Broad Diagnostic Battery for Bedside Transcranial Doppler to Detect Flow Changes With Internal 24 1.0 77 Carotid Artery Stenosis or Occlusion. Journal of Neuroimaging, 2001, 11, 236-242. Intravenous Tissue-Type Plasminogen Activator Therapy for Ischemic Stroke. Archives of Neurology, 2001, 58, 2009. Clinical and Sonographic Patterns of Tandem ICA / MCA Occlusion in TPA Treated Patients. Stroke, 26 1.0 0 2001, 32, 349-349. Accuracy and Criteria for Localizing Arterial Occlusion With Transcranial Doppler. Journal of 1.0 179 Neuroimaging, 2000, 10, 1-12. Specific Transcranial Doppler Flow Findings Related to the Presence and Site of Arterial Occlusion. 28 1.0 159 Stroke, 2000, 31, 140-146. High Rate of Complete Recanalization and Dramatic Clinical Recovery During tPA Infusion When 338 Continuously Monitored With 2-MHz Transcranial Doppler Monitoring. Stroke, 2000, 31, 610-614. Timing of Recanalization After Tissue Plasminogen Activator Therapy Determined by Transcranial 30 1.0 241 Doppler Correlates With Clinical Recovery From Ischemic Stroke. Stroke, 2000, 31, 1812-1816. Deterioration Following Spontaneous Improvement. Stroke, 2000, 31, 915-919. 1.0 121 Transcranial Doppler Ultrasound Criteria for Recanalization After Thrombolysis for Middle Cerebral 32 1.0 226 Artery Stroke. Stroke, 2000, 31, 1128-1132. INCREASED CARDIAC OUTPUT OR MEAN ARTERIAL PRESSURE, BUT NOT HYPERVOLEMIA, REVERSES THE DEFICITS IN CEREBRAL BLOOD FLOW FROM VASOSPASM FOLLOWING SUBARACHNOID HEMORRHAGE. 33 Critical Care Medicine, 1999, 27, A59.

MARC MALKOFF