

# Toine F H Bovee

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5587261/publications.pdf>

Version: 2024-02-01

69  
papers

2,073  
citations

201674

27  
h-index

254184

43  
g-index

70  
all docs

70  
docs citations

70  
times ranked

2234  
citing authors

#	ARTICLE	IF	CITATIONS
1	Microsphere Peptide-Based Immunoassay for the Detection of Recombinant Bovine Somatotropin in Injection Preparations. <i>Biosensors</i> , 2022, 12, 138.	4.7	0
2	Detection of methionine- and alanine-recombinant bovine somatotropins and their induced antibodies in serum and milk of cows suggests blood-milk barrier specificity for these compounds. <i>Journal of Dairy Science</i> , 2021, 104, 5069-5078.	3.4	4
3	Impurities in technical mixtures of chlorinated paraffins show AhR agonist properties as determined by the DR-CALUX bioassay. <i>Toxicology in Vitro</i> , 2021, 72, 105098.	2.4	5
4	PDE-5 inhibitors in selected herbal supplements from the Ghanaian market for better erectile function as tested by a bioassay. <i>Toxicology in Vitro</i> , 2021, 73, 105130.	2.4	6
5	Characterisation and validation of an in vitro transactivation assay based on the 22Rv1/MMTV_GR-KO cell line to detect human androgen receptor agonists and antagonists. <i>Food and Chemical Toxicology</i> , 2021, 152, 112206.	3.6	5
6	Maternal exposure to mixtures of dienestrol, linuron and flutamide. Part II: Endocrine-related gene expression assessment on male offspring rat testes. <i>Food and Chemical Toxicology</i> , 2020, 144, 111603.	3.6	3
7	Maternal exposure to mixtures of dienestrol, linuron and flutamide. Part I: Feminization effects on male rat offspring. <i>Food and Chemical Toxicology</i> , 2020, 139, 111256.	3.6	8
8	Quantitative in vitro-to-in vivo extrapolation (QIVIVE) of estrogenic and anti-androgenic potencies of BPA and BADGE analogues. <i>Archives of Toxicology</i> , 2019, 93, 1941-1953.	4.2	28
9	Detection and profiling of diarrhetic marine biotoxins in shellfish by mRNA analysis of exposed Caco-2 cells using qRT-PCR and multiplex magnetic bead-based assays. <i>ALTEX: Alternatives To Animal Experimentation</i> , 2019, 36, 203-214.	1.5	3
10	Screening for the presence of lipophilic marine biotoxins in shellfish samples using the neuro-2a bioassay. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2018, 35, 351-365.	2.3	16
11	A Strategy to Replace the Mouse Bioassay for Detecting and Identifying Lipophilic Marine Biotoxins by Combining the Neuro-2a Bioassay and LC-MS/MS Analysis. <i>Marine Drugs</i> , 2018, 16, 501.	4.6	13
12	First Report on the Occurrence of Tetrodotoxins in Bivalve Mollusks in The Netherlands. <i>Toxins</i> , 2018, 10, 450.	3.4	54
13	Effects and detection of Nandrosol and ractopamine administration in veal calves. <i>Food Chemistry</i> , 2017, 221, 706-713.	8.2	7
14	Hormones and Agonists. , 2016, , 141-244.		1
15	Dietary supplement for energy and reduced appetite containing the $\beta$ -agonist isopropylotopamine leads to heart problems and hospitalisations. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2016, 33, 749-759.	2.3	14
16	Glyceollins and dehydroglyceollins isolated from soybean act as SERMs and ER subtype-selective phytoestrogens. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2016, 156, 53-63.	2.5	29
17	Estrogen Receptor Agonists and Antagonists in the Yeast Estrogen Bioassay. <i>Methods in Molecular Biology</i> , 2016, 1366, 337-342.	0.9	3
18	Involvement of a Hydrophobic Pocket and Helix 11 in Determining the Modes of Action of Prenylated Flavonoids and Isoflavonoids in the Human Estrogen Receptor. <i>ChemBioChem</i> , 2015, 16, 2668-2677.	2.6	20

#	ARTICLE	IF	CITATIONS
19	Anti-Androgenic Activity of <i>Nardostachys jatamansi</i> DC and <i>Tribulus terrestris</i> L. and Their Beneficial Effects on Polycystic Ovary Syndrome-Induced Rat Models. <i>Metabolic Syndrome and Related Disorders</i> , 2015, 13, 248-254.	1.3	28
20	Prenylation and Backbone Structure of Flavonoids and Isoflavonoids from Licorice and Hop Influence Their Phase I and II Metabolism. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 10628-10640.	5.2	14
21	Structural bisphenol analogues differentially target steroidogenesis in murine MA-10 Leydig cells as well as the glucocorticoid receptor. <i>Toxicology</i> , 2015, 329, 10-20.	4.2	104
22	Are effects of common ragwort in the Ames test caused by pyrrolizidine alkaloids?. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2015, 778, 1-10.	1.0	7
23	Exploration of new functional endpoints in neuro-2a cells for the detection of the marine biotoxins saxitoxin, palytoxin and tetrodotoxin. <i>Toxicology in Vitro</i> , 2015, 30, 341-347.	2.4	23
24	In vitro detection of cardiotoxins or neurotoxins affecting ion channels or pumps using beating cardiomyocytes as alternative for animal testing. <i>Toxicology in Vitro</i> , 2015, 29, 281-288.	2.4	15
25	Simple and rapid in vitro assay for detecting human thyroid peroxidase disruption. <i>ALTEX: Alternatives To Animal Experimentation</i> , 2015, 32, 191-200.	1.5	10
26	Towards an integrated <i>in vitro</i> strategy for estrogenicity testing. <i>Journal of Applied Toxicology</i> , 2014, 34, 1031-1040.	2.8	17
27	Marine neurotoxins: State of the art, bottlenecks, and perspectives for mode of action based methods of detection in seafood. <i>Molecular Nutrition and Food Research</i> , 2014, 58, 87-100.	3.3	36
28	Bioactivity screening and mass spectrometric confirmation for the detection of PPAR $\alpha$ agonists that increase type 1 muscle fibres. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 705-713.	3.7	4
29	Aryl hydrocarbon receptor (AhR) inducers and estrogen receptor (ER) activities in surface sediments of Three Gorges Reservoir, China evaluated with <i>in vitro</i> cell bioassays. <i>Environmental Science and Pollution Research</i> , 2014, 21, 3145-3155.	5.3	13
30	Structural Changes of 6a-Hydroxy-Pterocarpan Upon Heating Modulate Their Estrogenicity. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 10475-10484.	5.2	14
31	Extending an <i>In Vitro</i> Panel for Estrogenicity Testing: The Added Value of Bioassays for Measuring Antiandrogenic Activities and Effects on Steroidogenesis. <i>Toxicological Sciences</i> , 2014, 141, 78-89.	3.1	27
32	Selective androgen receptor modulators: <i>in vitro</i> and <i>in vivo</i> metabolism and analysis. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2013, 30, 1517-1526.	2.3	24
33	Endocrine-Disrupting Effects of Thioxanthone Photoinitiators. <i>Toxicological Sciences</i> , 2013, 132, 64-74.	3.1	29
34	A low-density DNA microchip for the detection of (anti-)estrogenic compounds and their relative potencies. <i>Analytical Biochemistry</i> , 2013, 435, 83-92.	2.4	3
35	Robust Array-Based Coregulator Binding Assay Predicting ER $\alpha$ -Agonist Potency and Generating Binding Profiles Reflecting Ligand Structure. <i>Chemical Research in Toxicology</i> , 2013, 26, 336-346.	3.3	28
36	Validation of a recombinant cell bioassay for the detection of (gluco)corticosteroids in feed. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2013, 30, 264-271.	2.3	8

#	ARTICLE	IF	CITATIONS
37	Bovine liver slices: A multifunctional in vitro model to study the prohormone dehydroepiandrosterone (DHEA). <i>Toxicology in Vitro</i> , 2012, 26, 1014-1021.	2.4	12
38	Screening for Modulatory Effects on Steroidogenesis Using the Human H295R Adrenocortical Cell Line: A Metabolomics Approach. <i>Chemical Research in Toxicology</i> , 2012, 25, 1720-1731.	3.3	50
39	Proliferation assays for estrogenicity testing with high predictive value for the in vivo uterotrophic effect. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2012, 128, 98-106.	2.5	20
40	Prenylated isoflavonoids from plants as selective estrogen receptor modulators (phytoSERMs). <i>Food and Function</i> , 2012, 3, 810.	4.6	88
41	Increasing Soy Isoflavonoid Content and Diversity by Simultaneous Malting and Challenging by a Fungus to Modulate Estrogenicity. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 6748-6758.	5.2	58
42	Validation of the REA bioassay to detect estrogenic activity in the water cycle. <i>Toxicology in Vitro</i> , 2011, 25, 2003-2009.	2.4	5
43	Some OH-PCBs are more potent inhibitors of aromatase activity and (anti-) glucocorticoids than non-dioxin like (NDL)-PCBs and MeSO <sub>2</sub> -PCBs. <i>Toxicology Letters</i> , 2011, 206, 158-165.	0.8	26
44	Tailored Microarray Platform for the Detection of Marine Toxins. <i>Environmental Science &amp; Technology</i> , 2011, 45, 8965-8973.	10.0	24
45	Applicability of a yeast bioassay in the detection of steroid esters in hair. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 399, 1031-1039.	3.7	13
46	Agonistic and antagonistic estrogens in licorice root ( <i>Glycyrrhiza glabra</i> ). <i>Analytical and Bioanalytical Chemistry</i> , 2011, 401, 305-313.	3.7	43
47	Recombinant cell bioassays for the detection of (gluco)corticosteroids and endocrine-disrupting potencies of several environmental PCB contaminants. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 401, 873-882.	3.7	39
48	Bioassay based screening of steroid derivatives in animal feed and supplements. <i>Analytica Chimica Acta</i> , 2011, 700, 183-188.	5.4	10
49	Persistent aryl hydrocarbon receptor inducers increase with altitude, and estrogen-like disrupters are low in soils of the Alps. <i>Environmental Science and Pollution Research</i> , 2011, 18, 99-110.	5.3	4
50	Investigation of urinary steroid metabolites in calf urine after oral and intramuscular administration of DHEA. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 396, 799-808.	3.7	11
51	SERMs and SARMs: Detection of their activities with yeast based bioassays. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2010, 118, 85-92.	2.5	32
52	AhR-agonistic, anti-androgenic, and anti-estrogenic potencies of 2-isopropylthioxanthone (ITX) as determined by in vitro bioassays and gene expression profiling. <i>Toxicology in Vitro</i> , 2010, 24, 1619-1628.	2.4	28
53	Validation and application of a yeast bioassay for screening androgenic activity in calf urine and feed. <i>Analytica Chimica Acta</i> , 2009, 637, 225-234.	5.4	32
54	Detection of anabolic steroids in dietary supplements: The added value of an androgen yeast bioassay in parallel with a liquid chromatography-tandem mass spectrometry screening method. <i>Analytica Chimica Acta</i> , 2009, 637, 305-314.	5.4	44

#	ARTICLE	IF	CITATIONS
55	Inter-laboratory comparison of a yeast bioassay for the determination of estrogenic activity in biological samples. <i>Analytica Chimica Acta</i> , 2009, 637, 265-272.	5.4	12
56	Screening of synthetic and plant-derived compounds for (anti)estrogenic and (anti)androgenic activities. <i>Analytical and Bioanalytical Chemistry</i> , 2008, 390, 1111-1119.	3.7	77
57	A new highly androgen specific yeast biosensor, enabling optimisation of (Q)SAR model approaches. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2008, 108, 121-131.	2.5	39
58	The ultimate veal calf reference experiment: Hormone residue analysis data obtained by gas and liquid chromatography tandem mass spectrometry. <i>Analytica Chimica Acta</i> , 2007, 586, 30-34.	5.4	27
59	An evolvable oestrogen receptor activity sensor: development of a modular system for integrating multiple genes into the yeast genome. <i>Yeast</i> , 2007, 24, 379-390.	1.7	5
60	A new highly specific and robust yeast androgen bioassay for the detection of agonists and antagonists. <i>Analytical and Bioanalytical Chemistry</i> , 2007, 389, 1549-1558.	3.7	91
61	Urine Testing for Designer Steroids by Liquid Chromatography with Androgen Bioassay Detection and Electrospray Quadrupole Time-of-Flight Mass Spectrometry Identification. <i>Analytical Chemistry</i> , 2006, 78, 424-431.	6.5	130
62	The use of the DR CALUX <sup>®</sup> bioassay and indicator polychlorinated biphenyls for screening of elevated levels of dioxins and dioxin-like polychlorinated biphenyls in eel. <i>Molecular Nutrition and Food Research</i> , 2006, 50, 945-957.	3.3	30
63	Validation and application of a robust yeast estrogen bioassay for the screening of estrogenic activity in animal feed. <i>Food Additives and Contaminants</i> , 2006, 23, 556-568.	2.0	42
64	Validation of a rapid yeast estrogen bioassay, based on the expression of green fluorescent protein, for the screening of estrogenic activity in calf urine. <i>Analytica Chimica Acta</i> , 2005, 529, 57-64.	5.4	35
65	Bioassay-Directed Identification of Estrogen Residues in Urine by Liquid Chromatography Electrospray Quadrupole Time-of-Flight Mass Spectrometry. <i>Analytical Chemistry</i> , 2004, 76, 6600-6608.	6.5	34
66	Development of a rapid yeast estrogen bioassay, based on the expression of green fluorescent protein. <i>Gene</i> , 2004, 325, 187-200.	2.2	90
67	Rapid yeast estrogen bioassays stably expressing human estrogen receptors $\hat{1}\pm$ and $\hat{1}2$ , and green fluorescent protein: a comparison of different compounds with both receptor types. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2004, 91, 99-109.	2.5	167
68	Bioassays for the detection of growth-promoting agents, veterinary drugs and environmental contaminants in food. <i>Analyst, The</i> , 1999, 124, 79-85.	3.5	41
69	Validation and use of the CALUX <sup>®</sup> bioassay for the determination of dioxins and PCBs in bovine milk. <i>Food Additives and Contaminants</i> , 1998, 15, 863-875.	2.0	91