

Travis Klein

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5587615/publications.pdf>

Version: 2024-02-01

81
papers

7,468
citations

81434

41
h-index

81351

76
g-index

84
all docs

84
docs citations

84
times ranked

10162
citing authors

#	ARTICLE	IF	CITATIONS
1	Biofabrication of small diameter tissue-engineered vascular grafts. <i>Acta Biomaterialia</i> , 2022, 138, 92-111.	4.1	42
2	Collagenase treatment appears to improve cartilage tissue integration but damage to collagen networks is likely permanent. <i>Journal of Tissue Engineering</i> , 2022, 13, 204173142210742.	2.3	10
3	In vitro and in vivo investigation of a zonal microstructured scaffold for osteochondral defect repair. <i>Biomaterials</i> , 2022, 286, 121548.	5.7	19
4	Tissue Engineering Cartilage with Deep Zone Cytoarchitecture by High-Resolution Acoustic Cell Patterning. <i>Advanced Healthcare Materials</i> , 2022, 11, .	3.9	17
5	Personalized Volumetric Tissue Generation by Enhancing Multiscale Mass Transport through 3D Printed Scaffolds in Perfused Bioreactors. <i>Advanced Healthcare Materials</i> , 2022, 11, .	3.9	5
6	Nanotechnology and Osteoarthritis. Part 1: Clinical landscape and opportunities for advanced diagnostics. <i>Journal of Orthopaedic Research</i> , 2021, 39, 465-472.	1.2	10
7	Nanotechnology and Osteoarthritis. Part 2: Opportunities for advanced devices and therapeutics. <i>Journal of Orthopaedic Research</i> , 2021, 39, 473-484.	1.2	10
8	A single day of TGF- β 1 exposure activates chondrogenic and hypertrophic differentiation pathways in bone marrow-derived stromal cells. <i>Communications Biology</i> , 2021, 4, 29.	2.0	38
9	Integration of an ultra-strong poly(lactic-co-glycolic acid) (PLGA) knitted mesh into a thermally induced phase separation (TIPS) PLGA porous structure to yield a thin biphasic scaffold suitable for dermal tissue engineering. <i>Biofabrication</i> , 2020, 12, 015015.	3.7	24
10	Intermittent parathyroid hormone (1α -34) supplementation of bone marrow stromal cell cultures may inhibit hypertrophy, but at the expense of chondrogenesis. <i>Stem Cell Research and Therapy</i> , 2020, 11, 321.	2.4	6
11	Effect of gelatin source and photoinitiator type on chondrocyte redifferentiation in gelatin methacryloyl-based tissue-engineered cartilage constructs. <i>Journal of Materials Chemistry B</i> , 2019, 7, 1761-1772.	2.9	92
12	Immunogold FIB-SEM: Combining Volumetric Ultrastructure Visualization with 3D Biomolecular Analysis to Dissect Cell-Environment Interactions. <i>Advanced Materials</i> , 2019, 31, 1900488.	11.1	16
13	A new mechanical indentation framework for functional assessment of articular cartilage. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2018, 81, 83-94.	1.5	4
14	Biomimetic scaffolds and dynamic compression enhance the properties of chondrocyte- and MSC-based tissue-engineered cartilage. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2018, 12, 1220-1229.	1.3	35
15	Rational design and fabrication of multiphasic soft network composites for tissue engineering articular cartilage: A numerical model-based approach. <i>Chemical Engineering Journal</i> , 2018, 340, 15-23.	6.6	58
16	Engineering Anisotropic Muscle Tissue using Acoustic Cell Patterning. <i>Advanced Materials</i> , 2018, 30, e1802649.	11.1	140
17	A Method for Prostate and Breast Cancer Cell Spheroid Cultures Using Gelatin Methacryloyl-Based Hydrogels. <i>Methods in Molecular Biology</i> , 2018, 1786, 175-194.	0.4	16
18	1-Phenanthroline as modulator of the hypoxic and catabolic response in cartilage tissue-engineering models. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2017, 11, 724-732.	1.3	2

#	ARTICLE	IF	CITATIONS
19	Structural analysis of photocrosslinkable methacryloyl-modified protein derivatives. <i>Biomaterials</i> , 2017, 139, 163-171.	5.7	140
20	Biofabricated soft network composites for cartilage tissue engineering. <i>Biofabrication</i> , 2017, 9, 025014.	3.7	135
21	A novel bioreactor system for biaxial mechanical loading enhances the properties of tissue-engineered human cartilage. <i>Scientific Reports</i> , 2017, 7, 16997.	1.6	87
22	Challenges in engineering large customized bone constructs. <i>Biotechnology and Bioengineering</i> , 2017, 114, 1129-1139.	1.7	49
23	Three-Dimensional Bioprinting and Its Potential in the Field of Articular Cartilage Regeneration. <i>Cartilage</i> , 2017, 8, 327-340.	1.4	90
24	Tailoring hydrogel surface properties to modulate cellular response to shear loading. <i>Acta Biomaterialia</i> , 2017, 52, 105-117.	4.1	14
25	A Hydrogel Model Incorporating 3D-Plotted Hydroxyapatite for Osteochondral Tissue Engineering. <i>Materials</i> , 2016, 9, 285.	1.3	29
26	Evaluation of the impact of freezing preparation techniques on the characterisation of alginate hydrogels by cryo-SEM. <i>European Polymer Journal</i> , 2016, 82, 1-15.	2.6	98
27	Osteoimmunomodulation for the development of advanced bone biomaterials. <i>Materials Today</i> , 2016, 19, 304-321.	8.3	513
28	Functionalization, preparation and use of cell-laden gelatin methacryloyl-based hydrogels as modular tissue culture platforms. <i>Nature Protocols</i> , 2016, 11, 727-746.	5.5	581
29	Tailoring Hydrogel Viscoelasticity with Physical and Chemical Crosslinking. <i>Polymers</i> , 2015, 7, 2650-2669.	2.0	56
30	The Rapid Manufacture of Uniform Composite Multicellular-Biomaterial Micropellets, Their Assembly into Macroscopic Organized Tissues, and Potential Applications in Cartilage Tissue Engineering. <i>PLoS ONE</i> , 2015, 10, e0122250.	1.1	12
31	The Mechanisms of Human Renal Epithelial Cell Modulation of Autologous Dendritic Cell Phenotype and Function. <i>PLoS ONE</i> , 2015, 10, e0134688.	1.1	12
32	High-throughput bone and cartilage micropellet manufacture, followed by assembly of micropellets into biphasic osteochondral tissue. <i>Cell and Tissue Research</i> , 2015, 361, 755-768.	1.5	32
33	Cartilage regeneration using zonal chondrocyte subpopulations: a promising approach or an overcomplicated strategy?. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2015, 9, 669-678.	1.3	47
34	Enhancing structural integrity of hydrogels by using highly organised melt electrospun fibre constructs. <i>European Polymer Journal</i> , 2015, 72, 451-463.	2.6	105
35	Human proximal tubule epithelial cells modulate autologous B-cell function. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 1674-1683.	0.4	18
36	The Importance of Connexin Hemichannels During Chondroprogenitor Cell Differentiation in Hydrogel Versus Microtissue Culture Models. <i>Tissue Engineering - Part A</i> , 2015, 21, 1785-1794.	1.6	26

#	ARTICLE	IF	CITATIONS
37	Protective effects of reactive functional groups on chondrocytes in photocrosslinkable hydrogel systems. <i>Acta Biomaterialia</i> , 2015, 27, 66-76.	4.1	51
38	Hyaluronic Acid Enhances the Mechanical Properties of Tissue-Engineered Cartilage Constructs. <i>PLoS ONE</i> , 2014, 9, e113216.	1.1	124
39	Effects of scaffold architecture on mechanical characteristics and osteoblast response to static and perfusion bioreactor cultures. <i>Biotechnology and Bioengineering</i> , 2014, 111, 1440-1451.	1.7	56
40	Influence of osteocytes in the <i>in vitro</i> and <i>in vivo</i> β -tricalcium phosphate-stimulated osteogenesis. <i>Journal of Biomedical Materials Research - Part A</i> , 2014, 102, 2813-2823.	2.1	25
41	Chondrocyte redifferentiation and construct mechanical property development in single-component photocrosslinkable hydrogels. <i>Journal of Biomedical Materials Research - Part A</i> , 2014, 102, 2544-2553.	2.1	56
42	Multiphasic construct studied in an ectopic osteochondral defect model. <i>Journal of the Royal Society Interface</i> , 2014, 11, 20140184.	1.5	56
43	A biomimetic extracellular matrix for cartilage tissue engineering centered on photocurable gelatin, hyaluronic acid and chondroitin sulfate. <i>Acta Biomaterialia</i> , 2014, 10, 214-223.	4.1	291
44	Perspectives in Multiphasic Osteochondral Tissue Engineering. <i>Anatomical Record</i> , 2014, 297, 26-35.	0.8	81
45	Osteogenic differentiation of bone marrow MSCs by β -tricalcium phosphate stimulating macrophages via BMP2 signalling pathway. <i>Biomaterials</i> , 2014, 35, 1507-1518.	5.7	262
46	Non-invasive identification of proteoglycans and chondrocyte differentiation state by Raman microspectroscopy. <i>Journal of Biophotonics</i> , 2013, 6, 205-211.	1.1	41
47	Gelatin-Methacrylamide Hydrogels as Potential Biomaterials for Fabrication of Tissue-Engineered Cartilage Constructs. <i>Macromolecular Bioscience</i> , 2013, 13, 551-561.	2.1	646
48	Stage-Specific Embryonic Antigen-4 Is Not a Marker for Chondrogenic and Osteogenic Potential in Cultured Chondrocytes and Mesenchymal Progenitor Cells. <i>Tissue Engineering - Part A</i> , 2013, 19, 1316-1326.	1.6	13
49	Effect of Preculture and Loading on Expression of Matrix Molecules, Matrix Metalloproteinases, and Cytokines by Expanded Osteoarthritic Chondrocytes. <i>Arthritis and Rheumatism</i> , 2013, 65, 2356-2367.	6.7	37
50	The Interplay between Chondrocyte Redifferentiation Pellet Size and Oxygen Concentration. <i>PLoS ONE</i> , 2013, 8, e58865.	1.1	65
51	Matrices for Zonal Cartilage Tissue Engineering. , 2012, , 733-755.		0
52	Additive manufacturing of tissues and organs. <i>Progress in Polymer Science</i> , 2012, 37, 1079-1104.	11.8	997
53	Effects of Oxygen on Zonal Marker Expression in Human Articular Chondrocytes. <i>Tissue Engineering - Part A</i> , 2012, 18, 920-933.	1.6	41
54	Comparative study of depth-dependent characteristics of equine and human osteochondral tissue from the medial and lateral femoral condyles. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 1147-1151.	0.6	94

#	ARTICLE	IF	CITATIONS
55	Effects of oxygen and culture system on in vitro propagation and redifferentiation of osteoarthritic human articular chondrocytes. <i>Cell and Tissue Research</i> , 2012, 347, 649-663.	1.5	74
56	Dynamic compression improves biosynthesis of human zonal chondrocytes from osteoarthritis patients. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 906-915.	0.6	81
57	Adult human articular chondrocytes in a microcarrier-based culture system: expansion and redifferentiation. <i>Journal of Orthopaedic Research</i> , 2011, 29, 539-546.	1.2	41
58	Formalin fixation affects equilibrium partitioning of an ionic contrast agent-microcomputed tomography (EPIC-1/4CT) imaging of osteochondral samples. <i>Osteoarthritis and Cartilage</i> , 2010, 18, 1586-1591.	0.6	18
59	Long-term effects of hydrogel properties on human chondrocyte behavior. <i>Soft Matter</i> , 2010, 6, 5175.	1.2	46
60	Prioritizing Land and Sea Conservation Investments to Protect Coral Reefs. <i>PLoS ONE</i> , 2010, 5, e12431.	1.1	78
61	<i>Bone Tissue Engineering</i> , 2010, , 105-143.		0
62	Zonal Chondrocyte Subpopulations Reacquire Zone-Specific Characteristics during in Vitro Redifferentiation. <i>American Journal of Sports Medicine</i> , 2009, 37, 97-104.	1.9	45
63	Strategies for Zonal Cartilage Repair using Hydrogels. <i>Macromolecular Bioscience</i> , 2009, 9, 1049-1058.	2.1	130
64	Tissue Engineering of Articular Cartilage with Biomimetic Zones. <i>Tissue Engineering - Part B: Reviews</i> , 2009, 15, 143-157.	2.5	273
65	Modulation of Depth-dependent Properties in Tissue-engineered Cartilage with a Semi-permeable Membrane and Perfusion: A Continuum Model of Matrix Metabolism and Transport. <i>Biomechanics and Modeling in Mechanobiology</i> , 2007, 6, 21-32.	1.4	25
66	The Roles of Hypoxia in the In Vitro Engineering of Tissues. <i>Tissue Engineering</i> , 2007, 13, 2153-2162.	4.9	242
67	Short-Term Retention of Labeled Chondrocyte Subpopulations in Stratified Tissue-Engineered Cartilaginous Constructs Implanted In Vivo in Mini-Pigs. <i>Tissue Engineering</i> , 2007, 13, 1525-1537.	4.9	35
68	Microenvironment regulation of PRG4 phenotype of chondrocytes. <i>Journal of Orthopaedic Research</i> , 2007, 25, 685-695.	1.2	18
69	Depth-dependent biomechanical and biochemical properties of fetal, newborn, and tissue-engineered articular cartilage. <i>Journal of Biomechanics</i> , 2007, 40, 182-190.	0.9	129
70	Continuous passive motion applied to whole joints stimulates chondrocyte biosynthesis of PRG4. <i>Osteoarthritis and Cartilage</i> , 2007, 15, 566-574.	0.6	116
71	Tracking chondrocytes and assessing their proliferation with PKH26: Effects on secretion of proteoglycan 4 (PRG4). <i>Journal of Orthopaedic Research</i> , 2006, 24, 1499-1508.	1.2	9
72	Tailoring Secretion of Proteoglycan 4 (PRG4) in Tissue-Engineered Cartilage. <i>Tissue Engineering</i> , 2006, 12, 1429-1439.	4.9	26

#	ARTICLE	IF	CITATIONS
73	Tailoring Secretion of Proteoglycan 4 (PRG4) in Tissue-Engineered Cartilage. <i>Tissue Engineering</i> , 2006, .	4.9	0
74	Inhibition of integrative cartilage repair by proteoglycan 4 in synovial fluid. <i>Arthritis and Rheumatism</i> , 2005, 52, 1091-1099.	6.7	89
75	Cell density alters matrix accumulation in two distinct fractions and the mechanical integrity of alginate-chondrocyte constructs. <i>Acta Biomaterialia</i> , 2005, 1, 625-633.	4.1	72
76	In Vitro Physical Stimulation of Tissue-Engineered and Native Cartilage. , 2004, 100, 325-352.		12
77	Tissue-Engineered Human Nasal Septal Cartilage Using the Alginate-Recovered-Chondrocyte Method. <i>Laryngoscope</i> , 2004, 114, 38-45.	1.1	62
78	Synthesis of proteoglycan 4 by chondrocyte subpopulations in cartilage explants, monolayer cultures, and resurfaced cartilage cultures. <i>Arthritis and Rheumatism</i> , 2004, 50, 2849-2857.	6.7	79
79	Tissue engineering of stratified articular cartilage from chondrocyte subpopulations. <i>Osteoarthritis and Cartilage</i> , 2003, 11, 595-602.	0.6	198
80	Adhesion of perichondrial cells to a polylactic acid scaffold. <i>Journal of Orthopaedic Research</i> , 2003, 21, 584-589.	1.2	23
81	<title>Cryogen spray cooling of human skin: effects of ambient humidity level, spraying distance, and cryogen boiling point</title>. , 1997, , .		16