

Lynn T Matthews

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/558844/lynn-t-matthews-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74
papers

1,664
citations

23
h-index

39
g-index

82
ext. papers

1,941
ext. citations

4.3
avg, IF

4.55
L-index

#	Paper	IF	Citations
74	T still desire to have a childT a qualitative analysis of intersectional HIV- and childlessness-related stigma in rural southwestern Uganda.. <i>Culture, Health and Sexuality</i> , 2022 , 1-16	2.5	
73	A qualitative exploration to understand barriers and facilitators to daily oral PrEP uptake and sustained adherence among HIV-negative women planning for or with pregnancy in rural Southwestern Uganda.. <i>Journal of the International AIDS Society</i> , 2022 , 25, e25894	5.4	1
72	Demonstration and Acceptability of a Safer Conception Intervention for Men With HIV in South Africa: Pilot Cohort Study.. <i>JMIR Formative Research</i> , 2022 , 6, e34262	2.5	1
71	mHealth-Based Health Promotion Intervention to Improve Use of Maternity Care Services Among Women in Rural Southwestern Uganda: Iterative Development Study. <i>JMIR Formative Research</i> , 2021 , 5, e29214	2.5	0
70	Sexual and Relationship Benefits of a Safer Conception Intervention Among Men with HIV Who Seek to Have Children with Serodifferent Partners in Uganda. <i>AIDS and Behavior</i> , 2021 , 1	4.3	2
69	STI prevalence among men living with HIV engaged in safer conception care in rural, southwestern Uganda. <i>PLoS ONE</i> , 2021 , 16, e0246629	3.7	1
68	Exploring adults as support persons for improved pre-exposure prophylaxis for HIV use among select adolescents and young adults in the Deep South. <i>PLoS ONE</i> , 2021 , 16, e0248858	3.7	1
67	"It really proves to us that we are still valuable": Qualitative research to inform a safer conception intervention for men living with HIV in South Africa. <i>PLoS ONE</i> , 2021 , 16, e0240990	3.7	3
66	"I did not plan [that is what hurts]": Pregnancy intentions and contraceptive use among pregnant young women in KwaZulu-Natal, South Africa. <i>African Journal of AIDS Research</i> , 2021 , 20, 149-157	1.8	2
65	Changes in Immune Activation During Pregnancy and the Postpartum Period in Treated HIV Infection. <i>Open Forum Infectious Diseases</i> , 2021 , 8, ofab245	1	2
64	Client and Provider Experiences in Uganda Suggest Demand for and Highlight the Importance of Addressing HIV Stigma and Gender Norms Within Safer Conception Care. <i>AIDS and Behavior</i> , 2021 , 1	4.3	1
63	Acceptability of an Intervention to Promote Viral Suppression and Serostatus Disclosure for Men Living with HIV in South Africa: Qualitative Findings. <i>AIDS and Behavior</i> , 2021 , 1	4.3	4
62	Structured and sustained family planning support facilitates effective use of postpartum contraception amongst women living with HIV in South Western Uganda: A randomized controlled trial. <i>Journal of Global Health</i> , 2021 , 11, 04034	4.3	2
61	Overcoming Ethical Challenges to Engaging Men Who Have Sex with Women in HIV Research. <i>AIDS and Behavior</i> , 2021 , 25, 4055-4060	4.3	3
60	Understanding the Effect of a Healthcare Provider-Led Family Planning Support Intervention on Contraception use and Pregnancy Desires among Postpartum Women Living with HIV in Southwestern Uganda. <i>AIDS and Behavior</i> , 2021 , 1	4.3	1
59	Partner notification and treatment outcomes among South African adolescents and young adults diagnosed with a sexually transmitted infection via laboratory-based screening. <i>International Journal of STD and AIDS</i> , 2020 , 31, 627-636	1.4	5
58	When Women Deliver at Home Without a Skilled Birth Attendant: A Qualitative Study on the Role of Health Care Systems in the Increasing Home Births Among Rural Women in Southwestern Uganda. <i>International Journal of Womens Health</i> , 2020 , 12, 423-434	2.8	4

57	Emerging evidence from a systematic review of safety of pre-exposure prophylaxis for pregnant and postpartum women: where are we now and where are we heading?. <i>Journal of the International AIDS Society</i> , 2020 , 23, e25426	5.4	30
56	Sexually Transmitted Infection Prevalence Among Women at Risk for HIV Exposure Initiating Safer Conception Care in Rural, Southwestern Uganda. <i>Sexually Transmitted Diseases</i> , 2020 , 47, e24-e28	2.4	3
55	Defining gaps in pre-exposure prophylaxis delivery for pregnant and post-partum women in high-burden settings using an implementation science framework. <i>Lancet HIV,the</i> , 2020 , 7, e582-e592	7.8	18
54	Women's Choice to Deliver at Home: Understanding the Psychosocial and Cultural Factors Influencing Birthing Choices for Unskilled Home Delivery among Women in Southwestern Uganda. <i>Journal of Pregnancy</i> , 2020 , 2020, 6596394	2.5	4
53	Protocol for a prospective evaluation of postpartum engagement in HIV care among women living with HIV in South Africa. <i>BMJ Open</i> , 2020 , 10, e035465	3	2
52	Adherence to HIV antiretroviral therapy among pregnant and postpartum women during the Option B+ era: 12-month cohort study in urban South Africa and rural Uganda. <i>Journal of the International AIDS Society</i> , 2020 , 23, e25586	5.4	10
51	Sexual Relationship Power and Periconception HIV-Risk Behavior Among HIV-Infected Men in Serodifferent Relationships. <i>AIDS and Behavior</i> , 2020 , 24, 881-890	4.3	3
50	Safer conception care to eliminate transmission of HIV. <i>Lancet HIV,the</i> , 2019 , 6, e413-e414	7.8	2
49	Provision of family planning vouchers and early initiation of postpartum contraceptive use among women living with HIV in southwestern Uganda: A randomized controlled trial. <i>PLoS Medicine</i> , 2019 , 16, e1002832	11.6	5
48	ART adherence and viral suppression are high among most non-pregnant individuals with early-stage, asymptomatic HIV infection: an observational study from Uganda and South Africa. <i>Journal of the International AIDS Society</i> , 2019 , 22, e25232	5.4	30
47	Protocol for a longitudinal study to evaluate the use of tenofovir-based PrEP for safer conception and pregnancy among women in South Africa. <i>BMJ Open</i> , 2019 , 9, e027227	3	8
46	High Incidence of Intended Partner Pregnancy Among Men Living With HIV in Rural Uganda: Implications for Safer Conception Services. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019 , 81, 497-507	3.1	4
45	High Rates of Biomarker-Confirmed Alcohol Use Among Pregnant Women Living With HIV in South Africa and Uganda. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019 , 82, 443-451	3.1	8
44	Factors Associated with Pregnancy Intentions Amongst Postpartum Women Living with HIV in Rural Southwestern Uganda. <i>AIDS and Behavior</i> , 2019 , 23, 1552-1560	4.3	11
43	A scoping review of interventions to address intimate partner violence in sub-Saharan African healthcare. <i>Global Public Health</i> , 2019 , 14, 1335-1346	3.5	8
42	Consensus statement: Supporting Safer Conception and Pregnancy For Men And Women Living with and Affected by HIV. <i>AIDS and Behavior</i> , 2018 , 22, 1713-1724	4.3	43
41	Developing a Safer Conception Intervention for Men Living with HIV in South Africa. <i>AIDS and Behavior</i> , 2018 , 22, 1725-1735	4.3	19
40	"I beg youBreastfeed the baby, things changed": infant feeding experiences among Ugandan mothers living with HIV in the context of evolving guidelines to prevent postnatal transmission. <i>BMC Public Health</i> , 2018 , 18, 188	4.1	7

39	Healthcare providers' understanding of HIV serodiscordance in South Africa and Uganda: implications for HIV prevention in sub-Saharan Africa. <i>African Journal of AIDS Research</i> , 2018 , 17, 137-144	1.8	2
38	HIV Prevention Among Young Women in South Africa: Understanding Multiple Layers of Risk. <i>Archives of Sexual Behavior</i> , 2018 , 47, 1969-1982	3.5	11
37	Contraceptive use following unintended pregnancy among Ugandan women living with HIV. <i>PLoS ONE</i> , 2018 , 13, e0206325	3.7	5
36	Prevalence and correlates of physical and sexual intimate partner violence among women living with HIV in Uganda. <i>PLoS ONE</i> , 2018 , 13, e0202992	3.7	11
35	HIV-affected couples and individuals who desire children should be offered options for safer conception. <i>Journal of the International AIDS Society</i> , 2017 , 20, 22155	5.4	3
34	Psychosocial challenges facing women living with HIV during the perinatal period in rural Uganda. <i>PLoS ONE</i> , 2017 , 12, e0176256	3.7	47
33	Prevalence and Risk Factors for Intimate Partner Violence in Women Living with HIV in Uganda. <i>Open Forum Infectious Diseases</i> , 2017 , 4, S663-S663	1	78
32	Program Implementation of Option B+ at a President's Emergency Plan for AIDS Relief-Supported HIV Clinic Improves Clinical Indicators But Not Retention in Care in Mbarara, Uganda. <i>AIDS Patient Care and STDs</i> , 2017 , 31, 335-341	5.8	21
31	Understanding coping strategies during pregnancy and the postpartum period: a qualitative study of women living with HIV in rural Uganda. <i>BMC Pregnancy and Childbirth</i> , 2017 , 17, 138	3.2	19
30	Supporting HIV prevention and reproductive goals in an HIV-endemic setting: taking safer conception services from policy to practice in South Africa. <i>Journal of the International AIDS Society</i> , 2017 , 20, 21271	5.4	16
29	The Role of Relationship Dynamics and Gender Inequalities As Barriers to HIV-Serostatus Disclosure: Qualitative Study among Women and Men Living with HIV in Durban, South Africa. <i>Frontiers in Public Health</i> , 2017 , 5, 188	6	29
28	Beyond HIV-serodiscordance: Partnership communication dynamics that affect engagement in safer conception care. <i>PLoS ONE</i> , 2017 , 12, e0183131	3.7	18
27	Promises and pitfalls of data sharing in qualitative research. <i>Social Science and Medicine</i> , 2016 , 169, 191-198	5.9	49
26	"I Always Worry about What Might Happen Ahead": Implementing Safer Conception Services in the Current Environment of Reproductive Counseling for HIV-Affected Men and Women in Uganda. <i>BioMed Research International</i> , 2016 , 2016, 4195762	3	30
25	HIV-Infected Ugandan Women on Antiretroviral Therapy Maintain HIV-1 RNA Suppression Across Periconception, Pregnancy, and Postpartum Periods. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016 , 71, 399-406	3.1	20
24	PrEP as Peri-conception HIV Prevention for Women and Men. <i>Current HIV/AIDS Reports</i> , 2016 , 13, 131-9	5.9	40
23	Inkwari: an emerging high-risk place potentiating hiv spread among young adults in a hyper-endemic South African setting. <i>Archives of Sexual Behavior</i> , 2015 , 44, 307-15	3.5	7
22	The influence of partnership on contraceptive use among HIV-infected women accessing antiretroviral therapy in rural Uganda. <i>Contraception</i> , 2015 , 92, 152-9	2.5	15

21	Barriers and Promoters to Uptake of Safer Conception Strategies among HIV-serodiscordant Couples with Fertility Intention in Mbarara, Uganda. <i>AIDS Research and Human Retroviruses</i> , 2014 , 30, A61-A62	1.6	7
20	South Africans with recent pregnancy rarely know partner's HIV serostatus: implications for serodiscordant couples interventions. <i>BMC Public Health</i> , 2014 , 14, 843	4.1	32
19	Antiretroviral Therapy Helps HIV-Positive Women Navigate Social Expectations for and Clinical Recommendations against Childbearing in Uganda. <i>AIDS Research and Treatment</i> , 2014 , 2014, 626120	2.3	10
18	Pregnancy incidence and outcomes among women receiving preexposure prophylaxis for HIV prevention: a randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 312, 362-71	27.4	94
17	High medication adherence during periconception periods among HIV-1-uninfected women participating in a clinical trial of antiretroviral pre-exposure prophylaxis. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014 , 67, 91-7	3.1	29
16	Lost opportunities to reduce periconception HIV transmission: safer conception counseling by South African providers addresses perinatal but not sexual HIV transmission. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014 , 67 Suppl 4, S210-7	3.1	41
15	Whoonga: potential recreational use of HIV antiretroviral medication in South Africa. <i>AIDS and Behavior</i> , 2014 , 18, 511-8	4.3	48
14	Reproductive decision-making and periconception practices among HIV-positive men and women attending HIV services in Durban, South Africa. <i>AIDS and Behavior</i> , 2013 , 17, 461-70	4.3	86
13	Dissemination of research findings to research participants living with HIV in rural Uganda: challenges and rewards. <i>PLoS Medicine</i> , 2013 , 10, e1001397	11.6	21
12	HIV-infected women on antiretroviral treatment have increased mortality during pregnant and postpartum periods. <i>Aids</i> , 2013 , 27 Suppl 1, S105-12	3.5	19
11	Women with pregnancies had lower adherence to 1% tenofovir vaginal gel as HIV preexposure prophylaxis in CAPRISA 004, a phase IIB randomized-controlled trial. <i>PLoS ONE</i> , 2013 , 8, e56400	3.7	7
10	Incidence and predictors of pregnancy among a cohort of HIV-positive women initiating antiretroviral therapy in Mbarara, Uganda. <i>PLoS ONE</i> , 2013 , 8, e63411	3.7	45
9	Reliability and validity of instruments for assessing perinatal depression in African settings: systematic review and meta-analysis. <i>PLoS ONE</i> , 2013 , 8, e82521	3.7	89
8	A conceptual framework for understanding HIV risk behavior in the context of supporting fertility goals among HIV-serodiscordant couples. <i>Reproductive Health Matters</i> , 2012 , 20, 50-60		52
7	Antiretrovirals and safer conception for HIV-serodiscordant couples. <i>Current Opinion in HIV and AIDS</i> , 2012 , 7, 569-78	4.2	109
6	Contraceptive use and associated factors among women enrolling into HIV care in southwestern Uganda. <i>Infectious Diseases in Obstetrics and Gynecology</i> , 2012 , 2012, 340782	2.4	31
5	Birth weight for gestational age norms for a large cohort of infants born to HIV-negative women in Botswana compared with norms for U.S.-born black infants. <i>BMC Pediatrics</i> , 2011 , 11, 115	2.6	10
4	A risk-factor guided approach to reducing lactic acidosis and hyperlactatemia in patients on antiretroviral therapy. <i>PLoS ONE</i> , 2011 , 6, e18736	3.7	14

3	Strategies for harm reduction among HIV-affected couples who want to conceive. <i>AIDS and Behavior</i> , 2009 , 13 Suppl 1, 5-11	4.3	98
2	Naïve T-cell dynamics in human immunodeficiency virus type 1 infection: effects of highly active antiretroviral therapy provide insights into the mechanisms of naive T-cell depletion. <i>Journal of Virology</i> , 2006 , 80, 2665-74	6.6	58
1	BAY 50-4798, a novel, high-affinity receptor-specific recombinant interleukin-2 analog, induces dose-dependent increases in CD25 expression and proliferation among unstimulated, human peripheral blood mononuclear cells in vitro. <i>Clinical Immunology</i> , 2004 , 113, 248-55	9	8