

# Hucheng Zhu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5588712/publications.pdf>

Version: 2024-02-01

130  
papers

2,997  
citations

159585  
30  
h-index

243625  
44  
g-index

132  
all docs

132  
docs citations

132  
times ranked

1976  
citing authors

#	ARTICLE	IF	CITATIONS
1	Bioactive Acylphloroglucinols with Adamantyl Skeleton from <i>Hypericum sampsonii</i> . <i>Organic Letters</i> , 2014, 16, 6322-6325.	4.6	94
2	Asperchalasine...A, a Cytochalasan Dimer with an Unprecedented Decacyclic Ring System, from <i>Aspergillus flavipes</i> . <i>Angewandte Chemie - International Edition</i> , 2015, 54, 13374-13378.	13.8	94
3	Asperterpenes A and B, two unprecedented meroterpenoids from <i>Aspergillus terreus</i> with BACE1 inhibitory activities. <i>Chemical Science</i> , 2016, 7, 6563-6572.	7.4	87
4	Epicochalasines...A and B: Two Bioactive Merocytochalasans Bearing Caged Epicoccine Dimer Units from <i>Aspergillus flavipes</i> . <i>Angewandte Chemie - International Edition</i> , 2016, 55, 3486-3490.	13.8	82
5	Asperflavipine...A: A Cytochalasan Heterotetramer Uniquely Defined by a Highly Complex Tetradecacyclic Ring System from <i>Aspergillus flavipes</i> QCS12. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 5242-5246.	13.8	76
6	Spiroaspertrione A, a Bridged Spirocyclic Meroterpenoid, as a Potent Potentiator of Oxacillin against Methicillin-Resistant <i>Staphylococcus aureus</i> from <i>Aspergillus</i> sp. TJ23. <i>Journal of Organic Chemistry</i> , 2017, 82, 3125-3131.	3.2	71
7	Filicinic Acid Based Meroterpenoids with Anti-Epstein-Barr Virus Activities from <i>Hypericum japonicum</i> . <i>Organic Letters</i> , 2016, 18, 2272-2275.	4.6	66
8	Armochaetoglobins A-J: Cytochalasan Alkaloids from <i>Chaetomium globosum</i> TW1-1, a Fungus Derived from the Terrestrial Arthropod <i>Armadillidium vulgare</i> . <i>Journal of Natural Products</i> , 2015, 78, 1193-1201.	3.0	57
9	Armochaeglobines A and B, Two New Indole-Based Alkaloids from the Arthropod-Derived Fungus <i>Chaetomium globosum</i> . <i>Organic Letters</i> , 2015, 17, 644-647.	4.6	56
10	Tricyclic Polyprenylated Acylphloroglucinols from St Johnâ€™s Wort, <i>Hypericum perforatum</i> . <i>Journal of Natural Products</i> , 2017, 80, 1493-1504.	3.0	54
11	Bioassay-Guided Isolation of Antibacterial Metabolites from <i>Emericella</i> sp. TJ29. <i>Journal of Natural Products</i> , 2017, 80, 2399-2405.	3.0	52
12	Armochaetoglobins K-R, Anti-HIV Pyrrole-Based Cytochalasans from <i>Chaetomium globosum</i> TW1-1. <i>European Journal of Organic Chemistry</i> , 2015, 2015, 3086-3094.	2.4	51
13	Protoilludane, Illudalane, and Botryane Sesquiterpenoids from the Endophytic Fungus <i>Phomopsis</i> sp. TJ507A. <i>Journal of Natural Products</i> , 2018, 81, 1311-1320.	3.0	50
14	Antibacterial activity against drug-resistant microbial pathogens of cytochalasan alkaloids from the arthropod-associated fungus <i>Chaetomium globosum</i> TW1-1. <i>Bioorganic Chemistry</i> , 2019, 83, 98-104.	4.1	48
15	Aspergilasines A-D: Four Merocytochalasans with New Carbon Skeletons from <i>Aspergillus flavipes</i> QCS12. <i>Organic Letters</i> , 2017, 19, 4399-4402.	4.6	47
16	Hyperascyrone A-H, polyprenylated spirocyclic acylphloroglucinol derivatives from <i>Hypericum ascyron</i> Linn.. <i>Phytochemistry</i> , 2015, 115, 222-230.	2.9	46
17	Asperversiamides, Linearly Fused Prenylated Indole Alkaloids from the Marine-Derived Fungus <i>Aspergillus versicolor</i> . <i>Journal of Organic Chemistry</i> , 2018, 83, 8483-8492.	3.2	46
18	Fusicoccane-Derived Diterpenoids from <i>Alternaria brassicicola</i> : Investigation of the Structure-Stability Relationship and Discovery of an IKK $\beta$ Inhibitor. <i>Organic Letters</i> , 2018, 20, 5198-5202.	4.6	46

#	ARTICLE	IF	CITATIONS
19	Hyperattenins A–I, bioactive polyprenylated acylphloroglucinols from <i>Hypericum attenuatum</i> Choisy. RSC Advances, 2015, 5, 5277-5287.	3.6	43
20	Bioactive secondary metabolites from the marine-associated fungus <i>Aspergillus terreus</i> . Bioorganic Chemistry, 2018, 80, 525-530.	4.1	43
21	( $\pm$ )-Japonicols A–D, Acylphloroglucinol-Based Meroterpenoid Enantiomers with Anti-KSHV Activities from <i>Hypericum japonicum</i> . Journal of Natural Products, 2016, 79, 1322-1328.	3.0	39
22	Effects of kinsenoside, a potential immunosuppressive drug for autoimmune hepatitis, on dendritic cells/CD8+T cells communication in mice. Hepatology, 2016, 64, 2135-2150.	7.3	39
23	Anti-inflammatory butenolide derivatives from the coral-derived fungus <i>Aspergillus terreus</i> and structure revisions of aspernolides D and G, butyrolactone VI and 4,8-diacetoxy butyrolactone VI. RSC Advances, 2018, 8, 13040-13047.	3.6	39
24	Two New Terpenoids from <i>Talaromyces purpurogenus</i> . Marine Drugs, 2018, 16, 150.	4.6	35
25	Cytochathiazines A–C: Three Merocytochalasans with a 2-H-1,4-Thiazine Functionality from Coculture of <i>Chaetomium globosum</i> and <i>Aspergillus flavipes</i> . Organic Letters, 2018, 20, 6817-6821.	4.6	34
26	Fungal naphtho- $\hat{3}$ -pyrones: Potent antibiotics for drug-resistant microbial pathogens. Scientific Reports, 2016, 6, 24291.	3.3	33
27	Novel small molecule 11 $\hat{2}$ -HSD1 inhibitor from the endophytic fungus <i>Penicillium commune</i> . Scientific Reports, 2016, 6, 26418.	3.3	32
28	Atrichodermones A–C, three new secondary metabolites from the solid culture of an endophytic fungal strain, <i>Trichoderma atroviride</i> . FÄ-toterapÄ-Å, 2017, 123, 18-22.	2.2	32
29	Cytochalasans Produced by the Coculture of <i>Aspergillus flavipes</i> and <i>Chaetomium globosum</i> . Journal of Natural Products, 2018, 81, 1578-1587.	3.0	31
30	Niduterpenoids A and B: Two Sesterterpenoids with a Highly Congested Hexacyclic 5/5/5/5/3/5 Ring System from the Fungus <i>Aspergillus nidulans</i> . Organic Letters, 2019, 21, 2290-2293.	4.6	31
31	Diterpenoids of the Cassane Type from <i>Caesalpinia decapetala</i> . Journal of Natural Products, 2016, 79, 3134-3142.	3.0	30
32	Enantiomeric Lignans and Neolignans from <i>Phyllanthus glaucus</i> : Enantioseparation and Their Absolute Configurations. Scientific Reports, 2016, 6, 24809.	3.3	29
33	Aspermerodione, a novel fungal metabolite with an unusual 2,6-dioxabicyclo[2.2.1]heptane skeleton, as an inhibitor of penicillin-binding protein 2a. Scientific Reports, 2018, 8, 5454.	3.3	29
34	Nine new cytochalasan alkaloids from <i>Chaetomium globosum</i> TW1-1 (Ascomycota, Sordariales). Scientific Reports, 2016, 6, 18711.	3.3	28
35	Three New Indole Diketopiperazine Alkaloids from <i>Aspergillus ochraceus</i> . Chemistry and Biodiversity, 2018, 15, e1700550.	2.1	28
36	New 3,5-dimethylsellinic acid-based meroterpenoids with BACE1 and AchE inhibitory activities from <i>Aspergillus terreus</i> . Organic and Biomolecular Chemistry, 2018, 16, 9046-9052.	2.8	28

#	ARTICLE	IF	CITATIONS
37	Flavichalasines A–M, cytochalasan alkaloids from <i>Aspergillus flavipes</i> . <i>Scientific Reports</i> , 2017, 7, 42434.	3.3	27
38	Secondary metabolites from endophytic fungus <i>Chaetomium</i> sp. induce colon cancer cell apoptotic death. <i>FAT-toterap</i> , 2017, 121, 86-93.	2.2	27
39	Silver-Mediated Cyanomethylation of Cinnamamides by Direct C(sp <sub>3</sub> )–H Functionalization of Acetonitrile. <i>Journal of Organic Chemistry</i> , 2018, 83, 1525-1531.	3.2	27
40	Hyperisampsins H–M, Cytotoxic Polycyclic Polyprenylated Acylphloroglucinols from <i>Hypericum sampsonii</i> . <i>Scientific Reports</i> , 2015, 5, 14772.	3.3	25
41	Manginoids A–G: Seven Monoterpene–Shikimate-Conjugated Meroterpenoids with a Spiro Ring System from <i>&lt; i&gt;Guignardia mangiferae</i> . <i>Organic Letters</i> , 2017, 19, 5956-5959.	4.6	25
42	Anti-BACE1 and anti-AchE activities of undescribed spiro-dioxolane-containing meroterpenoids from the endophytic fungus <i>Aspergillus terreus</i> Thom. <i>Phytochemistry</i> , 2019, 165, 112041.	2.9	25
43	Amichalasines A–C: Three Cytochalasan Heterotrimers from <i>&lt; i&gt;Aspergillus micronesiensis</i> . <i>PG-1. Organic Letters</i> , 2019, 21, 1026-1030.	4.6	25
44	Butenolides from a marine-derived fungus <i>Aspergillus terreus</i> with antitumor activities against pancreatic ductal adenocarcinoma cells. <i>Bioorganic and Medicinal Chemistry</i> , 2018, 26, 5903-5910.	3.0	24
45	BACE1 Inhibitory Meroterpenoids from <i>&lt; i&gt;Aspergillus terreus</i> . <i>Journal of Natural Products</i> , 2018, 81, 1937-1945.	3.0	24
46	A New Breviane Spiroditerpenoid from the Marine-Derived Fungus <i>Penicillium</i> sp. TJ403-1. <i>Marine Drugs</i> , 2018, 16, 110.	4.6	24
47	An Fe <sup>2+</sup> -and $\hat{\text{I}}\text{-Ketoglutarate}$ -Dependent Halogenase Acts on Nucleotide Substrates. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 9478-9484.	13.8	24
48	Griseofamines A and B: Two Indole-Tetramic Acid Alkaloids with 6/5/6/5 and 6/5/7/5 Ring Systems from <i>&lt; i&gt;Penicillium griseofulvum</i> . <i>Organic Letters</i> , 2018, 20, 2046-2050.	4.6	23
49	Asperversins A and B, Two Novel Meroterpenoids with an Unusual 5/6/6/6 Ring from the Marine-Derived Fungus <i>Aspergillus versicolor</i> . <i>Marine Drugs</i> , 2018, 16, 177.	4.6	23
50	Cysteine Residue Containing Merocytochalasans and 17,18-< i>seco-Aspochalasins from <i>&lt; i&gt;Aspergillus micronesiensis</i> . <i>Journal of Natural Products</i> , 2019, 82, 2653-2658.	3.0	23
51	Fungal Polyketides with Three Distinctive Ring Skeletons from the Fungus <i>&lt; i&gt;Penicillium canescens</i> Uncovered by OSMAC and Molecular Networking Strategies. <i>Journal of Organic Chemistry</i> , 2020, 85, 4973-4980.	3.2	23
52	Antioxidant Lignans and Neolignans from <i>Acorus tatarinowii</i> . <i>Scientific Reports</i> , 2016, 6, 22909.	3.3	22
53	Armochaetoglasins A–I: Cytochalasan alkaloids from fermentation broth of <i>Chaetomium globosum</i> TW1-1 by feeding L-tyrosine. <i>Phytochemistry</i> , 2018, 156, 106-115.	2.9	22
54	Brasilane sesquiterpenoids and dihydrobenzofuran derivatives from <i>Aspergillus terreus</i> [CFCC 81836]. <i>Phytochemistry</i> , 2018, 156, 159-166.	2.9	22

#	ARTICLE	IF	CITATIONS
55	Epicochalasines A and B: Two Bioactive Merocytochalasans Bearing Caged Epicoccine Dimer Units from <i>&lt; i&gt;Aspergillus flavipes</i> . <i>Angewandte Chemie</i> , 2016, 128, 3547-3551.	2.0	21
56	Terrusnolides A-D, new butenolides with anti-inflammatory activities from an endophytic <i>Aspergillus</i> from <i>Tripterygium wilfordii</i> . <i>F&amp;gt;toterap&amp;gt;</i> , 2018, 130, 134-139.	2.2	21
57	Dongtingnoids A-C: Fusicocane Diterpenoids from a <i>&lt; i&gt;Penicillium</i> Species. <i>Journal of Natural Products</i> , 2019, 82, 80-86.	3.0	21
58	Anti-inflammatory spiroaxane and drimane sesquiterpenoids from <i>Talaromyces minioluteus</i> ( <i>Penicillium minioluteum</i> ). <i>Bioorganic Chemistry</i> , 2019, 91, 103166.	4.1	20
59	The absolute configurations of hyperilongenols A-C: rare 12,13-< i>seco</i>-spirocyclic polycyclic polyprenylated acylphloroglucinols with enolizable $\beta_2,\beta_2\text{-tricarbonyl}$ systems from <i>&lt; i&gt;Hypericum longistylum</i> Oliv.. <i>Organic Chemistry Frontiers</i> , 2019, 6, 1491-1502.	4.5	20
60	Prenylated quinolinone alkaloids and prenylated isoindolinone alkaloids from the fungus <i>Aspergillus nidulans</i> . <i>Phytochemistry</i> , 2020, 169, 112177.	2.9	20
61	Structurally Diverse Meroterpenoids from a Marine-Derived <i>&lt; i&gt;Aspergillus</i> sp. Fungus. <i>Journal of Natural Products</i> , 2020, 83, 99-104.	3.0	20
62	( $\pm$ )-Japonones A and B, two pairs of new enantiomers with anti-KSHV activities from <i>Hypericum japonicum</i> . <i>Scientific Reports</i> , 2016, 6, 27588.	3.3	19
63	Unprecedented polycyclic polyprenylated acylphloroglucinols with anti-Alzheimer's activity from St. John's wort. <i>Chemical Science</i> , 2021, 12, 11438-11446.	7.4	19
64	Anti-inflammatory fusicocane-type diterpenoids from the phytopathogenic fungus <i>&lt; i&gt;Alternaria brassicicola</i> . <i>Organic and Biomolecular Chemistry</i> , 2018, 16, 8751-8760.	2.8	18
65	Highly oxygenated meroterpenoids from the Antarctic fungus <i>Aspergillus terreus</i> . <i>Phytochemistry</i> , 2019, 164, 184-191.	2.9	18
66	Asperpyridone A: An Unusual Pyridone Alkaloid Exerts Hypoglycemic Activity through the Insulin Signaling Pathway. <i>Journal of Natural Products</i> , 2019, 82, 2925-2930.	3.0	17
67	Dimericchallasine A and Amichallasines D and E: Unexpected Cytochalasan Homodimer and Heterotrimers from <i>&lt; i&gt;Aspergillus micronesiensis</i> PG-1. <i>Organic Letters</i> , 2020, 22, 2162-2166.	4.6	17
68	Three new $1\beta\pm$ -alkyldaphnane-type diterpenoids from the flower buds of <i>Wikstroemia chamaedaphne</i> . <i>F&amp;gt;toterap&amp;gt;</i> , 2015, 106, 242-246.	2.2	16
69	Asperspiropene A, a novel fungal metabolite as an inhibitor of cancer-associated mutant isocitrate dehydrogenase 1. <i>Organic Chemistry Frontiers</i> , 2017, 4, 1137-1144.	4.5	16
70	Mycophenolic Acid Derivatives with Immunosuppressive Activity from the Coral-Derived Fungus <i>Penicillium bialowiezense</i> . <i>Marine Drugs</i> , 2018, 16, 230.	4.6	16
71	Highly functionalized cyclohexanone-monocyclic polyprenylated acylphloroglucinols from <i>&lt; i&gt;Hypericum perforatum</i> induce leukemia cell apoptosis. <i>Organic Chemistry Frontiers</i> , 2019, 6, 817-824.	4.5	16
72	Dibrefeldins A and B, A pair of epimers representing the first brefeldin A dimers with cytotoxic activities from <i>Penicillium janthinellum</i> . <i>Bioorganic Chemistry</i> , 2019, 86, 176-182.	4.1	16

#	ARTICLE	IF	CITATIONS
73	Talaronoids A–D: four fusicoccane diterpenoids with an unprecedented tricyclic 5/8/6 ring system from the fungus <i>&lt; i&gt;Talaromyces stipitatus&lt;/i&gt;</i> . <i>Organic Chemistry Frontiers</i> , 2020, 7, 3486-3492.	4.5	16
74	Terreuspyridine: An Unexpected Pyridine-Fused Meroterpenoid Alkaloid with a Tetracyclic 6/6/6/6 Skeleton from <i>&lt; i&gt;Aspergillus terreus&lt;/i&gt;</i> . <i>Organic Letters</i> , 2020, 22, 7041-7046.	4.6	16
75	Secondary metabolites from <i>&lt; i&gt;Colletotrichum capsici&lt;/i&gt;</i> , an endophytic fungus derived from <i>&lt; i&gt;Siegesbeckia pubescens&lt;/i&gt;</i> Makino. <i>Natural Product Research</i> , 2017, 31, 1849-1854.	1.8	15
76	Emeriones A–C: Three Highly Methylated Polyketides with Bicyclo[4.2.0]octene and 3,6-Dioxabicyclo[3.1.0]hexane Functionalities from <i>&lt; i&gt;Emericella nidulans&lt;/i&gt;</i> . <i>Organic Letters</i> , 2019, 21, 5091-5095.	4.6	15
77	Chaephilones A and B, Two New Azaphilone Derivatives Isolated from <i>&lt; i&gt;Chaetomium globosum&lt;/i&gt;</i> . <i>Chemistry and Biodiversity</i> , 2016, 13, 422-426.	2.1	14
78	Mangiterpenes A–C and 2,3-seco-manginoid C, four sesquiterpene/monoterpene shikimate-conjugated spirocyclic meroterpenoids from <i>Guignardia mangiferae</i> . <i>Phytochemistry</i> , 2019, 164, 236-242.	2.9	14
79	Fusaresters A–E, new $\beta$ -pyrone-containing polyketides from fungus <i>&lt; i&gt;Fusarium&lt;/i&gt;</i> sp. Hungcl and structure revision of fusariumin D. <i>Organic and Biomolecular Chemistry</i> , 2019, 17, 5526-5532.	2.8	14
80	Synthesis of Succinimides via Intramolecular Alder-Ene Reaction of 1,6-Enynes. <i>Organic Letters</i> , 2021, 23, 3173-3178.	4.6	14
81	Polycyclic polyprenylated acylphloroglucinols with immunosuppressive activity from <i>Hypericum perforatum</i> and absolute configurations assignment of previously reported analogues. <i>Bioorganic Chemistry</i> , 2021, 114, 105144.	4.1	14
82	Penicamedine A, a Highly Oxygenated Hexacyclic Indole Alkaloid from <i>&lt; i&gt;Penicillium camemberti&lt;/i&gt;</i> . <i>Chemistry and Biodiversity</i> , 2015, 12, 1547-1553.	2.1	13
83	ZYH005, a novel DNA intercalator, overcomes all-trans retinoic acid resistance in acute promyelocytic leukemia. <i>Nucleic Acids Research</i> , 2018, 46, 3284-3297.	14.5	13
84	Fusopoltide A and fusosterede A, A polyketide with a pentaleno[1,2-c]pyran ring system and A degraded steride, from the fungus <i>Fusarium solani</i> . <i>Tetrahedron Letters</i> , 2018, 59, 2679-2682.	1.4	13
85	Flavipesines A and B and Asperchalasines E–H: Cytochalasans and Merocytochalasans from <i>&lt; i&gt;Aspergillus flavipes&lt;/i&gt;</i> . <i>Journal of Natural Products</i> , 2019, 82, 2994-3001.	3.0	13
86	Progress in the Chemistry of Cytochalasans. <i>Progress in the Chemistry of Organic Natural Products</i> , 2021, 114, 1-134.	1.1	13
87	Salviprzols A and B, C21- and C22-terpenoids from the roots of <i>Salvia przewalskii</i> Maxim. F&gt;toterap&gt; 2014, 99, 204-210.	2.2	12
88	Azacoccones A–E, five new aza-epicoccone derivatives from <i>Aspergillus flavipes</i> . F&gt;toterap&gt;, 2018, 124, 127-131.	2.2	12
89	Sampbenzophenones A–G, prenylated benzoylphloroglucinol derivatives from <i>Hypericum sampsonii</i> . <i>RSC Advances</i> , 2016, 6, 86710-86716.	3.6	11
90	Asperflavipine...A: A Cytochalasan Heterotetramer Uniquely Defined by a Highly Complex Tetradecacyclic Ring System from <i>&lt; i&gt;Aspergillus flavipes&lt;/i&gt;</i> QCS12. <i>Angewandte Chemie</i> , 2017, 129, 5326-5330.	2.0	11

#	ARTICLE	IF	CITATIONS
91	Hyperattenins L and M, two new polyprenylated acylphloroglucinols with adamantyl and homoadamantyl core structures from <i>Hypericum attenuatum</i> . FÄ-toterapÄ, 2018, 125, 130-134.	2.2	11
92	Phenolic C-Glycosides and Aglycones from Marine-Derived <i>Aspergillus</i> sp. and Their Anti-Inflammatory Activities. <i>Journal of Natural Products</i> , 2019, 82, 1098-1106.	3.0	11
93	Cytotoxic butenolides and diphenyl ethers from the endophytic fungus <i>Pestalotiopsis</i> sp.. <i>Phytochemistry Letters</i> , 2019, 29, 186-189.	1.2	11
94	Polyketide and Prenylxanthone Derivatives from the Endophytic Fungus <i>Aspergillus</i> sp. TJ23. <i>Chemistry and Biodiversity</i> , 2018, 15, e1800395.	2.1	10
95	Piperazine-2,5-dione derivatives and an $\hat{\mu}$ -pyrone polyketide from <i>Penicillium griseofulvum</i> and their immunosuppression activity. <i>Phytochemistry</i> , 2021, 186, 112708.	2.9	10
96	A pair of epimeric cassane-type diterpenoids and a new labdane-type derivative from <i>Caesalpinia decapetala</i> . <i>Tetrahedron</i> , 2018, 74, 3852-3857.	1.9	9
97	Identification, synthesis and biological evaluation of pyrazine ring compounds from <i>Talaromyces minioluteus</i> ( <i>Penicillium minioluteum</i> ). <i>Organic Chemistry Frontiers</i> , 2020, 7, 3616-3624.	4.5	9
98	Practical access to fluorescent 2,3-naphthalimide derivatives via didehydro-Diels-Alder reaction. <i>Chemical Communications</i> , 2021, 57, 5155-5158.	4.1	9
99	Studies on the Chemical Constituents of <i>Cuscuta chinensis</i> . <i>Chemistry of Natural Compounds</i> , 2016, 52, 1133-1136.	0.8	8
100	Anti-Angiogenic Effect of Asperchalasine A Via Attenuation of VEGF Signaling. <i>Biomolecules</i> , 2019, 9, 358.	4.0	8
101	Hyperforatins U: Prenylated acylphloroglucinols with a terminal double bond from <i>Hypericum perforatum</i> L. (St John's Wort). <i>Phytochemistry</i> , 2019, 164, 41-49.	2.9	8
102	Amiaspochalasins H, Undescribed Aspochalasins with a C-21 Ester Carbonyl from <i>Aspergillus micronesiensis</i> . <i>Journal of Organic Chemistry</i> , 2019, 84, 5483-5491.	3.2	8
103	Multoxidized aromatic polyketides produced by a soil-derived fungus <i>Penicillium canescens</i> . <i>Phytochemistry</i> , 2022, 193, 113012.	2.9	8
104	Talaromynoids E: Five New Fusicoccane Diterpenoids from the Endophytic Fungus <i>Talaromyces</i> sp. DC-26. <i>Journal of Organic Chemistry</i> , 2022, 87, 7333-7341.	3.2	8
105	A new 3,4-seco-oleanane-type triterpenoid with an unusual enedione moiety from <i>Hypericum ascyron</i> . FÄ-toterapÄ, 2015, 103, 227-230.	2.2	7
106	Nidulaxanthone A, a xanthone dimer with a heptacyclic 6/6/6/6/6/6 ring system from <i>Aspergillus</i> sp.-F029. <i>Organic Chemistry Frontiers</i> , 2020, 7, 953-959.	4.5	7
107	Pesimquinolones S, eleven new quinolone alkaloids produced by <i>Penicillium simplicissimum</i> and their inhibitory activity on NO production. <i>Bioorganic Chemistry</i> , 2021, 108, 104635.	4.1	7
108	Spectanoids A-H: Eight undescribed sesterterpenoids from <i>Aspergillus spectabilis</i> . <i>Phytochemistry</i> , 2021, 191, 112910.	2.9	7

#	ARTICLE	IF	CITATIONS
109	An Fe 2+ and L- $\alpha$ -Ketoglutarate-Dependent Halogenase Acts on Nucleotide Substrates. <i>Angewandte Chemie</i> , 2020, 132, 9565-9571.	2.0	6
110	Pesimquinolones produced by <i>Penicillium simplicissimum</i> and their inhibitory activity on nitric oxide production. <i>Phytochemistry</i> , 2020, 174, 112327.	2.9	6
111	Five new secondary metabolites from the fungus <i>Phomopsis asparagi</i> . <i>FÄ-toterapÄ-Äc</i> , 2021, 150, 104840.	2.2	6
112	Five undescribed steroids from <i>Talaromyces stipitatus</i> and their cytotoxic activities against hepatoma cell lines. <i>Phytochemistry</i> , 2021, 189, 112816.	2.9	6
113	Asperflavipines C-E and aspermichalasine A: three cytochalasan heterotetramers and an unusual cytochalasan monomer from <i>Aspergillus micronesiensis</i> . <i>Organic Chemistry Frontiers</i> , 2022, 9, 2585-2592.	4.5	6
114	Two new phenolic glucosides from marine-derived fungus <i>Aspergillus</i> sp.. <i>Natural Product Research</i> , 2020, , 1-7.	1.8	5
115	Structurally diverse vibralactones produced by the fungus <i>Stereum hirsutum</i> . <i>Bioorganic Chemistry</i> , 2020, 99, 103760.	4.1	5
116	Terpene- $\gamma$ -Shikimate conjugated meroterpenoids from the endophytic fungus <i>Guignardia mangiferae</i> . <i>Phytochemistry</i> , 2021, 190, 112860.	2.9	5
117	Secoemestrin C inhibits activation of NKT/conventional T cells and protects against concanavalin A-induced autoimmune hepatitis in mice. <i>American Journal of Translational Research (discontinued)</i> , 2020, 12, 3389-3401.	0.0	5
118	Asperosin A, a [4 + 2] Diels- $\alpha$ -Alder cycloaddition polyketide dimer from <i>Aspergillus rugulosa</i> with immunosuppressive activity. <i>Organic Chemistry Frontiers</i> , 2022, 9, 2477-2485.	4.5	5
119	( $\pm$ )-Terreinlactone A, a Pair of 3-Substituted $\gamma$ -Lactone Enantiomers Derived from Terrein from the Fungus <i>Aspergillus terreus</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2018, 66, 764-767.	1.3	4
120	( $\pm$ )-Peniorhoesters A and B, Two Pairs of Novel Spiro-Orthoester en-antiomers With an Unusual 1,4,6-Trioxaspi-ro[4.5]decane-7-One Unit From <i>Penicillium minioluteum</i> . <i>Frontiers in Chemistry</i> , 2018, 6, 605.	3.6	4
121	Hypoxylonoids A-G: Isopimarane diterpene glycosides from <i>Xylaria hypoxylon</i> . <i>Phytochemistry</i> , 2021, 182, 112613.	2.9	4
122	Isolation, absolute configurations and bioactivities of pestaphilones A-I: Undescribed methylated side chain containing-azaphilones from <i>Pestalotiopsis oxyanthe</i> . <i>Phytochemistry</i> , 2022, 194, 113045.	2.9	4
123	Phenylacetylene-bearing 3,4-seco-cleistanthane diterpenoids from the roots of <i>Phyllanthus glaucus</i> . <i>FÄ-toterapÄ-Äc</i> , 2018, 128, 79-85.	2.2	3
124	Thirteen cyathane diterpenoids with acetylcholinesterase inhibitory effects from the fungus <i>Cyathus africanus</i> . <i>Phytochemistry</i> , 2022, 193, 112982.	2.9	3
125	Two pairs of undescribed enantiomers isolated from the fungus <i>Penicillium griseofulvum</i> . <i>Phytochemistry</i> , 2022, 198, 113140.	2.9	3
126	Dongtinganthracenes A-D: Bioanthracene derivatives from <i>Penicillium</i> sp. DT10 derived from wetland soil obtained from Dongting Lake. <i>Phytochemistry</i> , 2020, 173, 112295.	2.9	2

#	ARTICLE	IF	CITATIONS
127	Stereohirsutynes A–C: three new acetylenic aromatic metabolites from <i>Stereum hirsutum</i> . Natural Product Research, 2022, , 1-8.	1.8	2
128	Wortmannol Induces Breast Cancer Cell Death In Vitro and In Vivo by Targeting Phosphoinositide 3-Kinase. <i>ChemistrySelect</i> , 2020, 5, 2214-2218.	1.5	1
129	A mild tetrahydro-Diels–Alder reaction of arylidyne compounds affords exclusively linear products. <i>Organic and Biomolecular Chemistry</i> , 2022, , .	2.8	0
130	Structural Elucidation and Total Synthesis of Trichodermotin A, A Natural <i>Glucosidase</i> Inhibitor from <i>Trichoderma asperellum</i> . <i>Chinese Journal of Chemistry</i> , 2022, 40, 2219-2225.	4.9	0