

Hucheng Zhu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5588712/publications.pdf>

Version: 2024-02-01

130
papers

2,997
citations

159585

30
h-index

243625

44
g-index

132
all docs

132
docs citations

132
times ranked

1976
citing authors

#	ARTICLE	IF	CITATIONS
1	Thirteen cyathane diterpenoids with acetylcholinesterase inhibitory effects from the fungus <i>Cyathus africanus</i> . <i>Phytochemistry</i> , 2022, 193, 112982.	2.9	3
2	Multioxidized aromatic polyketides produced by a soil-derived fungus <i>Penicillium canescens</i> . <i>Phytochemistry</i> , 2022, 193, 113012.	2.9	8
3	Isolation, absolute configurations and bioactivities of pestaphilones A–I: Undescribed methylated side chain containing-azaphilones from <i>Pestalotiopsis oxyanthi</i> . <i>Phytochemistry</i> , 2022, 194, 113045.	2.9	4
4	A mild tetrahydro-Diels–Alder reaction of arylidyne compounds affords exclusively linear products. <i>Organic and Biomolecular Chemistry</i> , 2022, , .	2.8	0
5	Asperflavipines C–E and aspermichalasin A: three cytochalasan heterotetramers and an unusual cytochalasan monomer from <i>Aspergillus micronesiensis</i> . <i>Organic Chemistry Frontiers</i> , 2022, 9, 2585-2592.	4.5	6
6	Asperosin A, a [4 + 2] Diels–Alder cycloaddition polyketide dimer from <i>Aspergillus rugulosa</i> with immunosuppressive activity. <i>Organic Chemistry Frontiers</i> , 2022, 9, 2477-2485.	4.5	5
7	Stereohirsutynes A–C: three new acetylenic aromatic metabolites from <i>Stereum hirsutum</i> . <i>Natural Product Research</i> , 2022, , 1-8.	1.8	2
8	Two pairs of undescribed enantiomers isolated from the fungus <i>Penicillium griseofulvum</i> . <i>Phytochemistry</i> , 2022, 198, 113140.	2.9	3
9	Talaromynoids E: Five New Fusicoccane Diterpenoids from the Endophytic Fungus <i>Talaromyces</i> sp. DC-26. <i>Journal of Organic Chemistry</i> , 2022, 87, 7333-7341.	3.2	8
10	Structural Elucidation and Total Synthesis of Trichodermotin A, A Natural β -Glucosidase Inhibitor from <i>Trichoderma asperellum</i> . <i>Chinese Journal of Chemistry</i> , 2022, 40, 2219-2225.	4.9	0
11	Hypoxylonoids G: Isopimarane diterpene glycosides from <i>Xylaria hypoxylon</i> . <i>Phytochemistry</i> , 2021, 182, 112613.	2.9	4
12	Unprecedented polycyclic polyprenylated acylphloroglucinols with anti-Alzheimer's activity from <i>St. John's wort</i> . <i>Chemical Science</i> , 2021, 12, 11438-11446.	7.4	19
13	Pesimquinolones S, eleven new quinolone alkaloids produced by <i>Penicillium simplicissimum</i> and their inhibitory activity on NO production. <i>Bioorganic Chemistry</i> , 2021, 108, 104635.	4.1	7
14	Synthesis of Succinimides via Intramolecular Alder-Ene Reaction of 1,6-Enynes. <i>Organic Letters</i> , 2021, 23, 3173-3178.	4.6	14
15	Five new secondary metabolites from the fungus <i>Phomopsis asparagi</i> . <i>F–to tera p–c</i> , 2021, 150, 104840.	2.2	6
16	Piperazine-2,5-dione derivatives and an β -pyrone polyketide from <i>Penicillium griseofulvum</i> and their immunosuppression activity. <i>Phytochemistry</i> , 2021, 186, 112708.	2.9	10
17	Five undescribed steroids from <i>Talaromyces stipitatus</i> and their cytotoxic activities against hepatoma cell lines. <i>Phytochemistry</i> , 2021, 189, 112816.	2.9	6
18	Polycyclic polyprenylated acylphloroglucinols with immunosuppressive activity from <i>Hypericum perforatum</i> and absolute configurations assignment of previously reported analogues. <i>Bioorganic Chemistry</i> , 2021, 114, 105144.	4.1	14

#	ARTICLE	IF	CITATIONS
19	Terpene-Shikimate conjugated meroterpenoids from the endophytic fungus <i>Guignardia mangiferae</i> . <i>Phytochemistry</i> , 2021, 190, 112860.	2.9	5
20	Spectanoids A-H: Eight undescribed sesterterpenoids from <i>Aspergillus spectabilis</i> . <i>Phytochemistry</i> , 2021, 191, 112910.	2.9	7
21	Progress in the Chemistry of Cytochalasans. <i>Progress in the Chemistry of Organic Natural Products</i> , 2021, 114, 1-134.	1.1	13
22	Practical access to fluorescent 2,3-naphthalimide derivatives <i>via</i> didehydro-Diels-Alder reaction. <i>Chemical Communications</i> , 2021, 57, 5155-5158.	4.1	9
23	Prenylated quinolinone alkaloids and prenylated isoindolinone alkaloids from the fungus <i>Aspergillus nidulans</i> . <i>Phytochemistry</i> , 2020, 169, 112177.	2.9	20
24	Structurally Diverse Meroterpenoids from a Marine-Derived <i>Aspergillus</i> sp. Fungus. <i>Journal of Natural Products</i> , 2020, 83, 99-104.	3.0	20
25	Talaronoids A-D: four fusicoccane diterpenoids with an unprecedented tricyclic 5/8/6 ring system from the fungus <i>Talaromyces stipitatus</i> . <i>Organic Chemistry Frontiers</i> , 2020, 7, 3486-3492.	4.5	16
26	Identification, synthesis and biological evaluation of pyrazine ring compounds from <i>Talaromyces minioluteus</i> (<i>Penicillium minioluteum</i>). <i>Organic Chemistry Frontiers</i> , 2020, 7, 3616-3624.	4.5	9
27	Terreuspyridine: An Unexpected Pyridine-Fused Meroterpenoid Alkaloid with a Tetracyclic 6/6/6/6 Skeleton from <i>Aspergillus terreus</i> . <i>Organic Letters</i> , 2020, 22, 7041-7046.	4.6	16
28	Two new phenolic glucosides from marine-derived fungus <i>Aspergillus</i> sp.. <i>Natural Product Research</i> , 2020, , 1-7.	1.8	5
29	Structurally diverse vibralactones produced by the fungus <i>Stereum hirsutum</i> . <i>Bioorganic Chemistry</i> , 2020, 99, 103760.	4.1	5
30	An Fe ²⁺ - and Î±-Ketoglutarate-Dependent Halogenase Acts on Nucleotide Substrates. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 9478-9484.	13.8	24
31	An Fe ²⁺ - and Î±-Ketoglutarate-Dependent Halogenase Acts on Nucleotide Substrates. <i>Angewandte Chemie</i> , 2020, 132, 9565-9571.	2.0	6
32	Nidulaxanthone A, a xanthone dimer with a heptacyclic 6/6/6/6/6/6/6 ring system from <i>Aspergillus</i> sp.-F029. <i>Organic Chemistry Frontiers</i> , 2020, 7, 953-959.	4.5	7
33	Dimericchalasine A and Amichalasin D and E: Unexpected Cytochalasan Homodimer and Heterotrimers from <i>Aspergillus micronesiensis</i> PG-1. <i>Organic Letters</i> , 2020, 22, 2162-2166.	4.6	17
34	Wortmannolol Induces Breast Cancer Cell Death In Vitro and In Vivo by Targeting Phosphoinositide 3-Kinase Î±. <i>ChemistrySelect</i> , 2020, 5, 2214-2218.	1.5	1
35	Dongtinganthracenes A-D: Bioanthracene derivatives from <i>Penicillium</i> sp. DT10 derived from wetland soil obtained from Dongting Lake. <i>Phytochemistry</i> , 2020, 173, 112295.	2.9	2
36	Fungal Polyketides with Three Distinctive Ring Skeletons from the Fungus <i>Penicillium canescens</i> Uncovered by OSMAC and Molecular Networking Strategies. <i>Journal of Organic Chemistry</i> , 2020, 85, 4973-4980.	3.2	23

#	ARTICLE	IF	CITATIONS
37	Pesimquinolones produced by <i>Penicillium simplicissimum</i> and their inhibitory activity on nitric oxide production. <i>Phytochemistry</i> , 2020, 174, 112327.	2.9	6
38	Secoemestrin C inhibits activation of NKT/conventional T cells and protects against concanavalin A-induced autoimmune hepatitis in mice. <i>American Journal of Translational Research (discontinued)</i> , 2020, 12, 3389-3401.	0.0	5
39	Cysteine Residue Containing Merocytochalasins and 17,18- <i>seco</i> -Aspochalasin from <i>Aspergillus micronesiensis</i> . <i>Journal of Natural Products</i> , 2019, 82, 2653-2658.	3.0	23
40	Anti-Angiogenic Effect of Asperchalsine A Via Attenuation of VEGF Signaling. <i>Biomolecules</i> , 2019, 9, 358.	4.0	8
41	Anti-inflammatory spiroaxane and drimane sesquiterpenoids from <i>Talaromyces minioluteus</i> (<i>Penicillium minioluteum</i>). <i>Bioorganic Chemistry</i> , 2019, 91, 103166.	4.1	20
42	Flavipesines A and B and Asperchalsines E-H: Cytochalasins and Merocytochalasins from <i>Aspergillus flavipes</i> . <i>Journal of Natural Products</i> , 2019, 82, 2994-3001.	3.0	13
43	Asperpyridone A: An Unusual Pyridone Alkaloid Exerts Hypoglycemic Activity through the Insulin Signaling Pathway. <i>Journal of Natural Products</i> , 2019, 82, 2925-2930.	3.0	17
44	Highly functionalized cyclohexanone-monocyclic polyprenylated acylphloroglucinols from <i>Hypericum perforatum</i> induce leukemia cell apoptosis. <i>Organic Chemistry Frontiers</i> , 2019, 6, 817-824.	4.5	16
45	Dongtingnoids A-G: Fusicoccane Diterpenoids from a <i>Penicillium</i> Species. <i>Journal of Natural Products</i> , 2019, 82, 80-86.	3.0	21
46	Dibrefeldins A and B, A pair of epimers representing the first brefeldin A dimers with cytotoxic activities from <i>Penicillium janthinellum</i> . <i>Bioorganic Chemistry</i> , 2019, 86, 176-182.	4.1	16
47	Anti-BACE1 and anti-AchE activities of undescribed spiro-dioxolane-containing meroterpenoids from the endophytic fungus <i>Aspergillus terreus</i> Thom. <i>Phytochemistry</i> , 2019, 165, 112041.	2.9	25
48	Emeriones A-C: Three Highly Methylated Polyketides with Bicyclo[4.2.0]octene and 3,6-Dioxabicyclo[3.1.0]hexane Functionalities from <i>Emericella nidulans</i> . <i>Organic Letters</i> , 2019, 21, 5091-5095.	4.6	15
49	Mangiterpenes C and 2,3-seco-manginoid C, four sesquiterpene/monoterpene-shikimate conjugated spirocyclic meroterpenoids from <i>Guignardia mangiferae</i> . <i>Phytochemistry</i> , 2019, 164, 236-242.	2.9	14
50	Highly oxygenated meroterpenoids from the Antarctic fungus <i>Aspergillus terreus</i> . <i>Phytochemistry</i> , 2019, 164, 184-191.	2.9	18
51	Hyperforatins U: Prenylated acylphloroglucinols with a terminal double bond from <i>Hypericum perforatum</i> L. (St John's Wort). <i>Phytochemistry</i> , 2019, 164, 41-49.	2.9	8
52	Phenolic C-Glycosides and Aglycones from Marine-Derived <i>Aspergillus</i> sp. and Their Anti-Inflammatory Activities. <i>Journal of Natural Products</i> , 2019, 82, 1098-1106.	3.0	11
53	Fusaresters E, new 1 ³ -pyrone-containing polyketides from fungus <i>Fusarium</i> sp. Hungcl and structure revision of fusariumin D. <i>Organic and Biomolecular Chemistry</i> , 2019, 17, 5526-5532.	2.8	14
54	Amiaspochalasin H, Undescribed Aspochalasin with a C-21 Ester Carbonyl from <i>Aspergillus micronesiensis</i> . <i>Journal of Organic Chemistry</i> , 2019, 84, 5483-5491.	3.2	8

#	ARTICLE	IF	CITATIONS
55	The absolute configurations of hyperlongenols Aâ€“C: rare 12,13-<i>seco</i>-spirocyclic polycyclic polyprenylated acylphloroglucinols with enolizable \hat{I}^2, \hat{I}^2 -tricarboxyl systems from <i>Hypericum longistylum</i> Oliv.. <i>Organic Chemistry Frontiers</i> , 2019, 6, 1491-1502.	4.5	20
56	Niduterpenoids A and B: Two Sesterterpenoids with a Highly Congested Hexacyclic 5/5/5/5/3/5 Ring System from the Fungus <i>Aspergillus nidulans</i>. <i>Organic Letters</i> , 2019, 21, 2290-2293.	4.6	31
57	Amichalasinines Aâ€“C: Three Cytochalasan Heterotrimers from <i>Aspergillus micronesiensis</i> PG-1. <i>Organic Letters</i> , 2019, 21, 1026-1030.	4.6	25
58	Cytotoxic butenolides and diphenyl ethers from the endophytic fungus <i>Pestalotiopsis</i> sp.. <i>Phytochemistry Letters</i> , 2019, 29, 186-189.	1.2	11
59	Antibacterial activity against drug-resistant microbial pathogens of cytochalasan alkaloids from the arthropod-associated fungus <i>Chaetomium globosum</i> TW1-1. <i>Bioorganic Chemistry</i> , 2019, 83, 98-104.	4.1	48
60	($\hat{A}\pm$)-Terreinlactone A, a Pair of 3-Substituted \hat{I} -Lactone Enantiomers Derived from Terrein from the Fungus <i>Aspergillus terreus</i>. <i>Chemical and Pharmaceutical Bulletin</i> , 2018, 66, 764-767.	1.3	4
61	Three New Indole Diketopiperazine Alkaloids from <i>Aspergillus ochraceus</i>. <i>Chemistry and Biodiversity</i> , 2018, 15, e1700550.	2.1	28
62	Aspermerodione, a novel fungal metabolite with an unusual 2,6-dioxabicyclo[2.2.1]heptane skeleton, as an inhibitor of penicillin-binding protein 2a. <i>Scientific Reports</i> , 2018, 8, 5454.	3.3	29
63	Anti-inflammatory butenolide derivatives from the coral-derived fungus <i>Aspergillus terreus</i> and structure revisions of aspernolides D and G, butyrolactone VI and 4 $\hat{a}\hat{e}^2, 8\hat{a}\hat{e}^2$ -diacetoxy butyrolactone VI. <i>RSC Advances</i> , 2018, 8, 13040-13047.	3.6	39
64	Hyperattenins L and M, two new polyprenylated acylphloroglucinols with adamantyl and homoadamantyl core structures from <i>Hypericum attenuatum</i> . <i>FÄ–toterapÄ–Äç</i> , 2018, 125, 130-134.	2.2	11
65	Silver-Mediated Cyanomethylation of Cinnamamides by Direct C(sp ³) $\hat{a}\hat{e}$ H Functionalization of Acetonitrile. <i>Journal of Organic Chemistry</i> , 2018, 83, 1525-1531.	3.2	27
66	Griseofamines A and B: Two Indole-Tetramic Acid Alkaloids with 6/5/6/5 and 6/5/7/5 Ring Systems from <i>Penicillium griseofulvum</i>. <i>Organic Letters</i> , 2018, 20, 2046-2050.	4.6	23
67	ZYH005, a novel DNA intercalator, overcomes all-trans retinoic acid resistance in acute promyelocytic leukemia. <i>Nucleic Acids Research</i> , 2018, 46, 3284-3297.	14.5	13
68	Azacoccones A â” E, five new aza-epicoccone derivatives from <i>Aspergillus flavipes</i> . <i>FÄ–toterapÄ–Äç</i> , 2018, 124, 127-131.	2.2	12
69	Anti-inflammatory fusicoccane-type diterpenoids from the phytopathogenic fungus <i>Alternaria brassicicola</i>. <i>Organic and Biomolecular Chemistry</i> , 2018, 16, 8751-8760.	2.8	18
70	New 3,5-dimethylorsellinic acid-based meroterpenoids with BACE1 and AchE inhibitory activities from <i>Aspergillus terreus</i>. <i>Organic and Biomolecular Chemistry</i> , 2018, 16, 9046-9052.	2.8	28
71	($\hat{A}\pm$)-Peniorthoesters A and B, Two Pairs of Novel Spiro-Orthoester en-antiomers With an Unusual 1,4,6-Trioxaspi-ro[4.5]decane-7-One Unit From <i>Penicillium minioluteum</i> . <i>Frontiers in Chemistry</i> , 2018, 6, 605.	3.6	4
72	Polyketide and Prenylxanthone Derivatives from the Endophytic Fungus <i>Aspergillus</i> sp. TJ23. <i>Chemistry and Biodiversity</i> , 2018, 15, e1800395.	2.1	10

#	ARTICLE	IF	CITATIONS
73	Armochaetoglasins Aâ€“I: Cytochalasan alkaloids from fermentation broth of <i>Chaetomium globosum</i> TW1-1 by feeding L-tyrosine. <i>Phytochemistry</i> , 2018, 156, 106-115.	2.9	22
74	Brasilane sesquiterpenoids and dihydrobenzofuran derivatives from <i>Aspergillus terreus</i> [CFCC 81836]. <i>Phytochemistry</i> , 2018, 156, 159-166.	2.9	22
75	Cytochathiazines Aâ€“C: Three Merocytochalasans with a 2<i>H</i>-1,4-Thiazine Functionality from Coculture of <i>Chaetomium globosum</i> and <i>Aspergillus flavipes</i>. <i>Organic Letters</i> , 2018, 20, 6817-6821.	4.6	34
76	Butenolides from a marine-derived fungus <i>Aspergillus terreus</i> with antitumor activities against pancreatic ductal adenocarcinoma cells. <i>Bioorganic and Medicinal Chemistry</i> , 2018, 26, 5903-5910.	3.0	24
77	BACE1 Inhibitory Meroterpenoids from <i>Aspergillus terreus</i>. <i>Journal of Natural Products</i> , 2018, 81, 1937-1945.	3.0	24
78	Asperversins A and B, Two Novel Meroterpenoids with an Unusual 5/6/6/6 Ring from the Marine-Derived Fungus <i>Aspergillus versicolor</i> . <i>Marine Drugs</i> , 2018, 16, 177.	4.6	23
79	Terrusnolides A-D, new butenolides with anti-inflammatory activities from an endophytic <i>Aspergillus</i> from <i>Tripterygium wilfordii</i> . <i>FÃ–toterapÃ–Ã–</i> , 2018, 130, 134-139.	2.2	21
80	Protoilludane, Illudalane, and Botryane Sesquiterpenoids from the Endophytic Fungus <i>Phomopsis</i> sp. TJ507A. <i>Journal of Natural Products</i> , 2018, 81, 1311-1320.	3.0	50
81	A pair of epimeric cassane-type diterpenoids and a new labdane-type derivative from <i>Caesalpinia decapetala</i> . <i>Tetrahedron</i> , 2018, 74, 3852-3857.	1.9	9
82	Phenylacetylene-bearing 3,4-seco-cleistanthane diterpenoids from the roots of <i>Phyllanthus glaucus</i> . <i>FÃ–toterapÃ–Ã–</i> , 2018, 128, 79-85.	2.2	3
83	Cytochalasans Produced by the Coculture of <i>Aspergillus flavipes</i> and <i>Chaetomium globosum</i>. <i>Journal of Natural Products</i> , 2018, 81, 1578-1587.	3.0	31
84	Bioactive secondary metabolites from the marine-associated fungus <i>Aspergillus terreus</i> . <i>Bioorganic Chemistry</i> , 2018, 80, 525-530.	4.1	43
85	Mycophenolic Acid Derivatives with Immunosuppressive Activity from the Coral-Derived Fungus <i>Penicillium bialowiezense</i> . <i>Marine Drugs</i> , 2018, 16, 230.	4.6	16
86	A New Breviane Spiroditerpenoid from the Marine-Derived Fungus <i>Penicillium</i> sp. TJ403-1. <i>Marine Drugs</i> , 2018, 16, 110.	4.6	24
87	Two New Terpenoids from <i>Talaromyces purpurogenus</i> . <i>Marine Drugs</i> , 2018, 16, 150.	4.6	35
88	Asperversiamides, Linearly Fused Prenylated Indole Alkaloids from the Marine-Derived Fungus <i>Aspergillus versicolor</i>. <i>Journal of Organic Chemistry</i> , 2018, 83, 8483-8492.	3.2	46
89	Fusicoccane-Derived Diterpenoids from <i>Alternaria brassicicola</i>: Investigation of the Structureâ€“Stability Relationship and Discovery of an IKKÎ² Inhibitor. <i>Organic Letters</i> , 2018, 20, 5198-5202.	4.6	46
90	Fusopoltide A and fusosterede A, A polyketide with a pentaleno[1,2-c]pyran ring system and A degraded steride, from the fungus <i>Fusarium solani</i> . <i>Tetrahedron Letters</i> , 2018, 59, 2679-2682.	1.4	13

#	ARTICLE	IF	CITATIONS
91	Spiroaspertrione A, a Bridged Spirocyclic Meroterpenoid, as a Potent Potentiator of Oxacillin against Methicillin-Resistant <i>Staphylococcus aureus</i> from <i>Aspergillus</i> sp. TJ23. <i>Journal of Organic Chemistry</i> , 2017, 82, 3125-3131.	3.2	71
92	Flavichalasin M, cytochalasan alkaloids from <i>Aspergillus flavipes</i> . <i>Scientific Reports</i> , 2017, 7, 42434.	3.3	27
93	Asperspiropene A, a novel fungal metabolite as an inhibitor of cancer-associated mutant isocitrate dehydrogenase 1. <i>Organic Chemistry Frontiers</i> , 2017, 4, 1137-1144.	4.5	16
94	Tricyclic Polyprenylated Acylphloroglucinols from St John's Wort, <i>Hypericum perforatum</i> . <i>Journal of Natural Products</i> , 2017, 80, 1493-1504.	3.0	54
95	Secondary metabolites from <i>Colletotrichum capsici</i> , an endophytic fungus derived from <i>Siegesbeckia pubescens</i> Makino. <i>Natural Product Research</i> , 2017, 31, 1849-1854.	1.8	15
96	Asperflavipine A: A Cytochalasan Heterotetramer Uniquely Defined by a Highly Complex Tetradecacyclic Ring System from <i>Aspergillus flavipes</i> QCS12. <i>Angewandte Chemie</i> , 2017, 129, 5326-5330.	2.0	11
97	Asperflavipine A: A Cytochalasan Heterotetramer Uniquely Defined by a Highly Complex Tetradecacyclic Ring System from <i>Aspergillus flavipes</i> QCS12. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 5242-5246.	13.8	76
98	Atrichodermones C, three new secondary metabolites from the solid culture of an endophytic fungal strain, <i>Trichoderma atroviride</i> . <i>Fä-toterapÄ</i> , 2017, 123, 18-22.	2.2	32
99	Manginoids G: Seven Monoterpene-Shikimate-Conjugated Meroterpenoids with a Spiro Ring System from <i>Guignardia mangiferae</i> . <i>Organic Letters</i> , 2017, 19, 5956-5959.	4.6	25
100	Bioassay-Guided Isolation of Antibacterial Metabolites from <i>Emericella</i> sp. TJ29. <i>Journal of Natural Products</i> , 2017, 80, 2399-2405.	3.0	52
101	Aspergilasines D: Four Merocytochalasans with New Carbon Skeletons from <i>Aspergillus flavipes</i> QCS12. <i>Organic Letters</i> , 2017, 19, 4399-4402.	4.6	47
102	Secondary metabolites from endophytic fungus <i>Chaetomium</i> sp. induce colon cancer cell apoptotic death. <i>Fä-toterapÄ</i> , 2017, 121, 86-93.	2.2	27
103	Epicochalasines A and B: Two Bioactive Merocytochalasans Bearing Caged Epicoccine Dimer Units from <i>Aspergillus flavipes</i> . <i>Angewandte Chemie - International Edition</i> , 2016, 55, 3486-3490.	13.8	82
104	Chaephilones A and B, Two New Azaphilone Derivatives Isolated from <i>Chaetomium globosum</i> . <i>Chemistry and Biodiversity</i> , 2016, 13, 422-426.	2.1	14
105	Enantiomeric Lignans and Neolignans from <i>Phyllanthus glaucus</i> : Enantioseparation and Their Absolute Configurations. <i>Scientific Reports</i> , 2016, 6, 24809.	3.3	29
106	Fungal naphtho- ¹³ -pyrones: Potent antibiotics for drug-resistant microbial pathogens. <i>Scientific Reports</i> , 2016, 6, 24291.	3.3	33
107	Diterpenoids of the Cassane Type from <i>Caesalpinia decapetala</i> . <i>Journal of Natural Products</i> , 2016, 79, 3134-3142.	3.0	30
108	(±)-Japonones A and B, two pairs of new enantiomers with anti-KSHV activities from <i>Hypericum japonicum</i> . <i>Scientific Reports</i> , 2016, 6, 27588.	3.3	19

#	ARTICLE	IF	CITATIONS
109	(±)-Japonicol A-D, Acylphloroglucinol-Based Meroterpenoid Enantiomers with Anti-KSHV Activities from <i>Hypericum japonicum</i> . <i>Journal of Natural Products</i> , 2016, 79, 1322-1328.	3.0	39
110	Filicinic Acid Based Meroterpenoids with Anti-Epstein-Barr Virus Activities from <i>Hypericum japonicum</i> . <i>Organic Letters</i> , 2016, 18, 2272-2275.	4.6	66
111	Sampbenzophenones G, prenylated benzoylphloroglucinol derivatives from <i>Hypericum sampsonii</i> . <i>RSC Advances</i> , 2016, 6, 86710-86716.	3.6	11
112	Asperterpenes A and B, two unprecedented meroterpenoids from <i>Aspergillus terreus</i> with BACE1 inhibitory activities. <i>Chemical Science</i> , 2016, 7, 6563-6572.	7.4	87
113	Novel small molecule 11 ^H -HSD1 inhibitor from the endophytic fungus <i>Penicillium commune</i> . <i>Scientific Reports</i> , 2016, 6, 26418.	3.3	32
114	Nine new cytochalasan alkaloids from <i>Chaetomium globosum</i> TW1-1 (Ascomycota, Sordariales). <i>Scientific Reports</i> , 2016, 6, 18711.	3.3	28
115	Effects of kinsenoside, a potential immunosuppressive drug for autoimmune hepatitis, on dendritic cells/CD8 ⁺ T cells communication in mice. <i>Hepatology</i> , 2016, 64, 2135-2150.	7.3	39
116	Antioxidant Lignans and Neolignans from <i>Acorus tatarinowii</i> . <i>Scientific Reports</i> , 2016, 6, 22909.	3.3	22
117	Studies on the Chemical Constituents of <i>Cuscuta chinensis</i> . <i>Chemistry of Natural Compounds</i> , 2016, 52, 1133-1136.	0.8	8
118	Epicochalasines A and B: Two Bioactive Merocytochalasans Bearing Caged Epicoccine Dimer Units from <i>Aspergillus flavipes</i> . <i>Angewandte Chemie</i> , 2016, 128, 3547-3551.	2.0	21
119	Hyperisampsins M, Cytotoxic Polycyclic Polyprenylated Acylphloroglucinols from <i>Hypericum sampsonii</i> . <i>Scientific Reports</i> , 2015, 5, 14772.	3.3	25
120	Asperchalasine A, a Cytochalasan Dimer with an Unprecedented Decacyclic Ring System, from <i>Aspergillus flavipes</i> . <i>Angewandte Chemie - International Edition</i> , 2015, 54, 13374-13378.	13.8	94
121	Penicamedine A, a Highly Oxygenated Hexacyclic Indole Alkaloid from <i>Penicillium camemberti</i> . <i>Chemistry and Biodiversity</i> , 2015, 12, 1547-1553.	2.1	13
122	Armochaetoglobins J: Cytochalasan Alkaloids from <i>Chaetomium globosum</i> TW1-1, a Fungus Derived from the Terrestrial Arthropod <i>Armadillidium vulgare</i> . <i>Journal of Natural Products</i> , 2015, 78, 1193-1201.	3.0	57
123	Hyperascyrones H, polyprenylated spirocyclic acylphloroglucinol derivatives from <i>Hypericum ascyron</i> Linn.. <i>Phytochemistry</i> , 2015, 115, 222-230.	2.9	46
124	Armochaeglobines A and B, Two New Indole-Based Alkaloids from the Arthropod-Derived Fungus <i>Chaetomium globosum</i> . <i>Organic Letters</i> , 2015, 17, 644-647.	4.6	56
125	A new 3,4-seco-oleanane-type triterpenoid with an unusual enedione moiety from <i>Hypericum ascyron</i> . <i>FÄ-toterapÄ-Ä</i> , 2015, 103, 227-230.	2.2	7
126	Armochaetoglobins R, Anti-HIV Pyrrole-Based Cytochalasans from <i>Chaetomium globosum</i> TW1-1. <i>European Journal of Organic Chemistry</i> , 2015, 2015, 3086-3094.	2.4	51

#	ARTICLE	IF	CITATIONS
127	Three new 11±-alkyldaphnane-type diterpenoids from the flower buds of <i>Wikstroemia chamaedaphne</i> . <i>FÅ-toterapÅ-Å</i> , 2015, 106, 242-246.	2.2	16
128	Hyperattenins Aâ€“I, bioactive polyprenylated acylphloroglucinols from <i>Hypericum attenuatum</i> Choisy. <i>RSC Advances</i> , 2015, 5, 5277-5287.	3.6	43
129	Bioactive Acylphloroglucinols with Adamantyl Skeleton from <i>Hypericum sampsonii</i> . <i>Organic Letters</i> , 2014, 16, 6322-6325.	4.6	94
130	Salviprzols A and B, C21- and C22-terpenoids from the roots of <i>Salvia przewalskii</i> Maxim. <i>FÅ-toterapÅ-Å</i> , 2014, 99, 204-210.	2.2	12