Sheng Zhou

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5590328/sheng-zhou-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

57	972	18	29
papers	citations	h-index	g-index
58	1,229	4.6 avg, IF	4.42
ext. papers	ext. citations		L-index

#	Paper	IF	Citations
57	Effects of different fertilization methods on ammonia volatilization from rice paddies. <i>Journal of Cleaner Production</i> , 2021 , 295, 126299	10.3	5
56	Drought-resistance rice variety with water-saving management reduces greenhouse gas emissions from paddies while maintaining rice yields. <i>Agriculture, Ecosystems and Environment</i> , 2021 , 320, 107592	5.7	2
55	Contributions of photosynthate carbon to methane emissions from rice paddies cultivated using different organic amendment methods: Results from an in-situ 13C-labelling study. <i>Geoderma</i> , 2021 , 402, 115190	6.7	1
54	Long-term effects of straw return and straw-derived biochar amendment on bacterial communities in soil aggregates. <i>Scientific Reports</i> , 2020 , 10, 7891	4.9	12
53	The soluble fraction from straw-derived biochar supplies nutrients and affects carbon storage of coastal mudflat soil in rice paddy. <i>Environmental Science and Pollution Research</i> , 2020 , 27, 18079-18088	5.1	2
52	Runoff loss of nitrogen and phosphorus from a rice paddy field in the east of China: Effects of long-term chemical N fertilizer and organic manure applications. <i>Global Ecology and Conservation</i> , 2020 , 22, e01011	2.8	20
51	Effect of water-saving irrigation on the N2O dynamics and the contribution of exogenous and endogenous nitrogen to N2O production in paddy soil using 15N tracing. <i>Soil and Tillage Research</i> , 2020 , 200, 104610	6.5	9
50	Year-to-year climate variability affects methane emission from paddy fields under irrigated conditions. <i>Environmental Science and Pollution Research</i> , 2020 , 27, 14780-14789	5.1	6
49	Effects of controlled-release fertilizer on rice grain yield, nitrogen use efficiency, and greenhouse gas emissions in a paddy field with straw incorporation. <i>Field Crops Research</i> , 2020 , 253, 107814	5.5	22
48	Nutrient removal, methane and nitrous oxide emissions in a hybrid constructed wetland treating anaerobic digestate. <i>Science of the Total Environment</i> , 2020 , 733, 138338	10.2	6
47	Carbon sequestration and emissions mitigation in paddy fields based on the DNDC model: A review. <i>Artificial Intelligence in Agriculture</i> , 2020 , 4, 140-149	7.8	6
46	Effect of moisture gradient on rice yields and greenhouse gas emissions from rice paddies. <i>Environmental Science and Pollution Research</i> , 2019 , 26, 33416-33426	5.1	2
45	Three-year rice grain yield responses to coastal mudflat soil properties amended with straw biochar. <i>Journal of Environmental Management</i> , 2019 , 239, 23-29	7.9	19
44	Spatial and temporal responses of ammonia-oxidizing bacteria and archaea to organic amendments in rice-wheat rotation system. <i>Applied Soil Ecology</i> , 2019 , 139, 94-99	5	4
43	Greenhouse gas mitigation potential under different rice-crop rotation systems: from site experiment to model evaluation. <i>Clean Technologies and Environmental Policy</i> , 2019 , 21, 1587-1601	4.3	9
42	Long-term effects of straw and straw-derived biochar on soil aggregation and fungal community in a rice-wheat rotation system. <i>PeerJ</i> , 2019 , 6, e6171	3.1	21
41	Effect of Straw and Straw Biochar on the Community Structure and Diversity of Ammonia-oxidizing Bacteria and Archaea in Rice-wheat Rotation Ecosystems. <i>Scientific Reports</i> , 2019 , 9, 9367	4.9	14

40	The influence of the total solid content on the stability of dry-thermophilic anaerobic digestion of rice straw and pig manure. <i>Waste Management</i> , 2018 , 76, 350-356	8.6	34
39	Effects of wheat straw addition on dynamics and fate of nitrogen applied to paddy soils. <i>Soil and Tillage Research</i> , 2018 , 178, 92-98	6.5	33
38	Nitrous oxide production and mRNA expression analysis of nitrifying and denitrifying bacterial genes under floodwater disappearance and fertilizer application. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 15852-15859	5.1	5
37	Reducing N losses through surface runoff from rice-wheat rotation by improving fertilizer management. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 4841-4850	5.1	13
36	Digestibility of Riverbed Plants by Dry-Thermophilic Anaerobic Digestion. <i>Kagaku Kogaku Ronbunshu</i> , 2017 , 43, 224-230	0.4	
35	A two-year field measurement of methane and nitrous oxide fluxes from rice paddies under contrasting climate conditions. <i>Scientific Reports</i> , 2016 , 6, 28255	4.9	35
34	Straw biochar hastens organic matter degradation and produces nutrient-rich compost. <i>Bioresource Technology</i> , 2016 , 200, 876-83	11	114
33	Denitrification-dependent anammox activity in a permanently flooded fallow ravine paddy field. <i>Ecological Engineering</i> , 2016 , 95, 452-456	3.9	13
32	CH4 Emission in Response to Water-Saving and Drought-Resistance Rice (WDR) and Common Rice Varieties under Different Irrigation Managements. <i>Water, Air, and Soil Pollution,</i> 2016 , 227, 1	2.6	11
31	Variation of the microbial community in thermophilic anaerobic digestion of pig manure mixed with different ratios of rice straw. <i>Journal of Bioscience and Bioengineering</i> , 2016 , 122, 334-40	3.3	26
30	Influence of nitrogen loading and plant nitrogen assimilation on nitrogen leaching and ND emission in forage rice paddy fields fertilized with liquid cattle waste. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 5762-71	5.1	14
29	Effects of N loading rate on CH4 and N2O emissions during cultivation and fallow periods from forage rice fields fertilized with liquid cattle waste. <i>Journal of Environmental Management</i> , 2015 , 161, 124-130	7.9	5
28	Mitigation of CH4 and N2O emissions from a forage rice field fertilized with aerated liquid fraction of cattle slurry by optimizing water management and topdressing. <i>Ecological Engineering</i> , 2015 , 75, 24-3	3 3 .9	7
27	Mass and Energy Balances of Dry Thermophilic Anaerobic Digestion Treating Swine Manure Mixed with Rice Straw. <i>Biotechnology Research International</i> , 2015 , 2015, 895015		7
26	The relationship between anammox and denitrification in the sediment of an inland river. <i>Science of the Total Environment</i> , 2014 , 490, 1029-36	10.2	73
25	Physiological characteristics of predominant ammonia-oxidizing bacteria enriched from bioreactors with different influent supply regimes. <i>Biochemical Engineering Journal</i> , 2013 , 79, 153-161	4.2	46
24	Assessing nitrification and denitrification in a paddy soil with different water dynamics and applied liquid cattle waste using the IN isotopic technique. <i>Science of the Total Environment</i> , 2012 , 430, 93-100	10.2	45
23	In Situ Dissimilatory Nitrate Reduction to Ammonium in a Paddy Soil Fertilized with Liquid Cattle Waste. <i>Pedosphere</i> , 2012 , 22, 314-321	5	9

22	CHIand ND emissions from different varieties of forage rice (Oryza sativa L.) treating liquid cattle waste. <i>Science of the Total Environment</i> , 2012 , 419, 178-86	10.2	19
21	Improved Capillary Electrophoresis Method with a New Buffer for the Determination of Major Cations in Soil Extracts. <i>Communications in Soil Science and Plant Analysis</i> , 2012 , 43, 788-798	1.5	
20	Short-Term Responses of Nitrous Oxide Emissions and Concentration Profiles to Fertilization and Irrigation in Greenhouse Vegetable Cultivation. <i>Pedosphere</i> , 2012 , 22, 764-775	5	12
19	Evaluation of anaerobic biodegradability of forage rice straw fertilized with livestock waste. <i>Water Science and Technology</i> , 2012 , 66, 438-44	2.2	2
18	Mechanisms of Nitrogen Removal in Forage Rice Field Applied with Liquid Cattle Waste at High Nitrogen Loading. <i>Kagaku Kogaku Ronbunshu</i> , 2012 , 38, 290-298	0.4	1
17	Presence and detection of anaerobic ammonium-oxidizing (anammox) bacteria and appraisal of anammox process for high-strength nitrogenous wastewater treatment: a review. <i>Clean Technologies and Environmental Policy</i> , 2011 , 13, 759-781	4.3	55
16	Effect of infiltration rate on nitrogen dynamics in paddy soil after high-load nitrogen application containing 15N tracer. <i>Ecological Engineering</i> , 2011 , 37, 685-692	3.9	25
15	Adequacy of a Simple Diffusion Model to Predict Benzene Behavior in Soil. <i>Soil Science Society of America Journal</i> , 2011 , 75, 2147-2157	2.5	7
14	Nitrogen Transformations in Paddy Fields Treated with High Loads of Liquid Cattle Waste. <i>Journal of Chemical Engineering of Japan</i> , 2011 , 44, 713-719	0.8	3
13	Direct and Indirect Greenhouse Gas Emissions from Vertical Flow Constructed Wetland Planted with Forage Rice. <i>Kagaku Kogaku Ronbunshu</i> , 2010 , 36, 229-236	0.4	8
12	Nitrogen Budget and Ammonia Volatilization in Paddy Fields Fertilized With Liquid Cattle Waste. <i>Water, Air, and Soil Pollution</i> , 2009 , 201, 135-147	2.6	30
11	Nitrogen transformations in vertical flow systems with and without rice (Oryza sativa) studied with a high-resolution soilwater profiler. <i>Ecological Engineering</i> , 2009 , 35, 213-220	3.9	11
10	Nitrogen removal from polluted river water by surface flow wetland with forage rice (Oryza sativa L. cv. Kusahonami). <i>International Journal of Environmental Engineering</i> , 2009 , 1, 123	0.2	3
9	Nitrogen Dynamics and Biomass Production in a Vertical Flow Constructed Wetland Cultivated with Forage Rice and their Mathematical Modeling. <i>Journal of Water and Environment Technology</i> , 2009 , 7, 251-266	1.1	3
8	Nitrogen Removal, N2O Emission, and NH3 Volatilization Under Different Water Levels in a Vertical Flow Treatment System. <i>Water, Air, and Soil Pollution</i> , 2008 , 191, 171-182	2.6	18
7	Nitrogen transformations and balance in a constructed wetland for nutrient-polluted river water treatment using forage rice in Japan. <i>Ecological Engineering</i> , 2008 , 32, 147-155	3.9	59
6	Degradation of Perfluorooctansulfonate (PFOS) and Perfluorooctanoic Acid (PFOA) by Mechanochemical Treatment. <i>Kagaku Kogaku Ronbunshu</i> , 2008 , 34, 539-544	0.4	10
5	Ammonia Emissions from Anaerobically-digested Slurry and Chemical Fertilizer Applied to Flooded Forage Rice. <i>Water, Air, and Soil Pollution</i> , 2007 , 183, 37-48	2.6	49

LIST OF PUBLICATIONS

4	Inhibition of Cyanobacterial Growth by Allelopathy of Reed. <i>Japanese Journal of Water Treatment Biology</i> , 2004 , 40, 23-28	0.2	3
3	Dry Anaerobic Digestion for Agricultural Waste Recycling		3
2	Estimate greenhouse gas emissions from water-saving and drought-resistance rice paddies by deNitrification-deComposition model. <i>Clean Technologies and Environmental Policy</i> ,1	4.3	0
1	Carbon sequestration and nutrients improvement meditated by biochar in a 3-year vegetable rotation system. <i>Journal of Soils and Sediments</i> ,1	3.4	1