

Jinyuan Zhou

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5594865/publications.pdf>

Version: 2024-02-01

134
papers

10,912
citations

31976

53
h-index

31849

101
g-index

136
all docs

136
docs citations

136
times ranked

5386
citing authors

#	ARTICLE	IF	CITATIONS
1	Acquisition sequences and reconstruction methods for fast chemical exchange saturation transfer imaging. <i>NMR in Biomedicine</i> , 2023, 36, e4699.	2.8	17
2	Applications of chemical exchange saturation transfer magnetic resonance imaging in identifying genetic markers in gliomas. <i>NMR in Biomedicine</i> , 2023, 36, e4731.	2.8	13
3	2D material-based peroxidase-mimicking nanozymes: catalytic mechanisms and bioapplications. <i>Analytical and Bioanalytical Chemistry</i> , 2022, 414, 2971-2989.	3.7	11
4	Wet-Chemistry: A Useful Tool for Deriving Metal-Organic Frameworks toward Supercapacitors and Secondary Batteries. <i>Advanced Materials Interfaces</i> , 2022, 9, .	3.7	9
5	Review and consensus recommendations on clinical 3T_1 -weighted imaging approaches at 3T_1 : Application to brain tumors. <i>Magnetic Resonance in Medicine</i> , 2022, 88, 546-574.	3.0	79
6	Editorial for 1H -Amide Proton Transfer-Weighted Imaging Could Complement Apparent Diffusion Coefficient for More Lesion Characterization in Transition Zone of the Prostate. <i>Journal of Magnetic Resonance Imaging</i> , 2022, 56, 1320-1321.	3.4	3
7	Amide Proton Transfer-Weighted Magnetic Resonance Imaging for Detecting Severity and Predicting Outcome after Traumatic Brain Injury in Rats. <i>Neurotrauma Reports</i> , 2022, 3, 261-275.	1.4	0
8	Differentiation of recurrent diffuse glioma from treatment-induced change using amide proton transfer imaging: incremental value to diffusion and perfusion parameters. <i>Neuroradiology</i> , 2021, 63, 363-372.	2.2	24
9	Over-and-Under Complete Convolutional RNN for MRI Reconstruction. <i>Lecture Notes in Computer Science</i> , 2021, 12906, 13-23.	1.3	19
10	The Jahn-Teller Effect for Amorphization of Molybdenum Trioxide towards High-Performance Fiber Supercapacitor. <i>Research</i> , 2021, 2021, 6742715.	5.7	14
11	Pulseq-CEST: Towards multi-site multi-vendor compatibility and reproducibility of CEST experiments using an open-source sequence standard. <i>Magnetic Resonance in Medicine</i> , 2021, 86, 1845-1858.	3.0	33
12	Amorphous phase induced high phosphorous-doping in dandelion-like cobalt sulfides for enhanced battery-supercapacitor hybrid device. <i>Journal of Electroanalytical Chemistry</i> , 2021, 889, 115231.	3.8	17
13	Amide Proton Transfer-Weighted MR Imaging of Pediatric Central Nervous System Diseases. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2021, 29, 631-641.	1.1	10
14	Scalable preparation of high performance fibrous electrodes with bio-inspired compact core-fluffy sheath structure for wearable supercapacitors. <i>Carbon</i> , 2020, 157, 106-112.	10.3	48
15	Jahn-Teller distortions boost the ultrahigh areal capacity and cycling robustness of holey NiMn-hydroxide nanosheets for flexible energy storage devices. <i>Nanoscale</i> , 2020, 12, 22075-22081.	5.6	26
16	The incorporation of expanded 1T-enriched MoS ₂ boosts hybrid fiber improved charge storage capability. <i>Carbon</i> , 2020, 170, 543-549.	10.3	35
17	Amide Proton Transfer-Weighted (APT _w) Imaging of Intracranial Infection in Children: Initial Experience and Comparison with Gadolinium-Enhanced T ₁ -Weighted Imaging. <i>BioMed Research International</i> , 2020, 2020, 1-13.	1.9	4
18	Protein-based amide proton transfer-weighted MR imaging of amnesic mild cognitive impairment. <i>NeuroImage: Clinical</i> , 2020, 25, 102153.	2.7	19

#	ARTICLE	IF	CITATIONS
19	Amide proton transfer-weighted magnetic resonance imaging of human brain aging at 3 Tesla. <i>Quantitative Imaging in Medicine and Surgery</i> , 2020, 10, 727-742.	2.0	11
20	Recent Advances in Design of Flexible Electrodes for Miniaturized Supercapacitors. <i>Small Methods</i> , 2020, 4, 1900824.	8.6	56
21	Improving Amide Proton Transfer-Weighted MRI Reconstruction Using T2-Weighted Images. <i>Lecture Notes in Computer Science</i> , 2020, 12262, 3-12.	1.3	4
22	Lesion Mask-Based Simultaneous Synthesis of Anatomic and Molecular MR Images Using a GAN. <i>Lecture Notes in Computer Science</i> , 2020, 12262, 104-113.	1.3	4
23	Influences of experimental parameters on chemical exchange saturation transfer (CEST) metrics of brain tumors using animal models at 4.7T. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 316-330.	3.0	16
24	Differentiation of Malignant and Benign Head and Neck Tumors with Amide Proton Transfer-Weighted MR Imaging. <i>Molecular Imaging and Biology</i> , 2019, 21, 348-355.	2.6	14
25	Amide Proton Transfer Contrast Distribution in Different Brain Regions in Young Healthy Subjects. <i>Frontiers in Neuroscience</i> , 2019, 13, 520.	2.8	11
26	Fast 3D chemical exchange saturation transfer imaging with variably accelerated sensitivity encoding (vSENSE). <i>Magnetic Resonance in Medicine</i> , 2019, 82, 2046-2061.	3.0	12
27	Amide proton transfer-weighted MRI for predicting histological grade of hepatocellular carcinoma: comparison with diffusion-weighted imaging. <i>Quantitative Imaging in Medicine and Surgery</i> , 2019, 9, 1641-1651.	2.0	17
28	APT-weighted MRI: Techniques, current neuro applications, and challenging issues. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 50, 347-364.	3.4	224
29	Improved chemical exchange saturation transfer imaging with real-time frequency drift correction. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 2915-2923.	3.0	32
30	Prospective acceleration of parallel RF transmission-based 3D chemical exchange saturation transfer imaging with compressed sensing. <i>Magnetic Resonance in Medicine</i> , 2019, 82, 1812-1821.	3.0	25
31	Amide proton transfer imaging might predict survival and IDH mutation status in high-grade glioma. <i>European Radiology</i> , 2019, 29, 6643-6652.	4.5	45
32	Can amide proton transfer-weighted imaging differentiate tumor grade and predict Ki-67 proliferation status of meningioma?. <i>European Radiology</i> , 2019, 29, 5298-5306.	4.5	20
33	Amide Proton Transfer MRI Signal as a Surrogate Biomarker of Ischemic Stroke Recovery in Patients With Supportive Treatment. <i>Frontiers in Neurology</i> , 2019, 10, 104.	2.4	15
34	Amide Proton Transfer Weighted Imaging Shows Differences in Multiple Sclerosis Lesions and White Matter Hyperintensities of Presumed Vascular Origin. <i>Frontiers in Neurology</i> , 2019, 10, 1307.	2.4	16
35	Quantifying amide proton exchange rate and concentration in chemical exchange saturation transfer imaging of the human brain. <i>NeuroImage</i> , 2019, 189, 202-213.	4.2	50
36	Identifying Recurrent Malignant Glioma after Treatment Using Amide Proton Transfer-Weighted MR Imaging: A Validation Study with Image-Guided Stereotactic Biopsy. <i>Clinical Cancer Research</i> , 2019, 25, 552-561.	7.0	104

#	ARTICLE	IF	CITATIONS
37	Discriminating MGMT promoter methylation status in patients with glioblastoma employing amide proton transfer-weighted MRI metrics. <i>European Radiology</i> , 2018, 28, 2115-2123.	4.5	49
38	Ultrafast compartmentalized relaxation time mapping with linear algebraic modeling. <i>Magnetic Resonance in Medicine</i> , 2018, 79, 286-297.	3.0	4
39	Imaging the physiological evolution of the ischemic penumbra in acute ischemic stroke. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2018, 38, 1500-1516.	4.3	104
40	Amide proton transfer imaging for differentiation of benign and atypical meningiomas. <i>European Radiology</i> , 2018, 28, 331-339.	4.5	43
41	Differentiating the histologic grades of gliomas preoperatively using amide proton transfer-weighted (APTW) and intravoxel incoherent motion MRI. <i>NMR in Biomedicine</i> , 2018, 31, e3850.	2.8	40
42	Applying Amide Proton Transfer MR Imaging to Hybrid Brain PET/MR: Concordance with Gadolinium Enhancement and Added Value to [18F]FDG PET. <i>Molecular Imaging and Biology</i> , 2018, 20, 473-481.	2.6	9
43	Design of a wearable and shape-memory fibriform sensor for the detection of multimodal deformation. <i>Nanoscale</i> , 2018, 10, 118-123.	5.6	58
44	Consensus statement on current and emerging methods for the diagnosis and evaluation of cerebrovascular disease. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2018, 38, 1391-1417.	4.3	48
45	Solution-Processable Design of Fiber-Shaped Wearable Zn//Ni(OH) ₂ Battery. <i>Energy Technology</i> , 2018, 6, 2326-2332.	3.8	24
46	A Solid-State Fibriform Supercapacitor Boosted by Host-Guest Hybridization between the Carbon Nanotube Scaffold and MXene Nanosheets. <i>Small</i> , 2018, 14, e1801203.	10.0	158
47	Insight into the quantitative metrics of chemical exchange saturation transfer (CEST) imaging. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 1853-1865.	3.0	76
48	Quantitative assessment of the effects of water proton concentration and water T ₁ changes on amide proton transfer (APT) and nuclear overhauser enhancement (NOE) MRI: The origin of the APT imaging signal in brain tumor. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 855-863.	3.0	67
49	Accelerating chemical exchange saturation transfer (CEST) MRI by combining compressed sensing and sensitivity encoding techniques. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 779-786.	3.0	62
50	Characterizing amide proton transfer imaging in haemorrhage brain lesions using 3T MRI. <i>European Radiology</i> , 2017, 27, 1577-1584.	4.5	21
51	Amide proton transfer imaging to discriminate between low- and high-grade gliomas: added value to apparent diffusion coefficient and relative cerebral blood volume. <i>European Radiology</i> , 2017, 27, 3181-3189.	4.5	86
52	Ultrathin and large-sized vanadium oxide nanosheets mildly prepared at room temperature for high performance fiber-based supercapacitors. <i>Journal of Materials Chemistry A</i> , 2017, 5, 2483-2487.	10.3	66
53	Amide proton transfer-weighted MRI detection of traumatic brain injury in rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017, 37, 3422-3432.	4.3	28
54	Using functional and molecular MRI techniques to detect neuroinflammation and neuroprotection after traumatic brain injury. <i>Brain, Behavior, and Immunity</i> , 2017, 64, 344-353.	4.1	34

#	ARTICLE	IF	CITATIONS
55	Amide proton transfer magnetic resonance imaging in detecting intracranial hemorrhage at different stages: a comparative study with susceptibility weighted imaging. <i>Scientific Reports</i> , 2017, 7, 45696.	3.3	30
56	Design of Amorphous Manganese Oxide@Multiwalled Carbon Nanotube Fiber for Robust Solid-State Supercapacitor. <i>ACS Nano</i> , 2017, 11, 444-452.	14.6	216
57	Inhibition of tPA-induced hemorrhagic transformation involves adenosine A2b receptor activation after cerebral ischemia. <i>Neurobiology of Disease</i> , 2017, 108, 173-182.	4.4	65
58	Highly Concentrated, Ultrathin Nickel Hydroxide Nanosheet Ink for Wearable Energy Storage Devices. <i>Advanced Materials</i> , 2017, 29, 1703455.	21.0	62
59	Predicting IDH mutation status in grade II gliomas using amide proton transfer-weighted (APT _w) MRI. <i>Magnetic Resonance in Medicine</i> , 2017, 78, 1100-1109.	3.0	126
60	HIF-1 α -Targeting Acriflavine Provides Long Term Survival and Radiological Tumor Response in Brain Cancer Therapy. <i>Scientific Reports</i> , 2017, 7, 14978.	3.3	62
61	Improving the detection sensitivity of p^H-weighted amide proton transfer ^{MRI} in acute stroke patients using extrapolated semisolid magnetization transfer reference signals. <i>Magnetic Resonance in Medicine</i> , 2017, 78, 871-880.	3.0	74
62	Amide proton transfer-weighted magnetic resonance image-guided stereotactic biopsy in patients with newly diagnosed gliomas. <i>European Journal of Cancer</i> , 2017, 83, 9-18.	2.8	82
63	Chemical exchange saturation transfer (CEST) imaging with fast variably-accelerated sensitivity encoding (vSENSE). <i>Magnetic Resonance in Medicine</i> , 2017, 77, 2225-2238.	3.0	29
64	Evolution of Cerebral Ischemia Assessed by Amide Proton Transfer-Weighted MRI. <i>Frontiers in Neurology</i> , 2017, 8, 67.	2.4	28
65	Chemical Exchange Saturation Transfer MRI Signal Loss of the Substantia Nigra as an Imaging Biomarker to Evaluate the Diagnosis and Severity of Parkinson's Disease. <i>Frontiers in Neuroscience</i> , 2017, 11, 489.	2.8	26
66	Noninvasive amide proton transfer magnetic resonance imaging in evaluating the grading and cellularity of gliomas. <i>Oncotarget</i> , 2017, 8, 5834-5842.	1.8	42
67	Ultrafast compartmental relaxation time mapping with linear algebraic modeling. <i>Proceedings of the International Society for Magnetic Resonance in Medicine ... Scientific Meeting and Exhibition.</i> , 2017, 25, 0071.	0.5	0
68	Fast, Reliable 3D Amide Proton Transfer Imaging of Brain Tumors at 3T with Variably-accelerated Sensitivity Encoding (vSENSE). <i>Proceedings of the International Society for Magnetic Resonance in Medicine ... Scientific Meeting and Exhibition.</i> , 2017, 25, .	0.5	2
69	Quantitative Biomedical Imaging: Techniques and Clinical Applications. <i>BioMed Research International</i> , 2016, 2016, 1-2.	1.9	5
70	Assessment of Glioma Response to Radiotherapy Using Multiple MRI Biomarkers with Manual and Semiautomated Segmentation Algorithms. <i>Journal of Neuroimaging</i> , 2016, 26, 626-634.	2.0	10
71	Whole-brain amide proton transfer (APT) and nuclear overhauser enhancement (NOE) imaging in glioma patients using low-power steady-state pulsed chemical exchange saturation transfer (CEST) imaging at 7T. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 44, 41-50.	3.4	91
72	Highly accelerated chemical exchange saturation transfer (CEST) measurements with linear algebraic modeling. <i>Magnetic Resonance in Medicine</i> , 2016, 76, 136-144.	3.0	24

#	ARTICLE	IF	CITATIONS
73	Selecting the reference image for registration of CEST series. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 43, 756-761.	3.4	56
74	Quantitative assessment of amide proton transfer (APT) and nuclear overhauser enhancement (NOE) imaging with extrapolated semisolid magnetization transfer reference (EMR) signals: II. Comparison of three EMR models and application to human brain glioma at 3 Tesla. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 1630-1639.	3.0	117
75	Magnetic Resonance Imaging of Glucose Uptake and Metabolism in Patients with Head and Neck Cancer. <i>Scientific Reports</i> , 2016, 6, 30618.	3.3	62
76	Chemical Exchange Saturation Transfer (CEST) MR Technique for Liver Imaging at 3.0 Tesla: an Evaluation of Different Offset Number and an After-Meal and Over-Night-Fast Comparison. <i>Molecular Imaging and Biology</i> , 2016, 18, 274-282.	2.6	27
77	Quantitative assessment of amide proton transfer (APT) and nuclear overhauser enhancement (NOE) imaging with extrapolated semi-solid magnetization transfer reference (EMR) signals: Application to a rat glioma model at 4.7 tesla. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 137-149.	3.0	119
78	Magnetization transfer contrast-suppressed imaging of amide proton transfer and relayed nuclear overhauser enhancement chemical exchange saturation transfer effects in the human brain at 7T. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 88-96.	3.0	72
79	Applying amide proton transfer-weighted MRI to distinguish pseudoprogression from true progression in malignant gliomas. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 44, 456-462.	3.4	132
80	Amide Proton Transfer (APT) MR imaging and Magnetization Transfer (MT) MR imaging of pediatric brain development. <i>European Radiology</i> , 2016, 26, 3368-3376.	4.5	26
81	Chemical exchange saturation transfer (CEST) MR technique for in-vivo liver imaging at 3.0 tesla. <i>European Radiology</i> , 2016, 26, 1792-1800.	4.5	19
82	Molecular MRI differentiation between primary central nervous system lymphomas and high-grade gliomas using endogenous protein-based amide proton transfer MR imaging at 3 Tesla. <i>European Radiology</i> , 2016, 26, 64-71.	4.5	93
83	Fast Chemical Exchange Saturation Transfer (CEST) Imaging with Variably-accelerated Sensitivity Encoding (vSENSE). <i>Proceedings of the International Society for Magnetic Resonance in Medicine ... Scientific Meeting and Exhibition.</i> , 2016, 24, 1522.	0.5	1
84	Highly-accelerated CEST Measurements in Three Dimensions with Linear Algebraic Modeling. <i>Proceedings of the International Society for Magnetic Resonance in Medicine ... Scientific Meeting and Exhibition.</i> , 2016, 24, 1524.	0.5	0
85	Quantitative correlational study of microbubble-enhanced ultrasound imaging and magnetic resonance imaging of glioma and early response to radiotherapy in a rat model. <i>Medical Physics</i> , 2015, 42, 4762-4772.	3.0	14
86	Minimizing lipid signal bleed in brain ¹ H chemical shift imaging by post-acquisition grid shifting. <i>Magnetic Resonance in Medicine</i> , 2015, 74, 320-329.	3.0	4
87	Simultaneous detection and separation of hyperacute intracerebral hemorrhage and cerebral ischemia using amide proton transfer MRI. <i>Magnetic Resonance in Medicine</i> , 2015, 74, 42-50.	3.0	71
88	Chemical Exchange Saturation Transfer MR Imaging is Superior to Diffusion-Tensor Imaging in the Diagnosis and Severity Evaluation of Parkinson's Disease: A Study on Substantia Nigra and Striatum. <i>Frontiers in Aging Neuroscience</i> , 2015, 7, 198.	3.4	21
89	Assessing Amide Proton Transfer (APT) MRI Contrast Origins in 9L Gliosarcoma in the Rat Brain Using Proteomic Analysis. <i>Molecular Imaging and Biology</i> , 2015, 17, 479-487.	2.6	87
90	Chemical exchange saturation transfer MR imaging of articular cartilage glycosaminoglycans at 3T: Accuracy of B0 Field Inhomogeneity corrections with gradient echo method. <i>Magnetic Resonance Imaging</i> , 2014, 32, 41-47.	1.8	40

#	ARTICLE	IF	CITATIONS
91	Chemical exchange saturation transfer MR imaging of Parkinson's disease at 3 Tesla. <i>European Radiology</i> , 2014, 24, 2631-2639.	4.5	81
92	Chemical exchange saturation transfer MRI using intermolecular double-quantum coherences with multiple refocusing pulses. <i>Magnetic Resonance Imaging</i> , 2014, 32, 759-765.	1.8	3
93	Quantitative multiparametric MRI assessment of glioma response to radiotherapy in a rat model. <i>Neuro-Oncology</i> , 2014, 16, 856-867.	1.2	45
94	Probing structure and strain transfer in dry-spun carbon nanotube fibers by depth-profiled Raman spectroscopy. <i>Applied Physics Letters</i> , 2013, 103, .	3.3	20
95	Load-transfer efficiency and mechanical reliability of carbon nanotube fibers under low strain rates. <i>International Journal of Plasticity</i> , 2013, 40, 56-64.	8.8	41
96	Three-Dimensional Turbo-Spin-Echo Amide Proton Transfer MR Imaging at 3-Tesla and Its Application to High-Grade Human Brain Tumors. <i>Molecular Imaging and Biology</i> , 2013, 15, 114-122.	2.6	64
97	Highly-accelerated quantitative 2D and 3D localized spectroscopy with linear algebraic modeling (SLAM) and sensitivity encoding. <i>Journal of Magnetic Resonance</i> , 2013, 237, 125-138.	2.1	24
98	Nuclear Overhauser enhancement (NOE) imaging in the human brain at 7T. <i>NeuroImage</i> , 2013, 77, 114-124.	4.2	266
99	Three-dimensional amide proton transfer MR imaging of gliomas: Initial experience and comparison with gadolinium enhancement. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 38, 1119-1128.	3.4	181
100	APT-weighted and NOE-weighted image contrasts in glioma with different RF saturation powers based on magnetization transfer ratio asymmetry analyses. <i>Magnetic Resonance in Medicine</i> , 2013, 70, 320-327.	3.0	115
101	Quantitative characterization of nuclear overhauser enhancement and amide proton transfer effects in the human brain at 7 tesla. <i>Magnetic Resonance in Medicine</i> , 2013, 70, 1070-1081.	3.0	85
102	A modified Weibull model for tensile strength distribution of carbon nanotube fibers with strain rate and size effects. <i>Applied Physics Letters</i> , 2012, 101, .	3.3	52
103	Growth properties of SF188/V+ human glioma in rats in vivo observed by magnetic resonance imaging. <i>Journal of Neuro-Oncology</i> , 2012, 110, 315-323.	2.9	11
104	Polarization behaviors of twisted carbon nanotube fibers. <i>Journal of Raman Spectroscopy</i> , 2012, 43, 1221-1226.	2.5	21
105	In vivo three-dimensional whole-brain pulsed steady-state chemical exchange saturation transfer at 7 T. <i>Magnetic Resonance in Medicine</i> , 2012, 67, 1579-1589.	3.0	176
106	Defining an Acidosis-Based Ischemic Penumbra from pH-Weighted MRI. <i>Translational Stroke Research</i> , 2012, 3, 76-83.	4.2	73
107	A Simple Model for Understanding the Origin of the Amide Proton Transfer MRI Signal in Tissue. <i>Applied Magnetic Resonance</i> , 2012, 42, 393-402.	1.2	38
108	Electrochemical capacitive properties of CNT fibers spun from vertically aligned CNT arrays. <i>Journal of Solid State Electrochemistry</i> , 2012, 16, 1775-1780.	2.5	52

#	ARTICLE	IF	CITATIONS
109	Differentiation between glioma and radiation necrosis using molecular magnetic resonance imaging of endogenous proteins and peptides. <i>Nature Medicine</i> , 2011, 17, 130-134.	30.7	448
110	Amide proton transfer MR imaging of prostate cancer: A preliminary study. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 33, 647-654.	3.4	163
111	Optimization of pulse train presaturation for CEST imaging in clinical scanners. <i>Magnetic Resonance in Medicine</i> , 2011, 65, 1620-1629.	3.0	72
112	Saturation power dependence of amide proton transfer image contrasts in human brain tumors and strokes at 3 T. <i>Magnetic Resonance in Medicine</i> , 2011, 66, 1033-1041.	3.0	151
113	Amide Proton Transfer Imaging of the Human Brain. <i>Methods in Molecular Biology</i> , 2011, 711, 227-237.	0.9	30
114	Fast 3D chemical exchange saturation transfer (CEST) imaging of the human brain. <i>Magnetic Resonance in Medicine</i> , 2010, 64, 638-644.	3.0	134
115	MR imaging of high-grade brain tumors using endogenous protein and peptide-based contrast. <i>NeuroImage</i> , 2010, 51, 616-622.	4.2	197
116	Water saturation shift referencing (WASSR) for chemical exchange saturation transfer (CEST) experiments. <i>Magnetic Resonance in Medicine</i> , 2009, 61, 1441-1450.	3.0	555
117	Practical data acquisition method for human brain tumor amide proton transfer (APT) imaging. <i>Magnetic Resonance in Medicine</i> , 2008, 60, 842-849.	3.0	304
118	Amide proton transfer imaging of 9L gliosarcoma and human glioblastoma xenografts. <i>NMR in Biomedicine</i> , 2008, 21, 489-497.	2.8	92
119	Simplified quantitative description of amide proton transfer (APT) imaging during acute ischemia. <i>Magnetic Resonance in Medicine</i> , 2007, 57, 405-410.	3.0	122
120	Quantitative description of the asymmetry in magnetization transfer effects around the water resonance in the human brain. <i>Magnetic Resonance in Medicine</i> , 2007, 58, 786-793.	3.0	196
121	Chemical exchange saturation transfer imaging and spectroscopy. <i>Progress in Nuclear Magnetic Resonance Spectroscopy</i> , 2006, 48, 109-136.	7.5	415
122	Amide proton transfer imaging of human brain tumors at 3T. <i>Magnetic Resonance in Medicine</i> , 2006, 56, 585-592.	3.0	308
123	The interaction between magnetization transfer and blood-oxygen-level-dependent effects. <i>Magnetic Resonance in Medicine</i> , 2005, 53, 356-366.	3.0	17
124	Suppression of lipid artifacts in amide proton transfer imaging. <i>Magnetic Resonance in Medicine</i> , 2005, 54, 222-225.	3.0	48
125	Quantitative description of proton exchange processes between water and endogenous and exogenous agents for WEX, CEST, and APT experiments. <i>Magnetic Resonance in Medicine</i> , 2004, 51, 945-952.	3.0	258
126	Mechanism of magnetization transfer during on-resonance water saturation. A new approach to detect mobile proteins, peptides, and lipids. <i>Magnetic Resonance in Medicine</i> , 2003, 49, 440-449.	3.0	200

#	ARTICLE	IF	CITATIONS
127	Amide proton transfer (APT) contrast for imaging of brain tumors. <i>Magnetic Resonance in Medicine</i> , 2003, 50, 1120-1126.	3.0	544
128	Using the amide proton signals of intracellular proteins and peptides to detect pH effects in MRI. <i>Nature Medicine</i> , 2003, 9, 1085-1090.	30.7	999
129	Measurement of tissue oxygen extraction ratios from venous blood T2: Increased precision and validation of principle. <i>Magnetic Resonance in Medicine</i> , 2001, 46, 282-291.	3.0	112
130	Inverse T2 contrast at 1.5 Tesla between gray matter and white matter in the occipital lobe of normal adult human brain. <i>Magnetic Resonance in Medicine</i> , 2001, 46, 401-406.	3.0	42
131	Two-Compartment Exchange Model for Perfusion Quantification Using Arterial Spin Tagging. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2001, 21, 440-455.	4.3	106
132	Perfusion imaging using FAIR with a short pre-delay. <i>Magnetic Resonance in Medicine</i> , 1999, 41, 1099-1107.	3.0	16
133	Effect of transit times on quantification of cerebral blood flow by the FAIR T1-difference approach. <i>Magnetic Resonance in Medicine</i> , 1999, 42, 890-894.	3.0	26
134	FAIR excluding radiation damping (FAIRER). <i>Magnetic Resonance in Medicine</i> , 1998, 40, 712-719.	3.0	38