
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5595240/publications.pdf Version: 2024-02-01



ΔΝΟΦΕ ΤΛΙ ΜΑΝΙ

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Insights into CX3CL1/Fractalkine during experimental Trypanosoma cruzi infection. Parasitology International, 2022, 87, 102530. | 0.6 | 3 |
| 2 | Quercetin Improves Pulmonary Function and Prevents Emphysema Caused by Exposure to Cigarette Smoke in Male Mice. Antioxidants, 2022, 11, 181. | 2.2 | 12 |
| 3 | Effects in vitro and in vivo of hesperidin administration in an experimental model of acute lung inflammation. Free Radical Biology and Medicine, 2022, 180, 253-262. | 1.3 | 14 |
| 4 | EPA/DHA and linseed oil have different effects on liver and adipose tissue in rats fed with a high-fat diet. Prostaglandins and Other Lipid Mediators, 2022, 159, 106622. | 1.0 | 9 |
| 5 | The Ecto-5 ′ nucleotidase/CD73 Mediates Leishmania amazonensis Survival in Macrophages. BioMed Research International, 2022, 2022, 1-10. | 0.9 | 1 |
| 6 | Temporal analysis of paracetamol-induced hepatotoxicity. Drug and Chemical Toxicology, 2022, , 1-10. | 1.2 | 2 |
| 7 | Protein restriction during pregnancy affects lung development and promotes oxidative stress and inflammation in C57BL/6 mice offspring. Nutrition, 2022, , 111682. | 1.1 | 1 |
| 8 | The exogenous surfactant pre-treatment attenuates ventilator-induced lung injury in adult rats. Respiratory Physiology and Neurobiology, 2022, 302, 103911. | 0.7 | 3 |
| 9 | Similar Inflammatory Adaptation in Women following 10 Weeks of Two Equalized Resistance Training with Different Muscle Action Duration. BioMed Research International, 2022, 2022, 1-11. | 0.9 | Ο |
| 10 | Insights into IL-33 on inflammatory response during in vitro infection by Trypanosoma cruzi. Immunobiology, 2022, 227, 152243. | 0.8 | 0 |
| 11 | The effects of different ventilatory modes in female adult rats submitted to mechanical ventilation. Respiratory Physiology and Neurobiology, 2021, 284, 103583. | 0.7 | 8 |
| 12 | Diet Rich in Lard Promotes a Metabolic Environment Favorable to Trypanosoma cruzi Growth. Frontiers in Cardiovascular Medicine, 2021, 8, 667580. | 1.1 | 4 |
| 13 | Longitudinal assessment of leukotriene B4, lipoxin A4, and resolvin D1 plasma levels in pregnant women with risk factors for preeclampsia. Clinical Biochemistry, 2021, 98, 24-28. | 0.8 | 4 |
| 14 | Hepatoprotective, antioxidant, anti-inflammatory, and antiviral activities of silymarin against mayaro virus infection. Antiviral Research, 2021, 194, 105168. | 1.9 | 19 |
| 15 | New Insights Into Blue Light Phototherapy in Experimental Trypanosoma cruzi Infection. Frontiers in Cellular and Infection Microbiology, 2021, 11, 673070. | 1.8 | 0 |
| 16 | Different Tidal Volumes May Jeopardize Pulmonary Redox and Inflammatory Status in Healthy Rats Undergoing Mechanical Ventilation. Oxidative Medicine and Cellular Longevity, 2021, 2021, 1-10. | 1.9 | 2 |
| 17 | Lycopene Ameliorates Liver Inflammation and Redox Status in Mice Exposed to Long-Term Cigarette Smoke. BioMed Research International, 2021, 2021, 1-11. | 0.9 | 5 |
| 18 | Baseline Diet Quality Is Related to Changes in the Body Composition and Inflammatory Markers: An Intervention Study Based on Resistance Training and Nutritional Advice. BioMed Research International, 2021, 2021, 1-10. | 0.9 | 2 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Combination therapy with benznidazole and doxycycline shows no additive effect to monotherapy with benznidazole in mice infected with the VL-10 strain of the Trypanosoma cruzi. International Journal of Cardiology, 2020, 299, 243-248. | 0.8 | 5 |
| 20 | Preâ€eclampsia is associated with reduced resolvin D1 and maresin 1 to leukotriene B4 ratios in the plasma. American Journal of Reproductive Immunology, 2020, 83, e13206. | 1.2 | 16 |
| 21 | Does exposure to inflammatory particles modify the pattern of anion in exhaled breath condensate?. Journal of Breath Research, 2020, 14, 026005. | 1.5 | 4 |
| 22 | Ectonucleotidases from trypomastigotes from different sources and various genetic backgrounds of Trypanosoma cruzi potentiate their infectivity and host inflammation. Cytokine, 2020, 136, 155255. | 1.4 | 4 |
| 23 | Resistance Training Associated with Dietetic Advice Reduces Inflammatory Biomarkers in the Elderly. BioMed Research International, 2020, 2020, 1-8. | 0.9 | 6 |
| 24 | Resolvin D1 Administration Is Beneficial in Trypanosoma cruzi Infection. Infection and Immunity, 2020, 88, . | 1.0 | 8 |
| 25 | A High-Fat Diet Exacerbates the Course of Experimental <i>Trypanosoma cruzi</i> Infection That Can Be Mitigated by Treatment with Simvastatin. BioMed Research International, 2020, 2020, 1-14. | 0.9 | 3 |
| 26 | In vitro tripanocidal effect of 1,8-dioxooctahydroxanthenes (xanthenodiones) and tetraketones and improvement of cardiac parameters in vivo. Journal of Global Antimicrobial Resistance, 2020, 22, 466-476. | 0.9 | 8 |
| 27 | Genetic polymorphism in IL17RA induces susceptibility to Toxoplasma gondii infection in Brazilian pregnant women. Acta Tropica, 2020, 211, 105594. | 0.9 | 6 |
| 28 | Zika virus induces oxidative stress and decreases antioxidant enzyme activities in vitro and in vivo. Virus Research, 2020, 286, 198084. | 1.1 | 31 |
| 29 | Sigh maneuver protects healthy lungs during mechanical ventilation in adult Wistar rats. Experimental Biology and Medicine, 2020, 245, 1404-1413. | 1.1 | 13 |
| 30 | Aluminum hydroxide nebulization-induced redox imbalance and acute lung inflammation in mice. Experimental Lung Research, 2020, 46, 64-74. | 0.5 | 14 |
| 31 | Inflammatory and oxidative stress biomarkers induced by silica exposure in crystal craftsmen. American Journal of Industrial Medicine, 2020, 63, 337-347. | 1.0 | 12 |
| 32 | Different source of commercial vegetable oils may regulate metabolic, inflammatory and redox status in healthy rats. Journal of Functional Foods, 2020, 66, 103780. | 1.6 | 4 |
| 33 | Protective Effects of Quercetin on Livers from Mice Exposed to Long-Term Cigarette Smoke. BioMed Research International, 2020, 2020, 1-10. | 0.9 | 9 |
| 34 | P017: Are the polymorphisms in ACE and ESR1 genes associated with preeclampsia occurrence?. Thrombosis Research, 2019, 175, S12. | 0.8 | 0 |
| 35 | Could pre-infection exercise training improve the efficacy of specific antiparasitic chemotherapy for Chagas disease?. Parasitology, 2019, 146, 1655-1664. | 0.7 | 2 |
| 36 | Concomitant exercise training attenuates the cardioprotective effects of pharmacological therapy in a murine model of acute infectious myocarditis. Life Sciences, 2019, 230, 141-149. | 2.0 | 6 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Exogenous surfactant prevents hyperoxia-induced lung injury in adult mice. Intensive Care Medicine Experimental, 2019, 7, 19. | 0.9 | 22 |
| 38 | Intranasal instillation of distilled water, hypertonic saline and sodium bicarbonate promotes redox imbalance and acute lung inflammation in adult mice. Respiratory Physiology and Neurobiology, 2019, 266, 27-32. | 0.7 | 4 |
| 39 | Association among ACE, ESR1 polymorphisms and preeclampsia in Brazilian pregnant women. Molecular and Cellular Probes, 2019, 45, 43-47. | 0.9 | 10 |
| 40 | Longitudinal assessment of D-dimer and plasminogen activator inhibitor type-1 plasma levels in pregnant women with risk factors for preeclampsia. Hypertension in Pregnancy, 2019, 38, 58-63. | 0.5 | 8 |
| 41 | Evaluating the reproductive toxicology of tannery effluent in male SWISS mice. Science of the Total Environment, 2019, 648, 1440-1452. | 3.9 | 12 |
| 42 | Lycopene mitigates pulmonary emphysema induced by cigarette smoke in a murine model. Journal of Nutritional Biochemistry, 2019, 65, 93-100. | 1.9 | 39 |
| 43 | IL-33 in obesity: where do we go from here?. Inflammation Research, 2019, 68, 185-194. | 1.6 | 34 |
| 44 | IL-10 and TGF-β unbalanced levels in neutrophils contribute to increase inflammatory cytokine expression in childhood obesity. European Journal of Nutrition, 2018, 57, 2421-2430. | 1.8 | 29 |
| 45 | The administration of surfactant decreased oxidative stress in lungs of mice exposed to cigarette smoke. International Immunopharmacology, 2018, 54, 275-279. | 1.7 | 8 |
| 46 | Applying Positive End-Expiratory Pressure During Mechanical Ventilation Causes Pulmonary Redox Imbalance and Inflammation in Rats. Shock, 2018, 50, 572-578. | 1.0 | 12 |
| 47 | Anti-Inflammatory and Antioxidant Properties of Black Mulberry (<i>Morus nigra</i> L.) in a Model of LPS-Induced Sepsis. Oxidative Medicine and Cellular Longevity, 2018, 2018, 1-13. | 1.9 | 56 |
| 48 | The β-blocker carvedilol and the benznidazole modulate the cardiac immune response in the acute infection induced by Colombian strain of the Trypanosoma cruzi. Memorias Do Instituto Oswaldo Cruz, 2018, 113, e180271. | 0.8 | 6 |
| 49 | High fat diet modulates inflammatory parameters in the heart and liver during acute Trypanosoma cruzi infection. International Immunopharmacology, 2018, 64, 192-200. | 1.7 | 9 |
| 50 | High-Fat Diet Increases HMGB1 Expression and Promotes Lung Inflammation in Mice Subjected to Mechanical Ventilation. Oxidative Medicine and Cellular Longevity, 2018, 2018, 1-10. | 1.9 | 20 |
| 51 | Strength Training Session Induces Important Changes on Physiological, Immunological, and Inflammatory Biomarkers. Journal of Immunology Research, 2018, 2018, 1-12. | 0.9 | 32 |
| 52 | Taurine treatment decreases inflammation and oxidative stress in lungs of adult mice exposed to cigarette smoke. Regulatory Toxicology and Pharmacology, 2018, 98, 50-57. | 1.3 | 25 |
| 53 | Renovascular hypertension increases serum TNF and CX3CL1 in experimental Trypanosoma cruzi infection. Brazilian Journal of Medical and Biological Research, 2018, 51, e6690. | 0.7 | 4 |
| 54 | The overweight increases circulating inflammatory mediators commonly associated with obesity in young individuals. Cytokine, 2018, 110, 169-173. | 1.4 | 11 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Nonsteroidal anti-inflammatory is more effective than anti-oxidant therapy in counteracting oxidative/nitrosative stress and heart disease in <i>T. cruzi</i> -infected mice. Parasitology, 2017, 144, 904-916. | 0.7 | 26 |
| 56 | Parasite control and skeletal myositis in Trypanosoma cruzi-infected and exercised rats. Acta Tropica, 2017, 170, 8-15. | 0.9 | 20 |
| 57 | The antioxidant and anti-inflammatory properties of lycopene in mice lungs exposed to cigarette smoke. Journal of Nutritional Biochemistry, 2017, 48, 9-20. | 1.9 | 57 |
| 58 | The exposure to formaldehyde causes renal dysfunction, inflammation and redox imbalance in rats. Experimental and Toxicologic Pathology, 2017, 69, 367-372. | 2.1 | 13 |
| 59 | CXCL-16, IL-17, and bone morphogenetic protein 2 (BMP-2) are associated with overweight and obesity conditions in middle-aged and elderly women. Immunity and Ageing, 2017, 14, 6. | 1.8 | 16 |
| 60 | Lycopene pretreatment improves hepatotoxicity induced by acetaminophen in C57BL/6 mice. Bioorganic and Medicinal Chemistry, 2017, 25, 1057-1065. | 1.4 | 27 |
| 61 | Expression and production of cardiac angiogenic mediators depend on the Trypanosoma cruzi-genetic population in experimental C57BL/6 mice infection. Microvascular Research, 2017, 110, 56-63. | 1.1 | 20 |
| 62 | The immunomodulatory effects of the Enalapril in combination with Benznidazole during acute and chronic phases of the experimental infection with Trypanosoma cruzi. Acta Tropica, 2017, 174, 136-145. | 0.9 | 15 |
| 63 | Influence of environmental enrichment on the behavior and physiology of mice infected by Trypanosoma cruzi. Revista Da Sociedade Brasileira De Medicina Tropical, 2017, 50, 341-349. | 0.4 | 3 |
| 64 | Potential Role of Carvedilol in the Cardiac Immune Response Induced by Experimental Infection with Trypanosoma cruzi. BioMed Research International, 2017, 2017, 1-7. | 0.9 | 7 |
| 65 | The administration of a high refined carbohydrate diet promoted an increase in pulmonary inflammation and oxidative stress in mice exposed to cigarette smoke. International Journal of COPD, 2016, Volume 11, 3207-3217. | 0.9 | 15 |
| 66 | Doxycycline and Benznidazole Reduce the Profile of Th1, Th2, and Th17 Chemokines and Chemokine Receptors in Cardiac Tissue from Chronic <i>Trypanosoma cruzi</i> -Infected Dogs. Mediators of Inflammation, 2016, 2016, 1-11. | 1.4 | 14 |
| 67 | The Effects of the Combination of a Refined Carbohydrate Diet and Exposure to Hyperoxia in Mice. Oxidative Medicine and Cellular Longevity, 2016, 2016, 1-11. | 1.9 | 8 |
| 68 | Modulation of inflammatory and oxidative status by exercise attenuates cardiac morphofunctional remodeling in experimental Chagas cardiomyopathy. Life Sciences, 2016, 152, 210-219. | 2.0 | 26 |
| 69 | Oxidative effects on lung inflammatory response in rats exposed to different concentrations of formaldehyde. Environmental Pollution, 2016, 211, 206-213. | 3.7 | 41 |
| 70 | Hyperoxia promotes polarization of the immune response in ovalbuminâ€induced airway inflammation, leading to a TH ₁₇ cell phenotype. Immunity, Inflammation and Disease, 2015, 3, 321-337. | 1.3 | 19 |
| 71 | Molecular mechanisms of myocarditis caused by Trypanosoma cruzi. Current Opinion in Infectious Diseases, 2015, 28, 246-252. | 1.3 | 18 |
| 72 | Modulation of oxidative and inflammatory cardiac response by nonselective 1- and 2-cyclooxygenase inhibitor and benznidazole in mice. Journal of Pharmacy and Pharmacology, 2015, 67, 1556-1566. | 1.2 | 15 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Impairment of Interleukin-17A Expression in Canine Visceral Leishmaniosis is Correlated with Reduced Interferon-γ and Inducible Nitric Oxide Synthase Expression. Journal of Comparative Pathology, 2015, 153, 197-205. | 0.1 | 24 |
| 74 | Concomitant Benznidazole and Suramin Chemotherapy in Mice Infected with a Virulent Strain of Trypanosoma cruzi. Antimicrobial Agents and Chemotherapy, 2015, 59, 5999-6006. | 1.4 | 35 |
| 75 | Trypanosoma cruzi infection and benznidazole therapy independently stimulate oxidative status and structural pathological remodeling of the liver tissue in mice. Parasitology Research, 2015, 114, 2873-2881. | 0.6 | 46 |
| 76 | Enalapril in Combination with Benznidazole Reduces Cardiac Inflammation and Creatine Kinases in Mice Chronically Infected with Trypanosoma cruzi. American Journal of Tropical Medicine and Hygiene, 2015, 93, 976-982. | 0.6 | 31 |
| 77 | Analysis of bioactivities and chemical composition of Ziziphus joazeiro Mart. using HPLC–DAD. Food Chemistry, 2015, 186, 185-191. | 4.2 | 48 |
| 78 | Trypanosoma cruzi antigens induce inflammatory angiogenesis in a mouse subcutaneous sponge model. Microvascular Research, 2015, 97, 130-136. | 1.1 | 18 |
| 79 | Therapeutic responses to different anti-Trypanosoma cruzidrugs in experimental infection by benznidazole-resistant parasite stock. Parasitology, 2014, 141, 1628-1637. | 0.7 | 13 |
| 80 | Carvedilol: decomposition kinetics and compatibility with pharmaceutical excipients. Journal of Thermal Analysis and Calorimetry, 2014, 115, 2501-2506. | 2.0 | 25 |
| 81 | Anti-adrenergic and muscarinic receptor autoantibodies in a canine model of Chagas disease and their modulation by benznidazole. International Journal of Cardiology, 2014, 170, e66-e67. | 0.8 | 12 |
| 82 | Antitrypanosomal Activity of Fexinidazole Metabolites, Potential New Drug Candidates for Chagas Disease. Antimicrobial Agents and Chemotherapy, 2014, 58, 4362-4370. | 1.4 | 57 |
| 83 | Naturally Leishmania infantum-infected dogs display an overall impairment of chemokine and chemokine receptor expression during visceral leishmaniasis. Veterinary Immunology and Immunopathology, 2013, 153, 202-208. | 0.5 | 16 |
| 84 | Myocardial scars correlate with eletrocardiographic changes in chronic <i>Trypanosoma cruzi</i> infection for dogs treated with Benznidazole. Tropical Medicine and International Health, 2013, 18, 75-84. | 1.0 | 37 |
| 85 | Trypanosoma cruzi infection induces morphological reorganization of the myocardium parenchyma and stroma, and modifies the mechanical properties of atrial and ventricular cardiomyocytes in rats. Cardiovascular Pathology, 2013, 22, 270-279. | 0.7 | 45 |
| 86 | Elemental Mapping of Cardiac Tissue by Scanning Electron Microscopy and Energy Dispersive X-ray Spectroscopy: Proof of Principle in Chaga's Disease Myocarditis Model. Canadian Journal of Cardiology, 2013, 29, 639.e3-639.e4. | 0.8 | 5 |
| 87 | Protein deficiency alters <scp>CX</scp> 3 <scp>CL</scp> 1 and endothelinâ€1 in experimental <i>Trypanosoma cruzi</i> â€induced cardiomyopathy. Tropical Medicine and International Health, 2013, 18, 466-476. | 1.0 | 14 |
| 88 | Benznidazole and Posaconazole in Experimental Chagas Disease: Positive Interaction in Concomitant and Sequential Treatments. PLoS Neglected Tropical Diseases, 2013, 7, e2367. | 1.3 | 99 |
| 89 | Do Brazilian scientific journals promote the adherence of Chagas disease researchers to internacional ethical principals?. Revista Do Instituto De Medicina Tropical De Sao Paulo, 2013, 55, 159-165. | 0.5 | 3 |
| 90 | Fexinidazole: A Potential New Drug Candidate for Chagas Disease. PLoS Neglected Tropical Diseases, 2012, 6, e1870. | 1.3 | 136 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Cardiomyopathy prognosis after benznidazole treatment in chronic canine Chagas' disease. Journal of Antimicrobial Chemotherapy, 2012, 67, 1987-1995. | 1.3 | 42 |
| 92 | Trypanosoma cruzi infection alters glucose metabolism at rest and during exercise without modifying the morphology of pancreatic islets in rats. Pathology Research and Practice, 2012, 208, 480-488. | 1.0 | 5 |
| 93 | Real-time PCR strategy for parasite quantification in blood and tissue samples of experimental Trypanosoma cruzi infection. Acta Tropica, 2012, 123, 170-177. | 0.9 | 68 |
| 94 | Uso de fluorescência em um método de dissector modificado para estimar o número de miócitos no tecido cardÃaco. Arquivos Brasileiros De Cardiologia, 2012, 98, 252-258. | 0.3 | 11 |
| 95 | Short-term therapy with simvastatin reduces inflammatory mediators and heart inflammation during the acute phase of experimental Chagas disease. Memorias Do Instituto Oswaldo Cruz, 2012, 107, 513-521. | 0.8 | 23 |
| 96 | Inflammation and Chagas Disease. Advances in Parasitology, 2011, 76, 171-194. | 1.4 | 38 |
| 97 | Benznidazole microcrystal preparation by solvent change precipitation and in vivo evaluation in the treatment of Chagas disease. European Journal of Pharmaceutics and Biopharmaceutics, 2011, 78, 377-384. | 2.0 | 37 |
| 98 | Nutritional Status Driving Infection by <i>Trypanosoma cruzi</i> : Lessons from Experimental Animals. Journal of Tropical Medicine, 2011, 2011, 1-11. | 0.6 | 10 |
| 99 | Ética na publicação de pesquisas sobre leishmaniose visceral humana em periódicos nacionais. Revista De Saude Publica, 2011, 45, 166-172. | 0.7 | 5 |
| 100 | Effects of Trypanosoma cruzi infection on myocardial morphology, single cardiomyocyte contractile function and exercise tolerance in rats. International Journal of Experimental Pathology, 2011, 92, 299-307. | 0.6 | 23 |
| 101 | Low Doses of Simvastatin Therapy Ameliorate Cardiac Inflammatory Remodeling in Trypanosoma cruzi-Infected Dogs. American Journal of Tropical Medicine and Hygiene, 2011, 84, 325-331. | 0.6 | 29 |
| 102 | Enalapril prevents cardiac immune-mediated damage and exerts anti- <i>Trypanosoma cruzi</i> activity during acute phase of experimental Chagas disease. Parasite Immunology, 2010, 32, 202-208. | 0.7 | 21 |
| 103 | In vitro and in vivo experimental models for drug screening and development for Chagas disease. Memorias Do Instituto Oswaldo Cruz, 2010, 105, 233-238. | 0.8 | 278 |
| 104 | Effects of Ravuconazole Treatment on Parasite Load and Immune Response in Dogs Experimentally Infected with <i>Trypanosoma cruzi</i> . Antimicrobial Agents and Chemotherapy, 2010, 54, 2979-2986. | 1.4 | 81 |
| 105 | In vivo inhibitory effect of anti-muscarinic autoantibodies on the parasympathetic function in Chagas disease. International Journal of Cardiology, 2010, 145, 339-340. | 0.8 | 9 |
| 106 | Increased type 1 chemokine expression in experimental Chagas disease correlates with cardiac pathology in Beagle dogs. Veterinary Immunology and Immunopathology, 2010, 138, 106-113. | 0.5 | 32 |
| 107 | Benznidazole alters the pattern of Cyclophosphamide-induced reactivation in experimental Trypanosoma cruzi-dependent lineage infection. Acta Tropica, 2010, 113, 134-138. | 0.9 | 21 |
| 108 | The ethical issues of research involving human beings contained in the editorial guidelines of Brazilian medical journals. Arquivos Brasileiros De Ciências Da Saúde, 2010, 35, . | 0.1 | 2 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Plasma concentrations of tumour necrosis factor-alpha, tumour necrosis factor-related apoptosis-inducing ligand, and FasLigand/CD95L in patients with Chagas cardiomyopathy correlate with left ventricular dysfunction. European Journal of Heart Failure, 2009, 11, 825-831. | 2.9 | 32 |
| 110 | Trypanosoma cruzi: Genetic diversity influences the profile of immunoglobulins during experimental infection. Experimental Parasitology, 2009, 121, 8-14. | 0.5 | 42 |
| 111 | Cyclic AMP decreases the production of NO and CCL2 by macrophages stimulated with Trypanosoma cruzi GPI-mucins. Parasitology Research, 2009, 104, 1141-1148. | 0.6 | 9 |
| 112 | Benznidazole therapy during acute phase of Chagas disease reduces parasite load but does not prevent chronic cardiac lesions. Parasitology Research, 2008, 103, 413-421. | 0.6 | 77 |
| 113 | Brain natriuretic peptide based strategy to detect left ventricular dysfunction in Chagas disease: A comparison with the conventional approach. International Journal of Cardiology, 2006, 109, 34-40. | 0.8 | 34 |
| 114 | Levels of anti-M2 and anti-β1 autoantibodies do not correlate with the degree of heart dysfunction in Chagas' heart disease. Microbes and Infection, 2006, 8, 2459-2464. | 1.0 | 56 |
| 115 | Impaired inflammatory angiogenesis, but not leukocyte influx, in mice lacking TNFR1. Journal of Leukocyte Biology, 2005, 78, 352-358. | 1.5 | 70 |
| 116 | Brain natriuretic peptide measurement in Chagas heart disease: marker of ventricular dysfunction and arrhythmia. International Journal of Cardiology, 2005, 100, 503-504. | 0.8 | 15 |
| 117 | Brain natriuretic peptide and left ventricular dysfunction in chagasic cardiomyopathy. Memorias Do Instituto Oswaldo Cruz, 2004, 99, 645-649. | 0.8 | 36 |
| 118 | Chemokine Receptor Expression on the Surface of Peripheral Blood Mononuclear Cells in Chagas Disease. Journal of Infectious Diseases, 2004, 189, 214-220. | 1.9 | 69 |
| 119 | Elevated Concentrations of CCL2 and Tumor Necrosis Factor–α in Chagasic Cardiomyopathy. Clinical Infectious Diseases, 2004, 38, 943-950. | 2.9 | 141 |
| 120 | Production and in vivo effects of chemokines CXCL1-3/KC and CCL2/JE in a model of inflammatory angiogenesis in mice. Inflammation Research, 2004, 53, 576-584. | 1.6 | 72 |
| 121 | Experimental Trypanosoma cruzi infection in platelet-activating factor receptor-deficient mice. Microbes and Infection, 2003, 5, 789-796. | 1.0 | 27 |
| 122 | Leukotriene B4 Induces Nitric Oxide Synthesis in Trypanosoma cruzi-Infected Murine Macrophages and Mediates Resistance to Infection. Infection and Immunity, 2002, 70, 4247-4253. | 1.0 | 70 |
| 123 | Plasma Concentrations and Role of Macrophage Inflammatory Protein–1α during ChronicSchistosoma mansoniInfection in Humans. Journal of Infectious Diseases, 2002, 186, 1696-1700. | 1.9 | 38 |
| 124 | Glycosylphosphatidylinositol-anchored mucin-like glycoproteins isolated from Trypanosoma cruzi trypomastigotes induce in vivo leukocyte recruitment dependent on MCP-1 production by IFN-gamma-primed-macrophages. Journal of Leukocyte Biology, 2002, 71, 837-44. | 1.5 | 58 |
| 125 | Stem Cell Factor-Induced Leukotriene B4Production Cooperates with Eotaxin to Mediate the Recruitment of Eosinophils During Allergic Pleurisy in Mice. Journal of Immunology, 2001, 167, 524-531. | 0.4 | 48 |
| 126 | Eosinophil recruitment into sites of delayed-type hypersensitivity reactions in mice. Journal of Leukocyte Biology, 2001, 69, 353-60. | 1.5 | 15 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Kinetics of cytokine gene expression in experimental chagasic cardiomyopathy: tissue parasitism and endogenous IFN-γ as important determinants of chemokine mRNA expression during infection with Trypanosoma cruzi. Microbes and Infection, 2000, 2, 851-866. | 1.0 | 182 |
| 128 | Stem Cell Factor Plays a Major Role in the Recruitment of Eosinophils in Allergic Pleurisy in Mice Via the Production of Leukotriene B4. Journal of Immunology, 2000, 164, 4271-4276. | 0.4 | 27 |
| 129 | Multiparity as a risk factor for congenital toxoplasmosis: a cross-sectional study. Journal of Global Health Reports, 0, 5, . | 1.0 | Ο |