Sung-Hyuk Choi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5595742/publications.pdf

Version: 2024-02-01

66 879 16 26 papers citations h-index g-index

66 66 1261 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Combination therapy of vitamin C and thiamine for septic shock: a multi-centre, double-blinded randomized, controlled study. Intensive Care Medicine, 2020, 46, 2015-2025.	3.9	105
2	Lactic acidosis not hyperlactatemia as a predictor of inhospital mortality in septic emergency patients. Emergency Medicine Journal, 2008, 25, 659-665.	0.4	82
3	Prognostic Value of The Lactate/Albumin Ratio for Predicting 28-Day Mortality in Critically ILL Sepsis Patients. Shock, 2018, 50, 545-550.	1.0	53
4	The usefulness of C-reactive protein and procalcitonin to predict prognosis in septic shock patients: A multicenter prospective registry-based observational study. Scientific Reports, 2019, 9, 6579.	1.6	49
5	Early Vitamin C and Thiamine Administration to Patients with Septic Shock in Emergency Departments: Propensity Score-Based Analysis of a Before-and-After Cohort Study. Journal of Clinical Medicine, 2019, 8, 102.	1.0	41
6	The use of saliva specimens for detection of influenza A and B viruses by rapid influenza diagnostic tests. Journal of Virological Methods, 2017, 243, 15-19.	1.0	33
7	Successful extracorporeal life support in cardiac arrest with recurrent ventricular fibrillation unresponsive to standard cardiopulmonary resuscitation. Resuscitation, 2007, 73, 309-313.	1.3	30
8	Arterial minus end-tidal CO2 as a prognostic factor of hospital survival in patients resuscitated from cardiac arrest. Resuscitation, 2007, 72, 219-225.	1.3	27
9	Korean Shock Society septic shock registry: a preliminary report. Clinical and Experimental Emergency Medicine, 2017, 4, 146-153.	0.5	26
10	Prognosis of patients excluded by the definition of septic shock based on their lactate levels after initial fluid resuscitation: a prospective multi-center observational study. Critical Care, 2018, 22, 47.	2.5	23
11	Can spontaneous pneumothorax patients be treated by ambulatory care management?. European Journal of Cardio-thoracic Surgery, 2007, 31, 491-495.	0.6	22
12	Time to Antibiotics and the Outcome of Patients with Septic Shock: A Propensity Score Analysis. American Journal of Medicine, 2020, 133, 485-491.e4.	0.6	19
13	Grayanotoxin Poisoning From Flower of Rhododendron mucronulatum in Humans. Bulletin of Environmental Contamination and Toxicology, 2007, 78, 11-12.	1.3	18
14	Combination therapy of vitamin C and thiamine for septic shock in a multicentre, double-blind, randomized, controlled study (ATESS): study protocol for a randomized controlled trial. Trials, 2019, 20, 420.	0.7	18
15	Clinical outcome comparison of patients with septic shock defined by the new sepsis-3 criteria and by previous criteria. Journal of Thoracic Disease, 2018, 10, 845-853.	0.6	17
16	Successful extracorporeal life support after potentially fatal pulmonary oedema caused by inhalation of nitric and hydrofluoric acid fumes. Resuscitation, 2007, 75, 184-188.	1.3	16
17	Impact of timing to source control in patients with septic shock: A prospective multi-center observational study. Journal of Critical Care, 2019, 53, 176-182.	1.0	16
18	Selective inhibition of polymorphonuclear neutrophils by resuscitative concentration of hypertonic saline. Emergency Medicine Journal, 2006, 23, 119-122.	0.4	15

#	Article	IF	CITATIONS
19	Grayanotoxin Poisoning From Flower of Rhododendron mucronulatum in Humans. Bulletin of Environmental Contamination and Toxicology, 2007, 78, 132-133.	1.3	15
20	Risk factors for sepsis in Korean trauma patients. European Journal of Trauma and Emergency Surgery, 2016, 42, 453-458.	0.8	14
21	Cut-off values of B-type natriuretic peptide for the diagnosis of congestive heart failure in patients with dyspnoea visiting emergency departments: a study on Korean patients visiting emergency departments. Emergency Medicine Journal, 2007, 24, 343-347.	0.4	13
22	Satisfaction with facial laceration repair by provider specialty in the emergency department. Clinical and Experimental Emergency Medicine, 2015, 2, 179-183.	0.5	13
23	Anticholinesterase Therapy for Patients with Ophthalmoplegia Following Snake Bites: Report of Two Cases. Journal of Korean Medical Science, 2004, 19, 631.	1.1	11
24	Reversible pancytopenia following the consumption of decoction of <i>Ganoderma neojaponicum </i> li>Imazeki. Clinical Toxicology, 2011, 49, 115-117.	0.8	11
25	Effects of hypertonic saline on macrophage migration inhibitory factor in traumatic conditions. Experimental and Therapeutic Medicine, 2013, 5, 362-366.	0.8	11
26	Understanding the characteristics of recurrent visits to the emergency department by paediatric patients: a retrospective observational study conducted at three tertiary hospitals in Korea. BMJ Open, 2018, 8, e018208.	0.8	10
27	Clinician awareness of tetanus-diphtheria vaccination in trauma patients: a questionnaire study. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2012, 20, 35.	1.1	9
28	Comparative Analysis of Acute Toxic Poisoning in 2003 and 2011: Analysis of 3 Academic Hospitals. Journal of Korean Medical Science, 2013, 28, 1424.	1.1	9
29	Development and validation of the VitaL CLASS score to predict mortality in stage IV solid cancer patients with septic shock in the emergency department: a multi-center, prospective cohort study. BMC Medicine, 2020, 18, 390.	2.3	9
30	Assessing the severity of pulmonary embolism among patients in the emergency department: Utility of RV/LV diameter ratio. PLoS ONE, 2020, 15, e0242340.	1.1	9
31	Relationship between time of emergency department admission and adherence to the Surviving Sepsis Campaign bundle in patients with septic shock. Critical Care, 2022, 26, 43.	2.5	9
32	Gastric emphysema after methyl ethyl ketone peroxide ingestion. Clinical Toxicology, 2010, 48, 90-91.	0.8	8
33	The analysis of self and tutor assessment in the skill of basic life support (BLS) and endotracheal intubation: Focused on the discrepancy in assessment. Resuscitation, 2011, 82, 743-748.	1.3	8
34	Analysis of Patients with Acute Toxic Exposure between 2009 and 2013: Data from the Korea Health Insurance Review and Assessment Service and the National Emergency Department Information System. Journal of Korean Medical Science, 2018, 33, e254.	1.1	8
35	Clinical Value of Whole Blood Procalcitonin Using Point of Care Testing, Quick Sequential Organ Failure Assessment Score, C-Reactive Protein and Lactate in Emergency Department Patients with Suspected Infection. Journal of Clinical Medicine, 2019, 8, 833.	1.0	8
36	Lactate normalization within 6 hours of bundle therapy and 24 hours of delayed achievement were associated with 28-day mortality in septic shock patients. PLoS ONE, 2019, 14, e0217857.	1.1	8

3

#	Article	IF	Citations
37	Effects of atmospheric temperature and humidity on outbreak of diseases. EMA - Emergency Medicine Australasia, 2007, 19, 501-508.	0.5	6
38	Effect of hypertonic saline and macrophage migration inhibitory factor in restoration of T cell dysfunction. [Chapchi] Journal Taehan Oekwa Hakhoe, 2011, 81, 229.	1.1	6
39	Accuracy of transcutaneous carbon dioxide monitoring in hypotensive patients. Emergency Medicine Journal, 2014, 31, 323-326.	0.4	6
40	The Effect of Hypertonic Saline on mRNA of Proinflammatory Cytokines in Lipopolysaccharide-Stimulated Polymorphonuclear Cells. Current Therapeutic Research, 2014, 76, 58-62.	0.5	6
41	The inflammatory response of neutrophils in anin vitromodel that approximates the postcardiac arrest state. Annals of Surgical Treatment and Research, 2017, 93, 217.	0.4	6
42	Comparison of traumatic brain injury patients with brain computed tomography in the emergency department by age group. Clinical and Experimental Emergency Medicine, 2020, 7, 81-86.	0.5	6
43	Impact of 1-Hour Bundle Achievement in Septic Shock. Journal of Clinical Medicine, 2021, 10, 527.	1.0	5
44	A quick Sequential Organ Failure Assessment–negative result at triage is associated with low compliance with sepsis bundles: a retrospective analysis of a multicenter prospective registry. Clinical and Experimental Emergency Medicine, 2022, 9, 84-92.	0.5	5
45	The use of transcutaneous CO2 monitoring in cardiac arrest patients: a feasibility study. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2014, 22, 70.	1.1	4
46	The Effects of Oxygen and Treatments in Hypoxic Conditions in SH-SY5Y Cells. Shock, 2018, 50, 449-454.	1.0	4
47	Prognostic factors for late death in septic shock survivors: a multi-center, prospective, registry-based observational study. Internal and Emergency Medicine, 2022, 17, 865-871.	1.0	4
48	Prehospital and emergency department care in South Korea. Canadian Journal of Emergency Medicine, 2007, 9, 171-173.	0.5	3
49	Acute hepatitis and acute kidney insufficiency caused by ingestion of raw grass carp gall bladder. EMA - Emergency Medicine Australasia, 2013, 25, 608-609.	0.5	3
50	Prognostic performance of disease severity scores in patients with septic shock presenting to the emergency department. American Journal of Emergency Medicine, 2019, 37, 1054-1059.	0.7	3
51	Biomarker Analysis for Combination Therapy of Vitamin C and Thiamine in Septic Shock: A Post-Hoc Study of the ATESS Trial. Shock, 2022, 57, 81-87.	1.0	3
52	Macrophage Migration Inhibitory Factor Levels Correlate with Infection in Trauma Patients. Ulusal Travma Ve Acil Cerrahi Dergisi, 2017, 23, 193-198.	0.1	3
53	Analysis of Trauma Patients with Massive Transfusion in the Emergency Department. The Korean Journal of Blood Transfusion, 2016, 27, 130-136.	0.1	3
54	Helicopter emergency medical services. European Journal of Emergency Medicine, 2011, 18, 176-178.	0.5	2

#	Article	IF	CITATIONS
55	Hypertonic saline downregulate the production level of lipopolysaccharide-induced migration inhibitory factor in THP-1 cells. [Chapchi] Journal Taehan Oekwa Hakhoe, 2012, 82, 1.	1.1	2
56	Aconitine poisoning from leaves of aconitumpseudo-leavevar.erectum, not the root in humans. Clinical Toxicology, 2009, 47, 836-836.	0.8	1
57	A report of therapeutic hypothermia for postcardiac arrest care due to thyroid storm. Kaohsiung Journal of Medical Sciences, 2014, 30, 539-540.	0.8	1
58	Diagnostic accuracy of lactate levels after initial fluid resuscitation as a predictor for 28Âday mortality in septic shock. American Journal of Emergency Medicine, 2021, 46, 392-397.	0.7	1
59	Effect of rapid fluid administration on the prognosis of septic shock patients with isolated hyperlactatemia: A prospective multicenter observational study. Journal of Critical Care, 2021, 66, 154-159.	1.0	1
60	Learning curve and period of experience required for the competent diagnosis of acute appendicitis using abdominal computed tomography: a prospective observational study. Clinical and Experimental Emergency Medicine, 2017, 4, 222-231.	0.5	1
61	Ambient PM Concentrations as a Precursor of Emergency Visits for Respiratory Complaints: Roles of Deep Learning and Multi-Point Real-Time Monitoring. Sustainability, 2022, 14, 2703.	1.6	1
62	Concentration of Arginine and Optimal Time of Hypertonic Saline in Restoration of T-Cell Dysfunction. Journal of Surgical Research, 2010, 163, e17-e22.	0.8	0
63	The impact of hypoxic conditions on apoptosis and Toll-like receptor 4 expression in polymorphonuclear neutrophils. European Journal of Inflammation, 2018, 16, 1721727X1875675.	0.2	0
64	Efficacy of Nefopam Analgesia for Trauma Patients in the Emergency Department. Journal of Trauma and Injury, 2017, 30, 1-5.	0.2	0
65	Significance of Biomarkers as a Predictive Factor for Post-Traumatic Sepsis. Journal of Trauma and Injury, 2018, 31, 166-173.	0.2	0
66	The impacts of oxygen and pentoxifylline in hypoxic condition. European Journal of Inflammation, 2022, 20, 205873922110565.	0.2	0