

Sung-Hyuk Choi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5595742/sung-hyuk-choi-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

64

papers

543

citations

12

h-index

20

g-index

66

ext. papers

712

ext. citations

3.1

avg, IF

3.42

L-index

#	Paper	IF	Citations
64	The impacts of oxygen and pentoxifylline in hypoxic condition. <i>European Journal of Inflammation</i> , 2022 , 20, 205873922110565	0.3	0
63	Relationship between time of emergency department admission and adherence to the Surviving Sepsis Campaign bundle in patients with septic shock.. <i>Critical Care</i> , 2022 , 26, 43	10.8	0
62	Ambient PM Concentrations as a Precursor of Emergency Visits for Respiratory Complaints: Roles of Deep Learning and Multi-Point Real-Time Monitoring. <i>Sustainability</i> , 2022 , 14, 2703	3.6	1
61	Prognostic factors for late death in septic shock survivors: a multi-center, prospective, registry-based observational study. <i>Internal and Emergency Medicine</i> , 2021 , 1	3.7	0
60	Diagnostic accuracy of lactate levels after initial fluid resuscitation as a predictor for 28-day mortality in septic shock. <i>American Journal of Emergency Medicine</i> , 2021 , 46, 392-397	2.9	0
59	Impact of 1-Hour Bundle Achievement in Septic Shock. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
58	Effect of rapid fluid administration on the prognosis of septic shock patients with isolated hyperlactatemia: A prospective multicenter observational study. <i>Journal of Critical Care</i> , 2021 , 66, 154-159	4.9	0
57	Development and validation of the Vital CLASS score to predict mortality in stage IV solid cancer patients with septic shock in the emergency department: a multi-center, prospective cohort study. <i>BMC Medicine</i> , 2020 , 18, 390	11.4	2
56	Comparison of traumatic brain injury patients with brain computed tomography in the emergency department by age group. <i>Clinical and Experimental Emergency Medicine</i> , 2020 , 7, 81-86	1.7	3
55	Assessing the severity of pulmonary embolism among patients in the emergency department: Utility of RV/LV diameter ratio. <i>PLoS ONE</i> , 2020 , 15, e0242340	3.7	4
54	Combination therapy of vitamin C and thiamine for septic shock: a multi-centre, double-blinded randomized, controlled study. <i>Intensive Care Medicine</i> , 2020 , 46, 2015-2025	14.5	53
53	Time to Antibiotics and the Outcome of Patients with Septic Shock: A Propensity Score Analysis. <i>American Journal of Medicine</i> , 2020 , 133, 485-491.e4	2.4	10
52	Early Vitamin C and Thiamine Administration to Patients with Septic Shock in Emergency Departments: Propensity Score-Based Analysis of a Before-and-After Cohort Study. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	28
51	Impact of timing to source control in patients with septic shock: A prospective multi-center observational study. <i>Journal of Critical Care</i> , 2019 , 53, 176-182	4	8
50	Clinical Value of Whole Blood Procalcitonin Using Point of Care Testing, Quick Sequential Organ Failure Assessment Score, C-Reactive Protein and Lactate in Emergency Department Patients with Suspected Infection. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	4
49	Lactate normalization within 6 hours of bundle therapy and 24 hours of delayed achievement were associated with 28-day mortality in septic shock patients. <i>PLoS ONE</i> , 2019 , 14, e0217857	3.7	5
48	The usefulness of C-reactive protein and procalcitonin to predict prognosis in septic shock patients: A multicenter prospective registry-based observational study. <i>Scientific Reports</i> , 2019 , 9, 6579	4.9	22

47	Prognostic performance of disease severity scores in patients with septic shock presenting to the emergency department. <i>American Journal of Emergency Medicine</i> , 2019 , 37, 1054-1059	2.9	3
46	Combination therapy of vitamin C and thiamine for septic shock in a multicentre, double-blind, randomized, controlled study (ATESS): study protocol for a randomized controlled trial. <i>Trials</i> , 2019 , 20, 420	2.8	8
45	Prognostic Value of The Lactate/Albumin Ratio for Predicting 28-Day Mortality in Critically ILL Sepsis Patients. <i>Shock</i> , 2018 , 50, 545-550	3.4	21
44	Understanding the characteristics of recurrent visits to the emergency department by paediatric patients: a retrospective observational study conducted at three tertiary hospitals in Korea. <i>BMJ Open</i> , 2018 , 8, e018208	3	6
43	Prognosis of patients excluded by the definition of septic shock based on their lactate levels after initial fluid resuscitation: a prospective multi-center observational study. <i>Critical Care</i> , 2018 , 22, 47	10.8	16
42	Significance of Biomarkers as a Predictive Factor for Post-Traumatic Sepsis. <i>Journal of Trauma and Injury</i> , 2018 , 31, 166-173	0.2	
41	The Effects of Oxygen and Treatments in Hypoxic Conditions in SH-SY5Y Cells. <i>Shock</i> , 2018 , 50, 449-454	3.4	3
40	Analysis of Patients with Acute Toxic Exposure between 2009 and 2013: Data from the Korea Health Insurance Review and Assessment Service and the National Emergency Department Information System. <i>Journal of Korean Medical Science</i> , 2018 , 33, e254	4.7	4
39	The impact of hypoxic conditions on apoptosis and Toll-like receptor 4 expression in polymorphonuclear neutrophils. <i>European Journal of Inflammation</i> , 2018 , 16, 1721727X1875675	0.3	
38	Clinical outcome comparison of patients with septic shock defined by the new sepsis-3 criteria and by previous criteria. <i>Journal of Thoracic Disease</i> , 2018 , 10, 845-853	2.6	15
37	The use of saliva specimens for detection of influenza A and B viruses by rapid influenza diagnostic tests. <i>Journal of Virological Methods</i> , 2017 , 243, 15-19	2.6	24
36	The inflammatory response of neutrophils in an model that approximates the postcardiac arrest state. <i>Annals of Surgical Treatment and Research</i> , 2017 , 93, 217-224	2	4
35	Korean Shock Society septic shock registry: a preliminary report. <i>Clinical and Experimental Emergency Medicine</i> , 2017 , 4, 146-153	1.7	19
34	Learning curve and period of experience required for the competent diagnosis of acute appendicitis using abdominal computed tomography: a prospective observational study. <i>Clinical and Experimental Emergency Medicine</i> , 2017 , 4, 222-231	1.7	1
33	Macrophage migration inhibitory factor levels correlate with an infection in trauma patients. <i>Ulusal Travma Ve Acil Cerrahi Dergisi</i> , 2017 , 23, 193-198	0.6	3
32	Efficacy of Nefopam Analgesia for Trauma Patients in the Emergency Department. <i>Journal of Trauma and Injury</i> , 2017 , 30, 1-5	0.2	
31	Risk factors for sepsis in Korean trauma patients. <i>European Journal of Trauma and Emergency Surgery</i> , 2016 , 42, 453-458	2.3	9
30	Analysis of Trauma Patients with Massive Transfusion in the Emergency Department. <i>The Korean Journal of Blood Transfusion</i> , 2016 , 27, 130-136	0.3	3

29	Satisfaction with facial laceration repair by provider specialty in the emergency department. <i>Clinical and Experimental Emergency Medicine</i> , 2015 , 2, 179-183	1.7	7
28	The effect of hypertonic saline on mRNA of proinflammatory cytokines in lipopolysaccharide-stimulated polymorphonuclear cells. <i>Current Therapeutic Research</i> , 2014 , 76, 58-62	2.4	5
27	A report of therapeutic hypothermia for postcardiac arrest care due to thyroid storm. <i>Kaohsiung Journal of Medical Sciences</i> , 2014 , 30, 539-40	2.4	
26	The use of transcutaneous CO2 monitoring in cardiac arrest patients: a feasibility study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2014 , 22, 70	3.6	3
25	Accuracy of transcutaneous carbon dioxide monitoring in hypotensive patients. <i>Emergency Medicine Journal</i> , 2014 , 31, 323-6	1.5	3
24	Acute hepatitis and acute kidney insufficiency caused by ingestion of raw grass carp gall bladder. <i>EMA - Emergency Medicine Australasia</i> , 2013 , 25, 608-9	1.5	1
23	Effects of hypertonic saline on macrophage migration inhibitory factor in traumatic conditions. <i>Experimental and Therapeutic Medicine</i> , 2013 , 5, 362-366	2.1	11
22	Comparative analysis of acute toxic poisoning in 2003 and 2011: analysis of 3 academic hospitals. <i>Journal of Korean Medical Science</i> , 2013 , 28, 1424-30	4.7	6
21	Clinician awareness of tetanus-diphtheria vaccination in trauma patients: a questionnaire study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2012 , 20, 35	3.6	6
20	Hypertonic saline downregulate the production level of lipopolysaccharide-induced migration inhibitory factor in THP-1 cells. <i>[Chapchi] Journal Taehan Oekwa Hakhoe</i> , 2012 , 82, 1-7		2
19	Reversible pancytopenia following the consumption of decoction of Ganoderma neojaponicum Imazeki. <i>Clinical Toxicology</i> , 2011 , 49, 115-7	2.9	7
18	Effect of hypertonic saline and macrophage migration inhibitory factor in restoration of T cell dysfunction. <i>[Chapchi] Journal Taehan Oekwa Hakhoe</i> , 2011 , 81, 229-34		4
17	Helicopter emergency medical services: a report on the current status in a metropolitan area of South Korea. <i>European Journal of Emergency Medicine</i> , 2011 , 18, 176-8	2.3	2
16	The analysis of self and tutor assessment in the skill of basic life support (BLS) and endotracheal intubation: focused on the discrepancy in assessment. <i>Resuscitation</i> , 2011 , 82, 743-8	4	5
15	Gastric emphysema after methyl ethyl ketone peroxide ingestion. <i>Clinical Toxicology</i> , 2010 , 48, 90-1	2.9	6
14	Concentration of arginine and optimal time of hypertonic saline in restoration of T-cell dysfunction. <i>Journal of Surgical Research</i> , 2010 , 163, e17-22	2.5	
13	Aconitine poisoning from leaves of aconitum pseudo-leave var. erectum, not the root in humans. <i>Clinical Toxicology</i> , 2009 , 47, 836	2.9	1
12	Lactic acidosis not hyperlactatemia as a predictor of in hospital mortality in septic emergency patients. <i>Emergency Medicine Journal</i> , 2008 , 25, 659-65	1.5	66

11	Prehospital and emergency department care in South Korea. <i>Canadian Journal of Emergency Medicine</i> , 2007 , 9, 171-3	0.6	2
10	Arterial minus end-tidal CO ₂ as a prognostic factor of hospital survival in patients resuscitated from cardiac arrest. <i>Resuscitation</i> , 2007 , 72, 219-25	4	20
9	Successful extracorporeal life support in cardiac arrest with recurrent ventricular fibrillation unresponsive to standard cardiopulmonary resuscitation. <i>Resuscitation</i> , 2007 , 73, 309-13	4	26
8	Successful extracorporeal life support after potentially fatal pulmonary oedema caused by inhalation of nitric and hydrofluoric acid fumes. <i>Resuscitation</i> , 2007 , 75, 184-8	4	12
7	Effects of atmospheric temperature and humidity on outbreak of diseases. <i>EMA - Emergency Medicine Australasia</i> , 2007 , 19, 501-8	1.5	4
6	Grayanotoxin poisoning from flower of <i>Rhododendron mucronulatum</i> in humans. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2007 , 78, 11-2	2.7	10
5	Grayanotoxin poisoning from flower of <i>Rhododendron mucronulatum</i> in humans. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2007 , 78, 132-3	2.7	9
4	Can spontaneous pneumothorax patients be treated by ambulatory care management?. <i>European Journal of Cardio-thoracic Surgery</i> , 2007 , 31, 491-5	3	11
3	Cut-off values of B-type natriuretic peptide for the diagnosis of congestive heart failure in patients with dyspnoea visiting emergency departments: a study on Korean patients visiting emergency departments. <i>Emergency Medicine Journal</i> , 2007 , 24, 343-7	1.5	10
2	Selective inhibition of polymorphonuclear neutrophils by resuscitative concentration of hypertonic saline. <i>Emergency Medicine Journal</i> , 2006 , 23, 119-22	1.5	14
1	Anticholinesterase therapy for patients with ophthalmoplegia following snake bites: report of two cases. <i>Journal of Korean Medical Science</i> , 2004 , 19, 631-3	4.7	8