Derek Middleton

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5596765/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	BSHI/BTS guidance on crossmatching before deceased donor kidney transplantation. International Journal of Immunogenetics, 2022, 49, 22-29.	0.8	5
2	A snapshot of human leukocyte antigen (HLA) diversity using data from the Allele Frequency Net Database. Human Immunology, 2021, 82, 496-504.	1.2	13
3	A Proteome-Wide Immunoinformatics Tool to Accelerate T-Cell Epitope Discovery and Vaccine Design in the Context of Emerging Infectious Diseases: An Ethnicity-Oriented Approach. Frontiers in Immunology, 2021, 12, 598778.	2.2	14
4	Predictive immunogenetic markers in COVID-19. Human Immunology, 2021, 82, 247-254.	1.2	22
5	Revisit of Optimal Donor Number Estimation in the Hong Kong Bone Marrow Donor Registry. Frontiers in Immunology, 2021, 12, 638253.	2.2	1
6	Allele frequency net database (AFND) 2020 update: gold-standard data classification, open access genotype data and new query tools. Nucleic Acids Research, 2020, 48, D783-D788.	6.5	352
7	Next generation HLA typing and haplotypes by descent in Gaza individuals. Human Immunology, 2020, 81, 1-2.	1.2	2
8	HLA-DQB1, -DQA1, -DPB1, and -DPA1 genotyping and haplotype frequencies for a Hong Kong Chinese population of 1064 individuals. Human Immunology, 2020, 81, 3-5.	1.2	3
9	High resolution allele genotyping and haplotype frequencies for NGS based HLA 11 loci of 5266 Hong Kong Chinese bone marrow donors. Human Immunology, 2020, 81, 577-579.	1.2	9
10	Imbalance of Genes Encoding Natural Killer Immunoglobulin-Like Receptors and Human Leukocyte Antigen in Patients With Biliary Cancer. Gastroenterology, 2019, 157, 1067-1080.e9.	0.6	19
11	Simulation of non-inherited maternal antigens acceptable HLA mismatches to increase the chance of matched cord blood units: Hong Kong's experience. Human Immunology, 2018, 79, 539-544.	1.2	3
12	Allele Frequency Net Database. Methods in Molecular Biology, 2018, 1802, 49-62.	0.4	38
13	Common and wellâ€documented HLA alleles over all of Europe and within European subâ€regions: A catalogue from the European Federation for Immunogenetics. Hla, 2017, 89, 104-113.	0.4	68
14	Publication Ethos in the Immunogenetics community. International Journal of Immunogenetics, 2017, 44, 151-152.	0.8	0
15	Estimation of optimal donor number in Bone Marrow Donor Registry: Hong Kong's experience. Human Immunology, 2017, 78, 610-613.	1.2	8
16	A web resource for mining HLA associations with adverse drug reactions: HLA-ADR. Database: the Journal of Biological Databases and Curation, 2016, 2016, baw069.	1.4	24
17	Update on short population reports. Human Immunology, 2016, 77, 617.	1.2	0
18	HLA-A, -B, -C, and -DRB1 genotyping and haplotype frequencies for a Hong Kong Chinese population of 7595 individuals. Human Immunology, 2016, 77, 1111-1112.	1.2	13

#	Article	IF	CITATIONS
19	HLA-A, -B and -DRB1 genotyping and haplotype frequencies of 3892 cord blood units in the Hong Kong Chinese Cord Blood Registry. Human Immunology, 2016, 77, 1109-1110.	1.2	6
20	Allele Frequencies Net Database: Improvements for storage of individual genotypes and analysis of existing data. Human Immunology, 2016, 77, 238-248.	1.2	107
21	A bioinformatics tool for epitope-based vaccine design that accounts for human ethnic diversity: Application to emerging infectious diseases. Vaccine, 2015, 33, 1267-1273.	1.7	40
22	Allele frequency net 2015 update: new features for HLA epitopes, KIR and disease and HLA adverse drug reaction associations. Nucleic Acids Research, 2015, 43, D784-D788.	6.5	693
23	2DL1, 2DL2 and 2DL3 all contribute to KIR phenotype variability on human NK cells. Genes and Immunity, 2015, 16, 301-310.	2.2	34
24	A Tribute to Professor Kenneth Ian Welsh 17 August 1944-12 August 2014. International Journal of Immunogenetics, 2015, 42, 1-3.	0.8	1
25	Introducing a new manuscript format: Enabling access to immunogenomic population data with short population reports. Human Immunology, 2015, 76, 393-394.	1.2	6
26	Determination of HLAâ€A, â€C, â€B, â€DRB1 allele and haplotype frequency in Japanese population based on family study. Tissue Antigens, 2015, 85, 252-259.	1.0	138
27	Lack of association between KIR and HLA-C type and susceptibility to idiopathic bronchiectasis. Respiratory Medicine, 2014, 108, 1127-1133.	1.3	8
28	Nothing's perfect: The art of defining HLA-specific antibodies. Transplant Immunology, 2014, 30, 115-121.	0.6	26
29	Characterization of human killer immunoglobulin-like receptors (KIRs) among healthy Saudis. Human Immunology, 2014, 75, 536-540.	1.2	12
30	Allele Frequencies Database. Transfusion Medicine and Hemotherapy, 2014, 41, 352-355.	0.7	31
31	16 th IHIW: Population Global Distribution of Killer Immunoglobulinâ€like Receptor (KIR) and Ligands. International Journal of Immunogenetics, 2013, 40, 39-45.	0.8	34
32	Killer Immunoglobulin-like Receptors (KIR) haplogroups A and B track with Natural Killer Cells and Cytokine Profile in Aged Subjects: Observations from Octo/Nonagenarians in the Belfast Elderly Longitudinal Free-living Aging STudy (BELFAST). Immunity and Ageing, 2013, 10, 35.	1.8	17
33	A database for curating the associations between killer cell immunoglobulin-like receptors and diseases in worldwide populations. Database: the Journal of Biological Databases and Curation, 2013, 2013, bat021.	1.4	27
34	No Impact of KIR-Ligand Mismatch on Allograft Outcome in HLA-Compatible Kidney Transplantation. American Journal of Transplantation, 2013, 13, 1063-1068.	2.6	24
35	Impact of sensitivity of human leucocyte antigen antibody detection by Luminex technology on graft loss at 1 year. CKJ: Clinical Kidney Journal, 2013, 6, 283-286.	1.4	9
36	Workshop report: extending the number of resources and bioinformatics analysis for the investigation of HLA rare alleles. International Journal of Immunogenetics, 2012, 40, n/a-n/a.	0.8	16

#	Article	IF	CITATIONS
37	Strategies to work with HLA data in human populations for histocompatibility, clinical transplantation, epidemiology and population genetics: HLAâ€NET methodological recommendations. International Journal of Immunogenetics, 2012, 39, 459-476.	0.8	39
38	Interaction between immunoglobulin allotypes and NK receptor genes in diabetes post-hepatitis C virus infection. Immunobiology, 2011, 216, 686-691.	0.8	3
39	A community standard for immunogenomic data reporting and analysis: proposal for a STrengthening the REporting of Immunogenomic Studies statement. Tissue Antigens, 2011, 78, 333-344.	1.0	50
40	Immunogenetics as a tool in anthropological studies. Immunology, 2011, 133, 143-164.	2.0	87
41	Allele frequency net: a database and online repository for immune gene frequencies in worldwide populations. Nucleic Acids Research, 2011, 39, D913-D919.	6.5	637
42	Linkage disequilibrium organization of the human KIR superlocus: implications for KIR data analyses. Immunogenetics, 2010, 62, 729-740.	1.2	52
43	The extensive polymorphism of KIR genes. Immunology, 2010, 129, 8-19.	2.0	244
44	Receptor systems controlling natural killer cell function are genetically stratified in Europe. Genes and Immunity, 2010, 11, 67-78.	2.2	21
45	No association of KIR3DL1 or KIR3DS1 or their alleles with ankylosing spondylitis. Tissue Antigens, 2010, 75, 68-73.	1.0	14
46	Analysis of killer immunoglobulin-like receptor genes in ankylosing spondylitis. Annals of the Rheumatic Diseases, 2009, 68, 595-598.	0.5	39
47	Killer immunoglobulinâ€like receptors (KIR2DL2 and/or KIR2DS2) in presence of their ligand (HLA 1) Tj ETQq1	. 1 0.7843	14.rgBT /Ove
48	A bioinformatics approach to ascertaining the rarity of HLA alleles. Tissue Antigens, 2009, 74, 480-485.	1.0	21
49	Killer cell immunoglobulin-like receptor allele discrimination by high-resolution melting. Human Immunology, 2009, 70, 858-863.	1.2	18
50	HLA antigen frequencies and Wegener's granulomatosis. Clinical Otolaryngology, 2009, 16, 448-451.	0.0	7
51	Killer immunoglobulin receptor gene and allele frequencies in Caucasoid, Oriental and Black populations from different continents. Tissue Antigens, 2008, 71, 105-113.	1.0	64
52	Distinct diversity of KIR genes in three southern Indian populations: comparison with world populations revealed a link between KIR gene content and pre-historic human migrations. Immunogenetics, 2008, 60, 207-217.	1.2	85
53	Duplication, mutation and recombination of the human orphan gene KIR2DS3 contribute to the diversity of KIR haplotypes. Genes and Immunity, 2008, 9, 431-437.	2.2	52
54	Investigation of killer cell immunoglobulin-like receptor (KIR) gene diversity: KIR2DL2, KIR2DL5 and KIR2DS5. Tissue Antigens, 2008, 72, 11-20.	1.0	16

#	Article	IF	CITATIONS
55	Investigation of killer cell immunoglobulinâ€like receptor gene diversity, <i>KIR2DL1 </i> and <i>KIR2DS1</i> . Tissue Antigens, 2008, 72, 383-391.	1.0	16
56	A new DQwl associated antigen : HLA-DRâ€~Br'. Tissue Antigens, 2008, 26, 210-211.	1.0	20
57	Hepatitis B and HIV testing of HLA reagents. Tissue Antigens, 2008, 29, 280-280.	1.0	Ο
58	Different Evolution of Inhibitory and Activating Killer Immunoglobulin Receptors (KIR) in Worldwide Human Populations. The Open Immunology Journal, 2008, 1, 42-50.	1.5	13
59	Studies on the Expression of the Deleted KIR2DS4*003 Gene Product and Distribution of KIR2DS4 Deleted and Nondeleted Versions in Different Populations. Human Immunology, 2007, 68, 128-134.	1.2	82
60	Analysis of KIR gene frequencies in HLA class I characterised bladder, colorectal and laryngeal tumours. Tissue Antigens, 2007, 69, 220-226.	1.0	31
61	KIR genes polymorphism in Argentinean Caucasoid and Amerindian populations. Tissue Antigens, 2007, 69, 568-576.	1.0	53
62	No association in frequency of KIR receptors in patients with rheumatoid arthritis from Northern Ireland. Tissue Antigens, 2007, 69, 577-582.	1.0	14
63	No association of KIR genes with Behcet?s disease. Tissue Antigens, 2007, 70, 435-438.	1.0	29
64	KIR haplotype content at the allele level in 77 Northern Irish families. Immunogenetics, 2007, 59, 145-158.	1.2	98
65	Investigation of KIR Gene Frequencies in Type 1 Diabetes Mellitus. Human Immunology, 2006, 67, 986-990.	1.2	20
66	Human NK Cell Education by Inhibitory Receptors for MHC Class I. Immunity, 2006, 25, 331-342.	6.6	1,026
67	A HLA-Cw*03 allele, Cw*0322Q with limited or no expression Tissue Antigens, 2006, 67, 343-345.	1.0	7
68	Study of KIR genes in tuberculosis patients. Tissue Antigens, 2006, 68, 386-389.	1.0	38
69	The silentKIR3DP1gene (CD158c) is transcribed and might encode a secreted receptor in a minority of humans, in whom theKIR3DP1,KIR2DL4andKIR3DL1/KIR3DS1genes are duplicated. European Journal of Immunology, 2005, 35, 16-24.	1.6	71
70	Activating Killer Cell Immunoglobulin-Like Receptor Gene KIR2DS1 Is Associated With Psoriatic Arthritis. Human Immunology, 2005, 66, 836-841.	1.2	84
71	KIR genes. Transplant Immunology, 2005, 14, 135-142.	0.6	70
72	Investigation of killer cell immunoglobulin-like receptor gene diversity III. KIR2DL3. Tissue Antigens, 2004, 64, 188-194.	1.0	18

#	Article	IF	CITATIONS
73	Investigation of killer cell immunoglobulin-like receptor gene diversity V. KIR3DL2. Tissue Antigens, 2004, 64, 226-234.	1.0	23
74	HLA class I allele distribution of a Hong Kong Chinese population based on high-resolution PCR-SSOP typing. Tissue Antigens, 2004, 63, 555-561.	1.0	48
75	Investigation of killer cell immunoglobulinlike receptor gene diversity: I. KIR2DL4. Human Immunology, 2004, 65, 31-38.	1.2	31
76	Investigation of killer cell immunoglobulin-like receptor gene diversity: II. KIR2DS4. Human Immunology, 2004, 65, 613-621.	1.2	47
77	Investigation of killer cell immunoglobulin-like receptor gene diversity: IV. KIR3DL1/S1. Human Immunology, 2004, 65, 602-612.	1.2	37
78	Critical Evaluation of the Amino Acid Triplet-Epitope Matching Concept in Cadaver Kidney Transplantation Transplantation, 2004, 77, 801-802.	0.5	1
79	One thousand renal transplants in Belfast (1968-1998). Clinical Transplants, 2004, , 151-64.	0.2	Ο
80	PCR-Sequence-Specific Oligonucleotide Probe Typing for HLA-A, -B, and -DR. , 2003, 210, 67-112.		2
81	New allele frequency database: http://www.allelefrequencies.net. Tissue Antigens, 2003, 61, 403-407.	1.0	366
82	Killer-cell Immunoglobulin-like Receptor (KIR) Nomenclature Report, 2002. Human Immunology, 2003, 64, 648-654.	1.2	135
83	Multiple copies of KIR 3DL/S1 and KIR 2DL4 genes identified in a number of individuals. Human Immunology, 2003, 64, 729-732.	1.2	41
84	Natural killer cells and their receptors. Transplant Immunology, 2002, 10, 147-164.	0.6	159
85	A common KIR2DS4 deletion variant in the human that predicts a soluble KIR molecule analogous to the KIR1D molecule observed in the rhesus monkey. Tissue Antigens, 2002, 60, 254-258.	1.0	129
86	Distribution of HLA alleles in Portugal and Cabo Verde. Relationships with the slave trade route. Annals of Human Genetics, 2002, 66, 285-296.	0.3	37
87	Identification of medically important pathogenic fungi by reference strand-mediated conformational analysis (RSCA). Journal of Medical Microbiology, 2002, 51, 468-478.	0.7	9
88	The Influence of Transforming Growth Factor-β1 Gene Polymorphisms on the Severity of Gingival Overgrowth Associated With Concomitant Use of Cyclosporin A and a Calcium Channel Blocker. Journal of Periodontology, 2001, 72, 808-814.	1.7	22
89	Characterisation of a new HLA-B allele, HLA-B*0724 (Note). Tissue Antigens, 2001, 57, 471-473.	1.0	6
90	Analysis of the distribution of HLA-A alleles in populations from five continents. Human Immunology, 2000. 61. 1048-1052.	1.2	81

6

#	Article	IF	CITATIONS
91	Frequency of HLA-B alleles in a caucasoid population determined by a two-stage PCR-SSOP typing strategy. Human Immunology, 2000, 61, 1285-1297.	1.2	41
92	Diagnostic PCR withLeishmania donovanispecificity using sequences from the variable region of kinetoplast minicircle DNA. Tropical Medicine and International Health, 1999, 4, 448-453.	1.0	22
93	Genetic association studies of tumour necrosis factor α and β and tumour necrosis factor receptor 1 and 2 polymorphisms across the clinical spectrum of multiple sclerosis. Journal of Neurology, 1999, 246, 1051-1058.	1.8	32
94	Frequency of HLA-A and B alleles in early and late-onset Alzheimer's disease. Neuroscience Letters, 1999, 262, 140-142.	1.0	19
95	History of DNA typing for the human MHC. Reviews in Immunogenetics, 1999, 1, 135-56.	0.7	13
96	Aggregates from mutant and wild-type α-synuclein proteins and NAC peptide induce apoptotic cell death in human neuroblastoma cells by formation of β-sheet and amyloid-like filaments. FEBS Letters, 1998, 440, 71-75.	1.3	329
97	Sequence analysis of spontaneously-arising mutations at the <i>aprt</i> locus in wild-type and thymidine kinase-deficient Friend cells: Evidence for strand slippage-misalignment mechanism in formation of deletions. Biochemical Society Transactions, 1997, 25, 127S-127S.	1.6	1
98	Parvovirus B19 and Chronic Fatigue Syndrome. The Journal of Chronic Fatigue Syndrome: Multidisciplinary Innovations in Researchory and Clinical Practice, 1997, 3, 101-107.	0.4	3
99	A Bw6â€associated B44 allele (B*4409) identified by SSOP and corresponding serological results. Tissue Antigens, 1997, 49, 655-657.	1.0	6
100	Molecular typing of HLA class I and class II antigens in Indian kalaâ€azar patients. Tropical Medicine and International Health, 1997, 2, 468-471.	1.0	20
101	Modification of an HLAâ€B PCRâ€6SOP typing system leading to improved allele determination. Tissue Antigens, 1995, 45, 232-236.	1.0	66
102	Irish nephrological society. Irish Journal of Medical Science, 1995, 164, 297-302.	0.8	0
103	An HLAâ€DRB1*04 first domain sequence (DRB1*0416) which differs from HLAâ€DRB1*0401 at codon 59. Tissue Antigens, 1994, 43, 44-46.	1.0	9
104	Transfusion of one HLA-DR antigen-matched blood to potential recipients of a renal allograft. Transplantation, 1994, 58, 845-8.	0.5	0
105	A new DRB1 allele DRB1*1107 – a combination of DRB1*11 and DRB1*03. Tissue Antigens, 1993, 42, 160-163.	1.0	28
106	FREQUENCY OF HLA-DPB1 ALLELES IN MULTIPLE SCLEROSIS PATIENTS FROM NORTHERN IRELAND. International Journal of Immunogenetics, 1992, 19, 323-326.	1.2	7
107	Renal transplantation in Northern Ireland 1968-1990. Ulster Medical Journal, 1992, 61, 24-8.	0.2	0
108	Matching for HLA-DPB1 alleles in zero mismatched HLA-A, -B, and -DR renal transplants. Transplantation Proceedings, 1992, 24, 2439-40.	0.3	5

#	Article	IF	CITATIONS
109	Effect on sensitisation of giving HLA-DR-matched blood to potential renal transplant recipients. Transplantation Proceedings, 1992, 24, 2535-6.	0.3	2
110	Matching for various HLA class II loci in cadaveric renal transplantation using DNA techniques. Transplantation, 1992, 53, 1138-41.	0.5	0
111	Five new Taql DRB1 polymorphisms. Human Immunology, 1991, 31, 145-147.	1.2	3
112	Techniques used to define human MHC antigens: restriction fragment length polymorphisms. Immunology Letters, 1991, 29, 31-35.	1.1	1
113	No association of HLA class II antigens in chronic fatigue syndrome. Disease Markers, 1991, 9, 47-9.	0.6	4
114	Irish Association For Rheumatology And Rehabilitation Annual General Meeting, Friday, Nov. 4Th At Beaumont Hospital. Irish Journal of Medical Science, 1989, 158, 132-136.	0.8	0
115	Association of HLAâ€DRBr with HLAâ€DQw3. Tissue Antigens, 1988, 31, 79-82.	1.0	18
116	Discrepancies in serological tissue typing revealed by DNA techniques. Transplant International, 1988, 1, 161-164.	0.8	14
117	Discrepancies in serological tissue typing revealed by DNA techniques. Transplant International, 1988, 1, 161-164.	0.8	13
118	THE QUESTION OP WHETHER PREVIOUS EXPOSURE TO HLA-DR ANTIGENS IS A Hazard In Renal. Transplantation, 1988, 45, 809.	0.5	0