## Young Kyung Bae

## List of Publications by Citations

Source: https://exaly.com/author-pdf/5597287/young-kyung-bae-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

108<br/>papers1,665<br/>citations20<br/>h-index37<br/>g-index115<br/>ext. papers1,941<br/>ext. citations3.8<br/>avg, IF4.42<br/>L-index

#	Paper	IF	Citations
108	Increased expression of mitotic checkpoint genes in breast cancer cells with chromosomal instability. <i>Clinical Cancer Research</i> , <b>2006</b> , 12, 405-10	12.9	209
107	Fibronectin expression in carcinoma cells correlates with tumor aggressiveness and poor clinical outcome in patients with invasive breast cancer. <i>Human Pathology</i> , <b>2013</b> , 44, 2028-37	3.7	111
106	Hypermethylation in histologically distinct classes of breast cancer. <i>Clinical Cancer Research</i> , <b>2004</b> , 10, 5998-6005	12.9	102
105	A neural survival factor is a candidate oncogene in breast cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2003</b> , 100, 10931-6	11.5	100
104	Androgen receptor expression predicts decreased survival in early stage triple-negative breast cancer. <i>Annals of Surgical Oncology</i> , <b>2015</b> , 22, 82-9	3.1	88
103	HMGA1 induces intestinal polyposis in transgenic mice and drives tumor progression and stem cell properties in colon cancer cells. <i>PLoS ONE</i> , <b>2012</b> , 7, e30034	3.7	81
102	Adenocarcinoma of the small intestine: a multi-institutional study of 197 surgically resected cases. <i>Human Pathology</i> , <b>2010</b> , 41, 1087-96	3.7	62
101	The efficacy of arm node preserving surgery using axillary reverse mapping for preventing lymphedema in patients with breast cancer. <i>Journal of Breast Cancer</i> , <b>2012</b> , 15, 91-7	3	45
100	Neuroendocrine differentiation correlates with hormone receptor expression and decreased survival in patients with invasive breast carcinoma. <i>Histopathology</i> , <b>2014</b> , 64, 647-59	7-3	39
99	Tissue adhesive FK506-loaded polymeric nanoparticles for multi-layered nano-shielding of pancreatic islets to enhance xenograft survival in a diabetic mouse model. <i>Biomaterials</i> , <b>2018</b> , 154, 182-	1 <del>95</del> 6	32
98	Epithelial-Mesenchymal Transition Phenotype Is Associated with Clinicopathological Factors That Indicate Aggressive Biological Behavior and Poor Clinical Outcomes in Invasive Breast Cancer. Journal of Breast Cancer, <b>2015</b> , 18, 256-63	3	27
97	Combined loss of E-cadherin and aberrant Etatenin protein expression correlates with a poor prognosis for small intestinal adenocarcinomas. <i>American Journal of Clinical Pathology</i> , <b>2013</b> , 139, 167-7	, <sub>6.9</sub>	27
96	Plexiform angiomyxoid myofibroblastic tumor of the stomach: a case report. <i>Journal of Korean Medical Science</i> , <b>2011</b> , 26, 1508-11	4.7	27
95	Prognostic Value of Tumor-Infiltrating Lymphocyte Density Assessed Using a Standardized Method Based on Molecular Subtypes and Adjuvant Chemotherapy in Invasive Breast Cancer. <i>Annals of Surgical Oncology</i> , <b>2018</b> , 25, 937-946	3.1	26
94	VEGFA and VEGFR2 genetic polymorphisms and survival in patients with diffuse large B cell lymphoma. <i>Cancer Science</i> , <b>2012</b> , 103, 497-503	6.9	26
93	Clinicopathologic and prognostic associations of KRAS and BRAF mutations in small intestinal adenocarcinoma. <i>Modern Pathology</i> , <b>2016</b> , 29, 402-15	9.8	25
92	A case of bone marrow necrosis with thrombotic thrombocytopenic purpura as a manifestation of occult colon cancer. <i>Japanese Journal of Clinical Oncology</i> , <b>2004</b> , 34, 476-80	2.8	25

91	Deficiency of clusterin exacerbates high-fat diet-induced insulin resistance in male mice. <i>Endocrinology</i> , <b>2014</b> , 155, 2089-101	4.8	24	
90	Mutations of the Epidermal Growth Factor Receptor Gene in Triple-Negative Breast Cancer. <i>Journal of Breast Cancer</i> , <b>2017</b> , 20, 150-159	3	24	
89	Polymeric microsphere-facilitated site-specific delivery of quercetin prevents senescence of pancreatic islets in vivo and improves transplantation outcomes in mouse model of diabetes. <i>Acta Biomaterialia</i> , <b>2018</b> , 75, 287-299	10.8	23	
88	Lynch syndrome-related small intestinal adenocarcinomas. <i>Oncotarget</i> , <b>2017</b> , 8, 21483-21500	3.3	20	
87	HER2 Status by Standardized Immunohistochemistry and Silver-Enhanced In Situ Hybridization in Korean Breast Cancer. <i>Journal of Breast Cancer</i> , <b>2012</b> , 15, 381-7	3	20	
86	Up-regulation of cathepsin S expression by HSP90 and 5-HT receptor-dependent serotonin signaling correlates with triple negativity of human breast cancer. <i>Breast Cancer Research and Treatment</i> , <b>2017</b> , 161, 29-40	4.4	19	
85	Positive expression of insulin-like growth factor-1 receptor is associated with a positive hormone receptor status and a favorable prognosis in breast cancer. <i>Journal of Breast Cancer</i> , <b>2014</b> , 17, 113-20	3	19	
84	Loss of S100A14 expression is associated with the progression of adenocarcinomas of the small intestine. <i>Pathobiology</i> , <b>2013</b> , 80, 95-101	3.6	18	
83	Frequency of MED12 mutations in phyllodes tumors: Inverse correlation with histologic grade. <i>Genes Chromosomes and Cancer</i> , <b>2016</b> , 55, 495-504	5	18	
82	Prognostic significance of CD9 expression differs between tumour cells and stromal immune cells, and depends on the molecular subtype of the invasive breast carcinoma. <i>Histopathology</i> , <b>2017</b> , 70, 115	5-7:₹65	17	
81	Coxsackievirus B infection is highly related with missed abortion in Korea. <i>Yonsei Medical Journal</i> , <b>2014</b> , 55, 1562-7	3	17	
80	Prognostic significance of CDX2 and mucin expression in small intestinal adenocarcinoma. <i>Modern Pathology</i> , <b>2014</b> , 27, 1364-74	9.8	17	
79	Hybrid Congregation of Islet Single Cells and Curcumin-Loaded Polymeric Microspheres as an Interventional Strategy to Overcome Apoptosis Associated with Pancreatic Islets Transplantation. <i>ACS Applied Materials &amp; Distriction</i> (1988) 4, 25702-25713	9.5	17	
78	Prognostic significance of Bcl-2 expression in non-basal triple-negative breast cancer patients treated with anthracycline-based chemotherapy. <i>Tumor Biology</i> , <b>2014</b> , 35, 12255-63	2.9	16	
77	Heme Binding Biguanides Target Cytochrome P450-Dependent Cancer Cell Mitochondria. <i>Cell Chemical Biology</i> , <b>2017</b> , 24, 1259-1275.e6	8.2	15	
76	Validation of the pathological prognostic staging system proposed in the revised eighth edition of the AJCC staging manual in different molecular subtypes of breast cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2019</b> , 474, 193-200	5.1	15	
<i>75</i>	Elevated Interleukin-13 Receptor Alpha 1 Expression in Tumor Cells Is Associated with Poor Prognosis in Patients with Invasive Breast Cancer. <i>Annals of Surgical Oncology</i> , <b>2017</b> , 24, 3780-3787	3.1	14	
74	Engineered islet cell clusters transplanted into subcutaneous space are superior to pancreatic islets in diabetes. <i>FASEB Journal</i> , <b>2017</b> , 31, 5111-5121	0.9	14	

73	Gene promoter hypermethylation in tumors and plasma of breast cancer patients. <i>Cancer Research and Treatment</i> , <b>2005</b> , 37, 233-40	5.2	14
72	Pregnancy loss following coxsackievirus b3 infection in mice during early gestation due to high expression of coxsackievirus-adenovirus receptor (CAR) in uterus and embryo. <i>Experimental Animals</i> , 2014, 63, 63-72	1.8	13
71	Multiplication of Chromosome 17 Centromere Is Associated with Prognosis in Patients with Invasive Breast Cancers Exhibiting Normal HER2 and TOP2A Status. <i>Journal of Breast Cancer</i> , <b>2012</b> , 15, 24-33	3	13
70	Single synchronous delivery of FK506-loaded polymeric microspheres with pancreatic islets for the successful treatment of streptozocin-induced diabetes in mice. <i>Drug Delivery</i> , <b>2017</b> , 24, 1350-1359	7	12
69	Epithelial-mesenchymal transition phenotype is associated with patient survival in small intestinal adenocarcinoma. <i>Pathology</i> , <b>2013</b> , 45, 567-73	1.6	12
68	Invasive breast carcinoma arising in microglandular adenosis: two case reports. <i>Journal of Breast Cancer</i> , <b>2013</b> , 16, 432-7	3	11
67	Prognostic Significance of Basal Markers in Triple-negative Breast Cancers. <i>Journal of Breast Cancer</i> , <b>2009</b> , 12, 4	3	11
66	Coexistent Loss of the Expressions of BRCA1 and p53 Predicts Poor Prognosis in Triple-Negative Breast Cancer. <i>Annals of Surgical Oncology</i> , <b>2016</b> , 23, 3524-3530	3.1	10
65	Solitary small bowel metastasis from breast cancer. <i>Journal of Breast Cancer</i> , <b>2011</b> , 14, 69-71	3	10
64	Hormone receptor expression in invasive breast cancer among Korean women and comparison of 3 antiestrogen receptor antibodies: a multi-institutional retrospective study using tissue microarrays. <i>American Journal of Surgical Pathology</i> , <b>2012</b> , 36, 1817-25	6.7	10
63	Automated Silver-enhanced In Situ Hybridization for Evaluation of HER2 Gene Status in Breast Carcinoma: Comparison with Fluorescence In Situ Hybridization and Immunohistochemistry. <i>Korean Journal of Pathology</i> , <b>2010</b> , 44, 28		10
62	Immunohistochemical expression of cytokeratin 15, cytokeratin 19, follistatin, and Bmi-1 in basal cell carcinoma. <i>International Journal of Dermatology</i> , <b>2016</b> , 55, 36-44	1.7	9
61	Cardiac myxoma diagnosed by signs of purpuric macules on both palms and soles. <i>Annals of Dermatology</i> , <b>2012</b> , 24, 337-40	0.4	9
60	CD9 Expression in Colorectal Carcinomas and Its Prognostic Significance. <i>Journal of Pathology and Translational Medicine</i> , <b>2016</b> , 50, 459-468	2.9	9
59	Prognostic Significance of CD44v6, CD133, CD166, and ALDH1 Expression in Small Intestinal Adenocarcinoma. <i>Applied Immunohistochemistry and Molecular Morphology</i> , <b>2015</b> , 23, 682-8	1.9	8
58	Biological characterization of nodal versus extranodal presentation of diffuse large B-Cell lymphoma using immunohistochemistry. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , <b>2011</b> , 11, 403-8	2	8
57	Interleukin-13 receptor alpha 2 expression in tumor cells is associated with reduced disease-free survival in patients with luminal subtype invasive breast cancer. <i>Tumor Biology</i> , <b>2018</b> , 40, 101042831878	8 <del>3</del> 657	7
56	Nilotinib-induced hyperbilirubinemia: is it a negligible adverse event?. <i>Leukemia Research</i> , <b>2009</b> , 33, e15	i9 <u>:6</u> 1	7

55	Expression of hMLH1, hMSH2 and hMSH6 in small intestinal carcinomas. <i>Hepato-Gastroenterology</i> , <b>2012</b> , 59, 2228-32		7
54	Extramammary Pagets Disease Combined with Squamous Cell Carcinoma In Situ of the Vulva: A Case Report and Differential Diagnosis. <i>Annals of Dermatology</i> , <b>2016</b> , 28, 497-8	0.4	7
53	Clusterin deficiency induces lipid accumulation and tissue damage in kidney. <i>Journal of Endocrinology</i> , <b>2018</b> , 237, 175-191	4.7	6
52	Integrated PET/MR mammography for quantitative analysis and correlation to prognostic factors of invasive ductal carcinoma. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2018</b> , 62, 118	3- <del>1</del> 7 <del>2</del> 6	5
51	CD9 Expression in Tumor Cells Is Associated with Poor Prognosis in Patients with Invasive Lobular Carcinoma. <i>Journal of Breast Cancer</i> , <b>2019</b> , 22, 77-85	3	4
50	Clinicopathological and prognostic significance of heme oxygenase-1 expression in small intestinal adenocarcinomas. <i>Pathology International</i> , <b>2018</b> , 68, 294-300	1.8	4
49	Clinical significance of vascular endothelial growth factor and vascular endothelial growth factor receptor-2 gene polymorphisms in patients with gastrointestinal stromal tumors. <i>Asia-Pacific Journal of Clinical Oncology</i> , <b>2014</b> , 10, e40-5	1.9	4
48	High mobility group A1 (HMGA1) protein and gene expression correlate with ER-negativity and poor outcomes in breast cancer. <i>Breast Cancer Research and Treatment</i> , <b>2020</b> , 179, 25-35	4.4	4
47	Standardized Pathology Report for Breast Cancer. Journal of Breast Cancer, 2021, 24, 1-21	3	4
46	Intratumoral CD103-positive tumour-infiltrating lymphocytes are associated with favourable prognosis in patients with triple-negative breast cancer. <i>Histopathology</i> , <b>2020</b> , 77, 560-569	7-3	3
45	Notch3 signaling is associated with MUC5AC expression and favorable prognosis in patients with small intestinal adenocarcinomas. <i>Pathology Research and Practice</i> , <b>2014</b> , 210, 501-7	3.4	3
44	One-step Nucleic Acid Amplification (OSNA): Intraoperative Rapid Molecular Diagnostic Method for the Detection of Sentinel Lymph Node Metastases in Breast Cancer Patients in Korean Cohort. <i>Journal of Breast Cancer</i> , <b>2010</b> , 13, 366	3	3
43	Gene Expression Profiles of Uterine Normal Myometrium and Leiomyoma and Their Estrogen ResponsivenessIn Vitro. <i>Korean Journal of Pathology</i> , <b>2010</b> , 44, 272		3
42	Particulate-Based Single-Dose Local Immunosuppressive Regimen for Inducing Tolerogenic Dendritic Cells in Xenogeneic Islet Transplantation. <i>Advanced Healthcare Materials</i> , <b>2021</b> , 10, e2001157	10.1	3
41	Mammary PagetS: disease without underlying malignancy of the breast. <i>Yeungnam University Journal of Medicine</i> , <b>2018</b> , 35, 99-103	1.3	3
40	Myoepithelial carcinoma with contralateral invasive micropapillary carcinoma of the breast. [Chapchi] Journal Taehan Oekwa Hakhoe, <b>2011</b> , 81, 211-5		2
39	The Oncologic Safety of Skin Sparing Mastectomy with or without Conservation of the Nipple-areolar Complex: 5 Years Follow up Results. <i>Journal of Breast Cancer</i> , <b>2010</b> , 13, 65	3	2
38	The Clinicopathologic Characteristics and Clinical Outcomes of Estrogen Receptor Negative and Progesterone Receptor Positive Breast Cancer. <i>Journal of Breast Cancer</i> , <b>2010</b> , 13, 74	3	2

37	Ovarian Gynandroblastoma with a Juvenile Granulosa Cell Tumor Component in a Postmenopausal Woman: A Case Report and Literature Review. <i>Journal of Pathology and Translational Medicine</i> , <b>2018</b> , 52, 344-348	2.9	2
36	HER2Status in Gastric Adenocarcinomas Assessed by Immunohistochemistry, Automated Silver-EnhancedIn SituHybridization and FluorescenceIn SituHybridization. <i>Korean Journal of Pathology</i> , <b>2010</b> , 44, 493		2
35	Impact of the Updated Guidelines on Human Epidermal Growth Factor Receptor 2 (HER2) Testing in Breast Cancer. <i>Journal of Breast Cancer</i> , <b>2020</b> , 23, 484-497	3	2
34	Unilateral cutaneous mycotic septic vasculitis in a patient with Aspergillus vegetation in the ascending aorta. <i>Journal of Dermatology</i> , <b>2012</b> , 39, 799-801	1.6	1
33	Reclassification of mammary carcinomas with neuroendocrine features in accordance with neuroendocrine morphologies in the revised World Health Organization classification. <i>Histopathology</i> , <b>2015</b> , 66, 755-6	7.3	1
32	Expression of insulin-like growth factor 1 and insulin-like growth factor 1 receptor is associated with the favorable clinicopathologic parameters in small intestinal carcinomas. <i>Pathobiology</i> , <b>2013</b> , 80, 265-70	3.6	1
31	DPC4 expression in the small intestinal adenocarcinomas. <i>Korean Journal of Pathology</i> , <b>2012</b> , 46, 415-22	<u>.</u>	1
30	The Usefulness and Limitations of Intraoperative Frozen Section Analysis of Sentinel Lymph Nodes in Patients with Breast Cancer. <i>Journal of Breast Cancer</i> , <b>2009</b> , 12, 170	3	1
29	Long-Term Complete Remission in an Acute Myeloid Leukemia Patient with Isolated Central Nervous System Relapse after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Yeungnam University Journal of Medicine</i> , <b>2012</b> , 29, 96		1
28	Breast lesions during pregnancy and lactation: a pictorial essay. <i>Ultrasonography</i> , <b>2020</b> , 39, 298-310	4.3	1
27	Necrobiotic Xanthogranuloma Coexists with Diffuse Normolipidemic Plane Xanthoma and Multiple Myeloma. <i>Annals of Dermatology</i> , <b>2020</b> , 32, 53-56	0.4	1
26	NDRG3 protein expression is associated with aggressive biologic phenotype and unfavorable outcome in patients with invasive breast cancer. <i>International Journal of Clinical and Experimental Pathology</i> , <b>2019</b> , 12, 3886-3893	1.4	1
25	Intrahepatic Biloma after Transcatheter Arterial Chemoembolization: Evaluation of Imaging Findings, Clinical Course and Treatment. <i>Journal of the Korean Radiological Society</i> , <b>2003</b> , 48, 309		1
24	Post Radiation Myxofibrosarcoma in Breast: A Case Report. <i>Journal of the Korean Society of Radiology</i> , <b>2015</b> , 73, 53	0.2	1
23	Gastric Adenocarcinoma with Coexistent Hepatoid Adenocarcinoma and Neuroendocrine Carcinoma -A Case Report <i>Korean Journal of Pathology</i> , <b>2009</b> , 43, 79		1
22	Usefulness of DOG1 Expression in the Diagnosis of Gastrointestinal Stromal Tumors. <i>Korean Journal of Pathology</i> , <b>2010</b> , 44, 141		1
21	Optimal Sampling Number of Sentinel Lymph Nodes in Invasive Breast Cancer: Results of 1,026 Sentinel Lymph Node Biopsies Done by Radioisotope. <i>Journal of Breast Cancer</i> , <b>2011</b> , 14, S37	3	1
20	Clinical Outcomes Following Letrozole Treatment according to Estrogen Receptor Expression in Postmenopausal Women: LETTER Study (KBCSG-006). <i>Journal of Breast Cancer</i> , <b>2021</b> , 24, 164-174	3	1

19	Standardized pathology report for breast cancer. <i>Journal of Pathology and Translational Medicine</i> , <b>2021</b> , 55, 1-15	2.9	1
18	Clinicopathologic features of cutaneous metastases from internal malignancies. <i>Journal of Pathology and Translational Medicine</i> , <b>2021</b> , 55, 289-297	2.9	1
17	Programmed Death Ligand 1 Immunohistochemistry in Triple-Negative Breast Cancer: Evaluation of Inter-Pathologist Concordance and Inter-Assay Variability. <i>Journal of Breast Cancer</i> , <b>2021</b> , 24, 266-279	3	1
16	Ultrasonographic morphological characteristics determined using a deep learning-based computer-aided diagnostic system of breast cancer <i>Medicine (United States)</i> , <b>2022</b> , 101, e28621	1.8	О
15	Immunohistochemical Expressions of Senescence-Associated Secretory Phenotype and Its Association With Immune Microenvironments and Clinicopathological Factors in Invasive Breast Cancer. <i>Pathology and Oncology Research</i> , <b>2021</b> , 27, 1609795	2.6	О
14	Pancreatic metastasis from malignant phyllodes tumor of the breast. <i>Yeungnam University Journal of Medicine</i> , <b>2021</b> , 38, 78-82	1.3	О
13	Therapy-related myeloid neoplasm in a patient with TP53 mutation: a dilemma in allogeneic stem cell transplant. <i>Leukemia and Lymphoma</i> , <b>2010</b> , 51, 1144-7	1.9	
12	A novel translocation t(1;5)(p32;q31) that was not associated with the TAL1 rearrangement in a case of T lymphoblastic leukemia/lymphoma. <i>Annals of Laboratory Medicine</i> , <b>2009</b> , 29, 199-203	3.1	
11	Microvascular Injury of the Peribiliary Plexus Associated with Transarterial Chemoembolization: A Study of Surgical Specimens. <i>Journal of the Korean Radiological Society</i> , <b>2006</b> , 55, 471		
10	CT and18FFDG PET/CT Findings of Subcutaneous Panniculitis like T-Cell Lymphoma: A Case Report. <i>Journal of the Korean Radiological Society</i> , <b>2007</b> , 57, 563		
9	Recurring Fibromatosis of Breast Following Tumorectomy: A Case Report. <i>Journal of the Korean Radiological Society</i> , <b>2008</b> , 58, 195		
8	Chordoma: A Clinicopathologic Review of 4 Cases. <i>Yeungnam University Journal of Medicine</i> , <b>1999</b> , 16, 369		
7	Unusual Ultrasonography Findings of Recurred Mammary Fibromatosis Mimicking Subareolar Mastitis: A Case Report. <i>Journal of the Korean Society of Radiology</i> , <b>2016</b> , 75, 208	0.2	
6	Metastatic eyelid cancer from gastric adenocarcinoma. <i>Yeungnam University Journal of Medicine</i> , <b>2016</b> , 33, 142	1.3	
5	Morphological Features of Metastatic Gastrointestinal Stromal Tumors after Gleevec Treatment - Two Cases Report <i>Korean Journal of Pathology</i> , <b>2009</b> , 43, 368		
4	Premalignant and Malignant Breast Pathology <b>2010</b> , 169-179		
3	HER2-Positive Breast Carcinomas with Co-amplification or Gain of Chromosome 17 Centromere Locus: Report of Three Cases and an Impact on HER2 Testing. <i>Korean Journal of Pathology</i> , <b>2011</b> , 45, 665		
2	Diagnostic Importance of Recognition of Calcareous Corpuscles and Larva Part in the Diagnosis of Sparganosis by Fine Needle Aspiration Cytology: Reports of Three Cases of Mammary Sparganosis. <i>Korean Journal of Pathology</i> , <b>2011</b> , 45, 542		

Fast-growing multiple symmetric lipomatosis. Yeungnam University Journal of Medicine, **2014**, 31, 48