Chih-Yen Chien, Facs

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5597610/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Quality of Life and Survival Outcome for Patients With Nasopharyngeal Carcinoma Receiving Three-Dimensional Conformal Radiotherapy vs. Intensity-Modulated Radiotherapy—A Longitudinal Study. International Journal of Radiation Oncology Biology Physics, 2008, 72, 356-364.	0.4	176
2	Kikuchi's disease: a review and analysis of 61 cases. Otolaryngology - Head and Neck Surgery, 2003, 128, 650-653.	1.1	153
3	Total Lower Lip Reconstruction with a Composite Radial Forearm-Palmaris Longus Tendon Flap: A Clinical Series. Plastic and Reconstructive Surgery, 2004, 113, 19-23.	0.7	128
4	Reconstruction of Concomitant Lip and Cheek Through-and-Through Defects with Combined Free Flap and an Advancement Flap from the Remaining Lip. Plastic and Reconstructive Surgery, 2004, 113, 491-498.	0.7	94
5	Intensity-modulated or conformal radiotherapy improves the quality of life of patients with nasopharyngeal carcinoma. Cancer, 2007, 109, 313-321.	2.0	93
6	Health-related Quality of life in 640 head and neck cancer survivors after radiotherapy using EORTC QLQ-C30 and QLQ-H&N35 questionnaires. BMC Cancer, 2011, 11, 128.	1.1	92
7	Saliva protein biomarkers to detect oral squamous cell carcinoma in a high-risk population in Taiwan. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 11549-11554.	3.3	91
8	Capsaicin Induces Autophagy and Apoptosis in Human Nasopharyngeal Carcinoma Cells by Downregulating the PI3K/AKT/mTOR Pathway. International Journal of Molecular Sciences, 2017, 18, 1343.	1.8	82
9	Reconstruction of Extensive Composite Mandibular Defects with Large Lip Involvement by Using Double Free Flaps and Fascia Lata Grafts for Oral Sphincters. Plastic and Reconstructive Surgery, 2005, 115, 1830-1836.	0.7	77
10	Lower prevalence but favorable survival for human papillomavirus-related squamous cell carcinoma of tonsil in Taiwan. Oral Oncology, 2008, 44, 174-179.	0.8	76
11	A New Transnasal Approach to Endoscopic Marsupialization of the Nasolabial Cyst. Laryngoscope, 1999, 109, 1116-1118.	1.1	73
12	Longâ€ŧerm late toxicities and quality of life for survivors of nasopharyngeal carcinoma treated with intensityâ€modulated radiotherapy versus non–intensityâ€modulated radiotherapy. Head and Neck, 2016, 38, E1026-32.	0.9	72
13	Fibulinâ€3 is associated with tumour progression and a poor prognosis in nasopharyngeal carcinomas and inhibits cell migration and invasion via suppressed AKT activity. Journal of Pathology, 2010, 222, 367-379.	2.1	66
14	Changing Quality of Life in Patients with Advanced Head and Neck Cancer after Primary Radiotherapy or Chemoradiation. Oncology, 2005, 68, 405-413.	0.9	57
15	High expressions of CD105 and VEGF in early oral cancer predict potential cervical metastasis. Journal of Surgical Oncology, 2006, 94, 413-417.	0.8	53
16	Functional reconstruction of complex lip and cheek defect with free composite anterolateral thigh flap and vascularized fascia. Head and Neck, 2008, 30, 1001-1006.	0.9	53
17	Ablation of advanced tongue or base of tongue cancer and reconstruction with free flap: Functional outcomes. European Journal of Surgical Oncology, 2006, 32, 353-357.	0.5	52
18	Effect of Routine Esophageal Screening in Patients With Head and Neck Cancer. JAMA Otolaryngology - Head and Neck Surgery, 2013, 139, 350.	1.2	52

#	Article	IF	CITATIONS
19	Pretreatment Quality of Life As a Predictor of Distant Metastasis and Survival for Patients With Nasopharyngeal Carcinoma. Journal of Clinical Oncology, 2010, 28, 4384-4389.	0.8	50
20	Prognostic Impact of p16, p53, Epidermal Growth Factor Receptor, and Human Papillomavirus in Oropharyngeal Cancer in a Betel Nut–Chewing Area. JAMA Otolaryngology, 2010, 136, 502.	1.5	49
21	Clinical, pathological and molecular determinants in squamous cell carcinoma of the oral cavity. Future Oncology, 2010, 6, 837-850.	1.1	48
22	High ERCC1 expression predicts cisplatin-based chemotherapy resistance and poor outcome in unresectable squamous cell carcinoma of head and neck in a betel-chewing area. Journal of Translational Medicine, 2011, 9, 31.	1.8	44
23	Comparison of radial forearm free flap, pedicled buccal fat pad flap and split-thickness skin graft in reconstruction of buccal mucosal defect. Oral Oncology, 2005, 41, 694-697.	0.8	43
24	Tobacco related oral cancer. BMJ: British Medical Journal, 2019, 365, l2142.	2.4	43
25	Reconstruction of the Hypopharynx with the Anterolateral Thigh Flap: Defect Classification, Method, Tips, and Outcomes. Plastic and Reconstructive Surgery, 2011, 127, 161-172.	0.7	42
26	High Expression of CD105 as a Prognostic Predictor of Early Tongue Cancer. Laryngoscope, 2006, 116, 1175-1179.	1.1	41
27	Depression, anxiety, quality of life, and predictors of depressive disorders in caregivers of patients with head and neck cancer: A six-month follow-up study. Journal of Psychosomatic Research, 2017, 100, 29-34.	1.2	39
28	Long-term effects on carotid intima-media thickness after radiotherapy in patients with nasopharyngeal carcinoma. Radiation Oncology, 2013, 8, 261.	1.2	37
29	Overexpression of Rap-1A Indicates a Poor Prognosis for Oral Cavity Squamous Cell Carcinoma and Promotes Tumor Cell Invasion via Aurora-A Modulation. American Journal of Pathology, 2013, 182, 516-528.	1.9	37
30	Health-related Quality of Life Outcome for Oral Cancer Survivors after Surgery and Postoperative Radiotherapy. Japanese Journal of Clinical Oncology, 2004, 34, 641-646.	0.6	36
31	Effect of S-Phase Kinase-Associated Protein 2 Expression on Distant Metastasis and Survival in Nasopharyngeal Carcinoma Patients. International Journal of Radiation Oncology Biology Physics, 2009, 73, 202-207.	0.4	36
32	Toll-like receptor 3-mediated tumor invasion in head and neck cancer. Oral Oncology, 2012, 48, 226-232.	0.8	36
33	Clinicopathologic significance of CD105 expression in squamous cell carcinoma of the hypopharynx. Head and Neck, 2006, 28, 441-446.	0.9	35
34	Prevalence and risk factors of depressive disorder in caregivers of patients with head and neck cancer. Psycho-Oncology, 2015, 24, 155-161.	1.0	35
35	Schwannoma (neurilemmoma) of the tongue. Acta Oto-Laryngologica, 2006, 126, 861-865.	0.3	34
36	Prevalence of HPV infection in racial–ethnic subgroups of head and neck cancer patients. Carcinogenesis, 2017, 38, 218-229.	1.3	33

#	Article	IF	CITATIONS
37	The clinical significance of adenoid–choanae area ratio in children with adenoid hypertrophy. International Journal of Pediatric Otorhinolaryngology, 2005, 69, 235-239.	0.4	32
38	Active matrix metalloproteinase-7 is associated with invasion in buccal squamous cell carcinoma. Modern Pathology, 2008, 21, 1444-1450.	2.9	32
39	Clinical impact of albumin in advanced head and neck cancer patients with free flap reconstruction—a retrospective study. PeerJ, 2018, 6, e4490.	0.9	31
40	Assessment of candidate biomarkers in paired saliva and plasma samples from oral cancer patients by targeted mass spectrometry. Journal of Proteomics, 2020, 211, 103571.	1.2	30
41	Massive bleeding from an ectopic lingual thyroid follicular adenoma during pregnancy. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2002, 23, 185-188.	0.6	29
42	Reconstruction of Head and Neck Cancer with Double Flaps: Comparison of Single and Double Recipient Vessels. Journal of Reconstructive Microsurgery, 2009, 25, 191-195.	1.0	29
43	Microsurgical Tissue Transfers for Head and Neck Reconstruction in Patients with Alcohol-Induced Mental Disorder. Annals of Surgical Oncology, 2008, 15, 371-377.	0.7	28
44	Comprehensive study on the prognostic role of osteopontin expression in oral squamous cell carcinoma. Oral Oncology, 2009, 45, 798-802.	0.8	28
45	Adult thyroidâ€like lowâ€grade nasopharyngeal papillary adenocarcinoma with thyroid transcription factorâ€1 expression. Otolaryngology - Head and Neck Surgery, 2007, 137, 837-838.	1.1	27
46	Enhancer of Zeste Homolog 2 Overexpression in Nasopharyngeal Carcinoma: An Independent Poor Prognosticator That Enhances Cell Growth. International Journal of Radiation Oncology Biology Physics, 2012, 82, 597-604.	0.4	27
47	Longâ€ŧerm effects of neck irradiation on cardiovascular autonomic function: A study in nasopharyngeal carcinoma patients after radiotherapy. Muscle and Nerve, 2013, 47, 344-350.	1.0	27
48	Pre-treatment with angiotensin-(1–7) inhibits tumor growth via autophagy by downregulating PI3K/Akt/mTOR signaling in human nasopharyngeal carcinoma xenografts. Journal of Molecular Medicine, 2018, 96, 1407-1418.	1.7	26
49	Adjuvant radiotherapy after curative surgery for oral cavity squamous cell carcinoma and treatment effect of timing and duration on outcome-A Taiwan Cancer Registry national database analysis. Cancer Medicine, 2018, 7, 3073-3083.	1.3	26
50	Exosome-derived microRNAs in oral squamous cell carcinomas impact disease prognosis. Oral Oncology, 2021, 120, 105402.	0.8	26
51	Prognosis of neutrophil-to-lymphocyte ratio in clinical early-stage tongue (cT1/T2N0) cancer. OncoTargets and Therapy, 2017, Volume 10, 3917-3924.	1.0	25
52	Variations in concerns reported on the patient concerns inventory in patients with head and neck cancer from different health settings across the world. Head and Neck, 2020, 42, 498-512.	0.9	25
53	Clinical significance of osteopontin expression in T1 and T2 tongue cancers. Head and Neck, 2008, 30, 776-781.	0.9	24
54	A comparison of psychological well-being and quality of life between spouse and non-spouse caregivers in patients with head and neck cancer: a 6-month follow-up study. Neuropsychiatric Disease and Treatment, 2018, Volume 14, 1697-1704.	1.0	24

#	Article	IF	CITATIONS
55	Quality of life for head and neck cancer patients treated by combined modality therapy: the therapeutic benefit of technological advances in radiotherapy. Quality of Life Research, 2010, 19, 1243-1254.	1.5	23
56	An immuno-MALDI mass spectrometry assay for the oral cancer biomarker, matrix metalloproteinase-1, in dried saliva spot samples. Analytica Chimica Acta, 2020, 1100, 118-130.	2.6	23
57	Verification of Saliva Matrix Metalloproteinase-1 as a Strong Diagnostic Marker of Oral Cavity Cancer. Cancers, 2020, 12, 2273.	1.7	23
58	Detection of metachronous esophageal squamous carcinoma in patients with head and neck cancer with use of transnasal esophagoscopy. Head and Neck, 2010, 32, 780-785.	0.9	22
59	Clinical significance of erythropoietin receptor expression in oral squamous cell carcinoma. BMC Cancer, 2012, 12, 194.	1.1	22
60	Tripleâ€positive pathologic findings in oral cavity cancer are related to a dismal prognosis. Laryngoscope, 2015, 125, E300-5.	1.1	22
61	Development of a Multiplexed Assay for Oral Cancer Candidate Biomarkers Using Peptide Immunoaffinity Enrichment and Targeted Mass Spectrometry. Molecular and Cellular Proteomics, 2017, 16, 1829-1849.	2.5	22
62	Triggering TLR3 pathway promotes tumor growth and cisplatin resistance in head and neck cancer cells. Oral Oncology, 2018, 86, 141-149.	0.8	22
63	Nasal leech infestation: report of seven leeches and literature review. European Archives of Oto-Rhino-Laryngology, 2010, 267, 1225-1229.	0.8	21
64	Prognostic value of quality of life measured after treatment on subsequent survival in patients with nasopharyngeal carcinoma. Quality of Life Research, 2013, 22, 715-723.	1.5	21
65	Treatment Outcomes of Patients with Locally Advanced Synchronous Esophageal and Head/Neck Squamous Cell Carcinoma Receiving Curative Concurrent Chemoradiotherapy. Scientific Reports, 2017, 7, 41785.	1.6	21
66	Scanning Electron Microscopic Study of the Nasolabial Cyst: Its Clinical and Embryological Implications. Laryngoscope, 2006, 116, 307-311.	1.1	20
67	Small cell carcinoma of the nasopharynx. Acta Oto-Laryngologica, 2007, 127, 206-208.	0.3	20
68	Angiopoietinâ€1 and â€2 expression in recurrent squamous cell carcinoma of the oral cavity. Journal of Surgical Oncology, 2008, 97, 273-277.	0.8	20
69	Treatment patterns and survival outcomes of advanced hypopharyngeal squamous cell carcinoma. World Journal of Surgical Oncology, 2020, 18, 82.	0.8	19
70	Aurora-A signaling is activated in advanced stage of squamous cell carcinoma of head and neck cancer and requires osteopontin to stimulate invasive behavior. Oncotarget, 2014, 5, 2243-2262.	0.8	19
71	Buried anterolateral thigh flap for pharyngoesophageal reconstruction: Our method for monitoring. Head and Neck, 2009, 31, 882-887.	0.9	18
72	Mortality in tongue cancer patients treated by curative surgery: a retrospective cohort study from CGRD. PeerJ, 2016, 4, e2794.	0.9	18

#	Article	IF	CITATIONS
73	Significance of mammalian target of rapamycin in patients with locally advanced stage IV head and neck squamous cell carcinoma receiving induction chemotherapy with docetaxel, cisplatin, and fluorouracil. Head and Neck, 2016, 38, E844-52.	0.9	17
74	Clinical Outcomes of Taiwanese Patients with cT4 Oral Cavity Squamous Cell Carcinoma: Toward the Identification of the Optimal Initial Treatment Approach for cT4b Patients. Annals of Surgical Oncology, 2017, 24, 785-793.	0.7	17
75	Variability Assessment of 90 Salivary Proteins in Intraday and Interday Samples from Healthy Donors by Multiple Reaction Monitoringâ€Mass Spectrometry. Proteomics - Clinical Applications, 2018, 12, 1700039.	0.8	17
76	Adequate surgical margins for oral cancer: A Taiwan cancer registry national database analysis. Oral Oncology, 2021, 119, 105358.	0.8	17
77	Ethanolic Extracts of Pluchea indica Induce Apoptosis and Antiproliferation Effects in Human Nasopharyngeal Carcinoma Cells. Molecules, 2015, 20, 11508-11523.	1.7	16
78	Clinical impact of human papillomavirus in laryngeal squamous cell carcinoma: a retrospective study. PeerJ, 2017, 5, e3395.	0.9	16
79	Immunohistochemical expression of epidermal growth factor receptor and cyclooxygenase-2 in pediatric nasopharyngeal carcinomas: No significant correlations with clinicopathological variables and treatment outcomes. International Journal of Pediatric Otorhinolaryngology, 2007, 71, 447-455.	0.4	15
80	Suppression of Aurora-A-FLJ10540 signaling axis prohibits the malignant state of head and neck cancer. Molecular Cancer, 2015, 14, 83.	7.9	15
81	The clinicopathological significance of p53 and p21 expression in squamous cell carcinoma of hypopharyngeal cancer. Cancer Letters, 2003, 201, 217-223.	3.2	14
82	Primary paranasal sinus clear cell carcinoma with EWSR1-ATF1 fusion: report of 2 molecularly confirmed cases exhibiting unique histopathology. Human Pathology, 2017, 63, 139-143.	1.1	14
83	<p>Validation of the Chinese Version of the Shame and Stigma Scale in Patients with Head and Neck Cancer</p> . Cancer Management and Research, 2019, Volume 11, 10297-10305.	0.9	14
84	Basaloid Squamous Cell Carcinoma of the Sinonasal Tract: Report of two Cases. Otolaryngology - Head and Neck Surgery, 2006, 134, 883-885.	1.1	13
85	Estrogen receptor overexpression in malignant minor salivary gland tumors of the sinonasal tract. Otolaryngology - Head and Neck Surgery, 2009, 141, 108-113.	1.1	13
86	Circulating CD105 shows significant impact in patients of oral cancer and promotes malignancy of cancer cells via CCL20. Tumor Biology, 2016, 37, 1995-2005.	0.8	13
87	Immediate Negative Pressure Wound Therapy After Free Flap Transfer for Head and Neck Cancer Surgery. Laryngoscope, 2018, 128, 2478-2482.	1.1	13
88	Anterior lateral thigh flap for buccal mucosal defect after resection of buccal cancer. Otolaryngology - Head and Neck Surgery, 2007, 137, 632-635.	1.1	12
89	Use of the Hospital Anxiety and Depression Scale and the Taiwanese Depression Questionnaire for screening depression in head and neck cancer patients in Taiwan. Neuropsychiatric Disease and Treatment, 2016, Volume 12, 2649-2657.	1.0	12
90	Angiotensin II receptor blockers valsartan and losartan improve survival rate clinically and suppress tumor growth via apoptosis related to PI3K/AKT signaling in nasopharyngeal carcinoma. Cancer, 2021, 127, 1606-1619.	2.0	12

#	Article	IF	CITATIONS
91	Metformin disrupts malignant behavior of oral squamous cell carcinoma via a novel signaling involving Late SV40 factor/Aurora-A. Scientific Reports, 2017, 7, 1358.	1.6	11
92	Quality of Life as a Mediator between Cancer Stage and Long-Term Mortality in Nasopharyngeal Cancer Patients Treated with Intensity-Modulated Radiotherapy. Cancers, 2021, 13, 5063.	1.7	11
93	The impact of virus in N3 node dissection for head and neck cancer. European Archives of Oto-Rhino-Laryngology, 2008, 265, 1379-1384.	0.8	10
94	Midkine neurite growth-promoting factor 2 expression as a potential prognostic marker of adjuvant therapy in head and neck squamous cell carcinoma. Biomarkers, 2013, 18, 687-698.	0.9	10
95	The Expression of Activin Receptor–Like Kinase 1 among Patients with Head and Neck Cancer. Otolaryngology - Head and Neck Surgery, 2013, 148, 965-973.	1.1	10
96	DRP1 contributes to head and neck cancer progression and induces glycolysis through modulated FOXM1/MMP12 axis. Molecular Oncology, 2022, 16, 2585-2606.	2.1	9
97	Pedicled mandible myoâ€osseous flaps combined with free skin flaps for reconstruction of complex lateral mandibular defects. Head and Neck, 2012, 34, 384-392.	0.9	8
98	Reduced expression of TRF1 is associated with tumor progression and poor prognosis in oral squamous cell carcinoma. Experimental and Therapeutic Medicine, 2011, 2, 63-67.	0.8	7
99	The Therapeutic Benefit of Radical Resection for T4b Oral Cavity Squamous Cell Carcinoma with Partial or Complete Response After Radical Chemo-Intensity-Modulated Radiotherapy (IMRT). Annals of Surgical Oncology, 2016, 23, 866-873.	0.7	7
100	Nox4 Overexpression as a Poor Prognostic Factor in Patients with Oral Tongue Squamous Cell Carcinoma Receiving Surgical Resection. Journal of Clinical Medicine, 2018, 7, 497.	1.0	7
101	<p>The Clinical Impacts of Pretreatment Peripheral Blood Ratio on Lymphocytes, Monocytes, and Neutrophils Among Patients with Laryngeal/Hypopharyngeal Cancer Treated by Chemoradiation/Radiation</p> . Cancer Management and Research, 2020, Volume 12, 9013-9021.	0.9	7
102	Salivary duct carcinoma of submandibular gland with trigeminal nerve invasion to intracranium. Journal of Laryngology and Otology, 2003, 117, 731-733.	0.4	6
103	Human papillomavirus infection in oral papillary and verrucous lesions is a prognostic indicator of malignant transformation. Cancer Epidemiology, 2012, 36, e122-e127.	0.8	6
104	The role of meperidine in reduction of postanesthetic shivering and its possible impact on flap outcomes. Microsurgery, 2014, 34, 106-111.	0.6	6
105	Concurrent chemoradiotherapy by simultaneously integrated boost volumetricâ€modulated arc therapy for nasopharyngeal carcinomaâ€toxicity/quality of life and survival. Head and Neck, 2019, 41, 1282-1289.	0.9	6
106	Clinical significance of pretreatment prognostic nutritional index and lymphocyte-to-monocyte ratio in patients with advanced p16-negative oropharyngeal cancer—a retrospective study. PeerJ, 2020, 8, e10465.	0.9	6
107	Angiotensin II receptor blockers and oral squamous cell carcinoma survival: A propensity-score-matched cohort study. PLoS ONE, 2021, 16, e0260772.	1.1	6
108	Laser myringotomy for otitis media with effusion in nasopharyngeal carcinoma patients. Otolaryngology - Head and Neck Surgery, 2005, 132, 924-927.	1.1	5

#	Article	IF	CITATIONS
109	Clinical and pathological determinants in tonsillar cancer. Head and Neck, 2011, 33, 1703-1707.	0.9	5
110	A pilot study of segmental mandibulectomy with surgical navigation using fluorineâ€18 fluorodeoxyglucose positronâ€emission tomography/computed tomography. Laryngoscope, 2012, 122, 2205-2209.	1.1	5
111	Predictors of hospital expenses and hospital stay among patients undergoing total laryngectomy: Cost effectiveness analysis. PLoS ONE, 2020, 15, e0236122.	1.1	5
112	Stigma, depression, and anxiety among patients with head and neck cancer. Supportive Care in Cancer, 2021, , 1.	1.0	5
113	Topical sucralfate for pain after oral CO2 laser surgery: a prospective, randomized, controlled trial. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2012, 33, 109-112.	0.6	4
114	Overexpression of UTX promotes tumor progression in Oral tongue squamous cell carcinoma patients receiving surgical resection: a case control study. BMC Cancer, 2021, 21, 979.	1.1	4
115	The side population of cancer stem-like cells in human oral cancer. Oral Oncology, 2012, 48, 913-914.	0.8	3
116	Efficacy of Different Chemotherapy Regimens in Patients with Locally Advanced Synchronous Esophageal and Head/Neck Squamous Cell Carcinoma Receiving Curative Concurrent Chemoradiotherapy. Journal of Clinical Medicine, 2020, 9, 197.	1.0	3
117	Surgical salvage of recurrent nasopharyngeal cancer- a multi-institutional review. Oral Oncology, 2021, 122, 105556.	0.8	3
118	Oral cavity anatomical site image classification and analysis. , 2022, 12037, .		3
119	Patients with oral cancer do not undergo surgery as primary treatment: A population-based study in Taiwan. Journal of the Formosan Medical Association, 2020, 119, 392-398.	0.8	2
120	Survival Outcomes and Predictors for Patients who Failed Chemoradiotherapy/Radiotherapy and Underwent Salvage Total Laryngectomy. International Journal of Environmental Research and Public Health, 2021, 18, 371.	1.2	2
121	Ribophorin II Overexpression Is Associated with Poor Response to Induction Chemotherapy with Docetaxel, Cisplatin, and Fluorouracil in P16-Negative Locally Advanced Head and Neck Squamous Cell Carcinoma. Journal of Clinical Medicine, 2021, 10, 4118.	1.0	2
122	Serum Levels of Stromal Cell-Derived Factor-1α and Vascular Endothelial Growth Factor Predict Clinical Outcomes in Head and Neck Squamous Cell Carcinoma Patients Receiving TPF Induction Chemotherapy. Biomedicines, 2022, 10, 803.	1.4	2
123	Concurrent chemoradiation therapy is associated with an accelerated risk of cardiovascular autonomic dysfunction in patients with nasopharyngeal carcinoma: A 9-year prospective follow-up study. Radiotherapy and Oncology, 2022, 170, 129-135.	0.3	2
124	Prognostic stratification of patients with AJCC 2018 pN1 disease in stage III oral squamous cell carcinoma. Journal of Otolaryngology - Head and Neck Surgery, 2022, 51, 18.	0.9	2
125	Targeting mTOR-CCL20 Signaling May Improve Response to Docetaxel in Head and Neck Squamous Cell Carcinoma. International Journal of Molecular Sciences, 2021, 22, 3046.	1.8	1
126	JAK2 Phosphorylation Signals and Their Associated Cytokines Involved in Chronic Rhinosinusitis with Nasal Polyps and Correlated with Disease Severity. Biomolecules, 2021, 11, 1059.	1.8	1

#	Article	IF	CITATIONS
127	Radiotherapy Is Associated with an Accelerated Risk of Carotid Atherosclerosis in Patients with Nasopharyngeal Carcinoma: A Nine-Year Prospective Follow-Up Study. Cancers, 2022, 14, 1234.	1.7	1
128	Prognostic Value of Pathologically Positive Nodal Number in p16-Negative Oropharyngeal and Hypopharyngeal Squamous Cell Carcinoma with pN3b Status. Diagnostics, 2022, 12, 1443.	1.3	1
129	The proposed physiology-based FDG PET/CT criteria in reducing false-positive results in advanced head and neck cancer after chemoradiotherapy. Quarterly Journal of Nuclear Medicine and Molecular Imaging, 2018, 62, 436-444.	0.4	0
130	Title is missing!. , 2020, 15, e0236122.		0
131	Title is missing!. , 2020, 15, e0236122.		0
132	Title is missing!. , 2020, 15, e0236122.		0
133	Title is missing!. , 2020, 15, e0236122.		0
134	JMJD3 suppresses tumor progression in oral tongue squamous cell carcinoma patients receiving surgical resection. PeerJ, 0, 10, e13759.	0.9	0