

# Chih-Yen Chien, Facs

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5597610/chih-yen-chien-facs-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

123  
papers

2,754  
citations

30  
h-index

46  
g-index

139  
ext. papers

3,178  
ext. citations

4.3  
avg, IF

4.77  
L-index

#	Paper	IF	Citations
123	Prognostic stratification of patients with AJCC 2018 pN1 disease in stage III oral squamous cell carcinoma.. <i>Journal of Otolaryngology - Head and Neck Surgery</i> , <b>2022</b> , 51, 18	5.4	
122	Angiotensin II receptor blockers and oral squamous cell carcinoma survival: A propensity-score-matched cohort study. <i>PLoS ONE</i> , <b>2021</b> , 16, e0260772	3.7	0
121	Quality of Life as a Mediator between Cancer Stage and Long-Term Mortality in Nasopharyngeal Cancer Patients Treated with Intensity-Modulated Radiotherapy. <i>Cancers</i> , <b>2021</b> , 13,	6.6	1
120	Surgical salvage of recurrent nasopharyngeal cancer- a multi-institutional review. <i>Oral Oncology</i> , <b>2021</b> , 122, 105556	4.4	0
119	Angiotensin II receptor blockers valsartan and losartan improve survival rate clinically and suppress tumor growth via apoptosis related to PI3K/AKT signaling in nasopharyngeal carcinoma. <i>Cancer</i> , <b>2021</b> , 127, 1606-1619	6.4	5
118	Adequate surgical margins for oral cancer: A Taiwan cancer registry national database analysis. <i>Oral Oncology</i> , <b>2021</b> , 119, 105358	4.4	6
117	Stigma, depression, and anxiety among patients with head and neck cancer. <i>Supportive Care in Cancer</i> , <b>2021</b> , 1	3.9	1
116	Ribophorin II Overexpression Is Associated with Poor Response to Induction Chemotherapy with Docetaxel, Cisplatin, and Fluorouracil in P16-Negative Locally Advanced Head and Neck Squamous Cell Carcinoma. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,	5.1	1
115	Exosome-derived microRNAs in oral squamous cell carcinomas impact disease prognosis. <i>Oral Oncology</i> , <b>2021</b> , 120, 105402	4.4	8
114	Overexpression of UTX promotes tumor progression in Oral tongue squamous cell carcinoma patients receiving surgical resection: a case control study. <i>BMC Cancer</i> , <b>2021</b> , 21, 979	4.8	0
113	Treatment patterns and survival outcomes of advanced hypopharyngeal squamous cell carcinoma. <i>World Journal of Surgical Oncology</i> , <b>2020</b> , 18, 82	3.4	7
112	Efficacy of Different Chemotherapy Regimens in Patients with Locally Advanced Synchronous Esophageal and Head/Neck Squamous Cell Carcinoma Receiving Curative Concurrent Chemoradiotherapy. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	1
111	Clinical significance of pretreatment prognostic nutritional index and lymphocyte-to-monocyte ratio in patients with advanced p16-negative oropharyngeal cancer-a retrospective study. <i>PeerJ</i> , <b>2020</b> , 8, e10465	3.1	3
110	Assessment of candidate biomarkers in paired saliva and plasma samples from oral cancer patients by targeted mass spectrometry. <i>Journal of Proteomics</i> , <b>2020</b> , 211, 103571	3.9	15
109	Variations in concerns reported on the patient concerns inventory in patients with head and neck cancer from different health settings across the world. <i>Head and Neck</i> , <b>2020</b> , 42, 498-512	4.2	13
108	An immuno-MALDI mass spectrometry assay for the oral cancer biomarker, matrix metalloproteinase-1, in dried saliva spot samples. <i>Analytica Chimica Acta</i> , <b>2020</b> , 1100, 118-130	6.6	11
107	Predictors of hospital expenses and hospital stay among patients undergoing total laryngectomy: Cost effectiveness analysis. <i>PLoS ONE</i> , <b>2020</b> , 15, e0236122	3.7	2

106	The Clinical Impacts of Pretreatment Peripheral Blood Ratio on Lymphocytes, Monocytes, and Neutrophils Among Patients with Laryngeal/Hypopharyngeal Cancer Treated by Chemoradiation/Radiation. <i>Cancer Management and Research</i> , <b>2020</b> , 12, 9013-9021	3.6	4
105	Verification of Saliva Matrix Metalloproteinase-1 as a Strong Diagnostic Marker of Oral Cavity Cancer. <i>Cancers</i> , <b>2020</b> , 12,	6.6	8
104	Patients with oral cancer do not undergo surgery as primary treatment: A population-based study in Taiwan. <i>Journal of the Formosan Medical Association</i> , <b>2020</b> , 119, 392-398	3.2	2
103	Predictors of hospital expenses and hospital stay among patients undergoing total laryngectomy: Cost effectiveness analysis <b>2020</b> , 15, e0236122		
102	Predictors of hospital expenses and hospital stay among patients undergoing total laryngectomy: Cost effectiveness analysis <b>2020</b> , 15, e0236122		
101	Predictors of hospital expenses and hospital stay among patients undergoing total laryngectomy: Cost effectiveness analysis <b>2020</b> , 15, e0236122		
100	Predictors of hospital expenses and hospital stay among patients undergoing total laryngectomy: Cost effectiveness analysis <b>2020</b> , 15, e0236122		
99	Tobacco related oral cancer. <i>BMJ, The</i> , <b>2019</b> , 365, l2142	5.9	24
98	Validation of the Chinese Version of the Shame and Stigma Scale in Patients with Head and Neck Cancer. <i>Cancer Management and Research</i> , <b>2019</b> , 11, 10297-10305	3.6	7
97	Concurrent chemoradiotherapy by simultaneously integrated boost volumetric-modulated arc therapy for nasopharyngeal carcinoma-toxicity/quality of life and survival. <i>Head and Neck</i> , <b>2019</b> , 41, 1282-1289 <sup>3</sup>	4.2	3
96	Variability Assessment of 90 Salivary Proteins in Intraday and Interday Samples from Healthy Donors by Multiple Reaction Monitoring-Mass Spectrometry. <i>Proteomics - Clinical Applications</i> , <b>2018</b> , 12, 1700039	3.1	11
95	Adjuvant radiotherapy after curative surgery for oral cavity squamous cell carcinoma and treatment effect of timing and duration on outcome-A Taiwan Cancer Registry national database analysis. <i>Cancer Medicine</i> , <b>2018</b> , 7, 3073	4.8	14
94	Clinical impact of albumin in advanced head and neck cancer patients with free flap reconstruction-a retrospective study. <i>PeerJ</i> , <b>2018</b> , 6, e4490	3.1	20
93	The proposed physiology-based FDG PET/CT criteria in reducing false-positive results in advanced head and neck cancer after chemoradiotherapy. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2018</b> , 62, 436-444	1.4	
92	Nox4 Overexpression as a Poor Prognostic Factor in Patients with Oral Tongue Squamous Cell Carcinoma Receiving Surgical Resection. <i>Journal of Clinical Medicine</i> , <b>2018</b> , 7,	5.1	4
91	Triggering TLR3 pathway promotes tumor growth and cisplatin resistance in head and neck cancer cells. <i>Oral Oncology</i> , <b>2018</b> , 86, 141-149	4.4	11
90	Immediate Negative Pressure Wound Therapy After Free Flap Transfer for Head and Neck Cancer Surgery. <i>Laryngoscope</i> , <b>2018</b> , 128, 2478-2482	3.6	6
89	A comparison of psychological well-being and quality of life between spouse and non-spouse caregivers in patients with head and neck cancer: a 6-month follow-up study. <i>Neuropsychiatric Disease and Treatment</i> , <b>2018</b> , 14, 1697-1704	3.1	13

88	Pre-treatment with angiotensin-(1-7) inhibits tumor growth via autophagy by downregulating PI3K/Akt/mTOR signaling in human nasopharyngeal carcinoma xenografts. <i>Journal of Molecular Medicine</i> , <b>2018</b> , 96, 1407-1418	5.5	21
87	Treatment Outcomes of Patients with Locally Advanced Synchronous Esophageal and Head/Neck Squamous Cell Carcinoma Receiving Curative Concurrent Chemoradiotherapy. <i>Scientific Reports</i> , <b>2017</b> , 7, 41785	4.9	15
86	Metformin disrupts malignant behavior of oral squamous cell carcinoma via a novel signaling involving Late SV40 factor/Aurora-A. <i>Scientific Reports</i> , <b>2017</b> , 7, 1358	4.9	7
85	Clinical Outcomes of Taiwanese Patients with cT4 Oral Cavity Squamous Cell Carcinoma: Toward the Identification of the Optimal Initial Treatment Approach for cT4b Patients. <i>Annals of Surgical Oncology</i> , <b>2017</b> , 24, 785-793	3.1	12
84	Primary paranasal sinus clear cell carcinoma with EWSR1-ATF1 fusion: report of 2 molecularly confirmed cases exhibiting unique histopathology. <i>Human Pathology</i> , <b>2017</b> , 63, 139-143	3.7	9
83	Prevalence of HPV Infection in Racial-Ethnic Subgroups of Head and Neck Cancer Patients. <i>Carcinogenesis</i> , <b>2017</b> , 38, 218-229	4.6	27
82	Prognosis of neutrophil-to-lymphocyte ratio in clinical early-stage tongue (cT1/T2N0) cancer. <i>OncoTargets and Therapy</i> , <b>2017</b> , 10, 3917-3924	4.4	17
81	Development of a Multiplexed Assay for Oral Cancer Candidate Biomarkers Using Peptide Immunoaffinity Enrichment and Targeted Mass Spectrometry. <i>Molecular and Cellular Proteomics</i> , <b>2017</b> , 16, 1829-1849	7.6	18
80	Depression, anxiety, quality of life, and predictors of depressive disorders in caregivers of patients with head and neck cancer: A six-month follow-up study. <i>Journal of Psychosomatic Research</i> , <b>2017</b> , 100, 29-34	4.1	26
79	Capsaicin Induces Autophagy and Apoptosis in Human Nasopharyngeal Carcinoma Cells by Downregulating the PI3K/AKT/mTOR Pathway. <i>International Journal of Molecular Sciences</i> , <b>2017</b> , 18,	6.3	67
78	Clinical impact of human papillomavirus in laryngeal squamous cell carcinoma: a retrospective study. <i>PeerJ</i> , <b>2017</b> , 5, e3395	3.1	14
77	Circulating CD105 shows significant impact in patients of oral cancer and promotes malignancy of cancer cells via CCL20. <i>Tumor Biology</i> , <b>2016</b> , 37, 1995-2005	2.9	11
76	Mortality in tongue cancer patients treated by curative surgery: a retrospective cohort study from CGRD. <i>PeerJ</i> , <b>2016</b> , 4, e2794	3.1	13
75	Use of the Hospital Anxiety and Depression Scale and the Taiwanese Depression Questionnaire for screening depression in head and neck cancer patients in Taiwan. <i>Neuropsychiatric Disease and Treatment</i> , <b>2016</b> , 12, 2649-2657	3.1	9
74	Significance of mammalian target of rapamycin in patients with locally advanced stage IV head and neck squamous cell carcinoma receiving induction chemotherapy with docetaxel, cisplatin, and fluorouracil. <i>Head and Neck</i> , <b>2016</b> , 38 Suppl 1, E844-52	4.2	16
73	Long-term late toxicities and quality of life for survivors of nasopharyngeal carcinoma treated with intensity-modulated radiotherapy versus non-intensity-modulated radiotherapy. <i>Head and Neck</i> , <b>2016</b> , 38 Suppl 1, E1026-32	4.2	53
72	The Therapeutic Benefit of Radical Resection for T4b Oral Cavity Squamous Cell Carcinoma with Partial or Complete Response After Radical Chemo-Intensity-Modulated Radiotherapy (IMRT). <i>Annals of Surgical Oncology</i> , <b>2016</b> , 23, 866-873	3.1	6
71	Saliva protein biomarkers to detect oral squamous cell carcinoma in a high-risk population in Taiwan. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2016</b> , 113, 11549-11554	11.5	64

70	Suppression of Aurora-A-FLJ10540 signaling axis prohibits the malignant state of head and neck cancer. <i>Molecular Cancer</i> , <b>2015</b> , 14, 83	42.1	15
69	Prevalence and risk factors of depressive disorder in caregivers of patients with head and neck cancer. <i>Psycho-Oncology</i> , <b>2015</b> , 24, 155-61	3.9	28
68	Triple-positive pathologic findings in oral cavity cancer are related to a dismal prognosis. <i>Laryngoscope</i> , <b>2015</b> , 125, E300-5	3.6	16
67	Ethanollic Extracts of <i>Pluchea indica</i> Induce Apoptosis and Antiproliferation Effects in Human Nasopharyngeal Carcinoma Cells. <i>Molecules</i> , <b>2015</b> , 20, 11508-23	4.8	11
66	The role of meperidine in reduction of postanesthetic shivering and its possible impact on flap outcomes. <i>Microsurgery</i> , <b>2014</b> , 34, 106-11	2.1	6
65	Aurora-A signaling is activated in advanced stage of squamous cell carcinoma of head and neck cancer and requires osteopontin to stimulate invasive behavior. <i>Oncotarget</i> , <b>2014</b> , 5, 2243-62	3.3	16
64	Prognostic value of quality of life measured after treatment on subsequent survival in patients with nasopharyngeal carcinoma. <i>Quality of Life Research</i> , <b>2013</b> , 22, 715-23	3.7	17
63	Long-term effects on carotid intima-media thickness after radiotherapy in patients with nasopharyngeal carcinoma. <i>Radiation Oncology</i> , <b>2013</b> , 8, 261	4.2	21
62	Long-term effects of neck irradiation on cardiovascular autonomic function: a study in nasopharyngeal carcinoma patients after radiotherapy. <i>Muscle and Nerve</i> , <b>2013</b> , 47, 344-50	3.4	20
61	Overexpression of Rap-1A indicates a poor prognosis for oral cavity squamous cell carcinoma and promotes tumor cell invasion via Aurora-A modulation. <i>American Journal of Pathology</i> , <b>2013</b> , 182, 516-28 <sup>5.8</sup>	5.8	27
60	Midkine neurite growth-promoting factor 2 expression as a potential prognostic marker of adjuvant therapy in head and neck squamous cell carcinoma. <i>Biomarkers</i> , <b>2013</b> , 18, 687-98	2.6	9
59	Effect of routine esophageal screening in patients with head and neck cancer. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , <b>2013</b> , 139, 350-4	3.9	42
58	The expression of activin receptor-like kinase 1 among patients with head and neck cancer. <i>Otolaryngology - Head and Neck Surgery</i> , <b>2013</b> , 148, 965-73	5.5	7
57	Toll-like receptor 3-mediated tumor invasion in head and neck cancer. <i>Oral Oncology</i> , <b>2012</b> , 48, 226-32	4.4	34
56	Enhancer of zeste homolog 2 overexpression in nasopharyngeal carcinoma: an independent poor prognosticator that enhances cell growth. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2012</b> , 82, 597-604	4	24
55	Topical sucralfate for pain after oral CO2 laser surgery: a prospective, randomized, controlled trial. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , <b>2012</b> , 33, 109-12	2.8	2
54	Human papillomavirus infection in oral papillary and verrucous lesions is a prognostic indicator of malignant transformation. <i>Cancer Epidemiology</i> , <b>2012</b> , 36, e122-7	2.8	6
53	A pilot study of segmental mandibulectomy with surgical navigation using fluorine-18 fluorodeoxyglucose positron-emission tomography/computed tomography. <i>Laryngoscope</i> , <b>2012</b> , 122, 2205-9	3.6	4

52	Clinical significance of erythropoietin receptor expression in oral squamous cell carcinoma. <i>BMC Cancer</i> , <b>2012</b> , 12, 194	4.8	18
51	Pedicle mandible myo-osseous flaps combined with free skin flaps for reconstruction of complex lateral mandibular defects. <i>Head and Neck</i> , <b>2012</b> , 34, 384-92	4.2	7
50	Reconstruction of the hypopharynx with the anterolateral thigh flap: defect classification, method, tips, and outcomes. <i>Plastic and Reconstructive Surgery</i> , <b>2011</b> , 127, 161-172	2.7	37
49	Reduced expression of TRF1 is associated with tumor progression and poor prognosis in oral squamous cell carcinoma. <i>Experimental and Therapeutic Medicine</i> , <b>2011</b> , 2, 63-67	2.1	6
48	Health-related quality of life in 640 head and neck cancer survivors after radiotherapy using EORTC QLQ-C30 and QLQ-H&N35 questionnaires. <i>BMC Cancer</i> , <b>2011</b> , 11, 128	4.8	64
47	High ERCC1 expression predicts cisplatin-based chemotherapy resistance and poor outcome in unresectable squamous cell carcinoma of head and neck in a betel-chewing area. <i>Journal of Translational Medicine</i> , <b>2011</b> , 9, 31	8.5	38
46	Clinical and pathological determinants in tonsillar cancer. <i>Head and Neck</i> , <b>2011</b> , 33, 1703-7	4.2	3
45	Clinical, pathological and molecular determinants in squamous cell carcinoma of the oral cavity. <i>Future Oncology</i> , <b>2010</b> , 6, 837-50	3.6	39
44	Pretreatment quality of life as a predictor of distant metastasis and survival for patients with nasopharyngeal carcinoma. <i>Journal of Clinical Oncology</i> , <b>2010</b> , 28, 4384-9	2.2	41
43	Detection of metachronous esophageal squamous carcinoma in patients with head and neck cancer with use of transnasal esophagoscopy. <i>Head and Neck</i> , <b>2010</b> , 32, 780-5	4.2	17
42	Prognostic impact of p16, p53, epidermal growth factor receptor, and human papillomavirus in oropharyngeal cancer in a betel nut-chewing area. <i>JAMA Otolaryngology</i> , <b>2010</b> , 136, 502-8		46
41	Nasal leech infestation: report of seven leeches and literature review. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2010</b> , 267, 1225-9	3.5	15
40	Quality of life for head and neck cancer patients treated by combined modality therapy: the therapeutic benefit of technological advances in radiotherapy. <i>Quality of Life Research</i> , <b>2010</b> , 19, 1243-54	3.7	20
39	Fibulin-3 is associated with tumour progression and a poor prognosis in nasopharyngeal carcinomas and inhibits cell migration and invasion via suppressed AKT activity. <i>Journal of Pathology</i> , <b>2010</b> , 222, 367-74	4.4	62
38	Reconstruction of head and neck cancer with double flaps: comparison of single and double recipient vessels. <i>Journal of Reconstructive Microsurgery</i> , <b>2009</b> , 25, 191-5	2.5	22
37	Comprehensive study on the prognostic role of osteopontin expression in oral squamous cell carcinoma. <i>Oral Oncology</i> , <b>2009</b> , 45, 798-802	4.4	25
36	Buried anterolateral thigh flap for pharyngoesophageal reconstruction: our method for monitoring. <i>Head and Neck</i> , <b>2009</b> , 31, 882-7	4.2	16
35	Effect of S-phase kinase-associated protein 2 expression on distant metastasis and survival in nasopharyngeal carcinoma patients. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2009</b> , 73, 202-7	4	29

34	Estrogen receptor overexpression in malignant minor salivary gland tumors of the sinonasal tract. <i>Otolaryngology - Head and Neck Surgery</i> , <b>2009</b> , 141, 108-13	5.5	9
33	Active matrix metalloproteinase-7 is associated with invasion in buccal squamous cell carcinoma. <i>Modern Pathology</i> , <b>2008</b> , 21, 1444-50	9.8	30
32	Lower prevalence but favorable survival for human papillomavirus-related squamous cell carcinoma of tonsil in Taiwan. <i>Oral Oncology</i> , <b>2008</b> , 44, 174-9	4.4	63
31	The impact of virus in N3 node dissection for head and neck cancer. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2008</b> , 265, 1379-84	3.5	10
30	Angiopoietin-1 and -2 expression in recurrent squamous cell carcinoma of the oral cavity. <i>Journal of Surgical Oncology</i> , <b>2008</b> , 97, 273-7	2.8	20
29	Clinical significance of osteopontin expression in T1 and T2 tongue cancers. <i>Head and Neck</i> , <b>2008</b> , 30, 776-81	4.2	19
28	Functional reconstruction of complex lip and cheek defect with free composite anterolateral thigh flap and vascularized fascia. <i>Head and Neck</i> , <b>2008</b> , 30, 1001-6	4.2	43
27	Quality of life and survival outcome for patients with nasopharyngeal carcinoma receiving three-dimensional conformal radiotherapy vs. intensity-modulated radiotherapy-a longitudinal study. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2008</b> , 72, 356-64	4	154
26	Microsurgical tissue transfers for head and neck reconstruction in patients with alcohol-induced mental disorder. <i>Annals of Surgical Oncology</i> , <b>2008</b> , 15, 371-7	3.1	22
25	Intensity-modulated or conformal radiotherapy improves the quality of life of patients with nasopharyngeal carcinoma: comparisons of four radiotherapy techniques. <i>Cancer</i> , <b>2007</b> , 109, 313-21	6.4	80
24	Small cell carcinoma of the nasopharynx. <i>Acta Oto-Laryngologica</i> , <b>2007</b> , 127, 206-8	1.6	20
23	Adult thyroid-like low-grade nasopharyngeal papillary adenocarcinoma with thyroid transcription factor-1 expression. <i>Otolaryngology - Head and Neck Surgery</i> , <b>2007</b> , 137, 837-8	5.5	21
22	Anterior lateral thigh flap for buccal mucosal defect after resection of buccal cancer. <i>Otolaryngology - Head and Neck Surgery</i> , <b>2007</b> , 137, 632-5	5.5	6
21	Immunohistochemical expression of epidermal growth factor receptor and cyclooxygenase-2 in pediatric nasopharyngeal carcinomas: no significant correlations with clinicopathological variables and treatment outcomes. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2007</b> , 71, 447-55	1.7	14
20	Clinicopathologic significance of CD105 expression in squamous cell carcinoma of the hypopharynx. <i>Head and Neck</i> , <b>2006</b> , 28, 441-6	4.2	31
19	High expressions of CD105 and VEGF in early oral cancer predict potential cervical metastasis. <i>Journal of Surgical Oncology</i> , <b>2006</b> , 94, 413-7	2.8	46
18	Schwannoma (neurilemmoma) of the tongue. <i>Acta Oto-Laryngologica</i> , <b>2006</b> , 126, 861-5	1.6	32
17	Ablation of advanced tongue or base of tongue cancer and reconstruction with free flap: functional outcomes. <i>European Journal of Surgical Oncology</i> , <b>2006</b> , 32, 353-7	3.6	42

16	Basaloid squamous cell carcinoma of the sinonasal tract: report of two cases. <i>Otolaryngology - Head and Neck Surgery</i> , <b>2006</b> , 134, 883-5	5.5	11
15	Scanning electron microscopic study of the nasolabial cyst: its clinical and embryological implications. <i>Laryngoscope</i> , <b>2006</b> , 116, 307-11	3.6	16
14	High expression of CD105 as a prognostic predictor of early tongue cancer. <i>Laryngoscope</i> , <b>2006</b> , 116, 1175-9	3.6	38
13	Changing quality of life in patients with advanced head and neck cancer after primary radiotherapy or chemoradiation. <i>Oncology</i> , <b>2005</b> , 68, 405-13	3.6	48
12	The clinical significance of adenoid-choanae area ratio in children with adenoid hypertrophy. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2005</b> , 69, 235-9	1.7	23
11	Laser myringotomy for otitis media with effusion in nasopharyngeal carcinoma patients. <i>Otolaryngology - Head and Neck Surgery</i> , <b>2005</b> , 132, 924-7	5.5	4
10	Reconstruction of extensive composite mandibular defects with large lip involvement by using double free flaps and fascia lata grafts for oral sphincters. <i>Plastic and Reconstructive Surgery</i> , <b>2005</b> , 115, 1830-6	2.7	63
9	Comparison of radial forearm free flap, pedicled buccal fat pad flap and split-thickness skin graft in reconstruction of buccal mucosal defect. <i>Oral Oncology</i> , <b>2005</b> , 41, 694-7	4.4	39
8	Health-related quality of life outcome for oral cancer survivors after surgery and postoperative radiotherapy. <i>Japanese Journal of Clinical Oncology</i> , <b>2004</b> , 34, 641-6	2.8	31
7	Total lower lip reconstruction with a composite radial forearm-palmaris longus tendon flap: a clinical series. <i>Plastic and Reconstructive Surgery</i> , <b>2004</b> , 113, 19-23	2.7	104
6	Reconstruction of concomitant lip and cheek through-and-through defects with combined free flap and an advancement flap from the remaining lip. <i>Plastic and Reconstructive Surgery</i> , <b>2004</b> , 113, 491-8	2.7	80
5	Salivary duct carcinoma of submandibular gland with trigeminal nerve invasion to intracranium. <i>Journal of Laryngology and Otology</i> , <b>2003</b> , 117, 731-3	1.8	4
4	The clinicopathological significance of p53 and p21 expression in squamous cell carcinoma of hypopharyngeal cancer. <i>Cancer Letters</i> , <b>2003</b> , 201, 217-23	9.9	11
3	Kikuchi's disease: a review and analysis of 61 cases. <i>Otolaryngology - Head and Neck Surgery</i> , <b>2003</b> , 128, 650-3	5.5	126
2	Massive bleeding from an ectopic lingual thyroid follicular adenoma during pregnancy. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , <b>2002</b> , 23, 185-8	2.8	18
1	A new transnasal approach to endoscopic marsupialization of the nasolabial cyst. <i>Laryngoscope</i> , <b>1999</b> , 109, 1116-8	3.6	55