

# Khalid F Alhabib

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5598480/publications.pdf>

Version: 2024-02-01

111  
papers

7,667  
citations

76196

40  
h-index

58464

82  
g-index

118  
all docs

118  
docs citations

118  
times ranked

11474  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Modifiable risk factors, cardiovascular disease, and mortality in 155~722 individuals from 21 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. <i>Lancet</i> , The, 2020, 395, 795-808.                                     | 6.3 | 935       |
| 2  | Heart failure: preventing disease and death worldwide. <i>ESC Heart Failure</i> , 2014, 1, 4-25.  | 1.4 | 921       |
| 3  | Variations in common diseases, hospital admissions, and deaths in middle-aged adults in 21 countries from five continents (PURE): a prospective cohort study. <i>Lancet</i> , The, 2020, 395, 785-794.  | 6.3 | 428       |
| 4  | Socioeconomic status and risk of cardiovascular disease in 20 low-income, middle-income, and high-income countries: the Prospective Urban Rural Epidemiologic (PURE) study. <i>The Lancet Global Health</i> , 2019, 7, e748-e760.                                   | 2.9 | 340       |
| 5  | Association of dairy intake with cardiovascular disease and mortality in 21 countries from five continents (PURE): a prospective cohort study. <i>Lancet</i> , The, 2018, 392, 2288-2297.   | 6.3 | 295       |
| 6  | Reperfusion therapy for ST elevation acute myocardial infarction 2010/2011: current status in 37 ESC countries. <i>European Heart Journal</i> , 2014, 35, 1957-1970.  | 1.0 | 275       |
| 7  | Global mortality variations in patients with heart failure: results from the International Congestive Heart Failure (INTER-CHF) prospective cohort study. <i>The Lancet Global Health</i> , 2017, 5, e665-e672.   | 2.9 | 247       |
| 8  | Urinary sodium excretion, blood pressure, cardiovascular disease, and mortality: a community-level prospective epidemiological cohort study. <i>Lancet</i> , The, 2018, 392, 496-506.   | 6.3 | 243       |
| 9  | Association of estimated sleep duration and naps with mortality and cardiovascular events: a study of 116~632 people from 21 countries. <i>European Heart Journal</i> , 2019, 40, 1620-1629.  | 1.0 | 208       |
| 10 | Variations between women and men in risk factors, treatments, cardiovascular disease incidence, and death in 27 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. <i>Lancet</i> , The, 2020, 396, 97-109.                    | 6.3 | 194       |
| 11 | Reference ranges of handgrip strength from 125,462 healthy adults in 21 countries: a prospective urban rural epidemiologic (PURE) study. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2016, 7, 535-546.  | 2.9 | 191       |
| 12 | Availability and affordability of blood pressure-lowering medicines and the effect on blood pressure control in high-income, middle-income, and low-income countries: an analysis of the PURE study data. <i>Lancet Public Health</i> , The, 2017, 2, e411-e419.    | 4.7 | 134       |
| 13 | Precipitating factors and 90-day outcome of acute heart failure: a report from the intercontinental <sc>GREAT</sc> registry. <i>European Journal of Heart Failure</i> , 2017, 19, 201-208.  | 2.9 | 126       |
| 14 | Availability and affordability of essential medicines for diabetes across high-income, middle-income, and low-income countries: a prospective epidemiological study. <i>Lancet Diabetes and Endocrinology</i> , the, 2018, 6, 798-808.                              | 5.5 | 116       |
| 15 | Association of Symptoms of Depression With Cardiovascular Disease and Mortality in Low-, Middle-, and High-Income Countries. <i>JAMA Psychiatry</i> , 2020, 77, 1052.   | 6.0 | 116       |
| 16 | Heart Failure in Africa, Asia, the Middle East and South America: The INTER-CHF study. <i>International Journal of Cardiology</i> , 2016, 204, 133-141.   | 0.8 | 108       |
| 17 | Associations of outdoor fine particulate air pollution and cardiovascular disease in 157~436 individuals from 21 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. <i>Lancet Planetary Health</i> , The, 2020, 4, e235-e245. | 5.1 | 106       |
| 18 | Health-Related Quality of Life and Mortality in Heart Failure: The Global Congestive Heart Failure Study of 23 000 Patients From 40 Countries. <i>Circulation</i> , 2021, 143, 2129-2142.   | 1.6 | 101       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Heart failure oral therapies at discharge are associated with better outcome in acute heart failure: a propensity score matched study. <i>European Journal of Heart Failure</i> , 2018, 20, 345-354.  | 2.9 | 92        |
| 20 | Clinical characteristics, management, and outcomes of acute heart failure patients: observations from the Gulf acute heart failure registry (Gulf CARE). <i>European Journal of Heart Failure</i> , 2015, 17, 374-384.  | 2.9 | 90        |
| 21 | The household economic burden of non-communicable diseases in 18 countries. <i>BMJ Global Health</i> , 2020, 5, e002040.  | 2.0 | 90        |
| 22 | Joint association of urinary sodium and potassium excretion with cardiovascular events and mortality: prospective cohort study. <i>BMJ: British Medical Journal</i> , 2019, 364, l772.  | 2.4 | 85        |
| 23 | Management and outcomes of Middle Eastern patients admitted with acute coronary syndromes in the Gulf Registry of Acute Coronary Events (Gulf RACE). <i>Acta Cardiologica</i> , 2009, 64, 439-446.  | 0.3 | 83        |
| 24 | Demographic, behavioral, and cardiovascular disease risk factors in the Saudi population: results from the Prospective Urban Rural Epidemiology study (PURE-Saudi). <i>BMC Public Health</i> , 2020, 20, 1213.  | 1.2 | 76        |
| 25 | Inequalities in the use of secondary prevention of cardiovascular disease by socioeconomic status: evidence from the PURE observational study. <i>The Lancet Global Health</i> , 2018, 6, e292-e301.  | 2.9 | 73        |
| 26 | Association of egg intake with blood lipids, cardiovascular disease, and mortality in 177,000 people in 50 countries. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 795-803.   | 2.2 | 71        |
| 27 | Associations of Fish Consumption With Risk of Cardiovascular Disease and Mortality Among Individuals With or Without Vascular Disease From 58 Countries. <i>JAMA Internal Medicine</i> , 2021, 181, 631.  | 2.6 | 68        |
| 28 | Baseline characteristics, management practices, and long-term outcomes of Middle Eastern patients in the Second Gulf Registry of Acute Coronary Events (Gulf RACE-2). <i>Annals of Saudi Medicine</i> , 2012, 32, 9-18.   | 0.5 | 68        |
| 29 | Wealth and cardiovascular health: a cross-sectional study of wealth-related inequalities in the awareness, treatment and control of hypertension in high-, middle- and low-income countries. <i>International Journal for Equity in Health</i> , 2016, 15, 199.                                   | 1.5 | 67        |
| 30 | The technical report on sodium intake and cardiovascular disease in low- and middle-income countries by the joint working group of the World Heart Federation, the European Society of Hypertension and the European Public Health Association. <i>European Heart Journal</i> , 2017, 38, ehw549. | 1.0 | 65        |
| 31 | Baseline characteristics, management practices, and in-hospital outcomes of patients with acute coronary syndromes: Results of the Saudi project for assessment of coronary events (SPACE) registry. <i>Journal of the Saudi Heart Association</i> , 2011, 23, 233-239.                           | 0.2 | 57        |
| 32 | Design and preliminary results of the Heart Function Assessment Registry Trial in Saudi Arabia (HEARTS) in patients with acute and chronic heart failure. <i>European Journal of Heart Failure</i> , 2011, 13, 1178-1184.   | 2.9 | 55        |
| 33 | White Rice Intake and Incident Diabetes: A Study of 132,373 Participants in 21 Countries. <i>Diabetes Care</i> , 2020, 43, 2643-2650.   | 4.3 | 55        |
| 34 | Gender Disparities in the Presentation, Management and Outcomes of Acute Coronary Syndrome Patients: Data from the 2nd Gulf Registry of Acute Coronary Events (Gulf RACE-2). <i>PLoS ONE</i> , 2013, 8, e55508.   | 1.1 | 54        |
| 35 | Associations of cereal grains intake with cardiovascular disease and mortality across 21 countries in Prospective Urban and Rural Epidemiology study: prospective cohort study. <i>BMJ, The</i> , 2021, 372, m4948.   | 3.0 | 53        |
| 36 | Prevalence, awareness, treatment and control of hypertension in four Middle East countries. <i>Journal of Hypertension</i> , 2017, 35, 1457-1464.   | 0.3 | 51        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Clinical presentation and outcome by age categories in acute heart failure: results from an international observational cohort. <i>European Journal of Heart Failure</i> , 2015, 17, 1114-1123.  | 2.9 | 49        |
| 38 | The Saudi Project for Assessment of Coronary Events (SPACE) registry: Design and results of a phase I pilot study. <i>Canadian Journal of Cardiology</i> , 2009, 25, e255-e258.  | 0.8 | 48        |
| 39 | Impact of social isolation on mortality and morbidity in 20 high-income, middle-income and low-income countries in five continents. <i>BMJ Global Health</i> , 2021, 6, e004124.   | 2.0 | 48        |
| 40 | Long-term exposure to outdoor and household air pollution and blood pressure in the Prospective Urban and Rural Epidemiological (PURE) study. <i>Environmental Pollution</i> , 2020, 262, 114197.  | 3.7 | 47        |
| 41 | Clinical features, management, and short- and long-term outcomes of patients with acute decompensated heart failure: phase I results of the HEARTS database. <i>European Journal of Heart Failure</i> , 2014, 16, 461-469.   | 2.9 | 46        |
| 42 | Associations of unprocessed and processed meat intake with mortality and cardiovascular disease in 21 countries [Prospective Urban Rural Epidemiology (PURE) Study]: a prospective cohort study. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 1049-1058. | 2.2 | 46        |
| 43 | The first survey of the Saudi Acute Myocardial Infarction Registry Program: Main results and long-term outcomes (STARS-1 Program). <i>PLoS ONE</i> , 2019, 14, e0216551.   | 1.1 | 43        |
| 44 | Availability and affordability of medicines and cardiovascular outcomes in 21 high-income, middle-income and low-income countries. <i>BMJ Global Health</i> , 2020, 5, e002640.  | 2.0 | 41        |
| 45 | Randomized controlled trial of influenza vaccine in patients with heart failure to reduce adverse vascular events (IVVE): Rationale and design. <i>American Heart Journal</i> , 2019, 212, 36-44.  | 1.2 | 39        |
| 46 | Age-Related Sex Differences in Clinical Presentation, Management, and Outcomes in ST-Segment Elevation Myocardial Infarction: Pooled Analysis of 15 532 Patients From 7 Arabian Gulf Registries. <i>Journal of the American Heart Association</i> , 2020, 9, e013880.  | 1.6 | 39        |
| 47 | Dyslipidaemia in the Middle East: Current status and a call for action. <i>Atherosclerosis</i> , 2016, 252, 182-187.   | 0.4 | 37        |
| 48 | Reperfusion therapies and in-hospital outcomes for ST-elevation myocardial infarction in Europe: the ACVC-EAPCI EORP STEMI Registry of the European Society of Cardiology. <i>European Heart Journal</i> , 2021, 42, 4536-4549.  | 1.0 | 37        |
| 49 | Psychosocial Risk Factors and Cardiovascular Disease and Death in a Population-Based Cohort From 21 Low-, Middle-, and High-Income Countries. <i>JAMA Network Open</i> , 2021, 4, e2138920.  | 2.8 | 37        |
| 50 | Association of nut intake with risk factors, cardiovascular disease, and mortality in 16 countries from 5 continents: analysis from the Prospective Urban and Rural Epidemiology (PURE) study. <i>American Journal of Clinical Nutrition</i> , 2020, 112, 208-219.     | 2.2 | 33        |
| 51 | Global variations in the prevalence, treatment, and impact of atrial fibrillation in a multi-national cohort of 153 152 middle-aged individuals. <i>Cardiovascular Research</i> , 2021, 117, 1523-1531.  | 1.8 | 33        |
| 52 | Patient and System-Related Delays of Emergency Medical Services Use in Acute ST-Elevation Myocardial Infarction: Results from the Third Gulf Registry of Acute Coronary Events (Gulf RACE-3Ps). <i>PLoS ONE</i> , 2016, 11, e0147385.                                  | 1.1 | 32        |
| 53 | Contrasting Associations Between Diabetes and Cardiovascular Mortality Rates in Low-, Middle-, and High-Income Countries: Cohort Study Data From 143,567 Individuals in 21 Countries in the PURE Study. <i>Diabetes Care</i> , 2020, 43, 3094-3101.                    | 4.3 | 32        |
| 54 | Association of Sitting Time With Mortality and Cardiovascular Events in High-Income, Middle-Income, and Low-Income Countries. <i>JAMA Cardiology</i> , 2022, 7, 796.   | 3.0 | 30        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Association between hypo- and hyperkalemia and outcome in acute heart failure patients: the role of medications. <i>Clinical Research in Cardiology</i> , 2018, 107, 214-221.  | 1.5 | 28        |
| 56 | The Gulf Familial Hypercholesterolemia Registry (Gulf FH): Design, Rationale and Preliminary Results. <i>Current Vascular Pharmacology</i> , 2019, 18, 57-64.  | 0.8 | 23        |
| 57 | Prognostic Significance of Prevalent and Incident Atrial Fibrillation Among Patients Hospitalized with Acute Coronary Syndrome. <i>Angiology</i> , 2012, 63, 466-471.  | 0.8 | 22        |
| 58 | The prognostic impact of in-hospital worsening of renal function in patients with acute coronary syndrome. <i>International Journal of Cardiology</i> , 2013, 167, 866-870.  | 0.8 | 22        |
| 59 | Assessment of physicians' awareness and knowledge of familial hypercholesterolemia in Saudi Arabia: Is there a gap?. <i>PLoS ONE</i> , 2017, 12, e0183494.   | 1.1 | 22        |
| 60 | Using Mobile Health Intervention to Improve Secondary Prevention of Coronary Heart Diseases in China: Mixed-Methods Feasibility Study. <i>JMIR MHealth and UHealth</i> , 2018, 6, e9.  | 1.8 | 22        |
| 61 | Clinical characteristics, management and outcomes of patients with chronic heart failure: Results from the heart function assessment registry trial in Saudi Arabia (HEARTS-chronic). <i>International Journal of Cardiology</i> , 2017, 235, 94-99. | 0.8 | 21        |
| 62 | Variations in the financial impact of the COVID-19 pandemic across 5 continents: A cross-sectional, individual level analysis. <i>EClinicalMedicine</i> , 2022, 44, 101284.  | 3.2 | 21        |
| 63 | Long-Term Mortality Rates in Acute De Novo Versus Acute-on-Chronic Heart Failure. <i>Angiology</i> , 2015, 66, 837-844.  | 0.8 | 20        |
| 64 | Glomerular Filtration Rate Estimated by the CKD-EPI Formula is a Powerful Predictor of In-Hospital Adverse Clinical Outcomes After an Acute Coronary Syndrome. <i>Angiology</i> , 2012, 63, 119-126.   | 0.8 | 19        |
| 65 | Polyvascular Disease in Patients Presenting with Acute Coronary Syndrome: Its Predictors and Outcomes. <i>Scientific World Journal, The</i> , 2012, 2012, 1-7.   | 0.8 | 18        |
| 66 | Acute heart failure with and without acute coronary syndrome: clinical correlates and prognostic impact (From the HEARTS registry). <i>BMC Cardiovascular Disorders</i> , 2016, 16, 98.  | 0.7 | 18        |
| 67 | Age and clinical outcomes in patients presenting with acute coronary syndromes. <i>Journal of Cardiovascular Disease Research (discontinued)</i> , 2013, 4, 134-139.   | 0.1 | 17        |
| 68 | Familial Hypercholesterolemia in the Arabian Gulf Region: Clinical results of the Gulf FH Registry. <i>PLoS ONE</i> , 2021, 16, e0251560.  | 1.1 | 17        |
| 69 | Variations in risks from smoking between high-income, middle-income, and low-income countries: an analysis of data from 179,000 participants from 63 countries. <i>The Lancet Global Health</i> , 2022, 10, e216-e226.                               | 2.9 | 16        |
| 70 | Development of a mobile phone-based intervention to improve adherence to secondary prevention of coronary heart disease in China. <i>Journal of Medical Engineering and Technology</i> , 2016, 40, 372-382.  | 0.8 | 15        |
| 71 | Does greater individual social capital improve the management of hypertension? Cross-national analysis of 61,229 individuals in 21 countries. <i>BMJ Global Health</i> , 2017, 2, e000443.   | 2.0 | 15        |
| 72 | The Spectrum of Familial Hypercholesterolemia (FH) in Saudi Arabia: Prime Time for Patient FH Registry. <i>Open Cardiovascular Medicine Journal</i> , 2017, 11, 66-75.   | 0.6 | 15        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Invasive and antiplatelet treatment of patients with non-ST-segment elevation myocardial infarction: Understanding and addressing the global risk-treatment paradox. <i>Clinical Cardiology</i> , 2019, 42, 1028-1040.   | 0.7 | 14        |
| 74 | Age and its relationship to acute coronary syndromes in the Saudi Project for Assessment of Coronary Events (SPACE) registry: The SPACE age study. <i>Journal of the Saudi Heart Association</i> , 2012, 24, 9-16.   | 0.2 | 13        |
| 75 | Prevalence and prognosis of congestive heart failure in Saudi patients admitted with acute coronary syndrome (from SPACE registry). <i>Coronary Artery Disease</i> , 2013, 24, 596-601.  | 0.3 | 13        |
| 76 | Use of Emergency Medical Services in the Second Gulf Registry of Acute Coronary Events. <i>Angiology</i> , 2014, 65, 703-709.  | 0.8 | 13        |
| 77 | Worsening heart failure in "real-world" clinical practice: predictors and prognostic impact. <i>European Journal of Heart Failure</i> , 2017, 19, 987-995.   | 2.9 | 13        |
| 78 | Clinical Presentation, Quality of Care, Risk Factors and Outcomes in Women with Acute ST-Elevation Myocardial Infarction (STEMI): An Observational Report from Six Middle Eastern Countries. <i>Current Vascular Pharmacology</i> , 2019, 17, 388-395.   | 0.8 | 12        |
| 79 | Prevalence, Predictors, and Outcomes of Conservative Medical Management in Non-ST-Segment Elevation Acute Coronary Syndromes in Gulf RACE-2. <i>Angiology</i> , 2012, 63, 109-118.   | 0.8 | 11        |
| 80 | Association of bedtime with mortality and major cardiovascular events: an analysis of 112,198 individuals from 21 countries in the PURE study. <i>Sleep Medicine</i> , 2021, 80, 265-272.  | 0.8 | 11        |
| 81 | Regional Variability in Hospital Mortality in Patients Hospitalized with ST-Segment Elevation Myocardial Infarction: Findings from the Gulf Registry of Acute Coronary Events. <i>Medical Principles and Practice</i> , 2011, 20, 225-230.   | 1.1 | 10        |
| 82 | Impact of diabetes on hospital adverse cardiovascular outcomes in acute coronary syndrome patients: Data from the Saudi project of acute coronary events. <i>Journal of the Saudi Heart Association</i> , 2012, 24, 225-231.   | 0.2 | 10        |
| 83 | The Obesity Paradox in Patients With Acute Coronary Syndrome. <i>Angiology</i> , 2014, 65, 585-589.  | 0.8 | 9         |
| 84 | Validation of the 6-Month GRACE Score in Predicting 1-Year Mortality of Patients With Acute Coronary Syndrome Admitted to the Arabian Gulf Hospitals. <i>Angiology</i> , 2017, 68, 251-256.  | 0.8 | 9         |
| 85 | β-blocker Therapy Prior to Admission for Acute Coronary Syndrome in Patients Without Heart Failure or Left Ventricular Dysfunction Improves In-Hospital and 12-Month Outcome: Results From the GULF RACE 2 (Gulf Registry of Acute Coronary Events). <i>Journal of the American Heart Association</i> , 2017, 6, . | 1.6 | 9         |
| 86 | Acute myocardial infarction and acute heart failure in the Middle East and North Africa: Study design and pilot phase study results from the PEACE MENA registry. <i>PLoS ONE</i> , 2020, 15, e0236292.  | 1.1 | 9         |
| 87 | Short-term and long-term adverse cardiovascular events across the glycaemic spectrum in patients with acute coronary syndrome. <i>Coronary Artery Disease</i> , 2014, 25, 330-338.   | 0.3 | 8         |
| 88 | Predictors and Impact of In-Hospital Recurrent Myocardial Infarction in Patients With Acute Coronary Syndrome: Findings From Gulf RACE-2. <i>Angiology</i> , 2017, 68, 508-512.  | 0.8 | 8         |
| 89 | Shock Index in Patients Presenting With Acute Heart Failure: A Multicenter Multinational Observational Study. <i>Angiology</i> , 2019, 70, 938-946.  | 0.8 | 8         |
| 90 | Initial heart rate and cardiovascular outcomes in patients presenting with acute coronary syndrome. <i>Acute Cardiac Care</i> , 2014, 16, 49-56.   | 0.2 | 7         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Disparities in Health Care Delivery and Hospital Outcomes between Non-Saudis and Saudi Nationals Presenting with Acute Coronary Syndromes in Saudi Arabia. <i>PLoS ONE</i> , 2015, 10, e0124012.  | 1.1 | 7         |
| 92  | Validation of the Canada Acute Coronary Syndrome Risk Score for Hospital Mortality in the Gulf Registry of Acute Coronary Events. <i>Clinical Cardiology</i> , 2015, 38, 542-547.   | 0.7 | 6         |
| 93  | Use of ticagrelor alongside fibrinolytic therapy in patients with ST-segment elevation myocardial infarction: Practical perspectives based on data from the TREAT study. <i>Clinical Cardiology</i> , 2018, 41, 1322-1327.  | 0.7 | 6         |
| 94  | Circadian Rhythm and ST-Segment Elevation Myocardial Infarction: Insights From the Third Gulf Registry of Acute Coronary Events (Gulf RACE-3Ps). <i>Angiology</i> , 2019, 70, 352-360.  | 0.8 | 6         |
| 95  | Are acute coronary syndrome patients admitted during off-duty hours treated differently? An analysis of the Saudi Project for Assessment of Acute Coronary Syndrome (SPACE) study. <i>Annals of Saudi Medicine</i> , 2012, 32, 366-371.   | 0.5 | 6         |
| 96  | Incidence of ventricular arrhythmia and associated patient outcomes in hospitalized acute coronary syndrome patients in Saudi Arabia: findings from the registry of the Saudi Project for Assessment of Acute Coronary Syndrome (SPACE). <i>Annals of Saudi Medicine</i> , 2012, 32, 372-377.                   | 0.5 | 4         |
| 97  | Short-term and long-term mortality associated with ventricular arrhythmia in patients hospitalized with acute coronary syndrome. <i>Coronary Artery Disease</i> , 2013, 24, 160-164.  | 0.3 | 4         |
| 98  | Impact of access to hospitals with catheterization facilities in the second Gulf Registry of Acute Coronary Events (Gulf RACE-2). <i>Coronary Artery Disease</i> , 2013, 24, 412-418.   | 0.3 | 4         |
| 99  | Acute Coronary Syndrome in Indian Subcontinent Patients Residing in the Middle East. <i>Angiology</i> , 2015, 66, 818-825.  | 0.8 | 4         |
| 100 | The prognostic impact of hyperglycemia on clinical outcomes of acute heart failure: Insights from the heart function assessment registry trial in Saudi Arabia. <i>Journal of the Saudi Heart Association</i> , 2018, 30, 319-327.  | 0.2 | 4         |
| 101 | Prior Antiplatelet Use and Cardiovascular Outcomes in Patients Presenting with Acute Coronary Syndromes. <i>American Journal of Cardiovascular Drugs</i> , 2012, 12, 127-135.   | 1.0 | 3         |
| 102 | Baseline characteristics, management practices, and long-term outcomes among patients with first presentation acute myocardial infarction in the Second Gulf Registry of Acute Coronary Events (Gulf RACE-2). <i>Journal of the Saudi Heart Association</i> , 2018, 30, 328-332.                                | 0.2 | 3         |
| 103 | Variations in the association of height with mortality, cardiovascular disease and cancer in low-, middle- and high-income countries. <i>International Journal of Epidemiology</i> , 2022, 51, 1304-1316.   | 0.9 | 3         |
| 104 | The impact of introduction of Code-STEMI program on the reduction of door-to-balloon time in acute ST-elevation myocardial infarction patients undergoing primary percutaneous coronary intervention: A single-center study in Saudi Arabia. <i>Journal of the Saudi Heart Association</i> , 2018, 30, 172-179. | 0.2 | 2         |
| 105 | Atrial Fibrillation in Patients Hospitalized With Heart Failure: Patient Characteristics and Outcomes From the HEARTS Registry. <i>Angiology</i> , 2018, 69, 151-157.   | 0.8 | 2         |
| 106 | Identifying mortality risk factors amongst acute coronary syndrome patients admitted to Arabian Gulf hospitals using machine learning methods. <i>Expert Systems</i> , 2019, 36, e12413.  | 2.9 | 2         |
| 107 | Medications for blood pressure, blood glucose, lipids, and anti-thrombotic medications: relationship with cardiovascular disease and death in adults from 21 high-, middle-, and low-income countries with an elevated body mass index. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 1817-1826. | 0.8 | 2         |
| 108 | Clinical Presentation, Predictors, and Outcomes Among Mineralocorticoid Receptor Antagonist (MRA)-Eligible Acute Heart Failure Patients in the Heart Function Assessment Registry Trial in Saudi Arabia (HEARTS). <i>Angiology</i> , 2018, 69, 323-332.   | 0.8 | 1         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Pure Autonomic Failure with Asymptomatic Hypertensive Urgency: A Case Report and Literature Review. <i>Case Reports in Neurology</i> , 2019, 10, 357-362.   | 0.3 | 1         |
| 110 | The Prognostic Impact Of Pulse Pressure In Acute Heart Failure: Insights From The HEARTS Registry. <i>Journal of the Saudi Heart Association</i> , 2020, 32, 263-273.   | 0.2 | 1         |
| 111 | Impact of Clopidogrel on Mortality in Patients With Acute Heart Failure Stratified by Coronary Artery Disease: Findings From the Arabian Gulf Acute Heart Failure Registry (Gulf CARE). <i>Angiology</i> , 2018, 69, 884-891. | 0.8 | 0         |