Yong He

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/559955/yong-he-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

188	12,208	57	107
papers	citations	h-index	g-index
210 ext. papers	15,917 ext. citations	5.1 avg, IF	6.77 L-index

#	Paper	IF	Citations
188	The SACT Template: A Human Brain Diffusion Tensor Template for School-age Children Neuroscience Bulletin, 2022, 1	4.3	
187	Frequency-Resolved Connectome Hubs and Their Test-Retest Reliability in the Resting Human Brain <i>Neuroscience Bulletin</i> , 2022 , 1	4.3	0
186	Individual Uniqueness in the Neonatal Functional Connectome. <i>Cerebral Cortex</i> , 2021 , 31, 3701-3712	5.1	4
185	Mapping Domain- and Age-Specific Functional Brain Activity for Children's Cognitive and Affective Development. <i>Neuroscience Bulletin</i> , 2021 , 37, 763-776	4.3	2
184	Robust covariance estimation for high-dimensional compositional data with application to microbial communities analysis. <i>Statistics in Medicine</i> , 2021 , 40, 3499-3515	2.3	1
183	Disrupted Intersubject Variability Architecture in Functional Connectomes in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2021 , 47, 837-848	1.3	1
182	The effects of cognitive behavioral therapy on the whole brain structural connectome in unmedicated patients with obsessive-compulsive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 104, 110037	5.5	7
181	Development of the default-mode network during childhood and adolescence: A longitudinal resting-state fMRI study. <i>NeuroImage</i> , 2021 , 226, 117581	7.9	20
180	A large-scale structural and functional connectome of social mentalizing. <i>NeuroImage</i> , 2021 , 236, 1181	15 7.9	3
179	The coupling of BOLD signal variability and degree centrality underlies cognitive functions and psychiatric diseases. <i>NeuroImage</i> , 2021 , 237, 118187	7.9	2
178	Functional magnetic resonance imaging research in China. CNS Neuroscience and Therapeutics, 2021 , 27, 1259-1267	6.8	1
177	Alterations in Connectome Dynamics in Autism Spectrum Disorder: A Harmonized Mega- and Meta-analysis Study Using the Autism Brain Imaging Data Exchange Dataset <i>Biological Psychiatry</i> , 2021 ,	7.9	2
176	A Large-Scale High-Density Weighted Structural Connectome of the Macaque Brain Acquired by Predicting Missing Links. <i>Cerebral Cortex</i> , 2020 , 30, 4771-4789	5.1	4
175	Reliability and Individual Specificity of EEG Microstate Characteristics. <i>Brain Topography</i> , 2020 , 33, 438-	449	11
174	High-dimensional two-sample precision matrices test: an adaptive approach through multiplier bootstrap. <i>Statistics and Its Interface</i> , 2020 , 13, 37-48	0.4	
173	Transdiagnostic Dysfunctions in Brain Modules Across Patients with Schizophrenia, Bipolar Disorder, and Major Depressive Disorder: A Connectome-Based Study. <i>Schizophrenia Bulletin</i> , 2020 , 46, 699-712	1.3	22
172	The spatial organization of the chronnectome associates with cortical hierarchy and transcriptional profiles in the human brain. <i>NeuroImage</i> , 2020 , 222, 117296	7.9	9

(2019-2020)

171	High-dimensional integrative copula discriminant analysis for multiomics data. <i>Statistics in Medicine</i> , 2020 , 39, 4869-4884	2.3	0	
170	Alterations of cerebral perfusion and functional brain connectivity in medication-nale male adults with attention-deficit/hyperactivity disorder. <i>CNS Neuroscience and Therapeutics</i> , 2020 , 26, 197-206	6.8	15	
169	Robust feature screening for multi-response trans-elliptical regression model with ultrahigh-dimensional covariates. <i>Random Matrices: Theory and Application</i> , 2020 , 09, 2150001	0.6		
168	Long-term Chinese calligraphic handwriting training has a positive effect on brain network efficiency. <i>PLoS ONE</i> , 2019 , 14, e0210962	3.7	О	
167	Robust feature screening for elliptical copula regression model. <i>Journal of Multivariate Analysis</i> , 2019 , 173, 568-582	1.4	5	
166	The effects of 7-week cognitive training in patients with vascular cognitive impairment, no dementia (the Cog-VACCINE study): A randomized controlled trial. <i>Alzheimer</i> and Dementia, 2019 , 15, 605-614	1.2	25	
165	Long-term Chinese calligraphic handwriting reshapes the posterior cingulate cortex: A VBM study. <i>PLoS ONE</i> , 2019 , 14, e0214917	3.7	4	
164	Reproducibility of functional brain alterations in major depressive disorder: Evidence from a multisite resting-state functional MRI study with 1,434 individuals. <i>NeuroImage</i> , 2019 , 189, 700-714	7.9	35	
163	Graph theoretical modeling of baby brain networks. <i>NeuroImage</i> , 2019 , 185, 711-727	7.9	36	
162	Disrupted Regional Cerebral Blood Flow, Functional Activity and Connectivity in Alzheimer's Disease: A Combined ASL Perfusion and Resting State fMRI Study. <i>Frontiers in Neuroscience</i> , 2019 , 13, 738	5.1	22	
161	A Machine Learning Method for Identifying Critical Interactions Between Gene Pairs in Alzheimer's Disease Prediction. <i>Frontiers in Neurology</i> , 2019 , 10, 1162	4.1	11	
160	Development and Emergence of Individual Variability in the Functional Connectivity Architecture of the Preterm Human Brain. <i>Cerebral Cortex</i> , 2019 , 29, 4208-4222	5.1	20	
159	Disrupted structural and functional brain networks in Alzheimer's disease. <i>Neurobiology of Aging</i> , 2019 , 75, 71-82	5.6	56	
158	Common Dysfunction of Large-Scale Neurocognitive Networks Across Psychiatric Disorders. <i>Biological Psychiatry</i> , 2019 , 85, 379-388	7.9	103	
157	Dynamic changes of functional segregation and integration in vulnerability and resilience to schizophrenia. <i>Human Brain Mapping</i> , 2019 , 40, 2200-2211	5.9	12	
156	Unbiased age-specific structural brain atlases for Chinese pediatric population. <i>NeuroImage</i> , 2019 , 189, 55-70	7.9	23	
155	Regional excitation-inhibition balance predicts default-mode network deactivation via functional connectivity. <i>NeuroImage</i> , 2019 , 185, 388-397	7.9	23	
154	Network analysis reveals disrupted functional brain circuitry in drug-naive social anxiety disorder. <i>Neurolmage</i> , 2019 , 190, 213-223	7.9	36	

153	Shared and Distinct Functional Architectures of Brain Networks Across Psychiatric Disorders. <i>Schizophrenia Bulletin</i> , 2019 , 45, 450-463	1.3	29
152	Mapping Convergent and Divergent Cortical Thinning Patterns in Patients With Deficit and Nondeficit Schizophrenia. <i>Schizophrenia Bulletin</i> , 2019 , 45, 211-221	1.3	8
151	The relationship between voxel-based metrics of resting state functional connectivity and cognitive performance in cognitively healthy elderly adults. <i>Brain Imaging and Behavior</i> , 2018 , 12, 1742-1758	4.1	2
150	Meta-Connectomic Analysis Reveals Commonly Disrupted Functional Architectures in Network Modules and Connectors across Brain Disorders. <i>Cerebral Cortex</i> , 2018 , 28, 4179-4194	5.1	29
149	PAGANI Toolkit: Parallel graph-theoretical analysis package for brain network big data. <i>Human Brain Mapping</i> , 2018 , 39, 1869-1885	5.9	8
148	Differentially categorized structural brain hubs are involved in different microstructural, functional, and cognitive characteristics and contribute to individual identification. <i>Human Brain Mapping</i> , 2018 , 39, 1647-1663	5.9	9
147	Variable selection for high dimensional Gaussian copula regression model: An adaptive hypothesis testing procedure. <i>Computational Statistics and Data Analysis</i> , 2018 , 124, 132-150	1.6	4
146	The Rich-Club Organization in Rat Functional Brain Network to Balance Between Communication Cost and Efficiency. <i>Cerebral Cortex</i> , 2018 , 28, 924-935	5.1	31
145	Anomalous gray matter structural networks in recent onset post-traumatic stress disorder. <i>Brain Imaging and Behavior</i> , 2018 , 12, 390-401	4.1	5
144	Neurobiological Commonalities and Distinctions Among Three Major Psychiatric Diagnostic Categories: A Structural MRI Study. <i>Schizophrenia Bulletin</i> , 2018 , 44, 65-74	1.3	45
143	Reorganization of cerebro-cerebellar circuit in patients with left hemispheric gliomas involving language network: A combined structural and resting-state functional MRI study. <i>Human Brain Mapping</i> , 2018 , 39, 4802-4819	5.9	26
142	Altered Functional Connectivity of Insular Subregions in Alzheimer's Disease. <i>Frontiers in Aging Neuroscience</i> , 2018 , 10, 107	5.3	26
141	White Matter Deficits Underlying the Impaired Consciousness Level in Patients with Disorders of Consciousness. <i>Neuroscience Bulletin</i> , 2018 , 34, 668-678	4.3	10
140	Topological analyses of functional connectomics: A crucial role of global signal removal, brain parcellation, and null models. <i>Human Brain Mapping</i> , 2018 , 39, 4545-4564	5.9	22
139	Effective network of deep brain stimulation of subthalamic nucleus with bimodal positron emission tomography/functional magnetic resonance imaging in Parkinson's disease. <i>CNS Neuroscience and Therapeutics</i> , 2018 , 24, 135-143	6.8	14
138	Chronnectome fingerprinting: Identifying individuals and predicting higher cognitive functions using dynamic brain connectivity patterns. <i>Human Brain Mapping</i> , 2018 , 39, 902-915	5.9	103
137	Abnormal dynamic functional connectivity of amygdalar subregions in untreated patients with first-episode major depressive disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2018 , 43, 262-272	4.5	27
136	A new insight into underlying disease mechanism through semi-parametric latent differential network model. <i>BMC Bioinformatics</i> , 2018 , 19, 493	3.6	3

(2017-2018)

135	without childhood maltreatment: A voxel-based morphometry study. <i>CNS Neuroscience and Therapeutics</i> , 2018 , 24, 1073-1083	6.8	10
134	Data-adaptive test for high-dimensional multivariate analysis of variance problem. <i>Australian and New Zealand Journal of Statistics</i> , 2018 , 60, 447-470	0.7	1
133	White-Matter Structural Connectivity in Relation to Humor Styles: An Exploratory Study. <i>Frontiers in Psychology</i> , 2018 , 9, 1654	3.4	3
132	Disrupted white matter structural connectivity in heroin abusers. <i>Addiction Biology</i> , 2017 , 22, 184-195	4.6	14
131	High dimensional Gaussian copula graphical model with FDR control. <i>Computational Statistics and Data Analysis</i> , 2017 , 113, 457-474	1.6	7
130	Cortical Thickness and Microstructural White Matter Changes Detect Amnestic Mild Cognitive Impairment. <i>Journal of Alzheimera Disease</i> , 2017 , 56, 415-428	4.3	16
129	Individual differences and time-varying features of modular brain architecture. <i>NeuroImage</i> , 2017 , 152, 94-107	7.9	55
128	Identifying topological motif patterns of human brain functional networks. <i>Human Brain Mapping</i> , 2017 , 38, 2734-2750	5.9	13
127	Functional connectomics from a "big data" perspective. <i>NeuroImage</i> , 2017 , 160, 152-167	7.9	45
126	APOE Genotype Effects on Intrinsic Brain Network Connectivity in Patients with Amnestic Mild Cognitive Impairment. <i>Scientific Reports</i> , 2017 , 7, 397	4.9	13
125	JDINAC: joint density-based non-parametric differential interaction network analysis and classification using high-dimensional sparse omics data. <i>Bioinformatics</i> , 2017 , 33, 3080-3087	7.2	15
124	Small-world human brain networks: Perspectives and challenges. <i>Neuroscience and Biobehavioral Reviews</i> , 2017 , 77, 286-300	9	146
123	Disrupted Brain Network Hubs in Subtype-Specific Parkinson's Disease. <i>European Neurology</i> , 2017 , 78, 200-209	2.1	20
122	Joint estimation of multiple high-dimensional Gaussian copula graphical models. <i>Australian and New Zealand Journal of Statistics</i> , 2017 , 59, 289-310	0.7	1
121	Intrinsic Brain Hub Connectivity Underlies Individual Differences in Spatial Working Memory. <i>Cerebral Cortex</i> , 2017 , 27, 5496-5508	5.1	30
120	Dissociable intrinsic functional networks support noun-object and verb-action processing. <i>Brain and Language</i> , 2017 , 175, 29-41	2.9	10
119	Convergence and Divergence of Brain Network Dysfunction in Deficit and Non-deficit Schizophrenia. <i>Schizophrenia Bulletin</i> , 2017 , 43, 1315-1328	1.3	22
118	Developmental Connectomics from Infancy through Early Childhood. <i>Trends in Neurosciences</i> , 2017 , 40, 494-506	13.3	133

117	Brain hubs in lesion models: Predicting functional network topology with lesion patterns in patients. <i>Scientific Reports</i> , 2017 , 7, 17908	4.9	13
116	A Tri-network Model of Human Semantic Processing. <i>Frontiers in Psychology</i> , 2017 , 8, 1538	3.4	24
115	Long-Term Experience of Chinese Calligraphic Handwriting Is Associated with Better Executive Functions and Stronger Resting-State Functional Connectivity in Related Brain Regions. <i>PLoS ONE</i> , 2017 , 12, e0170660	3.7	6
114	Abnormal global functional network connectivity and its relationship to medial temporal atrophy in patients with amnestic mild cognitive impairment. <i>PLoS ONE</i> , 2017 , 12, e0179823	3.7	9
113	Trait-Related Cortical-Subcortical Dissociation in Bipolar Disorder: Analysis of Network Degree Centrality. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, 584-591	4.6	17
112	Early Development of Functional Network Segregation Revealed by Connectomic Analysis of the Preterm Human Brain. <i>Cerebral Cortex</i> , 2017 , 27, 1949-1963	5.1	75
111	Developmental Changes in Topological Asymmetry Between Hemispheric Brain White Matter Networks from Adolescence to Young Adulthood. <i>Cerebral Cortex</i> , 2017 , 27, 2560-2570	5.1	30
110	ZNF804A variants confer risk for heroin addiction and affect decision making and gray matter volume in heroin abusers. <i>Addiction Biology</i> , 2016 , 21, 657-66	4.6	14
109	Discriminant analysis on high dimensional Gaussian copula model. <i>Statistics and Probability Letters</i> , 2016 , 117, 100-112	0.6	6
108	Regional homogeneity changes in amnestic mild cognitive impairment patients. <i>Neuroscience Letters</i> , 2016 , 629, 1-8	3.3	23
107	Topologically Reorganized Connectivity Architecture of Default-Mode, Executive-Control, and Salience Networks across Working Memory Task Loads. <i>Cerebral Cortex</i> , 2016 , 26, 1501-1511	5.1	143
106	Autoantibody to MOG suggests two distinct clinical subtypes of NMOSD. <i>Science China Life Sciences</i> , 2016 , 59, 1270-1281	8.5	32
105	Subjective Cognitive Decline: Mapping Functional and Structural Brain Changes-A Combined Resting-State Functional and Structural MR Imaging Study. <i>Radiology</i> , 2016 , 281, 185-92	20.5	56
104	Intrinsic functional network architecture of human semantic processing: Modules and hubs. <i>NeuroImage</i> , 2016 , 132, 542-555	7.9	70
103	Whole brain functional connectivity in clinically isolated syndrome without conventional brain MRI lesions. <i>European Radiology</i> , 2016 , 26, 2982-91	8	11
102	Exploring brain functional plasticity in world class gymnasts: a network analysis. <i>Brain Structure and Function</i> , 2016 , 221, 3503-19	4	28
101	Interaction Effects of and Genes on Resting-State Brain Activity and Working Memory. <i>Frontiers in Human Neuroscience</i> , 2016 , 10, 540	3.3	10
100	Toward Developmental Connectomics of the Human Brain. Frontiers in Neuroanatomy, 2016 , 10, 25	3.6	78

(2015-2016)

99	Connectomic Insights into Topologically Centralized Network Edges and Relevant Motifs in the Human Brain. <i>Frontiers in Human Neuroscience</i> , 2016 , 10, 158	3.3	6
98	White-Matter Structural Connectivity Underlying Human Laughter-Related Traits Processing. <i>Frontiers in Psychology</i> , 2016 , 7, 1637	3.4	8
97	Representing object categories by connections: Evidence from a mutivariate connectivity pattern classification approach. <i>Human Brain Mapping</i> , 2016 , 37, 3685-97	5.9	15
96	Convergence and divergence across construction methods for human brain white matter networks: an assessment based on individual differences. <i>Human Brain Mapping</i> , 2015 , 36, 1995-2013	5.9	37
95	Pontine infarction: diffusion-tensor imaging of motor pathways-a longitudinal study. <i>Radiology</i> , 2015 , 274, 841-50	20.5	19
94	Dynamic brain architectures in local brain activity and functional network efficiency associate with efficient reading in bilinguals. <i>NeuroImage</i> , 2015 , 119, 103-18	7.9	19
93	The white matter structural network underlying human tool use and tool understanding. <i>Journal of Neuroscience</i> , 2015 , 35, 6822-35	6.6	28
92	Aberrant white matter networks mediate cognitive impairment in patients with silent lacunar infarcts in basal ganglia territory. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2015 , 35, 1426-34	7.3	14
91	Mapping intrinsic functional brain changes and repetitive transcranial magnetic stimulation neuromodulation in idiopathic restless legs syndrome: a resting-state functional magnetic resonance imaging study. <i>Sleep Medicine</i> , 2015 , 16, 785-91	4.6	38
90	Toward systems neuroscience in mild cognitive impairment and Alzheimer's disease: a meta-analysis of 75 fMRI studies. <i>Human Brain Mapping</i> , 2015 , 36, 1217-32	5.9	103
89	Age-related changes in the topological organization of the white matter structural connectome across the human lifespan. <i>Human Brain Mapping</i> , 2015 , 36, 3777-92	5.9	101
88	The Effects of X Chromosome Loss on Neuroanatomical and Cognitive Phenotypes During Adolescence: a Multi-modal Structural MRI and Diffusion Tensor Imaging Study. <i>Cerebral Cortex</i> , 2015 , 25, 2842-53	5.1	9
87	Dynamic functional connectivity revealed by resting-state functional near-infrared spectroscopy. <i>Biomedical Optics Express</i> , 2015 , 6, 2337-52	3.5	27
86	Intrinsic Functional Connectivity Patterns Predict Consciousness Level and Recovery Outcome in Acquired Brain Injury. <i>Journal of Neuroscience</i> , 2015 , 35, 12932-46	6.6	81
85	Cortisol awakening response predicts intrinsic functional connectivity of the medial prefrontal cortex in the afternoon of the same day. <i>NeuroImage</i> , 2015 , 122, 158-65	7.9	14
84	Altered cortical thickness related to clinical severity but not the untreated disease duration in schizophrenia. <i>Schizophrenia Bulletin</i> , 2015 , 41, 201-10	1.3	75
83	The effects of antidepressant treatment on resting-state functional brain networks in patients with major depressive disorder. <i>Human Brain Mapping</i> , 2015 , 36, 768-78	5.9	116
82	Development of human brain structural networks through infancy and childhood. <i>Cerebral Cortex</i> , 2015 , 25, 1389-404	5.1	118

81	Differentially disrupted functional connectivity of the subregions of the inferior parietal lobule in Alzheimer's disease. <i>Brain Structure and Function</i> , 2015 , 220, 745-62	4	47
80	Toward neurobiological characterization of functional homogeneity in the human cortex: regional variation, morphological association and functional covariance network organization. <i>Brain Structure and Function</i> , 2015 , 220, 2485-507	4	92
79	Depression, neuroimaging and connectomics: a selective overview. <i>Biological Psychiatry</i> , 2015 , 77, 223	-2 3 59	279
78	A connectivity-based test-retest dataset of multi-modal magnetic resonance imaging in young healthy adults. <i>Scientific Data</i> , 2015 , 2, 150056	8.2	30
77	Test-retest reliability of diffusion measures in cerebral white matter: A multiband diffusion MRI study. <i>Journal of Magnetic Resonance Imaging</i> , 2015 , 42, 1106-16	5.6	21
76	The semantic anatomical network: Evidence from healthy and brain-damaged patient populations. <i>Human Brain Mapping</i> , 2015 , 36, 3499-515	5.9	26
75	Connectomics in psychiatric research: advances and applications. <i>Neuropsychiatric Disease and Treatment</i> , 2015 , 11, 2801-10	3.1	21
74	Test-retest reliability of white matter structural brain networks: a multiband diffusion MRI study. <i>Frontiers in Human Neuroscience</i> , 2015 , 9, 59	3.3	17
73	GRETNA: a graph theoretical network analysis toolbox for imaging connectomics. <i>Frontiers in Human Neuroscience</i> , 2015 , 9, 386	3.3	468
72	Spontaneous functional network dynamics and associated structural substrates in the human brain. <i>Frontiers in Human Neuroscience</i> , 2015 , 9, 478	3.3	44
71	Apolipoprotein E A Modulates Cognitive Profiles, Hippocampal Volume, and Resting-State Functional Connectivity in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2015 , 45, 781-95	4.3	23
70	Interactions between the salience and default-mode networks are disrupted in cocaine addiction. Journal of Neuroscience, 2015 , 35, 8081-90	6.6	70
69	Sex differences in intrinsic brain functional connectivity underlying human shyness. <i>Social Cognitive and Affective Neuroscience</i> , 2015 , 10, 1634-43	4	13
68	Apolipoprotein E 🛭 modulates functional brain connectome in Alzheimer's disease. <i>Human Brain Mapping</i> , 2015 , 36, 1828-46	5.9	58
67	Understanding structural-functional relationships in the human brain: a large-scale network perspective. <i>Neuroscientist</i> , 2015 , 21, 290-305	7.6	113
66	Identifying and Mapping Connectivity Patterns of Brain Network Hubs in Alzheimer's Disease. <i>Cerebral Cortex</i> , 2015 , 25, 3723-42	5.1	184
65	Regional Homogeneity of Resting-State Brain Activity Suppresses the Effect of Dopamine-Related Genes on Sensory Processing Sensitivity. <i>PLoS ONE</i> , 2015 , 10, e0133143	3.7	11
64	Altered local activity and functional connectivity of the anterior cingulate cortex in elderly individuals with subthreshold depression. <i>Psychiatry Research - Neuroimaging</i> , 2014 , 222, 29-36	2.9	12

(2014-2014)

63	Dopamine precursor depletion impairs structure and efficiency of resting state brain functional networks. <i>Neuropharmacology</i> , 2014 , 84, 90-100	5.5	41
62	Topological organization of the human brain functional connectome across the lifespan. <i>Developmental Cognitive Neuroscience</i> , 2014 , 7, 76-93	5.5	261
61	The effects of pharmacological treatment on functional brain connectome in obsessive-compulsive disorder. <i>Biological Psychiatry</i> , 2014 , 75, 606-14	7.9	112
60	Abnormal topological organization in white matter structural networks revealed by diffusion tensor tractography in unmedicated patients with obsessive-compulsive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014 , 51, 39-50	5.5	18
59	Abnormal changes of multidimensional surface features using multivariate pattern classification in amnestic mild cognitive impairment patients. <i>Journal of Neuroscience</i> , 2014 , 34, 10541-53	6.6	48
58	Connectomics reveals faulty wiring patterns for depressed brain. <i>Biological Psychiatry</i> , 2014 , 76, 515-6	7.9	8
57	Abnormal autonomic and associated brain activities during rest in autism spectrum disorder. <i>Brain</i> , 2014 , 137, 153-71	11.2	58
56	Imaging functional and structural brain connectomics in attention-deficit/hyperactivity disorder. <i>Molecular Neurobiology</i> , 2014 , 50, 1111-23	6.2	98
55	Disrupted structural and functional brain connectomes in mild cognitive impairment and Alzheimer's disease. <i>Neuroscience Bulletin</i> , 2014 , 30, 217-32	4.3	95
54	Different topological organization of human brain functional networks with eyes open versus eyes closed. <i>NeuroImage</i> , 2014 , 90, 246-55	7.9	93
53	Function and structure of human left fusiform cortex are closely associated with perceptual learning of faces. <i>Current Biology</i> , 2014 , 24, 222-227	6.3	47
52	Cortical thinning correlates with cognitive change in multiple sclerosis but not in neuromyelitis optica. <i>European Radiology</i> , 2014 , 24, 2334-43	8	26
51	Abnormal baseline brain activity in drug-nave patients with Tourette syndrome: a resting-state fMRI study. <i>Frontiers in Human Neuroscience</i> , 2014 , 7, 913	3.3	32
50	An open science resource for establishing reliability and reproducibility in functional connectomics. <i>Scientific Data</i> , 2014 , 1, 140049	8.2	247
49	Individual differences in impulsivity predict head motion during magnetic resonance imaging. <i>PLoS ONE</i> , 2014 , 9, e104989	3.7	72
48	Magnetic resonance imaging of healthy and diseased brain networks. <i>Frontiers in Human Neuroscience</i> , 2014 , 8, 890	3.3	6
47	Resting-state functional brain connectivity: lessons from functional near-infrared spectroscopy. <i>Neuroscientist</i> , 2014 , 20, 173-88	7.6	53
46	Overlapping and segregated resting-state functional connectivity in patients with major depressive disorder with and without childhood neglect. <i>Human Brain Mapping</i> , 2014 , 35, 1154-66	5.9	151

45	Structural and functional brain changes in the default mode network in subtypes of amnestic mild cognitive impairment. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2014 , 27, 188-98	3.8	23
44	Abnormal amplitude of low-frequency fluctuations of intrinsic brain activity in Alzheimer's disease. Journal of Alzheimer Disease, 2014 , 40, 387-97	4.3	73
43	Differentiating patterns of amygdala-frontal functional connectivity in schizophrenia and bipolar disorder. <i>Schizophrenia Bulletin</i> , 2014 , 40, 469-77	1.3	73
42	Disrupted resting-state functional connectivity in minimally treated chronic schizophrenia. <i>Schizophrenia Research</i> , 2014 , 156, 150-6	3.6	66
41	Differentially disrupted functional connectivity in posteromedial cortical subregions in Alzheimer's disease. <i>Journal of Alzheimer Disease</i> , 2014 , 39, 527-43	4.3	20
40	Study on Crisis Information System in the Students Unexpected Incidents. <i>Lecture Notes in Electrical Engineering</i> , 2014 , 199-204	0.2	
39	Functional brain hubs and their test-retest reliability: a multiband resting-state functional MRI study. <i>NeuroImage</i> , 2013 , 83, 969-82	7.9	135
38	Assessment of system dysfunction in the brain through MRI-based connectomics. <i>Lancet Neurology, The</i> , 2013 , 12, 1189-99	24.1	155
37	Distinct regions of right temporal cortex are associated with biological and human-agent motion: functional magnetic resonance imaging and neuropsychological evidence. <i>Journal of Neuroscience</i> , 2013 , 33, 15442-53	6.6	35
36	Disrupted functional brain connectome in individuals at risk for Alzheimer's disease. <i>Biological Psychiatry</i> , 2013 , 73, 472-81	7.9	293
35	Where color rests: spontaneous brain activity of bilateral fusiform and lingual regions predicts object color knowledge performance. <i>NeuroImage</i> , 2013 , 76, 252-63	7.9	48
34	Probabilistic diffusion tractography and graph theory analysis reveal abnormal white matter structural connectivity networks in drug-naive boys with attention deficit/hyperactivity disorder. <i>Journal of Neuroscience</i> , 2013 , 33, 10676-87	6.6	140
33	Brain anatomical networks in world class gymnasts: a DTI tractography study. <i>NeuroImage</i> , 2013 , 65, 476-87	7.9	58
32	Toward reliable characterization of functional homogeneity in the human brain: preprocessing, scan duration, imaging resolution and computational space. <i>NeuroImage</i> , 2013 , 65, 374-86	7.9	325
31	Coupling of functional connectivity and regional cerebral blood flow reveals a physiological basis for network hubs of the human brain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 1929-34	11.5	436
30	White matter structural connectivity underlying semantic processing: evidence from brain damaged patients. <i>Brain</i> , 2013 , 136, 2952-65	11.2	110
29	PANDA: a pipeline toolbox for analyzing brain diffusion images. <i>Frontiers in Human Neuroscience</i> , 2013 , 7, 42	3.3	387
28	Alterations in regional homogeneity of spontaneous brain activity in late-life subthreshold depression. <i>PLoS ONE</i> , 2013 , 8, e53148	3.7	39

(2012-2013)

27	A hybrid CPU-GPU accelerated framework for fast mapping of high-resolution human brain connectome. <i>PLoS ONE</i> , 2013 , 8, e62789	3.7	19
26	BrainNet Viewer: a network visualization tool for human brain connectomics. <i>PLoS ONE</i> , 2013 , 8, e6891	0 3.7	1913
25	Increased global and local efficiency of human brain anatomical networks detected with FLAIR-DTI compared to non-FLAIR-DTI. <i>PLoS ONE</i> , 2013 , 8, e71229	3.7	5
24	Test-retest reliability of graph metrics in functional brain networks: a resting-state fNIRS study. <i>PLoS ONE</i> , 2013 , 8, e72425	3.7	57
23	Differences of inter-tract correlations between neonates and children around puberty: a study based on microstructural measurements with DTI. <i>Frontiers in Human Neuroscience</i> , 2013 , 7, 721	3.3	22
22	Addressing head motion dependencies for small-world topologies in functional connectomics. <i>Frontiers in Human Neuroscience</i> , 2013 , 7, 910	3.3	125
21	Topological organization of functional brain networks in healthy children: differences in relation to age, sex, and intelligence. <i>PLoS ONE</i> , 2013 , 8, e55347	3.7	100
20	Sculpting the Intrinsic Modular Organization of Spontaneous Brain Activity by Art. <i>PLoS ONE</i> , 2013 , 8, e66761	3.7	9
19	Erratum to Altered baseline brain activity in children with ADHD revealed by resting-state functional MRI[Brain Develop 29 (2) (2007) 83 [1]. Brain and Development, 2012, 34, 336	2.2	12
18	Sensitive period for white-matter connectivity of superior temporal cortex in deaf people. <i>Human Brain Mapping</i> , 2012 , 33, 349-59	5.9	41
17	Age-related changes in topological organization of structural brain networks in healthy individuals. <i>Human Brain Mapping</i> , 2012 , 33, 552-68	5.9	128
16	Topologically convergent and divergent structural connectivity patterns between patients with remitted geriatric depression and amnestic mild cognitive impairment. <i>Journal of Neuroscience</i> , 2012 , 32, 4307-18	6.6	239
15	Changing topological patterns in normal aging using large-scale structural networks. <i>Neurobiology of Aging</i> , 2012 , 33, 899-913	5.6	85
14	Whole brain white matter changes revealed by multiple diffusion metrics in multiple sclerosis: a TBSS study. <i>European Journal of Radiology</i> , 2012 , 81, 2826-32	4.7	39
13	Convergence and divergence of thickness correlations with diffusion connections across the human cerebral cortex. <i>NeuroImage</i> , 2012 , 59, 1239-48	7.9	232
12	Discriminative analysis of early Alzheimer's disease using multi-modal imaging and multi-level characterization with multi-classifier (M3). <i>Neurolmage</i> , 2012 , 59, 2187-95	7.9	203
11	The impact of sampling density upon cortical network analysis: regions or points. <i>Magnetic Resonance Imaging</i> , 2012 , 30, 978-92	3.3	10
10	Effects of different correlation metrics and preprocessing factors on small-world brain functional networks: a resting-state functional MRI study. <i>PLoS ONE</i> , 2012 , 7, e32766	3.7	128

9	Effects of apolipoprotein E genotype on the off-line memory consolidation. <i>PLoS ONE</i> , 2012 , 7, e51617	3.7	3	
8	Disrupted topological organization in white matter structural networks in amnestic mild cognitive impairment: relationship to subtype. <i>Radiology</i> , 2012 , 265, 518-27	20.5	84	
7	Altered small-world efficiency of brain functional networks in acupuncture at ST36: a functional MRI study. <i>PLoS ONE</i> , 2012 , 7, e39342	3.7	30	
6	Structural and functional changes in subcortical vascular mild cognitive impairment: a combined voxel-based morphometry and resting-state fMRI study. <i>PLoS ONE</i> , 2012 , 7, e44758	3.7	75	
5	Resting-state functional connectivity patterns predict Chinese word reading competency. <i>PLoS ONE</i> , 2012 , 7, e44848	3.7	18	
4	Revealing topological organization of human brain functional networks with resting-state functional near infrared spectroscopy. <i>PLoS ONE</i> , 2012 , 7, e45771	3.7	69	
3	Altered topological organization of white matter structural networks in patients with neuromyelitis optica. <i>PLoS ONE</i> , 2012 , 7, e48846	3.7	31	
2	Advances on Alzheimer?s Disease With Neuroimaging*. <i>Progress in Biochemistry and Biophysics</i> , 2012 , 39, 811-815		1	
1	Mapping the Alzheimer's brain with connectomics. Frontiers in Psychiatry, 2011, 2, 77	5	82	