
Wolfram Jochum

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/560066/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Highâ€ŧhroughput proteomic analysis of <scp>FFPE</scp> tissue samples facilitates tumor stratification. Molecular Oncology, 2019, 13, 2305-2328.	4.6	100
2	Cost-Efficient and Easy to Perform PCR-Based Assay to Identify Met Exon 14 Skipping in Formalin-Fixed Paraffin-Embedded (FFPE) Non-Small Cell Lung Cancer (NSCLC) Samples. Diagnostics, 2019, 9, 13.	2.6	10
3	Prognostic significance of cell cycle-associated proteins p16, pRB, cyclin D1 and p53 in resected oropharyngeal carcinoma. Journal of Otolaryngology - Head and Neck Surgery, 2018, 47, 53.	1.9	22
4	Multi-region proteome analysis quantifies spatial heterogeneity of prostate tissue biomarkers. Life Science Alliance, 2018, 1, e201800042.	2.8	51
5	Multi-laboratory proficiency testing of clinical cancer genomic profiling by next-generation sequencing. Pathology Research and Practice, 2018, 214, 957-963.	2.3	11
6	Evaluation of type-specific antibodies to high risk-human papillomavirus (HPV) proteins in patients with oropharyngeal cancer. Oral Oncology, 2017, 70, 43-50.	1.5	28
7	Impact of human papillomavirus on outcome in patients with oropharyngeal cancer treated with primary surgery. Head and Neck, 2017, 39, 2004-2015.	2.0	14
8	NGS-based BRCA1/2 mutation testing of high-grade serous ovarian cancer tissue: results and conclusions of the first international round robin trial. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2016, 468, 697-705.	2.8	24
9	Brush cytology for the detection of highâ€risk HPV infection in oropharyngeal squamous cell carcinoma. Cancer Cytopathology, 2015, 123, 732-738.	2.4	17
10	Screening for ALK in non-small cell lung carcinomas: 5A4 and D5F3 antibodies perform equally well, but combined use with FISH is recommended. Lung Cancer, 2015, 89, 104-109.	2.0	69
11	Rapid mass spectrometric conversion of tissue biopsy samples into permanent quantitative digital proteome maps. Nature Medicine, 2015, 21, 407-413.	30.7	358
12	Comparison of automated and manual FISH for evaluation of HER2 gene status on breast carcinoma core biopsies. BMC Clinical Pathology, 2013, 13, 13.	1.8	18
13	Expression and Clinicopathological Significance of Notch Signaling and Cell-Fate Genes in Biliary Tract Cancer. American Journal of Gastroenterology, 2012, 107, 126-132.	0.4	25
14	Cancer genetics-guided discovery of serum biomarker signatures for diagnosis and prognosis of prostate cancer. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 3342-3347.	7.1	175
15	Expression of the extracellular matrix protein periostin in liver tumours and bile duct carcinomas. Histopathology, 2010, 56, 600-606.	2.9	52
16	Cell adhesion molecules P-cadherin and CD24 are markers for carcinoma and dysplasia in the biliary tract. Human Pathology, 2010, 41, 1558-1565.	2.0	36
17	Golgi phosphoprotein 2 (GOLPH2) expression in liver tumors and its value as a serum marker in hepatocellular carcinomas. Hepatology, 2009, 49, 1602-1609.	7.3	110
18	Frequent expression of the novel cancer testis antigen MAGE 2/CTâ€10 in hepatocellular carcinoma. International Journal of Cancer, 2009, 124, 352-357.	5.1	63

#	Article	IF	CITATIONS
19	IMP3 expression in lesions of the biliary tract: a marker for high-grade dysplasia and an independent prognostic factor in bile duct carcinomas. Human Pathology, 2009, 40, 1377-1383.	2.0	66
20	Prognostic significance of nuclear DNA content and proliferative activity in renal cell carcinomas: A clinicopathologic study of 58 patients using mitotic count, MIB-1 staining, and DNA cytophotometry. Cancer, 1996, 77, 514-521.	4.1	44
21	Prognostic significance of nuclear DNA content and proliferative activity in renal cell carcinomas: A clinicopathologic study of 58 patients using mitotic count, MIBâ€1 staining, and DNA cytophotometry. Cancer, 1996, 77, 514-521.	4.1	4