

Yong-Jae Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5600869/publications.pdf>

Version: 2024-02-01

202
papers

3,465
citations

186265

28
h-index

233421

45
g-index

220
all docs

220
docs citations

220
times ranked

5404
citing authors

#	ARTICLE	IF	CITATIONS
1	Body composition and its association with cardiometabolic risk factors in the elderly: A focus on sarcopenic obesity. <i>Archives of Gerontology and Geriatrics</i> , 2013, 56, 270-278.	3.0	212
2	Long-Term Exposure to Air Pollutants and Cancer Mortality: A Meta-Analysis of Cohort Studies. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 2608.	2.6	103
3	Relationship of neutrophil-lymphocyte ratio with arterial stiffness and coronary calcium score. <i>Clinica Chimica Acta</i> , 2011, 412, 925-929.	1.1	101
4	A Review of the Pharmacological Efficacy and Safety of Licorice Root from Corroborative Clinical Trial Findings. <i>Journal of Medicinal Food</i> , 2020, 23, 12-20.	1.5	84
5	Comparison of triglyceride-glucose index and HOMA-IR for predicting prevalence and incidence of metabolic syndrome. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 596-604.	2.6	80
6	Triglyceride glucose (TyG) index as a predictor of incident type 2 diabetes among nonobese adults: a 12-year longitudinal study of the Korean Genome and Epidemiology Study cohort. <i>Translational Research</i> , 2021, 228, 42-51.	5.0	73
7	The Relationship Between Arterial Stiffness and Nonalcoholic Fatty Liver Disease. <i>Digestive Diseases and Sciences</i> , 2012, 57, 196-203.	2.3	66
8	Relationship between white blood cell count and nonalcoholic fatty liver disease. <i>Digestive and Liver Disease</i> , 2010, 42, 888-894.	0.9	60
9	Trends in Prevalence of Overweight and Obesity in Korean Adults, 1998-2009: The Korean National Health and Nutrition Examination Survey. <i>Journal of Epidemiology</i> , 2014, 24, 109-116.	2.4	60
10	The triglyceride-glucose index is a more powerful surrogate marker for predicting the prevalence and incidence of type 2 diabetes mellitus than the homeostatic model assessment of insulin resistance. <i>Diabetes Research and Clinical Practice</i> , 2021, 180, 109042.	2.8	60
11	Association between screen time and metabolic syndrome in children and adolescents in Korea: The 2005 Korean National Health and Nutrition Examination Survey. <i>Diabetes Research and Clinical Practice</i> , 2010, 89, 72-78.	2.8	57
12	Association between serum uric acid and non-alcoholic fatty liver disease in Korean adults. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010, 48, 175-180.	2.3	54
13	High prevalence of vitamin D insufficiency or deficiency in young adolescents in Korea. <i>European Journal of Pediatrics</i> , 2012, 171, 1475-1480.	2.7	54
14	Association between resting heart rate and arterial stiffness in Korean adults. <i>Archives of Cardiovascular Diseases</i> , 2010, 103, 246-252.	1.6	53
15	The relationship of platelet count, mean platelet volume with metabolic syndrome according to the criteria of the American Association of Clinical Endocrinologists: A focus on gender differences. <i>Platelets</i> , 2012, 23, 45-50.	2.3	52
16	Effects of Coenzyme Q ₁₀ on Arterial Stiffness, Metabolic Parameters, and Fatigue in Obese Subjects: A Double-Blind Randomized Controlled Study. <i>Journal of Medicinal Food</i> , 2011, 14, 386-390.	1.5	51
17	Vitamin D status and childhood health. <i>Korean Journal of Pediatrics</i> , 2013, 56, 417.	1.9	49
18	Relationship Between Handgrip Strength and Pulmonary Function in Apparently Healthy Older Women. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 1367-1371.	2.6	47

#	ARTICLE	IF	CITATIONS
19	Rifabutinâ€based Highâ€dose Protonâ€pump Inhibitor and Amoxicillin Triple Regimen as the Rescue treatment for <i>Helicobacter pylori</i>. <i>Helicobacter</i> , 2014, 19, 455-461.	3.5	46
20	Elevated white blood cell count is associated with arterial stiffness. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2009, 19, 3-7.	2.6	40
21	The Metabolic Score for Insulin Resistance (METS-IR) as a Predictor of Incident Ischemic Heart Disease: A Longitudinal Study among Korean without Diabetes. <i>Journal of Personalized Medicine</i> , 2021, 11, 742.	2.5	39
22	Chronic liver inflammation: Clinical implications beyond alcoholic liver disease. <i>World Journal of Gastroenterology</i> , 2014, 20, 2168.	3.3	39
23	Development of a Shapeâ€Memory Tube to Prevent Vascular Stenosis. <i>Advanced Materials</i> , 2019, 31, e1904476.	21.0	38
24	Sex differences in the relationship between socioeconomic status and metabolic syndrome: The Korean National Health and Nutrition Examination Survey. <i>Diabetes Research and Clinical Practice</i> , 2012, 96, 400-406.	2.8	37
25	Knee osteoarthritis and its association with mental health and healthâ€related quality of life: A nationwide crossâ€sectional study. <i>Geriatrics and Gerontology International</i> , 2020, 20, 379-383.	1.5	37
26	Expression of programmed cell death ligand 1 and immune checkpoint markers in residual tumors after neoadjuvant chemotherapy for advanced high-grade serous ovarian cancer. <i>Gynecologic Oncology</i> , 2018, 151, 414-421.	1.4	36
27	4-1BB co-stimulation further enhances anti-PD-1-mediated reinvigoration of exhausted CD39⁺ CD8 T cells from primary and metastatic sites of epithelial ovarian cancers. , 2020, 8, e001650.		35
28	Oxidative balance score and serum $\hat{1}^3$ -glutamyltransferase level among Korean adults: a nationwide population-based study. <i>European Journal of Nutrition</i> , 2018, 57, 1237-1244.	3.9	33
29	The triglyceride-glucose index predicts ischemic heart disease risk in Koreans: a prospective study using National Health Insurance Service data. <i>Cardiovascular Diabetology</i> , 2020, 19, 210.	6.8	33
30	Hydrogel cross-linkingâ€programmed release of nitric oxide regulates source-dependent angiogenic behaviors of human mesenchymal stem cell. <i>Science Advances</i> , 2020, 6, eaay5413.	10.3	33
31	Relationship of hepatic steatosis and alanine aminotransferase with coronary calcification. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010, 48, 1829-1834.	2.3	31
32	Impact of the time interval from completion of neoadjuvant chemotherapy to initiation of postoperative adjuvant chemotherapy on the survival of patients with advanced ovarian cancer. <i>Gynecologic Oncology</i> , 2018, 148, 62-67.	1.4	30
33	Triglyceride to HDL-cholesterol ratio and the incidence risk of type 2 diabetes in community dwelling adults: A longitudinal 12-year analysis of the Korean Genome and Epidemiology Study. <i>Diabetes Research and Clinical Practice</i> , 2020, 163, 108150.	2.8	30
34	Calcium Supplements and Risk of Cardiovascular Disease: A Meta-Analysis of Clinical Trials. <i>Nutrients</i> , 2021, 13, 368.	4.1	30
35	Effects of Korean Red Ginseng on Cardiovascular Risks in Subjects with Metabolic Syndrome: a Double-blind Randomized Controlled Study. <i>Korean Journal of Family Medicine</i> , 2012, 33, 190.	1.2	30
36	Relationship between nonâ€alcoholic fatty liver disease and pulmonary function. <i>Internal Medicine Journal</i> , 2012, 42, 541-546.	0.8	28

#	ARTICLE	IF	CITATIONS
37	Two-step sentinel lymph node mapping strategy in endometrial cancer staging using fluorescent imaging: A novel sentinel lymph node tracer injection procedure. <i>Surgical Oncology</i> , 2018, 27, 514-519.	1.6	28
38	Association between the Ratio of Triglycerides to High-Density Lipoprotein Cholesterol and Chronic Kidney Disease in Korean Adults: The 2005 Korean National Health and Nutrition Examination Survey. <i>Kidney and Blood Pressure Research</i> , 2011, 34, 173-179.	2.0	27
39	Trends in the prevalence of chronic kidney disease in Korean adults: the Korean National Health and Nutrition Examination Survey from 1998 to 2009. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 927-936.	0.7	27
40	Alcohol-drinking patterns and metabolic syndrome risk: the 2007 Korean National Health and Nutrition Examination Survey. <i>Alcohol</i> , 2011, 45, 499-505.	1.7	26
41	Real-world effectiveness of bevacizumab based on AURELIA in platinum-resistant recurrent ovarian cancer (REBECA): A Korean Gynecologic Oncology Group study (KGOG 3041). <i>Gynecologic Oncology</i> , 2019, 152, 61-67.	1.4	26
42	Gender difference and determinants of C-reactive protein level in Korean adults. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009, 47, 863-9.	2.3	25
43	Incorporation of paclitaxel-based hyperthermic intraperitoneal chemotherapy in patients with advanced-stage ovarian cancer treated with neoadjuvant chemotherapy followed by interval debulking surgery: a protocol-based pilot study. <i>Journal of Gynecologic Oncology</i> , 2019, 30, e3.	2.2	25
44	Predictive Value of the Atherogenic Index of Plasma (AIP) for the Risk of Incident Ischemic Heart Disease among Non-Diabetic Koreans. <i>Nutrients</i> , 2021, 13, 3231.	4.1	24
45	Association of serum $\hat{3}$ -glutamyltransferase with C-reactive protein levels and white blood cell count in Korean adults. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, 1410-5.	2.3	23
46	Relationship between employment status and obesity in a Korean elderly population, based on the 2007-2009 Korean National Health and Nutrition Examination Survey (KNHANES). <i>Archives of Gerontology and Geriatrics</i> , 2013, 57, 54-59.	3.0	23
47	Higher monocyte count with normal white blood cell count is positively associated with 10-year cardiovascular disease risk determined by Framingham risk score among community-dwelling Korean individuals. <i>Medicine (United States)</i> , 2019, 98, e15340.	1.0	23
48	Inverse relationship between bioavailable testosterone and subclinical coronary artery calcification in non-obese Korean men. <i>Asian Journal of Andrology</i> , 2012, 14, 612-615.	1.6	23
49	Recent Advances in Anti-Aging Medicine. <i>Korean Journal of Family Medicine</i> , 2019, 40, 289-296.	1.2	23
50	Effects of ginseng on peripheral blood mitochondrial DNA copy number and hormones in men with metabolic syndrome: A randomized clinical and pilot study. <i>Complementary Therapies in Medicine</i> , 2016, 24, 40-46.	2.7	22
51	High triglyceride to high-density lipoprotein cholesterol ratio and arterial stiffness in postmenopausal Korean women. <i>Journal of Clinical Hypertension</i> , 2019, 21, 399-404.	2.0	21
52	Elevated intraocular pressure is associated with metabolic syndrome in postmenopausal women. <i>Menopause</i> , 2013, 20, 742-746.	2.0	20
53	The association between platelet count and metabolic syndrome in children and adolescents. <i>Platelets</i> , 2015, 26, 758-763.	2.3	20
54	Serum ferritin level is positively associated with insulin resistance and metabolic syndrome in postmenopausal women: A nationwide population-based study. <i>Maturitas</i> , 2017, 103, 3-7.	2.4	20

#	ARTICLE	IF	CITATIONS
55	Associations between high-risk alcohol consumption and sarcopenia among postmenopausal women. <i>Menopause</i> , 2017, 24, 1022-1027.	2.0	20
56	Trends in Blood Pressure and Prevalence of Hypertension in Korean Adults Based on the 1998–2014 KNHANES. <i>Yonsei Medical Journal</i> , 2018, 59, 356.	2.2	19
57	Hormone autocrination by vascularized hydrogel delivery of ovary spheroids to rescue ovarian dysfunctions. <i>Science Advances</i> , 2021, 7, .	10.3	19
58	Sex differences in the relationship between blood mercury concentration and metabolic syndrome risk. <i>Journal of Endocrinological Investigation</i> , 2015, 38, 65-71.	3.3	18
59	Alcoholic liver disease: focus on prodromal gut health. <i>Journal of Digestive Diseases</i> , 2016, 17, 493-500.	1.5	18
60	Korean Red Ginseng Protects Against Mitochondrial Damage and Intracellular Inflammation in an Animal Model of Type 2 Diabetes Mellitus. <i>Journal of Medicinal Food</i> , 2018, 21, 544-550.	1.5	18
61	Relationship of body composition and C-reactive protein with pulmonary function. <i>Respiratory Medicine</i> , 2010, 104, 1197-1203.	2.9	17
62	Prevalence of metabolic syndrome in children and adolescents – the recent trends in South Korea. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2013, 26, 105-10.	0.9	17
63	Serum carcinoembryonic antigen is positively associated with leukocyte count in Korean adults. <i>Journal of Clinical Laboratory Analysis</i> , 2018, 32, .	2.1	17
64	Serum alkaline phosphatase level is positively associated with metabolic syndrome: A nationwide population-based study. <i>Clinica Chimica Acta</i> , 2020, 500, 189-194.	1.1	17
65	A single-arm phase II study of olaparib maintenance with pembrolizumab and bevacizumab in <i>BRCA</i> non-mutated patients with platinum-sensitive recurrent ovarian cancer (OPEB-01). <i>Journal of Gynecologic Oncology</i> , 2021, 32, e31.	2.2	17
66	Relationship Between Platelet Count and Insulin Resistance in Korean Adolescents: A Nationwide Population-Based Study. <i>Metabolic Syndrome and Related Disorders</i> , 2018, 16, 470-476.	1.3	16
67	Integrative Approach to Elderly Frailty. <i>Korean Journal of Family Medicine</i> , 2010, 31, 747.	1.2	16
68	Comparison of Lipid-Related Ratios for Prediction of Chronic Kidney Disease Stage 3 or More in Korean Adults. <i>Journal of Korean Medical Science</i> , 2012, 27, 1524.	2.5	15
69	Effects of Vitamin and Antioxidant Supplements in Prevention of Bladder Cancer: a Meta-Analysis of Randomized Controlled Trials. <i>Journal of Korean Medical Science</i> , 2017, 32, 628.	2.5	15
70	High triglyceride to HDL cholesterol ratio is associated with low testosterone and sex hormone-binding globulin levels in Middle-aged and elderly men. <i>Aging Male</i> , 2020, 23, 93-97.	1.9	15
71	Germline <i>BRCA</i> , chemotherapy response scores, and survival in the neoadjuvant treatment of ovarian cancer. <i>BMC Cancer</i> , 2020, 20, 185.	2.6	15
72	The Effects of Korean Red Ginseng on Biological Aging and Antioxidant Capacity in Postmenopausal Women: A Double-Blind Randomized Controlled Study. <i>Nutrients</i> , 2021, 13, 3090.	4.1	15

#	ARTICLE	IF	CITATIONS
73	Da Vinci SP Single-Port Robotic Surgery in Gynecologic Tumors: Single Surgeon's Initial Experience with 100 Cases. <i>Yonsei Medical Journal</i> , 2022, 63, 179.	2.2	15
74	Borderline high serum calcium levels are associated with arterial stiffness and 10-year cardiovascular disease risk determined by Framingham risk score. <i>Journal of Clinical Hypertension</i> , 2019, 21, 668-673.	2.0	14
75	Dose-Dependent Toxic Effect of Cotinine-Verified Tobacco Smoking on Systemic Inflammation in Apparently Healthy Men and Women: A Nationwide Population-Based Study. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 503.	2.6	14
76	Severity of nonalcoholic fatty liver disease is associated with subclinical cerebro-cardiovascular atherosclerosis risk in Korean men. <i>PLoS ONE</i> , 2018, 13, e0193191.	2.5	14
77	Body weight status misperception and its association with weight control behaviours, depressive mood and psychological distress in nulliparous normal-weight young women. <i>Annals of Human Biology</i> , 2015, 42, 528-532.	1.0	13
78	Association between serum triglyceride to high-density lipoprotein cholesterol ratio and sarcopenia in elderly Korean males: The Korean National Health and Nutrition Examination Survey. <i>Clinica Chimica Acta</i> , 2016, 463, 165-168.	1.1	13
79	Relationship between high white blood cell count and insulin resistance (HOMA-IR) in Korean children and adolescents: Korean National Health and Nutrition Examination Survey 2008-2010. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017, 27, 456-461.	2.6	13
80	The Relationship between Serum Alkaline Phosphatase and Arterial Stiffness in Korean Adults. <i>Journal of Atherosclerosis and Thrombosis</i> , 2019, 26, 1084-1091.	2.0	13
81	Relationship between Sleep Duration and Osteoarthritis in Middle-Aged and Older Women: A Nationwide Population-Based Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 356.	2.4	13
82	Triglyceride to HDL-Cholesterol Ratio and the Incident Risk of Ischemic Heart Disease Among Koreans Without Diabetes: A Longitudinal Study Using National Health Insurance Data. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 716698.	2.4	13
83	Impact of increased utilization of neoadjuvant chemotherapy on survival in patients with advanced ovarian cancer: experience from a comprehensive cancer center. <i>Journal of Gynecologic Oncology</i> , 2018, 29, e63.	2.2	12
84	Ten-year trends of palliative care utilization associated with multiple sclerosis patients in the United States from 2005 to 2014. <i>Journal of Clinical Neuroscience</i> , 2018, 58, 13-19.	1.5	12
85	Relationship between serum alkaline phosphatase level, C-reactive protein and leukocyte counts in adults aged 60 years or older. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2019, 79, 233-237.	1.2	12
86	Trends and associated factors of use of opioid, heroin, and cannabis among patients for emergency department visits in Nevada: 2009-2017. <i>Medicine (United States)</i> , 2019, 98, e17739.	1.0	12
87	Tinnitus and Its Association With Mental Health and Health-Related Quality of Life in an Older Population: A Nationwide Cross-Sectional Study. <i>Journal of Applied Gerontology</i> , 2022, 41, 181-186.	2.0	12
88	Positive Association of Serum Alkaline Phosphatase Level with Severe Knee Osteoarthritis: A Nationwide Population-Based Study. <i>Diagnostics</i> , 2020, 10, 1016.	2.6	12
89	Fatty Liver Index as a Simple and Useful Predictor for 10-year Cardiovascular Disease Risks Determined by Framingham Risk Score in the General Korean Population. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2021, 30, 221-226.	0.9	12
90	Association between Resting Heart Rate and Inflammatory Markers (White Blood Cell Count and) <i>Tj ETQqO O O rgBT /Overlock 10 Tf 50</i> 38, 8.	1.2	12

#	ARTICLE	IF	CITATIONS
91	Dynamics of the Tumor Immune Microenvironment during Neoadjuvant Chemotherapy of High-Grade Serous Ovarian Cancer. <i>Cancers</i> , 2022, 14, 2308.	3.7	12
92	Predictive Value of Serum Uric Acid to HDL Cholesterol Ratio for Incident Ischemic Heart Disease in Non-Diabetic Koreans. <i>Biomedicines</i> , 2022, 10, 1422.	3.2	12
93	Association of Renal Manifestations with Serum Uric Acid in Korean Adults with Normal Uric Acid Levels. <i>Journal of Korean Medical Science</i> , 2010, 25, 1766.	2.5	11
94	Mean platelet volume (MPV) is associated with leukoaraiosis in the apparently healthy elderly. <i>Archives of Gerontology and Geriatrics</i> , 2012, 54, e118-e121.	3.0	11
95	Association between leukocyte count and sarcopenia in postmenopausal women: The Korean National Health and Nutrition Examination Survey. <i>Maturitas</i> , 2016, 84, 89-93.	2.4	11
96	Relationship between muscle mass index and LDL cholesterol target levels: Analysis of two studies of the Korean population. <i>Atherosclerosis</i> , 2021, 325, 1-7.	0.8	11
97	Integrating a Next Generation Sequencing Panel into Clinical Practice in Ovarian Cancer. <i>Yonsei Medical Journal</i> , 2019, 60, 914.	2.2	11
98	Relationship between blood mercury concentrations and serum $\hat{\Gamma}^3$ -glutamyltranspeptidase level in Korean adults using data from the 2010 Korean National Health and Nutrition Examination Survey. <i>Clinica Chimica Acta</i> , 2014, 430, 160-163.	1.1	10
99	In-bag power morcellation technique in single-port laparoscopic myomectomy. <i>Obstetrics and Gynecology Science</i> , 2018, 61, 267.	1.6	10
100	Pretreatment lymphocytopenia is an adverse prognostic biomarker in advanced-stage ovarian cancer. <i>Cancer Medicine</i> , 2019, 8, 564-571.	2.8	10
101	Serum Testosterone Level Within Normal Range Is Positively Associated with Nonalcoholic Fatty Liver Disease in Premenopausal but Not Postmenopausal Women. <i>Journal of Women's Health</i> , 2019, 28, 1077-1082.	3.3	10
102	High Calcium-Magnesium Ratio in Hair Is Associated with Coronary Artery Calcification in Middle-Aged and Elderly Individuals. <i>Biological Trace Element Research</i> , 2017, 179, 52-58.	3.5	9
103	Metabolic syndrome and its components as risk factors for prolonged corrected QT interval in apparently healthy Korean men and women. <i>Journal of Clinical Lipidology</i> , 2018, 12, 1298-1304.	1.5	9
104	Association between platelet count and osteoarthritis in women older than 50 years. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2020, 12, 1759720X2091286.	2.7	9
105	Association between serum total bilirubin level and leukoaraiosis in Korean adults. <i>Clinical Biochemistry</i> , 2012, 45, 289-292.	1.9	8
106	Employment is associated with a lower prevalence of metabolic syndrome in postmenopausal women based on the 2007-2009 Korean National Health Examination and Nutrition Survey. <i>Menopause</i> , 2014, 21, 221-226.	2.0	8
107	The association of pulse pressure with metabolic syndrome in Korean elderly: A nationwide population-based study. <i>Diabetes Research and Clinical Practice</i> , 2017, 123, 75-81.	2.8	8
108	Minimum Measurement Time Affecting the Reliability of the Heart Rate Variability Analysis. <i>Korean Journal of Health Promotion</i> , 2017, 17, 269.	0.2	8

#	ARTICLE	IF	CITATIONS
109	Triglyceride to high density lipoprotein cholesterol ratio and its association with periodontal disease in Korean adults: findings based on the 2012–2014 Korean national health and nutrition examination survey. <i>Clinical Oral Investigations</i> , 2018, 22, 515-522.	3.0	8
110	Evaluation of various kinetic parameters of CA-125 in patients with advanced-stage ovarian cancer undergoing neoadjuvant chemotherapy. <i>PLoS ONE</i> , 2018, 13, e0203366.	2.5	8
111	Real-World Experience of Olaparib Maintenance in High-Grade Serous Recurrent Ovarian Cancer Patients with BRCA1/2 Mutation: A Korean Multicenter Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 1920.	2.4	8
112	Hemoglobin levels and low bone mineral density in non-anemic older adults: Secondary analysis of the Korean National Health and Nutrition Examination Survey. <i>Experimental Gerontology</i> , 2019, 126, 110706.	2.8	8
113	Real-World Experience of Pembrolizumab Monotherapy in Patients with Recurrent or Persistent Cervical Cancer: A Korean Multi-Center Retrospective Study (KGOG1041). <i>Cancers</i> , 2020, 12, 3188.	3.7	8
114	Regional variation in states' naloxone accessibility laws in association with opioid overdose death rates-Observational study (STROBE compliant). <i>Medicine (United States)</i> , 2020, 99, e20033.	1.0	8
115	Serum $\hat{\gamma}$ -glutamyltransferase as an independent predictor for incident type 2 diabetes in middle-aged and older adults: Findings from the KoGES over 12 years of follow-up. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 1484-1491.	2.6	8
116	Relationship between Sedentary Time and Handgrip Strength in Healthy Korean Women: Korea National Health and Nutrition Examination Survey 2014–2016. <i>Korean Journal of Family Medicine</i> , 2020, 41, 422-426.	1.2	8
117	The Association Between Arterial Stiffness and Colorectal Adenomatous Polyp in Women. <i>Journal of Women's Health</i> , 2011, 20, 765-769.	3.3	7
118	Low-Grade Inflammation, Metabolic Syndrome and the Risk of Chronic Kidney Disease: the 2005 Korean National Health and Nutrition Examination Survey. <i>Journal of Korean Medical Science</i> , 2012, 27, 630.	2.5	7
119	The association between coronary calcification and adenomatous polyps of colon in Korean adults. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2014, 38, 649-654.	1.5	7
120	Association between the triglyceride to high-density lipoprotein cholesterol ratio and insulin resistance in Korean adolescents: a nationwide population-based study. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2016, 29, 1259-1265.	0.9	7
121	Inverse Relationship between Hepatic Steatosis and Alanine Aminotransferase with Sex Hormone-Binding Globulin in Men. <i>Yonsei Medical Journal</i> , 2017, 58, 731.	2.2	7
122	Dose-Dependent Effect of Cotinine-Verified Tobacco Smoking on Serum Immunoglobulin E Levels in Korean Adult Males. <i>Nicotine and Tobacco Research</i> , 2019, 21, 813-817.	2.6	7
123	Association between serum carbohydrate antigen 19-9 levels and leukoaraiosis in middle-aged and older adults: A cross-sectional study. <i>Atherosclerosis</i> , 2020, 292, 188-192.	0.8	7
124	Serum oestradiol levels are inversely associated with C-reactive protein levels in premenopausal women, but not postmenopausal women. <i>Journal of International Medical Research</i> , 2020, 48, 030006052096122.	1.0	7
125	Rethinking Radical Surgery in Interval Debulking Surgery for Advanced-Stage Ovarian Cancer Patients Undergoing Neoadjuvant Chemotherapy. <i>Journal of Clinical Medicine</i> , 2020, 9, 1235.	2.4	7
126	Comparison of single-port laparoscopy and laparotomy in early ovarian cancer surgical staging. <i>Obstetrics and Gynecology Science</i> , 2021, 64, 90-98.	1.6	7

#	ARTICLE	IF	CITATIONS
127	Association of Serum Alkaline Phosphatase with the TG/HDL Ratio and TyG Index in Korean Adults. <i>Biomolecules</i> , 2021, 11, 882.	4.0	7
128	Associations of matrix metalloproteinase (MMP)-8, MMP-9, and their inhibitor, tissue inhibitor of metalloproteinase-1, with obesity-related biomarkers in apparently healthy adolescent boys. <i>Korean Journal of Pediatrics</i> , 2014, 57, 526.	1.9	7
129	4-1BB co-stimulation further enhances anti-PD-1-mediated reinvigoration of exhausted CD39 CD8 T cells from primary and metastatic sites of epithelial ovarian cancers. , 2020, 8, .		7
130	Association Between C-Reactive Protein and Relative Handgrip Strength in Postmenopausal Korean Women Aged 45-80 Years: A Cross-Sectional Study. <i>Clinical Interventions in Aging</i> , 0, Volume 17, 971-978.	2.9	7
131	Sex Differences in the Relationship Between Leukocyte Count and Chronic Kidney Disease: The 2007 Korean National Health and Nutrition Examination Survey. <i>Journal of Women's Health</i> , 2011, 20, 99-105.	3.3	6
132	Elevated leukocyte count is associated with periodontitis in Korean adults: the 2012-2014 KNHANES. <i>Oral Diseases</i> , 2017, 23, 241-246.	3.0	6
133	Association of serum ferritin levels with non-alcoholic fatty liver disease in postmenopausal women. <i>Climacteric</i> , 2018, 21, 509-514.	2.4	6
134	Inverse association of testosterone and sex hormone binding globulin levels with leukocyte count in middle-aged and elderly men. <i>Aging Male</i> , 2018, 21, 176-181.	1.9	6
135	Association between the severity of periodontitis and osteoarthritis in middle-aged and older patients with type 2 diabetes: a nationwide population-based study. <i>Arthritis Care and Research</i> , 2020, , .	3.4	6
136	Association between Copper-Zinc Ratio in Hair and Neutrophil-Lymphocyte Ratio within the Context of a Normal White Blood Cell Count among Overweight or Obese Korean Individuals: A Pilot Study. <i>Korean Journal of Family Medicine</i> , 2021, 42, 240-244.	1.2	6
137	Relationship between Serum Alkaline Phosphatase and Low Muscle Mass Index Among Korean Adults: A Nationwide Population-Based Study. <i>Biomolecules</i> , 2021, 11, 842.	4.0	6
138	Therapeutic Efficacy of Catheter-directed Ethanol Sclerotherapy and Its Impact on Ovarian Reserve in Patients with Ovarian Endometrioma at Risk of Decreased Ovarian Reserve: A Preliminary Study. <i>Journal of Minimally Invasive Gynecology</i> , 2022, 29, 317-323.	0.6	6
139	Development of the Hypertension Index Model in General Adult Using the Korea National Health and Nutritional Examination Survey and the Korean Genome and Epidemiology Study. <i>Journal of Personalized Medicine</i> , 2021, 11, 968.	2.5	6
140	Nonalcoholic Fatty Liver Disease as a Risk Factor for Prolonged Corrected QT Interval in Apparently Healthy Korean Women. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2020, 29, 59-64.	0.9	6
141	Upcoming Aging Society and Men's Health: Focus on Clinical Implications of Exercise and Lifestyle Modification. <i>World Journal of Men's Health</i> , 2020, 38, 24.	3.3	6
142	Association between C-reactive protein and pulmonary function in postmenopausal women. <i>Maturitas</i> , 2010, 66, 83-87.	2.4	5
143	Relationship between serum $\hat{\gamma}$ -glutamyltransferase level and leukocyte count in Korean children and adolescents. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2015, 75, 177-182.	1.2	5
144	Factors Related with Utilizing Hospice Palliative Care Unit among Terminal Cancer Patients in Korea between 2010 and 2014: a Single Institution Study. <i>Journal of Korean Medical Science</i> , 2018, 33, e263.	2.5	5

#	ARTICLE	IF	CITATIONS
145	Trends in the Utilization of Life-Sustaining Procedures and Palliative Care Consultation Among Dying Patients With Advanced Chronic Pancreas Illnesses in US Hospitals: 2005 to 2014. <i>Journal of Palliative Care</i> , 2019, 34, 232-240.	1.0	5
146	Outcomes Assessment of Sustainable and Innovatively Simple Lifestyle Modification at the Workplace-Drinking Electrolyzed-Reduced Water (OASIS-ERW): A Randomized, Double-Blind, Placebo-Controlled Trial. <i>Antioxidants</i> , 2020, 9, 564.	5.1	5
147	Association of resting heart rate with nonalcoholic fatty liver disease in postmenopausal women. <i>Medicine (United States)</i> , 2020, 99, e19529.	1.0	5
148	Association between anaemia and adult depression: a systematic review and meta-analysis of observational studies. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, jech-2020-213842.	3.7	5
149	Pterostilbene Improves Stress-Related Behaviors and Partially Reverses Underlying Neuroinflammatory and Hormonal Changes in Stress-Challenged Mice. <i>Journal of Medicinal Food</i> , 2021, 24, 299-309.	1.5	5
150	Joint Effect of Hepatic Steatosis and Alanine Aminotransferase Within the Normal Range on Incident Ischemic Heart Disease: A Prospective Study in Koreans. <i>Clinical Interventions in Aging</i> , 2021, Volume 16, 513-523.	2.9	5
151	Non-Alcoholic Fatty Liver Disease Is an Independent Risk Factor for LDL Cholesterol Target Level. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3442.	2.6	5
152	Longitudinal Effects of Serum Calcium and Phosphate Levels and Their Ratio on Incident Ischemic Heart Disease among Korean Adults. <i>Biomolecules</i> , 2022, 12, 103.	4.0	5
153	Quenching Epigenetic Drug Resistance Using Antihypoxic Microparticles in Glioblastoma Patient-Derived Chips. <i>Advanced Healthcare Materials</i> , 2021, , 2102226.	7.6	5
154	Inverse Association of Serum Folate Level with Metabolic Syndrome and Its Components in Korean Premenopausal Women: Findings of the 2016-2018 Korean National Health Nutrition Examination Survey. <i>Nutrients</i> , 2022, 14, 880.	4.1	5
155	Relationship between serum ferritin level and blood mercury concentration using data from the Korean national health and nutrition examination survey (2010-2012). <i>Environmental Research</i> , 2014, 135, 271-275.	7.5	4
156	Transcatheter Arterial Embolization for Severe Secondary Hemorrhage after Hysterectomy. <i>Journal of Minimally Invasive Gynecology</i> , 2018, 25, 180-185.	0.6	4
157	Association between serum carcinoembryonic antigen (CEA) levels and leukoaraiosis in middle-aged and older adults: A cross-sectional study. <i>Experimental Gerontology</i> , 2019, 125, 110682.	2.8	4
158	Leukocyte count, C-reactive protein level and incidence risk of type 2 diabetes among non-smoking adults: A longitudinal finding over 12 years from the Korean Genome and Epidemiology Study. <i>Primary Care Diabetes</i> , 2021, 15, 385-390.	1.8	4
159	Inverse association between serum bilirubin level and testosterone deficiency in middle-aged and older men. <i>Scientific Reports</i> , 2021, 11, 8026.	3.3	4
160	Dietary iron to total energy intake ratio and type 2 diabetes incidence in a longitudinal 12-year analysis of the Korean Genome and Epidemiology Cohort Study. <i>European Journal of Nutrition</i> , 2021, 60, 4453-4461.	3.9	4
161	Gallbladder Polyps Increase the Risk of Ischaemic Heart Disease Among Korean Adults. <i>Frontiers in Medicine</i> , 2021, 8, 693245.	2.6	4
162	Indocyanine green fluorescent image-guided inguinal sentinel lymph node biopsy in vulvar cancer. <i>Obstetrics and Gynecology Science</i> , 2022, 65, 223-225.	1.6	4

#	ARTICLE	IF	CITATIONS
163	The relationship between pulse pressure and leukoaraiosis in the elderly. Archives of Gerontology and Geriatrics, 2012, 54, 206-209.	3.0	3
164	Delayed hemorrhage effect of local anesthesia with epinephrine in the loop electrosurgical excisional procedure. Obstetrics and Gynecology Science, 2017, 60, 87.	1.6	3
165	Effects of Advanced Care Planning on Reduced Mortality, Implications of Blood Transfusion Use by ICU sites, and Further Statistical Considerations. Chest, 2018, 153, 284-285.	0.8	3
166	Serum γ -glutamyltransferase level and metabolic syndrome in children and adolescents: Korean National Health and Nutrition Examination Survey. Journal of Diabetes Investigation, 2018, 9, 522-528.	2.4	3
167	Lung function as a predictor of incident type 2 diabetes in community-dwelling adults: A longitudinal finding over 12 years from the Korean Genome and Epidemiology Study. Diabetes and Metabolism, 2020, 46, 392-399.	2.9	3
168	Longitudinal Effect of Hemoglobin Concentration With Incident Ischemic Heart Disease According to Hepatic Steatosis Status Among Koreans. Frontiers in Cardiovascular Medicine, 2021, 8, 677040.	2.4	3
169	Early Chronic Kidney Disease (G1-G3a) in Combination with Steatosis as a Predictor of Incident Ischemic Heart Disease: A Longitudinal Study in Non-Diabetic Koreans. Biomedicines, 2021, 9, 1358.	3.2	3
170	Life-Sustaining Procedures, Palliative Care, and Cost Trends in Dying COPD Patients in U.S. Hospitals: 2005~2014. The Korean Journal of Hospice and Palliative Care, 2018, 21, 23-32.	0.7	3
171	Comparison between weekly versus 3-weekly paclitaxel in combination with carboplatin as neoadjuvant chemotherapy in advanced ovarian cancer. Journal of Gynecologic Oncology, 2020, 31, e23.	2.2	3
172	Cancer Patient Tissueoid with Self-Homing Nano-Targeting of Metabolic Inhibitor. Advanced Science, 2021, 8, 2102640.	11.2	3
173	Using Dietary Macronutrient Patterns to Predict Sarcopenic Obesity in Older Adults: A Representative Korean Nationwide Population-Based Study. Nutrients, 2021, 13, 4031.	4.1	3
174	Association between sex hormone levels and leukoaraiosis (LA) in older Korean men. Archives of Gerontology and Geriatrics, 2012, 54, e73-e76.	3.0	2
175	The relationship between employment status and insulin resistance in the Korean elderly population. Aging Clinical and Experimental Research, 2018, 30, 1385-1390.	2.9	2
176	Catalytic microgelators for decoupled control of gelation rate and rigidity of the biological gels. Journal of Controlled Release, 2020, 317, 166-180.	9.9	2
177	Association of serum carbohydrate antigen 19-9 level with arterial stiffness and coronary artery calcification in middle-aged and older adults. Journal of Hypertension, 2020, 38, 95-101.	0.5	2
178	Joint Effect of Cigarette Smoking and Body Mass Index on White Blood Cell Count in Korean Adults. Korean Journal of Family Medicine, 2017, 38, 75.	1.2	2
179	Waist-to-Height Ratio as a Simple and Useful Indicator for Non-alcoholic Fatty Liver Disease in Korean Women. The Korean Journal of Obesity, 2016, 25, 19-23.	0.2	2
180	Stress Relief Method and Depression. Korean Journal of Family Practice, 2017, 7, 837-843.	0.3	2

#	ARTICLE	IF	CITATIONS
181	Relationship of the Triglyceride-Glucose Index with Subclinical White Matter Hypersensitivities of Presumed Vascular Origin Among Community-Dwelling Koreans. <i>International Journal of General Medicine</i> , 2022, Volume 15, 603-608.	1.8	2
182	Non-HDL cholesterol as a predictor for incident type 2 diabetes in community-dwelling adults: longitudinal findings over 12 years. <i>Translational Research</i> , 2022, 243, 52-59.	5.0	2
183	Association between white blood cell and red blood cell counts within reference range and metabolic syndrome in Korean men and women. <i>Toxicology and Environmental Health Sciences</i> , 2010, 2, 238-244.	2.1	1
184	Prognostic significance of CA-125 re-elevation after interval debulking surgery in patients with advanced-stage ovarian cancer undergoing neoadjuvant chemotherapy. <i>European Journal of Surgical Oncology</i> , 2019, 45, 644-649.	1.0	1
185	Impact of subcutaneous negative pressure drains on surgical wound healing in ovarian cancer. <i>International Journal of Gynecological Cancer</i> , 2021, 31, 245-250.	2.5	1
186	Relationship between sedentary time and central obesity in adult Korean men: Korean National Health and Nutrition Examination Survey, 2014. <i>The National Medical Journal of India</i> , 2021, 34, 15.	0.3	1
187	Relationship of Calcium-Magnesium Ratio in Hair with Triglyceride-Glucose Index and Triglyceride/High-Density Lipoprotein-Cholesterol Ratio among Overweight or Obese Korean Individuals: A Pilot Study. <i>Korean Journal of Family Practice</i> , 2020, 10, 443-447.	0.3	1
188	Long-Term Adverse Effects of Cigarette Smoking on the Incidence Risk of Metabolic Syndrome With a Dose-Response Relationship: Longitudinal Findings of the Korean Genome and Epidemiology Study Over 12 Years. <i>Endocrine Practice</i> , 2022, 28, 603-609.	2.1	1
189	Incidence of postoperative thrombotic events in ovarian cancer patients with a de-escalated prophylactic strategy: A retrospective cohort study. <i>Gynecologic Oncology</i> , 2022, 165, 75-81.	1.4	1
190	Acute Myeloid Leukemia in Suspected Sepsis after Caesarean Section. <i>The Korean Journal of Critical Care Medicine</i> , 2014, 29, 99.	0.2	0
191	Author's response to letter to the Editor. <i>Maturitas</i> , 2016, 86, 44.	2.4	0
192	Alternative Trends Estimate and Stakeout Synthetic Marijuana Use. <i>American Journal of Medicine</i> , 2017, 130, e563-e564.	1.5	0
193	Interrupted Time Series Needed to Analyze Effects of Propoxyphene Withdrawal From Market and Health Outcome Trend Estimates: Comment on the Article by Curtis et al. <i>Arthritis and Rheumatology</i> , 2018, 70, 794-795.	5.6	0
194	Necessity of time series analysis and effects of direct-acting antivirals on HCV patients awaiting liver transplantation. <i>Journal of Hepatology</i> , 2018, 68, 628-629.	3.7	0
195	Reply to: Frailty and Pulmonary Function in Older Women. <i>Journal of the American Geriatrics Society</i> , 2019, 67, 406-407.	2.6	0
196	To avoid compensatory hyperhidrosis after sympathetic surgery for craniofacial hyperhidrosis. <i>Journal of Thoracic Disease</i> , 2020, 12, 2529-2535.	1.4	0
197	Evaluation of Shoulder Pain in Outpatient Clinic. <i>Korean Journal of Family Practice</i> , 2021, 11, 324-330.	0.3	0
198	Association between Systolic Blood Pressure and Albuminuria in Elderly People without Type 2 Diabetes or Chronic Kidney Disease. <i>Korean Journal of Family Practice</i> , 2016, 6, 509-513.	0.3	0

#	ARTICLE	IF	CITATIONS
199	Relationship between Sex-Hormone Binding Globulin and Non-Invasive Nonalcoholic Fatty Liver Fibrosis Models in Men. Korean Journal of Family Practice, 2017, 7, 271-275.	0.3	0
200	Association between Serum Carcinoembryonic Antigen Levels within Normal Range and Metabolic Syndrome in Korean Women Aged ≥50 Years Old. Korean Journal of Clinical Geriatrics, 2018, 19, 49-54.	0.1	0
201	Higher Serum Calcium Levels Are Associated with Preclinical Peripheral Arterial Disease among the Apparently Healthy Individuals. Korean Journal of Family Medicine, 2018, 39, 279-283.	1.2	0
202	Association between Serum Total Bilirubin Levels and Arterial Stiffness in Korean Men. Korean Journal of Clinical Geriatrics, 2020, 21, 26-31.	0.1	0