

Yong-Jae Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5600869/publications.pdf>

Version: 2024-02-01

202
papers

3,465
citations

212478

28
h-index

263392

45
g-index

220
all docs

220
docs citations

220
times ranked

5707
citing authors

#	ARTICLE	IF	CITATIONS
1	Tinnitus and Its Association With Mental Health and Health-Related Quality of Life in an Older Population: A Nationwide Cross-Sectional Study. <i>Journal of Applied Gerontology</i> , 2022, 41, 181-186.	1.0	12
2	Therapeutic Efficacy of Catheter-directed Ethanol Sclerotherapy and Its Impact on Ovarian Reserve in Patients with Ovarian Endometrioma at Risk of Decreased Ovarian Reserve: A Preliminary Study. <i>Journal of Minimally Invasive Gynecology</i> , 2022, 29, 317-323.	0.3	6
3	Longitudinal Effects of Serum Calcium and Phosphate Levels and Their Ratio on Incident Ischemic Heart Disease among Korean Adults. <i>Biomolecules</i> , 2022, 12, 103.	1.8	5
4	Relationship of the Triglyceride-Glucose Index with Subclinical White Matter Hypersensitivities of Presumed Vascular Origin Among Community-Dwelling Koreans. <i>International Journal of General Medicine</i> , 2022, Volume 15, 603-608.	0.8	2
5	Da Vinci SP Single-Port Robotic Surgery in Gynecologic Tumors: Single Surgeon's Initial Experience with 100 Cases. <i>Yonsei Medical Journal</i> , 2022, 63, 179.	0.9	15
6	Inverse Association of Serum Folate Level with Metabolic Syndrome and Its Components in Korean Premenopausal Women: Findings of the 2016-2018 Korean National Health Nutrition Examination Survey. <i>Nutrients</i> , 2022, 14, 880.	1.7	5
7	Indocyanine green fluorescent image-guided inguinal sentinel lymph node biopsy in vulvar cancer. <i>Obstetrics and Gynecology Science</i> , 2022, 65, 223-225.	0.6	4
8	Comparison of triglyceride-glucose index and HOMA-IR for predicting prevalence and incidence of metabolic syndrome. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 596-604.	1.1	80
9	Long-Term Adverse Effects of Cigarette Smoking on the Incidence Risk of Metabolic Syndrome With a Dose-Response Relationship: Longitudinal Findings of the Korean Genome and Epidemiology Study Over 12 Years. <i>Endocrine Practice</i> , 2022, 28, 603-609.	1.1	1
10	Incidence of postoperative thrombotic events in ovarian cancer patients with a de-escalated prophylactic strategy: A retrospective cohort study. <i>Gynecologic Oncology</i> , 2022, 165, 75-81.	0.6	1
11	Non-HDL cholesterol as a predictor for incident type 2 diabetes in community-dwelling adults: longitudinal findings over 12 years. <i>Translational Research</i> , 2022, 243, 52-59.	2.2	2
12	Dynamics of the Tumor Immune Microenvironment during Neoadjuvant Chemotherapy of High-Grade Serous Ovarian Cancer. <i>Cancers</i> , 2022, 14, 2308.	1.7	12
13	Predictive Value of Serum Uric Acid to HDL Cholesterol Ratio for Incident Ischemic Heart Disease in Non-Diabetic Koreans. <i>Biomedicines</i> , 2022, 10, 1422.	1.4	12
14	Triglyceride glucose (TyG) index as a predictor of incident type 2 diabetes among nonobese adults: a 12-year longitudinal study of the Korean Genome and Epidemiology Study cohort. <i>Translational Research</i> , 2021, 228, 42-51.	2.2	73
15	Leukocyte count, C-reactive protein level and incidence risk of type 2 diabetes among non-smoking adults: A longitudinal finding over 12 years from the Korean Genome and Epidemiology Study. <i>Primary Care Diabetes</i> , 2021, 15, 385-390.	0.9	4
16	Impact of subcutaneous negative pressure drains on surgical wound healing in ovarian cancer. <i>International Journal of Gynecological Cancer</i> , 2021, 31, 245-250.	1.2	1
17	Calcium Supplements and Risk of Cardiovascular Disease: A Meta-Analysis of Clinical Trials. <i>Nutrients</i> , 2021, 13, 368.	1.7	30
18	Comparison of single-port laparoscopy and laparotomy in early ovarian cancer surgical staging. <i>Obstetrics and Gynecology Science</i> , 2021, 64, 90-98.	0.6	7

#	ARTICLE	IF	CITATIONS
19	Relationship between sedentary time and central obesity in adult Korean men: Korean National Health and Nutrition Examination Survey, 2014. <i>The National Medical Journal of India</i> , 2021, 34, 15.	0.1	1
20	Pterostilbene Improves Stress-Related Behaviors and Partially Reverses Underlying Neuroinflammatory and Hormonal Changes in Stress-Challenged Mice. <i>Journal of Medicinal Food</i> , 2021, 24, 299-309.	0.8	5
21	Joint Effect of Hepatic Steatosis and Alanine Aminotransferase Within the Normal Range on Incident Ischemic Heart Disease: A Prospective Study in Koreans. <i>Clinical Interventions in Aging</i> , 2021, Volume 16, 513-523.	1.3	5
22	Non-Alcoholic Fatty Liver Disease Is an Independent Risk Factor for LDL Cholesterol Target Level. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3442.	1.2	5
23	Inverse association between serum bilirubin level and testosterone deficiency in middle-aged and older men. <i>Scientific Reports</i> , 2021, 11, 8026.	1.6	4
24	Hormone autocrination by vascularized hydrogel delivery of ovary spheroids to rescue ovarian dysfunctions. <i>Science Advances</i> , 2021, 7, .	4.7	19
25	Longitudinal Effect of Hemoglobin Concentration With Incident Ischemic Heart Disease According to Hepatic Steatosis Status Among Koreans. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 677040.	1.1	3
26	Relationship between muscle mass index and LDL cholesterol target levels: Analysis of two studies of the Korean population. <i>Atherosclerosis</i> , 2021, 325, 1-7.	0.4	11
27	Association between Copperâ€Zinc Ratio in Hair and Neutrophilâ€Lymphocyte Ratio within the Context of a Normal White Blood Cell Count among Overweight or Obese Korean Individuals: A Pilot Study. <i>Korean Journal of Family Medicine</i> , 2021, 42, 240-244.	0.4	6
28	Relationship between Serum Alkaline Phosphatase and Low Muscle Mass Index Among Korean Adults: A Nationwide Population-Based Study. <i>Biomolecules</i> , 2021, 11, 842.	1.8	6
29	Dietary iron to total energy intake ratio and type 2 diabetes incidence in a longitudinal 12-year analysis of the Korean Genome and Epidemiology Cohort Study. <i>European Journal of Nutrition</i> , 2021, 60, 4453-4461.	1.8	4
30	Association of Serum Alkaline Phosphatase with the TG/HDL Ratio and TyG Index in Korean Adults. <i>Biomolecules</i> , 2021, 11, 882.	1.8	7
31	Fatty Liver Index as a Simple and Useful Predictor for 10-year Cardiovascular Disease Risks Determined by Framingham Risk Score in the General Korean Population. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2021, 30, 221-226.	0.5	12
32	The Metabolic Score for Insulin Resistance (METS-IR) as a Predictor of Incident Ischemic Heart Disease: A Longitudinal Study among Korean without Diabetes. <i>Journal of Personalized Medicine</i> , 2021, 11, 742.	1.1	39
33	Gallbladder Polyps Increase the Risk of Ischaemic Heart Disease Among Korean Adults. <i>Frontiers in Medicine</i> , 2021, 8, 693245.	1.2	4
34	Triglyceride to HDL-Cholesterol Ratio and the Incident Risk of Ischemic Heart Disease Among Koreans Without Diabetes: A Longitudinal Study Using National Health Insurance Data. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 716698.	1.1	13
35	Development of the Hypertension Index Model in General Adult Using the Korea National Health and Nutritional Examination Survey and the Korean Genome and Epidemiology Study. <i>Journal of Personalized Medicine</i> , 2021, 11, 968.	1.1	6
36	Early Chronic Kidney Disease (G1-G3a) in Combination with Steatosis as a Predictor of Incident Ischemic Heart Disease: A Longitudinal Study in Non-Diabetic Koreans. <i>Biomedicines</i> , 2021, 9, 1358.	1.4	3

#	ARTICLE	IF	CITATIONS
37	The Effects of Korean Red Ginseng on Biological Aging and Antioxidant Capacity in Postmenopausal Women: A Double-Blind Randomized Controlled Study. <i>Nutrients</i> , 2021, 13, 3090.	1.7	15
38	Predictive Value of the Atherogenic Index of Plasma (AIP) for the Risk of Incident Ischemic Heart Disease among Non-Diabetic Koreans. <i>Nutrients</i> , 2021, 13, 3231.	1.7	24
39	The triglyceride-glucose index is a more powerful surrogate marker for predicting the prevalence and incidence of type 2 diabetes mellitus than the homeostatic model assessment of insulin resistance. <i>Diabetes Research and Clinical Practice</i> , 2021, 180, 109042.	1.1	60
40	A single-arm phase II study of olaparib maintenance with pembrolizumab and bevacizumab in BRCA non-mutated patients with platinum-sensitive recurrent ovarian cancer (OPEB-01). <i>Journal of Gynecologic Oncology</i> , 2021, 32, e31.	1.0	17
41	Evaluation of Shoulder Pain in Outpatient Clinic. <i>Korean Journal of Family Practice</i> , 2021, 11, 324-330.	0.1	0
42	Cancer Patient Tissueoid with Self-Homing Nano-Targeting of Metabolic Inhibitor. <i>Advanced Science</i> , 2021, 8, 2102640.	5.6	3
43	Using Dietary Macronutrient Patterns to Predict Sarcopenic Obesity in Older Adults: A Representative Korean Nationwide Population-Based Study. <i>Nutrients</i> , 2021, 13, 4031.	1.7	3
44	Quenching Epigenetic Drug Resistance Using Antihypoxic Microparticles in Glioblastoma Patient-Derived Chips. <i>Advanced Healthcare Materials</i> , 2021, , 2102226.	3.9	5
45	High triglyceride to HDL cholesterol ratio is associated with low testosterone and sex hormone-binding globulin levels in Middle-aged and elderly men. <i>Aging Male</i> , 2020, 23, 93-97.	0.9	15
46	Serum alkaline phosphatase level is positively associated with metabolic syndrome: A nationwide population-based study. <i>Clinica Chimica Acta</i> , 2020, 500, 189-194.	0.5	17
47	Catalytic microgelators for decoupled control of gelation rate and rigidity of the biological gels. <i>Journal of Controlled Release</i> , 2020, 317, 166-180.	4.8	2
48	Lung function as a predictor of incident type 2 diabetes in community-dwelling adults: A longitudinal finding over 12 years from the Korean Genome and Epidemiology Study. <i>Diabetes and Metabolism</i> , 2020, 46, 392-399.	1.4	3
49	A Review of the Pharmacological Efficacy and Safety of Licorice Root from Corroborative Clinical Trial Findings. <i>Journal of Medicinal Food</i> , 2020, 23, 12-20.	0.8	84
50	Association of serum carbohydrate antigen 19-9 level with arterial stiffness and coronary artery calcification in middle-aged and older adults. <i>Journal of Hypertension</i> , 2020, 38, 95-101.	0.3	2
51	Association between serum carbohydrate antigen 19-9 levels and leukoaraiosis in middle-aged and older adults: A cross-sectional study. <i>Atherosclerosis</i> , 2020, 292, 188-192.	0.4	7
52	Association between the severity of periodontitis and osteoarthritis in middle-aged and older patients with type 2 diabetes: a nationwide population-based study. <i>Arthritis Care and Research</i> , 2020, , .	1.5	6
53	To avoid compensatory hyperhidrosis after sympathetic surgery for craniofacial hyperhidrosis. <i>Journal of Thoracic Disease</i> , 2020, 12, 2529-2535.	0.6	0
54	Serum oestradiol levels are inversely associated with C-reactive protein levels in premenopausal women, but not postmenopausal women. <i>Journal of International Medical Research</i> , 2020, 48, 030006052096122.	0.4	7

#	ARTICLE	IF	CITATIONS
55	The triglyceride-glucose index predicts ischemic heart disease risk in Koreans: a prospective study using National Health Insurance Service data. <i>Cardiovascular Diabetology</i> , 2020, 19, 210.	2.7	33
56	Positive Association of Serum Alkaline Phosphatase Level with Severe Knee Osteoarthritis: A Nationwide Population-Based Study. <i>Diagnostics</i> , 2020, 10, 1016.	1.3	12
57	Real-World Experience of Pembrolizumab Monotherapy in Patients with Recurrent or Persistent Cervical Cancer: A Korean Multi-Center Retrospective Study (KGOG1041). <i>Cancers</i> , 2020, 12, 3188.	1.7	8
58	Germline BRCA, chemotherapy response scores, and survival in the neoadjuvant treatment of ovarian cancer. <i>BMC Cancer</i> , 2020, 20, 185.	1.1	15
59	Outcomes Assessment of Sustainable and Innovatively Simple Lifestyle Modification at the Workplace-Drinking Electrolyzed-Reduced Water (OASIS-ERW): A Randomized, Double-Blind, Placebo-Controlled Trial. <i>Antioxidants</i> , 2020, 9, 564.	2.2	5
60	Regional variation in states' naloxone accessibility laws in association with opioid overdose death rates-Observational study (STROBE compliant). <i>Medicine (United States)</i> , 2020, 99, e20033.	0.4	8
61	Hydrogel cross-linking'programmed release of nitric oxide regulates source-dependent angiogenic behaviors of human mesenchymal stem cell. <i>Science Advances</i> , 2020, 6, eaay5413.	4.7	33
62	Knee osteoarthritis and its association with mental health and health-related quality of life: A nationwide cross-sectional study. <i>Geriatrics and Gerontology International</i> , 2020, 20, 379-383.	0.7	37
63	Rethinking Radical Surgery in Interval Debulking Surgery for Advanced-Stage Ovarian Cancer Patients Undergoing Neoadjuvant Chemotherapy. <i>Journal of Clinical Medicine</i> , 2020, 9, 1235.	1.0	7
64	Association of resting heart rate with nonalcoholic fatty liver disease in postmenopausal women. <i>Medicine (United States)</i> , 2020, 99, e19529.	0.4	5
65	Triglyceride to HDL-cholesterol ratio and the incidence risk of type 2 diabetes in community dwelling adults: A longitudinal 12-year analysis of the Korean Genome and Epidemiology Study. <i>Diabetes Research and Clinical Practice</i> , 2020, 163, 108150.	1.1	30
66	Association between anaemia and adult depression: a systematic review and meta-analysis of observational studies. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, jech-2020-213842.	2.0	5
67	Association between platelet count and osteoarthritis in women older than 50 years. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2020, 12, 1759720X2091286.	1.2	9
68	Serum γ -glutamyltransferase as an independent predictor for incident type 2 diabetes in middle-aged and older adults: Findings from the KoGES over 12 years of follow-up. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 1484-1491.	1.1	8
69	Nonalcoholic Fatty Liver Disease as a Risk Factor for Prolonged Corrected QT Interval in Apparently Healthy Korean Women. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2020, 29, 59-64.	0.5	6
70	Comparison between weekly versus 3-weekly paclitaxel in combination with carboplatin as neoadjuvant chemotherapy in advanced ovarian cancer. <i>Journal of Gynecologic Oncology</i> , 2020, 31, e23.	1.0	3
71	Relationship between Sedentary Time and Handgrip Strength in Healthy Korean Women: Korea National Health and Nutrition Examination Survey 2014'2016. <i>Korean Journal of Family Medicine</i> , 2020, 41, 422-426.	0.4	8
72	Upcoming Aging Society and Men's Health: Focus on Clinical Implications of Exercise and Lifestyle Modification. <i>World Journal of Men's Health</i> , 2020, 38, 24.	1.7	6

#	ARTICLE	IF	CITATIONS
73	Association between Serum Total Bilirubin Levels and Arterial Stiffness in Korean Men. Korean Journal of Clinical Geriatrics, 2020, 21, 26-31.	0.3	0
74	Relationship of Calcium-Magnesium Ratio in Hair with Triglyceride-Glucose Index and Triglyceride/High-Density Lipoprotein-Cholesterol Ratio among Overweight or Obese Korean Individuals: A Pilot Study. Korean Journal of Family Practice, 2020, 10, 443-447.	0.1	1
75	4-1BB co-stimulation further enhances anti-PD-1-mediated reinvigoration of exhausted CD39 CD8 T cells from primary and metastatic sites of epithelial ovarian cancers. , 2020, 8, .		7
76	4-1BB co-stimulation further enhances anti-PD-1-mediated reinvigoration of exhausted CD39⁺ CD8 T cells from primary and metastatic sites of epithelial ovarian cancers. , 2020, 8, e001650.		35
77	Real-World Experience of Olaparib Maintenance in High-Grade Serous Recurrent Ovarian Cancer Patients with BRCA1/2 Mutation: A Korean Multicenter Study. Journal of Clinical Medicine, 2019, 8, 1920.	1.0	8
78	Development of a Shape-Memory Tube to Prevent Vascular Stenosis. Advanced Materials, 2019, 31, e1904476.	11.1	38
79	Hemoglobin levels and low bone mineral density in non-anemic older adults: Secondary analysis of the Korean National Health and Nutrition Examination Survey. Experimental Gerontology, 2019, 126, 110706.	1.2	8
80	Association between serum carcinoembryonic antigen (CEA) levels and leukoaraiosis in middle-aged and older adults: A cross-sectional study. Experimental Gerontology, 2019, 125, 110682.	1.2	4
81	High triglyceride to high-density lipoprotein cholesterol ratio and arterial stiffness in postmenopausal Korean women. Journal of Clinical Hypertension, 2019, 21, 399-404.	1.0	21
82	The Relationship between Serum Alkaline Phosphatase and Arterial Stiffness in Korean Adults. Journal of Atherosclerosis and Thrombosis, 2019, 26, 1084-1091.	0.9	13
83	Borderline high serum calcium levels are associated with arterial stiffness and 10-year cardiovascular disease risk determined by Framingham risk score. Journal of Clinical Hypertension, 2019, 21, 668-673.	1.0	14
84	Relationship between serum alkaline phosphatase level, C-reactive protein and leukocyte counts in adults aged 60 years or older. Scandinavian Journal of Clinical and Laboratory Investigation, 2019, 79, 233-237.	0.6	12
85	Relationship between Sleep Duration and Osteoarthritis in Middle-Aged and Older Women: A Nationwide Population-Based Study. Journal of Clinical Medicine, 2019, 8, 356.	1.0	13
86	Dose-Dependent Toxic Effect of Cotinine-Verified Tobacco Smoking on Systemic Inflammation in Apparently Healthy Men and Women: A Nationwide Population-Based Study. International Journal of Environmental Research and Public Health, 2019, 16, 503.	1.2	14
87	Trends in the Utilization of Life-Sustaining Procedures and Palliative Care Consultation Among Dying Patients With Advanced Chronic Pancreas Illnesses in US Hospitals: 2005 to 2014. Journal of Palliative Care, 2019, 34, 232-240.	0.4	5
88	Higher monocyte count with normal white blood cell count is positively associated with 10-year cardiovascular disease risk determined by Framingham risk score among community-dwelling Korean individuals. Medicine (United States), 2019, 98, e15340.	0.4	23
89	Trends and associated factors of use of opioid, heroin, and cannabis among patients for emergency department visits in Nevada: 2009-2017. Medicine (United States), 2019, 98, e17739.	0.4	12
90	Real-world effectiveness of bevacizumab based on AURELIA in platinum-resistant recurrent ovarian cancer (REBECA): A Korean Gynecologic Oncology Group study (KGOG 3041). Gynecologic Oncology, 2019, 152, 61-67.	0.6	26

#	ARTICLE	IF	CITATIONS
91	Incorporation of paclitaxel-based hyperthermic intraperitoneal chemotherapy in patients with advanced-stage ovarian cancer treated with neoadjuvant chemotherapy followed by interval debulking surgery: a protocol-based pilot study. <i>Journal of Gynecologic Oncology</i> , 2019, 30, e3.	1.0	25
92	Pretreatment lymphocytopenia is an adverse prognostic biomarker in advanced-stage ovarian cancer. <i>Cancer Medicine</i> , 2019, 8, 564-571.	1.3	10
93	Serum Testosterone Level Within Normal Range Is Positively Associated with Nonalcoholic Fatty Liver Disease in Premenopausal but Not Postmenopausal Women. <i>Journal of Women's Health</i> , 2019, 28, 1077-1082.	1.5	10
94	Prognostic significance of CA-125 re-elevation after interval debulking surgery in patients with advanced-stage ovarian cancer undergoing neoadjuvant chemotherapy. <i>European Journal of Surgical Oncology</i> , 2019, 45, 644-649.	0.5	1
95	Reply to: Frailty and Pulmonary Function in Older Women. <i>Journal of the American Geriatrics Society</i> , 2019, 67, 406-407.	1.3	0
96	Dose-Dependent Effect of Cotinine-Verified Tobacco Smoking on Serum Immunoglobulin E Levels in Korean Adult Males. <i>Nicotine and Tobacco Research</i> , 2019, 21, 813-817.	1.4	7
97	Integrating a Next Generation Sequencing Panel into Clinical Practice in Ovarian Cancer. <i>Yonsei Medical Journal</i> , 2019, 60, 914.	0.9	11
98	Recent Advances in Anti-Aging Medicine. <i>Korean Journal of Family Medicine</i> , 2019, 40, 289-296.	0.4	23
99	Effects of Advanced Care Planning on Reduced Mortality, Implications of Blood Transfusion Use by ICU sites, and Further Statistical Considerations. <i>Chest</i> , 2018, 153, 284-285.	0.4	3
100	Interrupted Time Series Needed to Analyze Effects of Propoxyphene Withdrawal From Market and Health Outcome Trend Estimates: Comment on the Article by Curtis et al. <i>Arthritis and Rheumatology</i> , 2018, 70, 794-795.	2.9	0
101	Korean Red Ginseng Protects Against Mitochondrial Damage and Intracellular Inflammation in an Animal Model of Type 2 Diabetes Mellitus. <i>Journal of Medicinal Food</i> , 2018, 21, 544-550.	0.8	18
102	The relationship between employment status and insulin resistance in the Korean elderly population. <i>Aging Clinical and Experimental Research</i> , 2018, 30, 1385-1390.	1.4	2
103	Oxidative balance score and serum α -glutamyltransferase level among Korean adults: a nationwide population-based study. <i>European Journal of Nutrition</i> , 2018, 57, 1237-1244.	1.8	33
104	Triglyceride to high density lipoprotein cholesterol ratio and its association with periodontal disease in Korean adults: findings based on the 2012-2014 Korean national health and nutrition examination survey. <i>Clinical Oral Investigations</i> , 2018, 22, 515-522.	1.4	8
105	Serum carcinoembryonic antigen is positively associated with leukocyte count in Korean adults. <i>Journal of Clinical Laboratory Analysis</i> , 2018, 32, .	0.9	17
106	Serum α -glutamyltransferase level and metabolic syndrome in children and adolescents: Korean National Health and Nutrition Examination Survey. <i>Journal of Diabetes Investigation</i> , 2018, 9, 522-528.	1.1	3
107	Transcatheter Arterial Embolization for Severe Secondary Hemorrhage after Hysterectomy. <i>Journal of Minimally Invasive Gynecology</i> , 2018, 25, 180-185.	0.3	4
108	Necessity of time series analysis and effects of direct-acting antivirals on HCV patients awaiting liver transplantation. <i>Journal of Hepatology</i> , 2018, 68, 628-629.	1.8	0

#	ARTICLE	IF	CITATIONS
109	Impact of the time interval from completion of neoadjuvant chemotherapy to initiation of postoperative adjuvant chemotherapy on the survival of patients with advanced ovarian cancer. <i>Gynecologic Oncology</i> , 2018, 148, 62-67.	0.6	30
110	Impact of increased utilization of neoadjuvant chemotherapy on survival in patients with advanced ovarian cancer: experience from a comprehensive cancer center. <i>Journal of Gynecologic Oncology</i> , 2018, 29, e63.	1.0	12
111	Ten-year trends of palliative care utilization associated with multiple sclerosis patients in the United States from 2005 to 2014. <i>Journal of Clinical Neuroscience</i> , 2018, 58, 13-19.	0.8	12
112	Long-Term Exposure to Air Pollutants and Cancer Mortality: A Meta-Analysis of Cohort Studies. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 2608.	1.2	103
113	Factors Related with Utilizing Hospice Palliative Care Unit among Terminal Cancer Patients in Korea between 2010 and 2014: a Single Institution Study. <i>Journal of Korean Medical Science</i> , 2018, 33, e263.	1.1	5
114	Expression of programmed cell death ligand 1 and immune checkpoint markers in residual tumors after neoadjuvant chemotherapy for advanced high-grade serous ovarian cancer. <i>Gynecologic Oncology</i> , 2018, 151, 414-421.	0.6	36
115	Relationship Between Platelet Count and Insulin Resistance in Korean Adolescents: A Nationwide Population-Based Study. <i>Metabolic Syndrome and Related Disorders</i> , 2018, 16, 470-476.	0.5	16
116	Evaluation of various kinetic parameters of CA-125 in patients with advanced-stage ovarian cancer undergoing neoadjuvant chemotherapy. <i>PLoS ONE</i> , 2018, 13, e0203366.	1.1	8
117	Trends in Blood Pressure and Prevalence of Hypertension in Korean Adults Based on the 1998-2014 KNHANES. <i>Yonsei Medical Journal</i> , 2018, 59, 356.	0.9	19
118	Relationship Between Handgrip Strength and Pulmonary Function in Apparently Healthy Older Women. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 1367-1371.	1.3	47
119	Metabolic syndrome and its components as risk factors for prolonged corrected QT interval in apparently healthy Korean men and women. <i>Journal of Clinical Lipidology</i> , 2018, 12, 1298-1304.	0.6	9
120	Two-step sentinel lymph node mapping strategy in endometrial cancer staging using fluorescent imaging: A novel sentinel lymph node tracer injection procedure. <i>Surgical Oncology</i> , 2018, 27, 514-519.	0.8	28
121	In-bag power morcellation technique in single-port laparoscopic myomectomy. <i>Obstetrics and Gynecology Science</i> , 2018, 61, 267.	0.6	10
122	Association of serum ferritin levels with non-alcoholic fatty liver disease in postmenopausal women. <i>Climacteric</i> , 2018, 21, 509-514.	1.1	6
123	Inverse association of testosterone and sex hormone binding globulin levels with leukocyte count in middle-aged and elderly men. <i>Aging Male</i> , 2018, 21, 176-181.	0.9	6
124	Severity of nonalcoholic fatty liver disease is associated with subclinical cerebro-cardiovascular atherosclerosis risk in Korean men. <i>PLoS ONE</i> , 2018, 13, e0193191.	1.1	14
125	Life-Sustaining Procedures, Palliative Care, and Cost Trends in Dying COPD Patients in U.S. Hospitals: 2005-2014. <i>The Korean Journal of Hospice and Palliative Care</i> , 2018, 21, 23-32.	0.2	3
126	Association between Serum Carcinoembryonic Antigen Levels within Normal Range and Metabolic Syndrome in Korean Women Aged ≥ 50 Years Old. <i>Korean Journal of Clinical Geriatrics</i> , 2018, 19, 49-54.	0.3	0

#	ARTICLE	IF	CITATIONS
127	Higher Serum Calcium Levels Are Associated with Preclinical Peripheral Arterial Disease among the Apparently Healthy Individuals. Korean Journal of Family Medicine, 2018, 39, 279-283.	0.4	0
128	The association of pulse pressure with metabolic syndrome in Korean elderly: A nationwide population-based study. Diabetes Research and Clinical Practice, 2017, 123, 75-81.	1.1	8
129	High Calcium-Magnesium Ratio in Hair Is Associated with Coronary Artery Calcification in Middle-Aged and Elderly Individuals. Biological Trace Element Research, 2017, 179, 52-58.	1.9	9
130	Serum ferritin level is positively associated with insulin resistance and metabolic syndrome in postmenopausal women: A nationwide population-based study. Maturitas, 2017, 103, 3-7.	1.0	20
131	Associations between high-risk alcohol consumption and sarcopenia among postmenopausal women. Menopause, 2017, 24, 1022-1027.	0.8	20
132	Relationship between high white blood cell count and insulin resistance (HOMA-IR) in Korean children and adolescents: Korean National Health and Nutrition Examination Survey 2008-2010. Nutrition, Metabolism and Cardiovascular Diseases, 2017, 27, 456-461.	1.1	13
133	Elevated leukocyte count is associated with periodontitis in Korean adults: the 2012-2014 KNHANES. Oral Diseases, 2017, 23, 241-246.	1.5	6
134	Alternative Trends Estimate and Stakeout Synthetic Marijuana Use. American Journal of Medicine, 2017, 130, e563-e564.	0.6	0
135	Delayed hemorrhage effect of local anesthesia with epinephrine in the loop electrosurgical excisional procedure. Obstetrics and Gynecology Science, 2017, 60, 87.	0.6	3
136	Inverse Relationship between Hepatic Steatosis and Alanine Aminotransferase with Sex Hormone-Binding Globulin in Men. Yonsei Medical Journal, 2017, 58, 731.	0.9	7
137	Minimum Measurement Time Affecting the Reliability of the Heart Rate Variability Analysis. Korean Journal of Health Promotion, 2017, 17, 269.	0.1	8
138	Effects of Vitamin and Antioxidant Supplements in Prevention of Bladder Cancer: a Meta-Analysis of Randomized Controlled Trials. Journal of Korean Medical Science, 2017, 32, 628.	1.1	15
139	Association between Resting Heart Rate and Inflammatory Markers (White Blood Cell Count and) Tj ETQq1 1 0.784314 rgBT /Overloc 38, 8.	0.4	12
140	Joint Effect of Cigarette Smoking and Body Mass Index on White Blood Cell Count in Korean Adults. Korean Journal of Family Medicine, 2017, 38, 75.	0.4	2
141	Relationship between Sex-Hormone Binding Globulin and Non-Invasive Nonalcoholic Fatty Liver Fibrosis Models in Men. Korean Journal of Family Practice, 2017, 7, 271-275.	0.1	0
142	Stress Relief Method and Depression. Korean Journal of Family Practice, 2017, 7, 837-843.	0.1	2
143	Association between leukocyte count and sarcopenia in postmenopausal women: The Korean National Health and Nutrition Examination Survey. Maturitas, 2016, 84, 89-93.	1.0	11
144	Alcoholic liver disease: focus on prodromal gut health. Journal of Digestive Diseases, 2016, 17, 493-500.	0.7	18

#	ARTICLE	IF	CITATIONS
145	Association between serum triglyceride to high-density lipoprotein cholesterol ratio and sarcopenia in elderly Korean males: The Korean National Health and Nutrition Examination Survey. <i>Clinica Chimica Acta</i> , 2016, 463, 165-168.	0.5	13
146	Association between the triglyceride to high-density lipoprotein cholesterol ratio and insulin resistance in Korean adolescents: a nationwide population-based study. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2016, 29, 1259-1265.	0.4	7
147	Author's response to letter to the Editor. <i>Maturitas</i> , 2016, 86, 44.	1.0	0
148	Effects of ginseng on peripheral blood mitochondrial DNA copy number and hormones in men with metabolic syndrome: A randomized clinical and pilot study. <i>Complementary Therapies in Medicine</i> , 2016, 24, 40-46.	1.3	22
149	Waist-to-Height Ratio as a Simple and Useful Indicator for Non-alcoholic Fatty Liver Disease in Korean Women. <i>The Korean Journal of Obesity</i> , 2016, 25, 19-23.	0.2	2
150	Association between Systolic Blood Pressure and Albuminuria in Elderly People without Type 2 Diabetes or Chronic Kidney Disease. <i>Korean Journal of Family Practice</i> , 2016, 6, 509-513.	0.1	0
151	The association between platelet count and metabolic syndrome in children and adolescents. <i>Platelets</i> , 2015, 26, 758-763.	1.1	20
152	Sex differences in the relationship between blood mercury concentration and metabolic syndrome risk. <i>Journal of Endocrinological Investigation</i> , 2015, 38, 65-71.	1.8	18
153	Relationship between serum $\hat{3}$ -glutamyltransferase level and leukocyte count in Korean children and adolescents. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2015, 75, 177-182.	0.6	5
154	Body weight status misperception and its association with weight control behaviours, depressive mood and psychological distress in nulliparous normal-weight young women. <i>Annals of Human Biology</i> , 2015, 42, 528-532.	0.4	13
155	Acute Myeloid Leukemia in Suspected Sepsis after Caesarean Section. <i>The Korean Journal of Critical Care Medicine</i> , 2014, 29, 99.	0.2	0
156	Employment is associated with a lower prevalence of metabolic syndrome in postmenopausal women based on the 2007-2009 Korean National Health Examination and Nutrition Survey. <i>Menopause</i> , 2014, 21, 221-226.	0.8	8
157	Relationship between blood mercury concentrations and serum $\hat{3}$ -glutamyltranspeptidase level in Korean adults using data from the 2010 Korean National Health and Nutrition Examination Survey. <i>Clinica Chimica Acta</i> , 2014, 430, 160-163.	0.5	10
158	Relationship between serum ferritin level and blood mercury concentration using data from the Korean national health and nutrition examination survey (2010-2012). <i>Environmental Research</i> , 2014, 135, 271-275.	3.7	4
159	The association between coronary calcification and adenomatous polyps of colon in Korean adults. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2014, 38, 649-654.	0.7	7
160	Trends in Prevalence of Overweight and Obesity in Korean Adults, 1998-2009: The Korean National Health and Nutrition Examination Survey. <i>Journal of Epidemiology</i> , 2014, 24, 109-116.	1.1	60
161	Rifabutin-based High-dose Proton-pump Inhibitor and Amoxicillin Triple Regimen as the Rescue treatment for <i>Helicobacter pylori</i> . <i>Helicobacter</i> , 2014, 19, 455-461.	1.6	46
162	Associations of matrix metalloproteinase (MMP)-8, MMP-9, and their inhibitor, tissue inhibitor of metalloproteinase-1, with obesity-related biomarkers in apparently healthy adolescent boys. <i>Korean Journal of Pediatrics</i> , 2014, 57, 526.	1.9	7

#	ARTICLE	IF	CITATIONS
163	Chronic liver inflammation: Clinical implications beyond alcoholic liver disease. <i>World Journal of Gastroenterology</i> , 2014, 20, 2168.	1.4	39
164	Body composition and its association with cardiometabolic risk factors in the elderly: A focus on sarcopenic obesity. <i>Archives of Gerontology and Geriatrics</i> , 2013, 56, 270-278.	1.4	212
165	Relationship between employment status and obesity in a Korean elderly population, based on the 2007-2009 Korean National Health and Nutrition Examination Survey (KNHANES). <i>Archives of Gerontology and Geriatrics</i> , 2013, 57, 54-59.	1.4	23
166	Trends in the prevalence of chronic kidney disease in Korean adults: the Korean National Health and Nutrition Examination Survey from 1998 to 2009. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 927-936.	0.4	27
167	Prevalence of metabolic syndrome in children and adolescents - the recent trends in South Korea. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2013, 26, 105-10.	0.4	17
168	Elevated intraocular pressure is associated with metabolic syndrome in postmenopausal women. <i>Menopause</i> , 2013, 20, 742-746.	0.8	20
169	Vitamin D status and childhood health. <i>Korean Journal of Pediatrics</i> , 2013, 56, 417.	1.9	49
170	The relationship of platelet count, mean platelet volume with metabolic syndrome according to the criteria of the American Association of Clinical Endocrinologists: A focus on gender differences. <i>Platelets</i> , 2012, 23, 45-50.	1.1	52
171	High prevalence of vitamin D insufficiency or deficiency in young adolescents in Korea. <i>European Journal of Pediatrics</i> , 2012, 171, 1475-1480.	1.3	54
172	Association between serum total bilirubin level and leukoaraiosis in Korean adults. <i>Clinical Biochemistry</i> , 2012, 45, 289-292.	0.8	8
173	Sex differences in the relationship between socioeconomic status and metabolic syndrome: The Korean National Health and Nutrition Examination Survey. <i>Diabetes Research and Clinical Practice</i> , 2012, 96, 400-406.	1.1	37
174	Comparison of Lipid-Related Ratios for Prediction of Chronic Kidney Disease Stage 3 or More in Korean Adults. <i>Journal of Korean Medical Science</i> , 2012, 27, 1524.	1.1	15
175	Low-Grade Inflammation, Metabolic Syndrome and the Risk of Chronic Kidney Disease: the 2005 Korean National Health and Nutrition Examination Survey. <i>Journal of Korean Medical Science</i> , 2012, 27, 630.	1.1	7
176	The relationship between pulse pressure and leukoaraiosis in the elderly. <i>Archives of Gerontology and Geriatrics</i> , 2012, 54, 206-209.	1.4	3
177	Association between sex hormone levels and leukoaraiosis (LA) in older Korean men. <i>Archives of Gerontology and Geriatrics</i> , 2012, 54, e73-e76.	1.4	2
178	Mean platelet volume (MPV) is associated with leukoaraiosis in the apparently healthy elderly. <i>Archives of Gerontology and Geriatrics</i> , 2012, 54, e118-e121.	1.4	11
179	Relationship between non-alcoholic fatty liver disease and pulmonary function. <i>Internal Medicine Journal</i> , 2012, 42, 541-546.	0.5	28
180	The Relationship Between Arterial Stiffness and Nonalcoholic Fatty Liver Disease. <i>Digestive Diseases and Sciences</i> , 2012, 57, 196-203.	1.1	66

#	ARTICLE	IF	CITATIONS
181	Inverse relationship between bioavailable testosterone and subclinical coronary artery calcification in non-obese Korean men. <i>Asian Journal of Andrology</i> , 2012, 14, 612-615.	0.8	23
182	Effects of Korean Red Ginseng on Cardiovascular Risks in Subjects with Metabolic Syndrome: a Double-blind Randomized Controlled Study. <i>Korean Journal of Family Medicine</i> , 2012, 33, 190.	0.4	30
183	Effects of Coenzyme Q ₁₀ on Arterial Stiffness, Metabolic Parameters, and Fatigue in Obese Subjects: A Double-Blind Randomized Controlled Study. <i>Journal of Medicinal Food</i> , 2011, 14, 386-390.	0.8	51
184	Sex Differences in the Relationship Between Leukocyte Count and Chronic Kidney Disease: The 2007 Korean National Health and Nutrition Examination Survey. <i>Journal of Women's Health</i> , 2011, 20, 99-105.	1.5	6
185	Relationship of neutrophil-lymphocyte ratio with arterial stiffness and coronary calcium score. <i>Clinica Chimica Acta</i> , 2011, 412, 925-929.	0.5	101
186	Alcohol-drinking patterns and metabolic syndrome risk: the 2007 Korean National Health and Nutrition Examination Survey. <i>Alcohol</i> , 2011, 45, 499-505.	0.8	26
187	The Association Between Arterial Stiffness and Colorectal Adenomatous Polyp in Women. <i>Journal of Women's Health</i> , 2011, 20, 765-769.	1.5	7
188	Association between the Ratio of Triglycerides to High-Density Lipoprotein Cholesterol and Chronic Kidney Disease in Korean Adults: The 2005 Korean National Health and Nutrition Examination Survey. <i>Kidney and Blood Pressure Research</i> , 2011, 34, 173-179.	0.9	27
189	Association between white blood cell and red blood cell counts within reference range and metabolic syndrome in Korean men and women. <i>Toxicology and Environmental Health Sciences</i> , 2010, 2, 238-244.	1.1	1
190	Association of Renal Manifestations with Serum Uric Acid in Korean Adults with Normal Uric Acid Levels. <i>Journal of Korean Medical Science</i> , 2010, 25, 1766.	1.1	11
191	Relationship of hepatic steatosis and alanine aminotransferase with coronary calcification. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010, 48, 1829-1834.	1.4	31
192	Association between serum uric acid and non-alcoholic fatty liver disease in Korean adults. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010, 48, 175-180.	1.4	54
193	Relationship between white blood cell count and nonalcoholic fatty liver disease. <i>Digestive and Liver Disease</i> , 2010, 42, 888-894.	0.4	60
194	Association between resting heart rate and arterial stiffness in Korean adults. <i>Archives of Cardiovascular Diseases</i> , 2010, 103, 246-252.	0.7	53
195	Association between C-reactive protein and pulmonary function in postmenopausal women. <i>Maturitas</i> , 2010, 66, 83-87.	1.0	5
196	Association between screen time and metabolic syndrome in children and adolescents in Korea: The 2005 Korean National Health and Nutrition Examination Survey. <i>Diabetes Research and Clinical Practice</i> , 2010, 89, 72-78.	1.1	57
197	Relationship of body composition and C-reactive protein with pulmonary function. <i>Respiratory Medicine</i> , 2010, 104, 1197-1203.	1.3	17
198	Integrative Approach to Elderly Frailty. <i>Korean Journal of Family Medicine</i> , 2010, 31, 747.	0.4	16

#	ARTICLE	IF	CITATIONS
199	Gender difference and determinants of C-reactive protein level in Korean adults. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009, 47, 863-9.	1.4	25
200	Elevated white blood cell count is associated with arterial stiffness. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2009, 19, 3-7.	1.1	40
201	Association of serum γ -glutamyltransferase with C-reactive protein levels and white blood cell count in Korean adults. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, 1410-5.	1.4	23
202	Association Between C-Reactive Protein and Relative Handgrip Strength in Postmenopausal Korean Women Aged 45-80 Years: A Cross-Sectional Study. <i>Clinical Interventions in Aging</i> , 0, Volume 17, 971-978.	1.3	7