Niels Henrik Hjollund

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5600957/publications.pdf

Version: 2024-02-01

55 papers

3,924 citations

28 h-index 55 g-index

58 all docs 58 docs citations

58 times ranked 4693 citing authors

#	Article	IF	CITATIONS
1	Cost-effectiveness of a telehealth intervention in rheumatoid arthritis: economic evaluation of the Telehealth in RA (TeRA) randomized controlled trial. Scandinavian Journal of Rheumatology, 2023, 52, 118-128.	1.1	8
2	Randomized controlled study to evaluate the impact of flexible patientâ€controlled visits in people with type 1 diabetes: The DiabetesFlex Trial. Diabetic Medicine, 2022, 39, e14791.	2.3	14
3	The PROMova study comparing active and passive use of patient-reported outcome measures in ovarian cancer follow-up: effect on patient-perceived involvement, satisfaction with care, and usefulness. Acta Oncol $ ilde{A}^3$ gica, 2021, 60, 434-443.	1.8	7
4	Clinical effects of assessing electronic patient-reported outcomes monitoring symptomatic toxicities during breast cancer therapy: a nationwide and population-based study. Breast Cancer, 2021, 28, 1096-1099.	2.9	9
5	Effect of patient-reported outcomes as a dialogue-based tool in cancer consultations on patient self-management and health-related quality of life: a clinical, controlled trial. Acta Oncológica, 2021, 60, 1668-1677.	1.8	9
6	Patient-reported outcome measures for clinical decision-making in outpatient follow-up: validity and reliability of a renal disease questionnaire. Journal of Patient-Reported Outcomes, 2021, 5, 107.	1.9	8
7	Sociodemographic, personal, and disease-related determinants of referral to patient-reported outcome-based follow-up of remote outpatients: a prospective cohort study. Quality of Life Research, 2020, 29, 1335-1347.	3.1	11
8	<p>Determinants of Health Status After Stroke: A Cohort Study with Repeated Measurements</p> . Clinical Epidemiology, 2020, Volume 12, 1269-1279.	3.0	3
9	Patient-reported outcome measures in the interaction between patient and clinician – a multi-perspective qualitative study. Journal of Patient-Reported Outcomes, 2020, 4, 3.	1.9	28
10	Electronic symptom monitoring in patients with metastatic lung cancer: a feasibility study. BMJ Open, 2020, 10, e035673.	1.9	13
11	The long-term course of fatigue following breast cancer diagnosis. Journal of Patient-Reported Outcomes, 2020, 4, 37.	1.9	14
12	Maximising the impact of patient reported outcome assessment for patients and society. BMJ: British Medical Journal, 2019, 364, k5267.	2.3	194
13	Patient-initiated versus fixed-interval patient-reported outcome-based follow-up in outpatients with epilepsy: a pragmatic randomized controlled trial. Journal of Patient-Reported Outcomes, 2019, 3, 61.	1.9	18
14	Health Data Processes: A Framework for Analyzing and Discussing Efficient Use and Reuse of Health Data With a Focus on Patient-Reported Outcome Measures. Journal of Medical Internet Research, 2019, 21, e12412.	4.3	13
15	Fifteen Years' Use of Patient-Reported Outcome Measures at the Group and Patient Levels: Trend Analysis. Journal of Medical Internet Research, 2019, 21, e15856.	4.3	32
16	Patient-reported outcomes in daily clinical practise in HIV outpatient care. International Journal of Infectious Diseases, 2018, 69, 108-114.	3.3	31
17	PRO-based follow-up as a means of self-management support $\hat{a} \in \mathbb{C}$ an interpretive description of the patient perspective. Journal of Patient-Reported Outcomes, 2018, 2, 38.	1.9	32
18	Self-rated health, quality of life and appetite as predictors of initiation of dialysis and mortality in patients with chronic kidney disease stages 4–5: a prospective cohort study. BMC Research Notes, 2018, 11, 371.	1.4	16

#	Article	IF	Citations
19	Patient-reported outcome (PRO) measure-based algorithm for clinical decision support in epilepsy outpatient follow-up: a test–retest reliability study. BMJ Open, 2018, 8, e021337.	1.9	10
20	Test-retest reliability and measurement error of the Danish WHO-5 Well-being Index in outpatients with epilepsy. Health and Quality of Life Outcomes, 2018, 16, 175.	2.4	27
21	Exploring organisational mechanisms in PRO-based follow-up in routine outpatient care - an interpretive description of the clinician perspective. BMC Health Services Research, 2018, 18, 546.	2.2	22
22	Effect of patient-initiated versus fixed-interval telePRO-based outpatient follow-up: study protocol for a pragmatic randomised controlled study. BMC Health Services Research, 2017, 17, 83.	2.2	18
23	Feasibility and acceptability of electronic symptom surveillance with clinician feedback using the Patient-Reported Outcomes version of Common Terminology Criteria for Adverse Events (PRO-CTCAE) in Danish prostate cancer patients. Journal of Patient-Reported Outcomes, 2017, 1, 1.	1.9	52
24	Individual Prognosis of Symptom Burden and Functioning in Chronic Diseases: A Generic Method Based on Patient-Reported Outcome (PRO) Measures. Journal of Medical Internet Research, 2017, 19, e278.	4.3	4
25	Self-rated health and return to work after first-time stroke. Journal of Rehabilitation Medicine, 2016, 48, 339-345.	1.1	33
26	Determinants of Self-Rated Health Three Months after Stroke. Journal of Stroke and Cerebrovascular Diseases, 2016, 25, 1027-1034.	1.6	12
27	AmbuFlex: tele-patient-reported outcomes (telePRO) as the basis for follow-up in chronic and malignant diseases. Quality of Life Research, 2016, 25, 525-534.	3.1	110
28	Using multiple imputation to deal with missing data and attrition in longitudinal studies with repeated measures of patient-reported outcomes. Clinical Epidemiology, 2015, 7, 91.	3.0	100
29	Psychosocial Working Environment and Risk of Adverse Cardiac Events in Patients Treated for Coronary Heart Disease. Journal of Occupational Rehabilitation, 2015, 25, 770-775.	2.2	6
30	Effect of Psychosocial Work Environment on Sickness Absence Among Patients Treated for Ischemic Heart Disease. Journal of Occupational Rehabilitation, 2015, 25, 776-782.	2.2	16
31	Patient-reported health as a prognostic factor for adverse events following percutaneous coronary intervention. Clinical Epidemiology, 2014, 6, 61.	3.0	8
32	Self-reported health following percutaneous coronary intervention: results from a cohort followed for 3 years with multiple measurements. Clinical Epidemiology, 2014, 6, 441.	3.0	14
33	Use of Patient-Reported Outcome (PRO) Measures at Group and Patient Levels: Experiences From the Generic Integrated PRO System, WestChronic. Interactive Journal of Medical Research, 2014, 3, e5.	1.4	75
34	Return to Work after Percutaneous Coronary Intervention: The Predictive Value of Self-Reported Health Compared to Clinical Measures. PLoS ONE, 2012, 7, e49268.	2.5	36
35	Reliability of short form-36 in an Internet- and a pen-and-paper version. Informatics for Health and Social Care, 2009, 34, 53-58.	2.6	35
36	Register-based follow-up of social benefits and other transfer payments: Accuracy and degree of completeness in a Danish interdepartmental administrative database compared with a population-based survey. Scandinavian Journal of Public Health, 2007, 35, 497-502.	2.3	357

#	Article	IF	CITATIONS
37	Assessment of fatigue in chronic disease: a bibliographic study of fatigue measurement scales. Health and Quality of Life Outcomes, 2007, 5, 12.	2.4	162
38	Response Rate and Completeness of Questionnaires: A Randomized Study of Internet Versus Paper-and-Pencil Versions. Journal of Medical Internet Research, 2007, 9, e25.	4.3	307
39	Job Strain and Male Fertility. Epidemiology, 2004, 15, 114-117.	2.7	29
40	Alcohol Consumption at the Time of Conception and Spontaneous Abortion. American Journal of Epidemiology, 2004, 160, 661-667.	3.4	121
41	Semen quality and sedentary work position. Journal of Developmental and Physical Disabilities, 2004, 27, 5-11.	3.6	47
42	Shift work, Job Stress, and Late Fetal Loss: The National Birth Cohort in Denmark. Journal of Occupational and Environmental Medicine, 2004, 46, 1144-1149.	1.7	110
43	Reproductive Effects of Male Psychologic Stress. Epidemiology, 2004, 15, 21-27.	2.7	77
44	Oxidative DNA damage in human sperm influences time to pregnancy. Human Reproduction, 2003, 18, 1265-1272.	0.9	171
45	Correlation of scrotal temperature in twins: Brief Communication. Human Reproduction, 2002, 17, 1837-1838.	0.9	8
46	Impact of diurnal scrotal temperature on semen quality. Reproductive Toxicology, 2002, 16, 215-221.	2.9	89
47	The relation between daily activities and scrotal temperature. Reproductive Toxicology, 2002, 16, 209-214.	2.9	70
48	Diurnal scrotal skin temperature and semen quality. Journal of Developmental and Physical Disabilities, 2000, 23, 309-318.	3.6	117
49	Spontaneous Abortion and Physical Strain Around Implantation: A Follow-Up Study of First-Pregnancy Planners. Epidemiology, 2000, 11, 18-23.	2.7	53
50	A follow-up study of environmental and biologic determinants of fertility among 430 danish first-pregnancy planners: Design and methods. Reproductive Toxicology, 1998, 12, 19-27.	2.9	102
51	A follow-up study of male exposure to welding and time to pregnancy. Reproductive Toxicology, 1998, 12, 29-37.	2.9	39
52	Semen quality and sex hormones with reference to metal welding. Reproductive Toxicology, 1998, 12, 91-95.	2.9	61
53	Caffeine Intake and Fecundability: A Follow-up Study among 430 Danish Couples Planning Their First Pregnancy. Reproductive Toxicology, 1998, 12, 289-295.	2.9	87
54	Relation between semen quality and fertility: a population-based study of 430 first-pregnancy planners. Lancet, The, 1998, 352, 1172-1177.	13.7	692

#	Article	IF	CITATIONS
55	Does moderate alcohol consumption affect fertility? Follow up study among couples planning first pregnancy. BMJ: British Medical Journal, 1998, 317, 505-510.	2.3	186