

Niels Henrik Hjollund

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5600957/publications.pdf>

Version: 2024-02-01

55
papers

3,924
citations

185998

28
h-index

155451

55
g-index

58
all docs

58
docs citations

58
times ranked

4693
citing authors

#	ARTICLE	IF	CITATIONS
1	Relation between semen quality and fertility: a population-based study of 430 first-pregnancy planners. <i>Lancet, The</i> , 1998, 352, 1172-1177.	6.3	692
2	Register-based follow-up of social benefits and other transfer payments: Accuracy and degree of completeness in a Danish interdepartmental administrative database compared with a population-based survey. <i>Scandinavian Journal of Public Health</i> , 2007, 35, 497-502.	1.2	357
3	Response Rate and Completeness of Questionnaires: A Randomized Study of Internet Versus Paper-and-Pencil Versions. <i>Journal of Medical Internet Research</i> , 2007, 9, e25.	2.1	307
4	Maximising the impact of patient reported outcome assessment for patients and society. <i>BMJ: British Medical Journal</i> , 2019, 364, k5267.	2.4	194
5	Does moderate alcohol consumption affect fertility? Follow up study among couples planning first pregnancy. <i>BMJ: British Medical Journal</i> , 1998, 317, 505-510.	2.4	186
6	Oxidative DNA damage in human sperm influences time to pregnancy. <i>Human Reproduction</i> , 2003, 18, 1265-1272.	0.4	171
7	Assessment of fatigue in chronic disease: a bibliographic study of fatigue measurement scales. <i>Health and Quality of Life Outcomes</i> , 2007, 5, 12.	1.0	162
8	Alcohol Consumption at the Time of Conception and Spontaneous Abortion. <i>American Journal of Epidemiology</i> , 2004, 160, 661-667.	1.6	121
9	Diurnal scrotal skin temperature and semen quality. <i>Journal of Developmental and Physical Disabilities</i> , 2000, 23, 309-318.	3.6	117
10	Shift work, Job Stress, and Late Fetal Loss: The National Birth Cohort in Denmark. <i>Journal of Occupational and Environmental Medicine</i> , 2004, 46, 1144-1149.	0.9	110
11	AmbuFlex: tele-patient-reported outcomes (telePRO) as the basis for follow-up in chronic and malignant diseases. <i>Quality of Life Research</i> , 2016, 25, 525-534.	1.5	110
12	A follow-up study of environmental and biologic determinants of fertility among 430 danish first-pregnancy planners: Design and methods. <i>Reproductive Toxicology</i> , 1998, 12, 19-27.	1.3	102
13	Using multiple imputation to deal with missing data and attrition in longitudinal studies with repeated measures of patient-reported outcomes. <i>Clinical Epidemiology</i> , 2015, 7, 91.	1.5	100
14	Impact of diurnal scrotal temperature on semen quality. <i>Reproductive Toxicology</i> , 2002, 16, 215-221.	1.3	89
15	Caffeine Intake and Fecundability: A Follow-up Study among 430 Danish Couples Planning Their First Pregnancy. <i>Reproductive Toxicology</i> , 1998, 12, 289-295.	1.3	87
16	Reproductive Effects of Male Psychologic Stress. <i>Epidemiology</i> , 2004, 15, 21-27.	1.2	77
17	Use of Patient-Reported Outcome (PRO) Measures at Group and Patient Levels: Experiences From the Generic Integrated PRO System, WestChronic. <i>Interactive Journal of Medical Research</i> , 2014, 3, e5.	0.6	75
18	The relation between daily activities and scrotal temperature. <i>Reproductive Toxicology</i> , 2002, 16, 209-214.	1.3	70

#	ARTICLE	IF	CITATIONS
19	Semen quality and sex hormones with reference to metal welding. <i>Reproductive Toxicology</i> , 1998, 12, 91-95.	1.3	61
20	Spontaneous Abortion and Physical Strain Around Implantation: A Follow-Up Study of First-Pregnancy Planners. <i>Epidemiology</i> , 2000, 11, 18-23.	1.2	53
21	Feasibility and acceptability of electronic symptom surveillance with clinician feedback using the Patient-Reported Outcomes version of Common Terminology Criteria for Adverse Events (PRO-CTCAE) in Danish prostate cancer patients. <i>Journal of Patient-Reported Outcomes</i> , 2017, 1, 1.	0.9	52
22	Semen quality and sedentary work position. <i>Journal of Developmental and Physical Disabilities</i> , 2004, 27, 5-11.	3.6	47
23	A follow-up study of male exposure to welding and time to pregnancy. <i>Reproductive Toxicology</i> , 1998, 12, 29-37.	1.3	39
24	Return to Work after Percutaneous Coronary Intervention: The Predictive Value of Self-Reported Health Compared to Clinical Measures. <i>PLoS ONE</i> , 2012, 7, e49268.	1.1	36
25	Reliability of short form-36 in an Internet- and a pen-and-paper version. <i>Informatics for Health and Social Care</i> , 2009, 34, 53-58.	1.4	35
26	Self-rated health and return to work after first-time stroke. <i>Journal of Rehabilitation Medicine</i> , 2016, 48, 339-345.	0.8	33
27	PRO-based follow-up as a means of self-management support – an interpretive description of the patient perspective. <i>Journal of Patient-Reported Outcomes</i> , 2018, 2, 38.	0.9	32
28	Fifteen Years’ Use of Patient-Reported Outcome Measures at the Group and Patient Levels: Trend Analysis. <i>Journal of Medical Internet Research</i> , 2019, 21, e15856.	2.1	32
29	Patient-reported outcomes in daily clinical practise in HIV outpatient care. <i>International Journal of Infectious Diseases</i> , 2018, 69, 108-114.	1.5	31
30	Job Strain and Male Fertility. <i>Epidemiology</i> , 2004, 15, 114-117.	1.2	29
31	Patient-reported outcome measures in the interaction between patient and clinician – a multi-perspective qualitative study. <i>Journal of Patient-Reported Outcomes</i> , 2020, 4, 3.	0.9	28
32	Test-retest reliability and measurement error of the Danish WHO-5 Well-being Index in outpatients with epilepsy. <i>Health and Quality of Life Outcomes</i> , 2018, 16, 175.	1.0	27
33	Exploring organisational mechanisms in PRO-based follow-up in routine outpatient care - an interpretive description of the clinician perspective. <i>BMC Health Services Research</i> , 2018, 18, 546.	0.9	22
34	Effect of patient-initiated versus fixed-interval telePRO-based outpatient follow-up: study protocol for a pragmatic randomised controlled study. <i>BMC Health Services Research</i> , 2017, 17, 83.	0.9	18
35	Patient-initiated versus fixed-interval patient-reported outcome-based follow-up in outpatients with epilepsy: a pragmatic randomized controlled trial. <i>Journal of Patient-Reported Outcomes</i> , 2019, 3, 61.	0.9	18
36	Effect of Psychosocial Work Environment on Sickness Absence Among Patients Treated for Ischemic Heart Disease. <i>Journal of Occupational Rehabilitation</i> , 2015, 25, 776-782.	1.2	16

#	ARTICLE	IF	CITATIONS
37	Self-rated health, quality of life and appetite as predictors of initiation of dialysis and mortality in patients with chronic kidney disease stages 4–5: a prospective cohort study. BMC Research Notes, 2018, 11, 371.	0.6	16
38	Self-reported health following percutaneous coronary intervention: results from a cohort followed for 3 years with multiple measurements. Clinical Epidemiology, 2014, 6, 441.	1.5	14
39	The long-term course of fatigue following breast cancer diagnosis. Journal of Patient-Reported Outcomes, 2020, 4, 37.	0.9	14
40	Randomized controlled study to evaluate the impact of flexible patient–controlled visits in people with type 1 diabetes: The DiabetesFlex Trial. Diabetic Medicine, 2022, 39, e14791.	1.2	14
41	Electronic symptom monitoring in patients with metastatic lung cancer: a feasibility study. BMJ Open, 2020, 10, e035673.	0.8	13
42	Health Data Processes: A Framework for Analyzing and Discussing Efficient Use and Reuse of Health Data With a Focus on Patient-Reported Outcome Measures. Journal of Medical Internet Research, 2019, 21, e12412.	2.1	13
43	Determinants of Self-Rated Health Three Months after Stroke. Journal of Stroke and Cerebrovascular Diseases, 2016, 25, 1027-1034.	0.7	12
44	Sociodemographic, personal, and disease-related determinants of referral to patient-reported outcome-based follow-up of remote outpatients: a prospective cohort study. Quality of Life Research, 2020, 29, 1335-1347.	1.5	11
45	Patient-reported outcome (PRO) measure-based algorithm for clinical decision support in epilepsy outpatient follow-up: a test–retest reliability study. BMJ Open, 2018, 8, e021337.	0.8	10
46	Clinical effects of assessing electronic patient-reported outcomes monitoring symptomatic toxicities during breast cancer therapy: a nationwide and population-based study. Breast Cancer, 2021, 28, 1096-1099.	1.3	9
47	Effect of patient-reported outcomes as a dialogue-based tool in cancer consultations on patient self-management and health-related quality of life: a clinical, controlled trial. Acta OncolÃgica, 2021, 60, 1668-1677.	0.8	9
48	Correlation of scrotal temperature in twins: Brief Communication. Human Reproduction, 2002, 17, 1837-1838.	0.4	8
49	Patient-reported health as a prognostic factor for adverse events following percutaneous coronary intervention. Clinical Epidemiology, 2014, 6, 61.	1.5	8
50	Patient-reported outcome measures for clinical decision-making in outpatient follow-up: validity and reliability of a renal disease questionnaire. Journal of Patient-Reported Outcomes, 2021, 5, 107.	0.9	8
51	Cost-effectiveness of a telehealth intervention in rheumatoid arthritis: economic evaluation of the Telehealth in RA (TeRA) randomized controlled trial. Scandinavian Journal of Rheumatology, 2023, 52, 118-128.	0.6	8
52	The PROMova study comparing active and passive use of patient-reported outcome measures in ovarian cancer follow-up: effect on patient-perceived involvement, satisfaction with care, and usefulness. Acta OncolÃgica, 2021, 60, 434-443.	0.8	7
53	Psychosocial Working Environment and Risk of Adverse Cardiac Events in Patients Treated for Coronary Heart Disease. Journal of Occupational Rehabilitation, 2015, 25, 770-775.	1.2	6
54	Individual Prognosis of Symptom Burden and Functioning in Chronic Diseases: A Generic Method Based on Patient-Reported Outcome (PRO) Measures. Journal of Medical Internet Research, 2017, 19, e278.	2.1	4

#	ARTICLE	IF	CITATIONS
55	<p>Determinants of Health Status After Stroke: A Cohort Study with Repeated Measurements</p>. Clinical Epidemiology, 2020, Volume 12, 1269-1279.	1.5	3