

David Tanne

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5601716/david-tanne-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

196
papers

8,375
citations

45
h-index

86
g-index

208
ext. papers

9,606
ext. citations

5.1
avg, IF

5.38
L-index

#	Paper	IF	Citations
196	The contribution of potentially modifiable risk factors to acute ischemic stroke burden - Comparing young and older adults.. <i>Preventive Medicine</i> , 2021 , 155, 106933	4.3	0
195	Evaluation of Artificial Intelligence-Powered Identification of Large-Vessel Occlusions in a Comprehensive Stroke Center. <i>American Journal of Neuroradiology</i> , 2021 , 42, 247-254	4.4	15
194	Are there disparities in acute stroke treatment between the Jewish and Arab populations in Israel? Results from the National Acute Stroke Israeli registry. <i>Journal of the Neurological Sciences</i> , 2021 , 423, 117357	3.2	0
193	Reply. <i>American Journal of Neuroradiology</i> , 2021 , 42, E47	4.4	
192	Body Mass Index in 1.9 Million Adolescents and Stroke in Young Adulthood. <i>Stroke</i> , 2021 , 52, 2043-2052	6.7	3
191	Widespread cortical dyslamination in epilepsy patients with malformations of cortical development. <i>Neuroradiology</i> , 2021 , 63, 225-234	3.2	3
190	Holocaust exposure and late-life cognitive performance in men with coronary heart disease. <i>Journal of Psychiatric Research</i> , 2021 , 134, 1-7	5.2	0
189	Brain Network Integrity Changes in Subjective Cognitive Decline: A Possible Physiological Biomarker of Dementia. <i>Frontiers in Neurology</i> , 2021 , 12, 699014	4.1	0
188	Diabetes associated risk for mortality increases with time among first stroke survivors - Findings from the Israeli National Stroke Registry. <i>Journal of Diabetes and Its Complications</i> , 2021 , 35, 107999	3.2	0
187	Evaluation of White Matter Integrity Utilizing the DELPHI (TMS-EEG) System. <i>Frontiers in Neuroscience</i> , 2020 , 14, 589107	5.1	3
186	Adherence to Mediterranean diet and subsequent cognitive decline in men with cardiovascular disease. <i>Nutritional Neuroscience</i> , 2020 , 1-9	3.6	4
185	Overweight, Obesity, and Late-Life Sarcopenia Among Men With Cardiovascular Disease, Israel. <i>Preventing Chronic Disease</i> , 2020 , 17, E164	3.7	1
184	C-reactive protein in midlife is associated with depressive symptoms two decades later among men with coronary heart disease. <i>Nordic Journal of Psychiatry</i> , 2020 , 74, 226-233	2.3	2
183	Effect of time from onset to endovascular therapy on outcomes: the National Acute Stroke Israeli (NASIS)-REVASC registry. <i>Journal of NeuroInterventional Surgery</i> , 2020 , 12, 13-18	7.8	5
182	Midlife resting heart rate, but not its visit-to-visit variability, is associated with late-life frailty status in men with coronary heart disease. <i>Aging Male</i> , 2020 , 23, 1052-1058	2.1	
181	Angina pectoris severity and late-life frailty among men with cardiovascular disease. <i>Aging Male</i> , 2020 , 23, 1022-1029	2.1	1
180	Introducing a Novel Approach for Evaluation and Monitoring of Brain Health Across Life Span Using Direct Non-invasive Brain Network Electrophysiology. <i>Frontiers in Aging Neuroscience</i> , 2019 , 11, 248	5.3	3

179	Plasma Lipids, Apolipoproteins, and Subsequent Cognitive Decline in Men with Coronary Heart Disease. <i>Journal of Alzheimers Disease</i> , 2019 , 67, 827-837	4.3	4
178	Impact of previous stroke on outcome after thrombectomy in patients with large vessel occlusion. <i>International Journal of Stroke</i> , 2019 , 14, 887-892	6.3	7
177	Global Outcome Assessment Life-long after stroke in young adults initiative-the GOAL initiative: study protocol and rationale of a multicentre retrospective individual patient data meta-analysis. <i>BMJ Open</i> , 2019 , 9, e031144	3	1
176	Selective atrophy of the connected deepest cortical layers following small subcortical infarct. <i>Neurology</i> , 2019 , 92, e567-e575	6.5	4
175	Pre admission treatment with Beta-blockers in hypertensive patients with acute stroke and 3-month outcome-Data from a national stroke registry. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 568-572	2.3	6
174	Impaired Cerebral Hemodynamics and Frailty in Patients with Cardiovascular Disease. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018 , 73, 1714-1721	6.4	6
173	Cardiovascular Health and Cognitive Decline 2 Decades Later in Men with Preexisting Coronary Artery Disease. <i>American Journal of Cardiology</i> , 2018 , 121, 410-415	3	6
172	Declining Rate and Severity of Hospitalized Stroke From 2004 to 2013: The National Acute Stroke Israeli Registry. <i>Stroke</i> , 2018 , 49, 1348-1354	6.7	6
171	Incorporation of relative cerebral blood flow into CT perfusion maps reduces false Q _t riskQ penumbra. <i>Journal of NeuroInterventional Surgery</i> , 2018 , 10, 657-662	7.8	3
170	Effects of pioglitazone on cognitive function in patients with a recent ischaemic stroke or TIA: a report from the IRIS trial. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018 , 89, 21-27	5.5	4
169	Direct Thrombectomy versus Bridging for Patients with Emergent Large-Vessel Occlusions. <i>Interventional Neurology</i> , 2018 , 7, 403-412	3	5
168	Physical frailty and cognitive function among men with cardiovascular disease. <i>Archives of Gerontology and Geriatrics</i> , 2018 , 78, 1-6	4	4
167	Antithrombotic Treatment Prior to Intracerebral Hemorrhage: Analysis in the National Acute Stroke Israeli Registry. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018 , 27, 3380-3386	2.8	5
166	Apixaban decreases brain thrombin activity in a male mouse model of acute ischemic stroke. <i>Journal of Neuroscience Research</i> , 2018 , 96, 1406-1411	4.4	11
165	Classical and additional antiphospholipid antibodies in blood samples of ischemic stroke patients and healthy controls. <i>Immunologic Research</i> , 2017 , 65, 470-476	4.3	4
164	Shifting Perceptions of Risk and Reward: Use of Anticoagulation in Patients With Acute Brain Ischemia and Atrial Fibrillation: Nine-Year Data From a National Acute Stroke Registry (National Acute Stroke Israeli Survey [NASIS]). <i>Stroke</i> , 2017 , 48, 1092-1094	6.7	2
163	Pre-admission CHA2DS2-VASc score and outcome of patients with acute cerebrovascular events. <i>International Journal of Cardiology</i> , 2017 , 244, 277-281	3.2	3
162	Insulin Resistance and Future Cognitive Performance and Cognitive Decline in Elderly Patients with Cardiovascular Disease. <i>Journal of Alzheimers Disease</i> , 2017 , 57, 633-643	4.3	23

161	Global, regional, and national burden of neurological disorders during 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet Neurology, The</i> , 2017 , 16, 877-897	24.1	984
160	Prestroke treatment with beta-blockers for hypertension is not associated with severity and poor outcome in patients with ischemic stroke: data from a national stroke registry. <i>Journal of Hypertension</i> , 2017 , 35, 870-876	1.9	8
159	C-reactive protein is related to future cognitive impairment and decline in elderly individuals with cardiovascular disease. <i>Archives of Gerontology and Geriatrics</i> , 2017 , 69, 31-37	4	19
158	Tall stature in coronary heart disease patients is associated with decreased risk of frailty in late life. <i>Geriatrics and Gerontology International</i> , 2017 , 17, 1270-1277	2.9	2
157	A Linear Temporal Increase in Thrombin Activity and Loss of Its Receptor in Mouse Brain following Ischemic Stroke. <i>Frontiers in Neurology</i> , 2017 , 8, 138	4.1	14
156	Characteristics and Outcomes of Young Patients with First-Ever Ischemic Stroke Compared to Older Patients: The National Acute Stroke Israeli Registry. <i>Frontiers in Neurology</i> , 2017 , 8, 421	4.1	18
155	Urinary Incontinence, Incident Parkinsonism, and Parkinson Disease Pathology in Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017 , 72, 1295-1301	6.4	2
154	Computed Tomography Perfusion Maps Reveal Blood Flow Dynamics in Postictal Patients: A Novel Diagnostic Tool. <i>Israel Medical Association Journal</i> , 2017 , 19, 553-556	0.9	3
153	Correlates of well-being among caregivers of long-term community-dwelling stroke survivors. <i>International Journal of Rehabilitation Research</i> , 2016 , 39, 326-330	1.8	17
152	Taking care of volunteers in a stroke trial: a new assisted-management strategy. <i>Stroke and Vascular Neurology</i> , 2016 , 1, 108-114	9.1	1
151	Prevalence and Significance of Unrecognized Renal Dysfunction in Patients with Stroke. <i>American Journal of Medicine</i> , 2016 , 129, 1074-81	2.4	6
150	Association of age and admission mean arterial blood pressure in patients with stroke-data from a national stroke registry. <i>Hypertension Research</i> , 2016 , 39, 356-61	4.7	3
149	Pioglitazone after Ischemic Stroke or Transient Ischemic Attack. <i>New England Journal of Medicine</i> , 2016 , 374, 1321-31	59.2	654
148	Head trauma is the major risk factor for cerebral sinus-vein thrombosis. <i>Thrombosis Research</i> , 2016 , 137, 26-29	8.2	8
147	Trends in admission blood pressure and stroke outcome in patients with acute stroke and transient ischemic attack in a National Acute Stroke registry. <i>Journal of Hypertension</i> , 2016 , 34, 316-22	1.9	11
146	Angina pectoris severity among coronary heart disease patients is associated with subsequent cognitive impairment. <i>Alzheimer Disease and Associated Disorders</i> , 2015 , 29, 6-11	2.5	8
145	Arterial wall function is associated with cognitive performance primarily in elderly with type 2 diabetes. <i>Journal of Alzheimers Disease</i> , 2015 , 44, 687-93	4.3	1
144	Antithrombotic treatment at onset of stroke with atrial fibrillation, functional outcome, and fatality: a systematic review and meta-analysis. <i>International Journal of Stroke</i> , 2015 , 10, 808-14	6.3	14

143	Increased thrombin activity following reperfusion after ischemic stroke alters synaptic transmission in the hippocampus. <i>Journal of Neurochemistry</i> , 2015 , 135, 1140-8	6	21
142	Impaired Cerebral Hemodynamics and Cognitive Performance in Patients with Atherothrombotic Disease. <i>Journal of Alzheimers Disease</i> , 2015 , 46, 137-44	4.3	17
141	Thrombin regulation of synaptic transmission and plasticity: implications for health and disease. <i>Frontiers in Cellular Neuroscience</i> , 2015 , 9, 151	6.1	45
140	Serum uric acid and subsequent cognitive performance in patients with pre-existing cardiovascular disease. <i>PLoS ONE</i> , 2015 , 10, e0120862	3.7	12
139	Thrombin induces ischemic LTP (iLTP): implications for synaptic plasticity in the acute phase of ischemic stroke. <i>Scientific Reports</i> , 2015 , 5, 7912	4.9	45
138	Head Trauma Is the Major Risk Factor for Cerebral Sinus-Vein Thrombosis. <i>Blood</i> , 2015 , 126, 1108-1108	2.2	
137	Prognostic value of blood interleukin-6 in the prediction of functional outcome after stroke: a systematic review and meta-analysis. <i>Journal of Neuroimmunology</i> , 2014 , 274, 215-24	3.5	78
136	P3-343: ARTERIAL WALL FUNCTION AND COGNITIVE PERFORMANCE IN DIABETIC AND NON-DIABETIC ELDERLY SUBJECTS 2014 , 10, P756-P756		
135	Trends in antihypertensive treatment--lessons from the National Acute Stroke Israeli (NASIS) registry. <i>Blood Pressure</i> , 2014 , 23, 262-9	1.7	1
134	Pioglitazone for secondary prevention after ischemic stroke and transient ischemic attack: rationale and design of the Insulin Resistance Intervention after Stroke Trial. <i>American Heart Journal</i> , 2014 , 168, 823-9.e6	4.9	34
133	The anticoagulant activated protein C (aPC) promotes metaplasticity in the hippocampus through an EPCR-PAR1-S1P1 receptors dependent mechanism. <i>Hippocampus</i> , 2014 , 24, 1030-8	3.5	25
132	Quantitative detection of thrombin activity in an ischemic stroke model. <i>Journal of Molecular Neuroscience</i> , 2013 , 51, 844-50	3.3	38
131	Gender differences in characteristics, management and outcome at discharge and three months after stroke in a national acute stroke registry. <i>International Journal of Cardiology</i> , 2013 , 168, 4081-4	3.2	22
130	Perceived hardships at midlife: prediction of long-term stroke mortality. <i>International Journal of Cardiology</i> , 2013 , 168, 2278-81	3.2	5
129	Thrombin regulation of synaptic plasticity: implications for physiology and pathology. <i>Experimental Neurology</i> , 2013 , 247, 595-604	5.7	45
128	Letter by Kurnik et al regarding article, "antithrombotic therapy and bleeding risk in a prospective cohort study of patients with cerebral cavernous malformations". <i>Stroke</i> , 2013 , 44, e52	6.7	2
127	Burden and outcome of prevalent ischemic brain disease in a national acute stroke registry. <i>Stroke</i> , 2013 , 44, 3293-7	6.7	11
126	Body height and late-life cognition among patients with atherothrombotic disease. <i>Alzheimer Disease and Associated Disorders</i> , 2013 , 27, 145-52	2.5	7

125	National stroke registries: what can we learn from them?. <i>Neurology</i> , 2013 , 81, 1257-9	6.5	7
124	Treating seizures and epilepsy with anticoagulants?. <i>Frontiers in Cellular Neuroscience</i> , 2013 , 7, 19	6.1	30
123	Response to Bugnicourt et'al. letter: intracranial artery calcification and outcome in ischaemic stroke patients. <i>European Journal of Neurology</i> , 2012 , 19, e68-e68	6	
122	Outcomes of basilar artery occlusion in patients aged 75 years or older in the Basilar Artery International Cooperation Study. <i>Journal of Neurology</i> , 2012 , 259, 2341-6	5.5	6
121	Cardiovascular events in patients received combined fibrates/statin treatment versus statin monotherapy: Acute Coronary Syndrome Israeli Surveys data. <i>PLoS ONE</i> , 2012 , 7, e35298	3.7	20
120	Inclusion of stroke in cardiovascular risk prediction instruments: a statement for healthcare professionals from the American Heart Association/American Stroke Association. <i>Stroke</i> , 2012 , 43, 1998-2027	6.7	105
119	Trends in management and outcome of hospitalized patients with acute stroke and transient ischemic attack: the National Acute Stroke Israeli (NASIS) registry. <i>Stroke</i> , 2012 , 43, 2136-41	6.7	29
118	The frontal assessment battery as a tool for evaluation of frontal lobe dysfunction in patients with Parkinson disease. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2012 , 25, 71-7	3.8	34
117	Low cholesterol, statins and outcomes in patients with first-ever acute ischemic stroke. <i>Cerebrovascular Diseases</i> , 2012 , 34, 213-20	3.2	32
116	Ischemic stroke on awakening: patients characteristics, outcomes and potential for reperfusion therapy. <i>Neuroepidemiology</i> , 2012 , 39, 149-53	5.4	23
115	Serum calcium levels and long-term mortality in patients with acute stroke. <i>Cerebrovascular Diseases</i> , 2011 , 31, 93-9	3.2	12
114	Long-term changes in serum cholesterol level does not influence the progression of coronary calcification. <i>International Journal of Cardiology</i> , 2011 , 150, 130-4	3.2	14
113	Anticoagulation remains underused in prevention of stroke associated with atrial fibrillation: insights from two consecutive national surveys. <i>International Journal of Cardiology</i> , 2011 , 152, 356-61	3.2	5
112	Dosing errors did not have a major impact on outcome in the NINDS t-PA stroke study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2011 , 20, 236-40	2.8	14
111	Extent of hypoattenuation on CT angiography source images in basilar artery occlusion: prognostic value in the Basilar Artery International Cooperation Study. <i>Stroke</i> , 2011 , 42, 3454-9	6.7	62
110	Poor neighborhood socioeconomic status and risk of ischemic stroke after myocardial infarction. <i>Epidemiology</i> , 2011 , 22, 162-9	3.1	18
109	Diabetes, hyperglycemia and the management of cerebrovascular disease. <i>Current Opinion in Neurology</i> , 2011 , 24, 81-8	7.1	25
108	Validation assessment of risk scores to predict postthrombolysis intracerebral haemorrhage. <i>International Journal of Stroke</i> , 2011 , 6, 109-11	6.3	15

107	Is C-reactive protein level a marker of advanced motor and neuropsychiatric complications in Parkinson's disease?. <i>Journal of Neural Transmission</i> , 2011 , 118, 539-43	4.3	16
106	Chronic kidney disease in patients with acute intracerebral hemorrhage: association with large hematoma volume and poor outcome. <i>Cerebrovascular Diseases</i> , 2011 , 31, 271-7	3.2	81
105	The application of MRI for depiction of subtle blood brain barrier disruption in stroke. <i>International Journal of Biological Sciences</i> , 2010 , 7, 1-8	11.2	29
104	Acute basilar artery occlusion in the Basilar Artery International Cooperation Study: does gender matter?. <i>Stroke</i> , 2010 , 41, 2693-6	6.7	15
103	Mortality and predictors of death 1 month and 3 years after first-ever ischemic stroke: data from the first national acute stroke Israeli survey (NASIS 2004). <i>Neuroepidemiology</i> , 2010 , 34, 90-6	5.4	59
102	Anemia status, hemoglobin concentration and outcome after acute stroke: a cohort study. <i>BMC Neurology</i> , 2010 , 10, 22	3.1	79
101	Relation of effective anticoagulation in patients with atrial fibrillation to stroke severity and survival (from the National Acute Stroke Israeli Survey [NASIS]). <i>American Journal of Cardiology</i> , 2010 , 105, 411-6	3	56
100	Long-term benefit of high-density lipoprotein cholesterol-raising therapy with bezafibrate: 16-year mortality follow-up of the bezafibrate infarction prevention trial. <i>Archives of Internal Medicine</i> , 2009 , 169, 508-14		36
99	Chronic kidney disease and clinical outcome in patients with acute stroke. <i>Stroke</i> , 2009 , 40, 1296-303	6.7	189
98	Prior use of statins improves outcome in patients with intracerebral hemorrhage: prospective data from the National Acute Stroke Israeli Surveys (NASIS). <i>Stroke</i> , 2009 , 40, 2581-4	6.7	61
97	Capturing the scope of stroke: silent, whispering, and overt. <i>Archives of Neurology</i> , 2009 , 66, 819-20		4
96	Factors associated with intracerebral hemorrhage after thrombolytic therapy for ischemic stroke: pooled analysis of placebo data from the Stroke-Acute Ischemic NXY Treatment (SAINT) I and SAINT II Trials. <i>Stroke</i> , 2009 , 40, 3067-72	6.7	75
95	Relation of clinical benefit of raising high-density lipoprotein cholesterol to serum levels of low-density lipoprotein cholesterol in patients with coronary heart disease (from the Bezafibrate Infarction Prevention Trial). <i>American Journal of Cardiology</i> , 2009 , 103, 41-5	3	38
94	Treatment and outcomes of acute basilar artery occlusion in the Basilar Artery International Cooperation Study (BASICS): a prospective registry study. <i>Lancet Neurology</i> , 2009 , 8, 724-30	24.1	486
93	Cerebral leukoaraiosis in patients with stroke or TIA: clinical correlates and 1-year outcome. <i>European Journal of Neurology</i> , 2009 , 16, 218-25	6	30
92	Increased insulin resistance and risk of incident cerebrovascular events in patients with pre-existing atherothrombotic disease. <i>European Journal of Neurology</i> , 2009 , 16, 1217-23	6	6
91	Interleukin-6 and soluble intercellular adhesion molecule-1 in acute brain ischaemia. <i>European Journal of Neurology</i> , 2008 , 15, 323-8	6	21
90	Left ventricular diastolic function in trained male weight lifters at rest and during isometric exercise. <i>American Journal of Cardiology</i> , 2008 , 102, 97-101	3	20

89	Interaction of inflammation, thrombosis, aspirin and enoxaparin in CNS experimental antiphospholipid syndrome. <i>Neurobiology of Disease</i> , 2008 , 30, 56-64	7.5	42
88	Apolipoproteins B and AI and the risk of ischemic cerebrovascular events in patients with pre-existing atherothrombotic disease. <i>Journal of the Neurological Sciences</i> , 2008 , 270, 82-7	3.2	13
87	Impaired glucose metabolism and cerebrovascular diseases. <i>Advances in Cardiology</i> , 2008 , 45, 107-113		17
86	Reduced incidence of ischemic stroke in patients with severe factor XI deficiency. <i>Blood</i> , 2008 , 111, 4113-7	3.2	202
85	A risk score to predict intracranial hemorrhage after recombinant tissue plasminogen activator for acute ischemic stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2008 , 17, 331-3	2.8	97
84	Hospital disposition after stroke in a national survey of acute cerebrovascular diseases in Israel. <i>Archives of Physical Medicine and Rehabilitation</i> , 2008 , 89, 435-40	2.8	11
83	Poor functional status based on the New York Heart Association classification exposes the coronary patient to an elevated risk of ischemic stroke. <i>American Heart Journal</i> , 2008 , 155, 515-20	4.9	6
82	Similarity of the swine vasculature to the human carotid bifurcation: analysis of arterial diameters. <i>Journal of Vascular and Interventional Radiology</i> , 2008 , 19, 245-51	2.4	9
81	Asymmetric flows in an anatomical-shaped left atrium by 2C-3D+T PIV measurements. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2008 , 11, 209-211	2.1	1
80	Imaging blood-brain barrier disruption: an evolving tool for assessing the risk of hemorrhage after thrombolysis. <i>Nature Clinical Practice Neurology</i> , 2008 , 4, 644-5		3
79	Safer thrombolysis for acute ischemic stroke: is early recanalization the key?. <i>Neurology</i> , 2008 , 71, 1300-6	6.5	1
78	Aspirin responsiveness in acute brain ischaemia: association with stroke severity and clinical outcome. <i>Cerebrovascular Diseases</i> , 2008 , 25, 355-61	3.2	36
77	Calcification of the thoracic aorta as detected by spiral computed tomography among stable angina pectoris patients: association with cardiovascular events and death. <i>Circulation</i> , 2008 , 118, 1328-34	16.7	109
76	Does the lipid-lowering peroxisome proliferator-activated receptors ligand bezafibrate prevent colon cancer in patients with coronary artery disease?. <i>Cardiovascular Diabetology</i> , 2008 , 7, 18	8.7	15
75	Improved exercise capacity in patients after minor ischemic stroke undergoing a supervised exercise training program. <i>Israel Medical Association Journal</i> , 2008 , 10, 113-6	0.9	7
74	Impact of the metabolic syndrome on the clinical outcomes of non-clinically diagnosed diabetic patients with acute coronary syndrome. <i>American Journal of Cardiology</i> , 2007 , 99, 667-72	3	29
73	Effects of peroxisome proliferator-activated receptor ligands, bezafibrate and fenofibrate, on adiponectin level. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007 , 27, 635-41	9.4	116
72	Serum homocysteine and long-term risk of myocardial infarction and sudden death in patients with coronary heart disease. <i>Cardiology</i> , 2007 , 107, 52-6	1.6	13

71	Educational level as a modulator of cognitive performance and neuropsychiatric features in Parkinson disease. <i>Cognitive and Behavioral Neurology</i> , 2007 , 20, 68-72	1.6	25
70	Insulin resistance is associated with increased risk of major cardiovascular events in patients with preexisting coronary artery disease. <i>American Heart Journal</i> , 2007 , 153, 559-65	4.9	42
69	C-reactive protein, bezafibrate, and recurrent coronary events in patients with chronic coronary heart disease. <i>American Heart Journal</i> , 2007 , 154, 1095-101	4.9	10
68	Improved exercise tolerance and cardiac function in severe chronic heart failure patients undergoing a supervised exercise program. <i>International Journal of Cardiology</i> , 2007 , 116, 309-14	3.2	17
67	Calcification of the thoracic aorta by spiral computed tomography among hypertensive patients: associations and risk of ischemic cerebrovascular events. <i>International Journal of Cardiology</i> , 2007 , 120, 32-7	3.2	25
66	Long-term effect of bezafibrate on pancreatic beta-cell function and insulin resistance in patients with diabetes. <i>Atherosclerosis</i> , 2007 , 194, 265-71	3.1	29
65	Coronary and aortic calcifications inter-relationship in stable angina pectoris: A Coronary Disease Trial Investigating Outcome with Nifedipine GITS (ACTION)--Israeli spiral computed tomography substudy. <i>Israel Medical Association Journal</i> , 2007 , 9, 277-80	0.9	3
64	Interleukin-6 and the risk of future cardiovascular events in patients with angina pectoris and/or healed myocardial infarction. <i>American Journal of Cardiology</i> , 2006 , 98, 14-8	3	77
63	Perceptual, social, and behavioral factors associated with delays in seeking medical care in patients with symptoms of acute stroke. <i>Stroke</i> , 2006 , 37, 1248-53	6.7	155
62	Hemostatic activation and outcome after recombinant tissue plasminogen activator therapy for acute ischemic stroke. <i>Stroke</i> , 2006 , 37, 1798-804	6.7	49
61	Serum uric acid and long-term mortality from stroke, coronary heart disease and all causes. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006 , 13, 193-8		42
60	Renal dysfunction and risk of ischemic stroke or TIA in patients with cardiovascular disease. <i>Neurology</i> , 2006 , 67, 224-8	6.5	124
59	CD40 ligand and risk of ischemic stroke or coronary events in patients with chronic coronary heart disease. <i>International Journal of Cardiology</i> , 2006 , 107, 322-6	3.2	20
58	Long-term versus intermediate-term supervised exercise training in advanced heart failure: effects on exercise tolerance and mortality. <i>International Journal of Cardiology</i> , 2006 , 113, 364-70	3.2	16
57	Plasma homocysteine levels and Parkinson disease: disease progression, carotid intima-media thickness and neuropsychiatric complications. <i>Clinical Neuropharmacology</i> , 2006 , 29, 305-11	1.4	36
56	C-reactive protein as a predictor of incident ischemic stroke among patients with preexisting cardiovascular disease. <i>Stroke</i> , 2006 , 37, 1720-4	6.7	42
55	Decrease in triglyceride level by bezafibrate is related to reduction of recurrent coronary events: a Bezafibrate Infarction Prevention substudy. <i>Coronary Artery Disease</i> , 2006 , 17, 455-61	1.4	10
54	Attenuation of progression of insulin resistance in patients with coronary artery disease by bezafibrate. <i>Archives of Internal Medicine</i> , 2006 , 166, 737-41		74

53	A national survey of acute cerebrovascular disease in Israel: burden, management, outcome and adherence to guidelines. <i>Israel Medical Association Journal</i> , 2006 , 8, 3-7	0.9	28
52	Body fat distribution and long-term risk of stroke mortality. <i>Stroke</i> , 2005 , 36, 1021-5	6.7	30
51	Hemodynamic evaluation of embolic trajectory in an arterial bifurcation: an in-vitro experimental model. <i>Stroke</i> , 2005 , 36, 2696-700	6.7	41
50	Effect of bezafibrate on incidence of type 2 diabetes mellitus in obese patients. <i>European Heart Journal</i> , 2005 , 26, 2032-8	9.5	66
49	Usefulness of helical computed tomography in detection of mitral annular calcification as a marker of coronary artery disease. <i>International Journal of Cardiology</i> , 2005 , 101, 371-6	3.2	13
48	Cognitive functions in severe congestive heart failure before and after an exercise training program. <i>International Journal of Cardiology</i> , 2005 , 103, 145-9	3.2	86
47	White blood cell count and the incidence of ischemic stroke in coronary heart disease patients. <i>American Journal of Medicine</i> , 2005 , 118, 1004-9	2.4	23
46	Monocyte chemoattractant protein-1 and recurrent cardiovascular events in patients with stable coronary heart disease. <i>Clinical Cardiology</i> , 2005 , 28, 31-5	3.3	5
45	Bezafibrate for the secondary prevention of myocardial infarction in patients with metabolic syndrome. <i>Archives of Internal Medicine</i> , 2005 , 165, 1154-60		243
44	The Other Side of the Bezafibrate Infarction Prevention Trial DataReply. <i>Archives of Internal Medicine</i> , 2005 , 165, 2432		1
43	Perceived family difficulties and prediction of 23-year stroke mortality among middle-aged men. <i>Cerebrovascular Diseases</i> , 2004 , 18, 277-82	3.2	24
42	Fasting plasma glucose and risk of incident ischemic stroke or transient ischemic attacks: a prospective cohort study. <i>Stroke</i> , 2004 , 35, 2351-5	6.7	73
41	Prediction of hospital disposition after thrombolysis for acute ischemic stroke using the National Institutes of Health Stroke Scale. <i>Archives of Neurology</i> , 2004 , 61, 1061-4		58
40	Homocysteine, B-vitamin supplementation, and stroke prevention: from observational to interventional trials. <i>Lancet Neurology</i> , 2004 , 3, 493-5	24.1	32
39	Dosing errors may impact the risk of rt-PA for stroke: the Multicenter rt-PA Acute Stroke Survey. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2004 , 13, 35-40	2.8	20
38	Spiral computed tomography evidence of close correlation between coronary and thoracic aorta calcifications. <i>Atherosclerosis</i> , 2004 , 176, 133-8	3.1	56
37	Chlamydia pneumoniae and future risk in patients with coronary heart disease. <i>International Journal of Cardiology</i> , 2004 , 93, 25-30	3.2	6
36	Prospective study of serum homocysteine and risk of ischemic stroke among patients with preexisting coronary heart disease. <i>Stroke</i> , 2003 , 34, 632-6	6.7	80

35	Editorial Comment: Hyperglycemia and Early Reperfusion Therapy. <i>Stroke</i> , 2003 , 34, 1240-1241	6.7	
34	Prospective study of Chlamydia pneumoniae IgG and IgA seropositivity and risk of incident ischemic stroke. <i>Cerebrovascular Diseases</i> , 2003 , 16, 166-70	3.2	15
33	Soluble intercellular adhesion molecule-1 and risk of future ischemic stroke: a nested case-control study from the Bezafibrate Infarction Prevention (BIP) study cohort. <i>Stroke</i> , 2002 , 33, 2182-6	6.7	60
32	Severity of angina pectoris and risk of ischemic stroke. <i>Stroke</i> , 2002 , 33, 245-50	6.7	19
31	Aortic valve calcium on spiral computed tomography is associated with calcification of the thoracic aorta in hypertensive patients. <i>American Journal of Cardiology</i> , 2002 , 89, 632-5	3	7
30	Association of mitral annular calcium on spiral computed tomography (dual-slice mode) with thoracic aorta calcium in patients with systemic hypertension. <i>American Journal of Cardiology</i> , 2002 , 89, 1420-2	3	2
29	Anticardiolipin antibodies and mortality in patients with ischemic stroke: a prospective follow-up study. <i>Neuroepidemiology</i> , 2002 , 21, 93-9	5.4	42
28	Low- and high-density lipoprotein cholesterol and ischemic cerebrovascular disease: the bezafibrate infarction prevention registry. <i>Archives of Internal Medicine</i> , 2002 , 162, 993-9		53
27	Markers of increased risk of intracerebral hemorrhage after intravenous recombinant tissue plasminogen activator therapy for acute ischemic stroke in clinical practice: the Multicenter rt-PA Stroke Survey. <i>Circulation</i> , 2002 , 105, 1679-85	16.7	334
26	Body height is associated with decreased long-term stroke but not coronary heart disease mortality?. <i>Stroke</i> , 2002 , 33, 743-8	6.7	44
25	Centenarian stroke treated with tissue-type plasminogen activator. <i>Cerebrovascular Diseases</i> , 2002 , 13, 285-7	3.2	12
24	Soluble intercellular adhesion molecule-1 and long-term risk of acute coronary events in patients with chronic coronary heart disease. Data from the Bezafibrate Infarction Prevention (BIP) Study. <i>Journal of the American College of Cardiology</i> , 2002 , 39, 1133-8	15.1	75
23	Transcutaneous detection of aortic arch atheromas by suprasternal harmonic imaging. <i>Journal of the American College of Cardiology</i> , 2002 , 39, 1127-32	15.1	56
22	Intravenous thrombolysis for acute ischemic stroke: the phase IV data. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2002 , 11, 137-47	2.8	1
21	Neurologic manifestations of the antiphospholipid syndrome. <i>Current Rheumatology Reports</i> , 2001 , 3, 286-92	4.9	25
20	Intravenous thrombolysis for acute ischemic stroke: The phase IV data. <i>Seminars in Cerebrovascular Diseases and Stroke</i> , 2001 , 1, 130-140		1
19	Blood lipids and first-ever ischemic stroke/transient ischemic attack in the Bezafibrate Infarction Prevention (BIP) Registry: high triglycerides constitute an independent risk factor. <i>Circulation</i> , 2001 , 104, 2892-7	16.7	112
18	Management of acute ischaemic stroke in the elderly: tolerability of thrombolytics. <i>Drugs</i> , 2001 , 61, 1439-53	5.3	9

17	A prospective study of plasma fibrinogen levels and the risk of stroke among participants in the bezafibrate infarction prevention study. <i>American Journal of Medicine</i> , 2001 , 111, 457-63	2.4	40
16	Clinical Characteristics of Coronary Heart Disease as Predictors of Ischemic Stroke: A Long-term Prospective Follow-up in the BIP Study.. <i>Stroke</i> , 2001 , 32, 362-362	6.7	2
15	Intravenous tissue plasminogen activator for acute ischemic stroke in patients aged 80 years and older : the tPA stroke survey experience. <i>Stroke</i> , 2000 , 31, 370-5	6.7	146
14	Relation of nonobstructive aortic valve calcium to carotid arterial atherosclerosis. <i>American Journal of Cardiology</i> , 2000 , 86, 1102-5	3	19
13	Association between mitral annulus calcification and aortic atheroma: a prospective transesophageal echocardiographic study. <i>Atherosclerosis</i> , 2000 , 152, 451-6	3.1	49
12	Agreement and variability in the interpretation of early CT changes in stroke patients qualifying for intravenous rtPA therapy. <i>Stroke</i> , 1999 , 30, 1528-33	6.7	242
11	Prognostic significance of cerebrovascular disease in 11,526 chronic coronary artery disease patients. Bezafibrate Infarction Prevention (BIP) Study Group. <i>American Journal of Cardiology</i> , 1998 , 82, 1532-5, A7	3	11
10	Risk profile and prediction of long-term ischemic stroke mortality: a 21-year follow-up in the Israeli Ischemic Heart Disease (IIHD) Project. <i>Circulation</i> , 1998 , 98, 1365-71	16.7	60
9	Antiphospholipid-protein antibodies and ischemic stroke: not just cardiolipin any more. <i>Stroke</i> , 1998 , 29, 1755-8	6.7	48
8	Association between mitral annulus calcification and carotid atherosclerotic disease. <i>Stroke</i> , 1998 , 29, 1833-7	6.7	80
7	Treatment and outcome of patients with acute myocardial infarction and prior cerebrovascular events in the thrombolytic era: the Israeli Thrombolytic National Survey. <i>Archives of Internal Medicine</i> , 1998 , 158, 601-6		13
6	Incidence and mortality from early stroke associated with acute myocardial infarction in the prethrombolytic and thrombolytic eras. Secondary Prevention Reinfarction Israeli Nifedipine Trial (SPRINT) and Israeli Thrombolytic Survey Groups. <i>Journal of the American College of Cardiology</i> , 1997 , 29, 1181-88	15.1	34
5	High-density lipoprotein cholesterol and risk of ischemic stroke mortality. A 21-year follow-up of 8586 men from the Israeli Ischemic Heart Disease Study. <i>Stroke</i> , 1997 , 28, 83-7	6.7	86
4	Stroke risk after anterior wall acute myocardial infarction. SPRINT Study Group. Secondary Prevention Reinfarction Israeli Nifedipine Trial. <i>American Journal of Cardiology</i> , 1995 , 76, 825-6	3	26
3	Myelin- and microbe-specific antibodies in Guillain-Barré syndrome. <i>Journal of Clinical Laboratory Analysis</i> , 1995 , 9, 308-19	3	28
2	Incidence and prognostic significance of chronic atrial fibrillation among 5,839 consecutive patients with acute myocardial infarction. The SPRINT Study Group. Secondary Prevention Reinfarction Israeli Nifedipine Trial. <i>American Journal of Cardiology</i> , 1992 , 70, 816-8	3	23
1	Cerebrovascular accident complicating acute myocardial infarction: incidence, clinical significance and short- and long-term mortality rates. The SPRINT Study Group. <i>American Journal of Medicine</i> , 1991 , 91, 45-50	2.4	107