Diego G Rocha

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5601729/publications.pdf Version: 2024-02-01



DIECO C ROCHA

#	Article	IF	CITATIONS
1	Multiresidue determination of fluoroquinolones in poultry muscle and kidney according to the regulation 2002/657/EC. A systematic comparison of two different approaches: Liquid chromatography coupled to high-resolution mass spectrometry or tandem mass spectrometry. Journal of Chromatography A, 2015, 1379, 83-91.	1.8	35
2	Multiresidue Determination of the Anabolic-Agent Residues Steroids, Stilbenes, and Resorcylic Acid Lactones in Bovine Urine by GC-MS/MS with Microwave-Assisted Derivatization. Journal of Agricultural and Food Chemistry, 2018, 66, 8630-8638.	2.4	9
3	Determination of Steroids in Bovine Serum: Validation of a Reliable LC-MS/MS Method and In Vivo Studies with Boldenone Undecylenate and Testosterone Propionate. Journal of Agricultural and Food Chemistry, 2020, 68, 11545-11552.	2.4	8
4	Simultaneous Identification and Quantitation of 38 Hormonally Growth Promoting Agent Residues in Bovine Muscle by a Highly Sensitive HPLC-MS/MS Method. Food Analytical Methods, 2019, 12, 1914-1926.	1.3	5
5	A Quantitative and Confirmatory Method Employing Liquid Chromatography Coupled to Hybrid High-Resolution Mass Spectrometry and QuEChERS for the Determination of Thirty-Seven Growth Promoter Residues in Bovine Urine. Journal of Agricultural and Food Chemistry, 2021, 69, 7990-7996.	2.4	5
6	Determination of steroids in bovine hair: Validation of a microwaveâ€assisted chemical derivatization method using liquid chromatography–tandem mass spectrometry and in vivo studies. Drug Testing and Analysis, 2020, 12, 1078-1086.	1.6	4
7	Can Serum be a Match for Urine in the Regulatory Analysis of Boldenone in Cattle? A Systematic Comparison Between Detection Window, Stability, and Enzymatic Hydrolysis. Journal of Agricultural and Food Chemistry, 2021, 69, 5528-5535.	2.4	4
8	A novel strategy for the detection of boldenone undecylenate misuse in cattle using ultraâ€high performance liquid chromatography coupled to high resolution orbitrap mass spectrometry: from nonâ€ŧargeted to targeted. Drug Testing and Analysis, 2021, , .	1.6	3
9	Validation of an UHPLC-MS/MS Method for the Determination of Malachite Green, Leucomalachite Green, Crystal Violet, and Leucocrystal Violet in Shrimp, Fish, and Salmon Muscle Using a Modified QuEChERS Approach. Journal of the Brazilian Chemical Society, 0, , .	0.6	1
10	In Vivo Administration of Stanozolol in Cattle: Depletion and Stability Studies Using UHPLC-Q-Orbitrap. Journal of Agricultural and Food Chemistry, 2022, , .	2.4	1
11	Validation of a LC-MS/MS Multiresidue Methodology Based on a QuEChERS Approach for the Determination of Fluoroquinolones, Sulfonamides and Trimethoprim in Poultry and Porcine Kidney According to the Normative Instruction 24/2009-MAPA. Journal of the Brazilian Chemical Society, 2016,	0.6	0
12	Application of a 33Box-Behnken Design to Optimize the Extraction of Eleven Fluoroquinolones from Poultry Muscle and Kidney Using a QuEChERS Approach via Liquid Chromatography Tandem Mass Spectrometry: the Easy Use of Microsoft Excel®in Multivariate Analysis. Journal of the Brazilian Chemical Society, 2015, , .	0.6	0
13	In vivo Administration of Testosterone Propionate in Cattle Analyzed by High Performance Liquid Chromatography-Tandem Mass Spectrometry: An Enzymatic Hydrolysis Study and Drug Abuse Issues. Journal of the Brazilian Chemical Society. 0	0.6	0