

Ye-Guang Chen

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5602585/ye-guang-chen-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

121
papers

15,329
citations

44
h-index

123
g-index

127
ext. papers

17,266
ext. citations

10.8
avg, IF

6.31
L-index

#	Paper	IF	Citations
121	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016 , 12, 1-222	10.2	3838
120	Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , 2012 , 8, 445-544	10.2	2783
119	Controlling TGF- β signaling. <i>Genes and Development</i> , 2000 , 14, 627-644	12.6	879
118	Silencing of TGF-beta signalling by the pseudoreceptor BAMBI. <i>Nature</i> , 1999 , 401, 480-5	50.4	575
117	Dishevelled: The hub of Wnt signaling. <i>Cellular Signalling</i> , 2010 , 22, 717-27	4.9	540
116	PPM1A functions as a Smad phosphatase to terminate TGFbeta signaling. <i>Cell</i> , 2006 , 125, 915-28	56.2	378
115	Crystal structure of the cytoplasmic domain of the type I TGF beta receptor in complex with FKBP12. <i>Cell</i> , 1999 , 96, 425-36	56.2	375
114	TGF- β signaling from Receptors to Smads. <i>Cold Spring Harbor Perspectives in Biology</i> , 2016 , 8,	10.2	338
113	The TGF beta receptor activation process: an inhibitor- to substrate-binding switch. <i>Molecular Cell</i> , 2001 , 8, 671-82	17.6	310
112	Autophagy negatively regulates Wnt signalling by promoting Dishevelled degradation. <i>Nature Cell Biology</i> , 2010 , 12, 781-90	23.4	295
111	Mechanism of TGFbeta receptor inhibition by FKBP12. <i>EMBO Journal</i> , 1997 , 16, 3866-76	13	285
110	Structural basis of Smad2 recognition by the Smad anchor for receptor activation. <i>Science</i> , 2000 , 287, 92-7	33.3	251
109	Endocytic regulation of TGF-beta signaling. <i>Cell Research</i> , 2009 , 19, 58-70	24.7	207
108	Smad7 antagonizes transforming growth factor beta signaling in the nucleus by interfering with functional Smad-DNA complex formation. <i>Molecular and Cellular Biology</i> , 2007 , 27, 4488-99	4.8	196
107	MicroRNA miR-24 inhibits erythropoiesis by targeting activin type I receptor ALK4. <i>Blood</i> , 2008 , 111, 588-95	2.2	174
106	Smad7: not only a regulator, but also a cross-talk mediator of TGF- β signalling. <i>Biochemical Journal</i> , 2011 , 434, 1-10	3.8	164
105	BMP restricts stemness of intestinal Lgr5 stem cells by directly suppressing their signature genes. <i>Nature Communications</i> , 2017 , 8, 13824	17.4	142

104	Activin signaling and its role in regulation of cell proliferation, apoptosis, and carcinogenesis. <i>Experimental Biology and Medicine</i> , 2006 , 231, 534-44	3.7	136
103	Severe acute respiratory syndrome-associated coronavirus nucleocapsid protein interacts with Smad3 and modulates transforming growth factor-beta signaling. <i>Journal of Biological Chemistry</i> , 2008 , 283, 3272-3280	5.4	133
102	The nuclear import function of Smad2 is masked by SARA and unmasked by TGFbeta-dependent phosphorylation. <i>Nature Cell Biology</i> , 2000 , 2, 559-62	23.4	128
101	Dapper 1 antagonizes Wnt signaling by promoting dishevelled degradation. <i>Journal of Biological Chemistry</i> , 2006 , 281, 8607-12	5.4	119
100	Zebrafish Dpr2 inhibits mesoderm induction by promoting degradation of nodal receptors. <i>Science</i> , 2004 , 306, 114-7	33.3	118
99	BMP4 Signaling Acts via dual-specificity phosphatase 9 to control ERK activity in mouse embryonic stem cells. <i>Cell Stem Cell</i> , 2012 , 10, 171-82	18	111
98	Regulation of TGF- β receptor activity. <i>Cell and Bioscience</i> , 2012 , 2, 9	9.8	110
97	Human BAMBI cooperates with Smad7 to inhibit transforming growth factor-beta signaling. <i>Journal of Biological Chemistry</i> , 2009 , 284, 30097-104	5.4	110
96	Smad7 Protein Interacts with Receptor-regulated Smads (R-Smads) to Inhibit Transforming Growth Factor- β /Smad Signaling. <i>Journal of Biological Chemistry</i> , 2016 , 291, 382-92	5.4	108
95	c-Cbl-mediated neddylation antagonizes ubiquitination and degradation of the TGF- β type II receptor. <i>Molecular Cell</i> , 2013 , 49, 499-510	17.6	99
94	Single-cell transcriptome analysis reveals differential nutrient absorption functions in human intestine. <i>Journal of Experimental Medicine</i> , 2020 , 217,	16.6	99
93	Single-molecule imaging reveals transforming growth factor-beta-induced type II receptor dimerization. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 15679-83	11.5	98
92	Specific activation of mitogen-activated protein kinase by transforming growth factor-beta receptors in lipid rafts is required for epithelial cell plasticity. <i>Molecular Biology of the Cell</i> , 2009 , 20, 1020-9	3.5	96
91	Inhibition of severe acute respiratory syndrome virus replication by small interfering RNAs in mammalian cells. <i>Journal of Virology</i> , 2004 , 78, 7523-7	6.6	96
90	Genome-wide mapping of SMAD target genes reveals the role of BMP signaling in embryonic stem cell fate determination. <i>Genome Research</i> , 2010 , 20, 36-44	9.7	92
89	Structural insights into the TRIM family of ubiquitin E3 ligases. <i>Cell Research</i> , 2014 , 24, 762-5	24.7	82
88	HECT domain-containing E3 ubiquitin ligase NEDD4L negatively regulates Wnt signaling by targeting dishevelled for proteasomal degradation. <i>Journal of Biological Chemistry</i> , 2013 , 288, 8289-8298	5.4	81
87	Transforming growth factor beta activates Smad2 in the absence of receptor endocytosis. <i>Journal of Biological Chemistry</i> , 2002 , 277, 29363-8	5.4	76

86	Endofin, a FYVE domain protein, interacts with Smad4 and facilitates transforming growth factor-beta signaling. <i>Journal of Biological Chemistry</i> , 2007 , 282, 9688-9695	5.4	59
85	Smad2 mediates Activin/Nodal signaling in mesendoderm differentiation of mouse embryonic stem cells. <i>Cell Research</i> , 2010 , 20, 1306-18	24.7	58
84	Internalization of the TGF- β type I receptor into caveolin-1 and EEA1 double-positive early endosomes. <i>Cell Research</i> , 2015 , 25, 738-52	24.7	56
83	The evolutionally conserved activity of Dapper2 in antagonizing TGF-beta signaling. <i>FASEB Journal</i> , 2007 , 21, 682-90	0.9	52
82	Feedback regulation of TGF- β signaling. <i>Acta Biochimica Et Biophysica Sinica</i> , 2018 , 50, 37-50	2.8	50
81	Carbon nanotube-assisted optical activation of TGF- β signalling by near-infrared light. <i>Nature Nanotechnology</i> , 2015 , 10, 465-71	28.7	50
80	Dapper1 promotes autophagy by enhancing the Beclin1-Vps34-Atg14L complex formation. <i>Cell Research</i> , 2014 , 24, 912-24	24.7	47
79	Dapper1 is a nucleocytoplasmic shuttling protein that negatively modulates Wnt signaling in the nucleus. <i>Journal of Biological Chemistry</i> , 2008 , 283, 35679-88	5.4	46
78	Monomeric type I and type III transforming growth factor- β receptors and their dimerization revealed by single-molecule imaging. <i>Cell Research</i> , 2010 , 20, 1216-23	24.7	44
77	Loss of Dact1 disrupts planar cell polarity signaling by altering dishevelled activity and leads to posterior malformation in mice. <i>Journal of Biological Chemistry</i> , 2010 , 285, 11023-30	5.4	44
76	PICK1 promotes caveolin-dependent degradation of TGF- β type I receptor. <i>Cell Research</i> , 2012 , 22, 1467-78	24.7	42
75	Dynamic Sialylation in Transforming Growth Factor- β (TGF- β)-Induced Epithelial to Mesenchymal Transition. <i>Journal of Biological Chemistry</i> , 2015 , 290, 12000-13	5.4	40
74	The non-muscle-myosin-II heavy chain Myh9 mediates colitis-induced epithelium injury by restricting Lgr5+ stem cells. <i>Nature Communications</i> , 2015 , 6, 7166	17.4	37
73	Signaling Control of Differentiation of Embryonic Stem Cells toward Mesendoderm. <i>Journal of Molecular Biology</i> , 2016 , 428, 1409-22	6.5	36
72	A novel peptide stapling strategy enables the retention of ring-closing amino acid side chains for the Wnt/ β -catenin signalling pathway. <i>Chemical Science</i> , 2017 , 8, 7368-7373	9.4	36
71	TSC-22 promotes transforming growth factor β mediated cardiac myofibroblast differentiation by antagonizing Smad7 activity. <i>Molecular and Cellular Biology</i> , 2011 , 31, 3700-9	4.8	36
70	Smad7 enables STAT3 activation and promotes pluripotency independent of TGF- β signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 10113-10118	11.5	35
69	A crucial role for bone morphogenetic protein-Smad1 signalling in the DNA damage response. <i>Nature Communications</i> , 2012 , 3, 836	17.4	35

68	HER2/EGFR-AKT Signaling Switches TGF β From Inhibiting Cell Proliferation to Promoting Cell Migration in Breast Cancer. <i>Cancer Research</i> , 2018 , 78, 6073-6085	10.1	35
67	Gut stem cell aging is driven by mTORC1 via a p38 MAPK-p53 pathway. <i>Nature Communications</i> , 2020 , 11, 37	17.4	34
66	Lateral diffusion of TGF-beta type I receptor studied by single-molecule imaging. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 356, 67-71	3.4	32
65	Design of stapled helical peptides to specifically activate Wnt/ β -catenin signaling. <i>Cell Research</i> , 2013 , 23, 581-4	24.7	30
64	The Wnt Signaling Antagonist Dapper1 Accelerates Dishevelled2 Degradation via Promoting Its Ubiquitination and Aggregate-induced Autophagy. <i>Journal of Biological Chemistry</i> , 2015 , 290, 12346-54	5.4	29
63	Identification of novel rare mutations of DACT1 in human neural tube defects. <i>Human Mutation</i> , 2012 , 33, 1450-5	4.7	29
62	TGF β -induced factor homeobox 1 promotes colorectal cancer development through activating Wnt/ β -catenin signaling. <i>Oncotarget</i> , 2017 , 8, 70214-70225	3.3	27
61	SARS Coronavirus and Lung Fibrosis 2010 , 247-258		27
60	Monolayer culture of intestinal epithelium sustains Lgr5 intestinal stem cells. <i>Cell Discovery</i> , 2018 , 4, 32	22.3	26
59	Xenopus skip modulates Wnt/ β -catenin signaling and functions in neural crest induction. <i>Journal of Biological Chemistry</i> , 2010 , 285, 10890-901	5.4	26
58	NEDD4L regulates convergent extension movements in Xenopus embryos via Dishevelled-mediated non-canonical Wnt signaling. <i>Developmental Biology</i> , 2014 , 392, 15-25	3.1	25
57	Functions of BMP signaling in embryonic stem cell fate determination. <i>Experimental Cell Research</i> , 2013 , 319, 113-9	4.2	24
56	Regulation of embryonic stem cell self-renewal and differentiation by TGF-beta family signaling. <i>Science China Life Sciences</i> , 2010 , 53, 497-503	8.5	24
55	A growth factor-free culture system underscores the coordination between Wnt and BMP signaling in Lgr5 intestinal stem cell maintenance. <i>Cell Discovery</i> , 2018 , 4, 49	22.3	24
54	CXXC5 suppresses hepatocellular carcinoma by promoting TGF- β -induced cell cycle arrest and apoptosis. <i>Journal of Molecular Cell Biology</i> , 2018 , 10, 48-59	6.3	23
53	Metformin inhibits ALK1-mediated angiogenesis via activation of AMPK. <i>Oncotarget</i> , 2017 , 8, 32794-32806	9.6	23
52	Maternal Eomesodermin regulates zygotic nodal gene expression for mesendoderm induction in zebrafish embryos. <i>Journal of Molecular Cell Biology</i> , 2014 , 6, 272-85	6.3	22
51	Regulation of TGF- β Signal Transduction. <i>Scientifica</i> , 2014 , 2014, 874065	2.6	22

50	A PROTAC peptide induces durable β -catenin degradation and suppresses Wnt-dependent intestinal cancer. <i>Cell Discovery</i> , 2020 , 6, 35	22.3	21
49	BMP induces cochlin expression to facilitate self-renewal and suppress neural differentiation of mouse embryonic stem cells. <i>Journal of Biological Chemistry</i> , 2013 , 288, 8053-8060	5.4	21
48	Where PI3K/Akt meets Smads: the crosstalk determines human embryonic stem cell fate. <i>Cell Stem Cell</i> , 2012 , 10, 231-2	18	20
47	p21-Activated kinase 2 (PAK2) inhibits TGF- β signaling in Madin-Darby canine kidney (MDCK) epithelial cells by interfering with the receptor-Smad interaction. <i>Journal of Biological Chemistry</i> , 2012 , 287, 13705-12	5.4	19
46	Receptor for Activated C Kinase 1 (RACK1) Promotes Dishevelled Protein Degradation via Autophagy and Antagonizes Wnt Signaling. <i>Journal of Biological Chemistry</i> , 2016 , 291, 12871-12879	5.4	19
45	Activin/Smad2-induced Histone H3 Lys-27 Trimethylation (H3K27me3) Reduction Is Crucial to Initiate Mesendoderm Differentiation of Human Embryonic Stem Cells. <i>Journal of Biological Chemistry</i> , 2017 , 292, 1339-1350	5.4	18
44	Enrichment of the β -catenin-TCF complex at the S and G2 phases ensures cell survival and cell cycle progression. <i>Journal of Cell Science</i> , 2014 , 127, 4833-45	5.3	18
43	Regulation of intestinal stem cell fate specification. <i>Science China Life Sciences</i> , 2015 , 58, 570-8	8.5	17
42	Phase separation of Axin organizes the β -catenin destruction complex. <i>Journal of Cell Biology</i> , 2021 , 220,	7.3	17
41	Interplay between TGF- β signaling and receptor tyrosine kinases in tumor development. <i>Science China Life Sciences</i> , 2017 , 60, 1133-1141	8.5	16
40	Disruption of the Dapper3 gene aggravates ureteral obstruction-mediated renal fibrosis by amplifying Wnt/ β -catenin signaling. <i>Journal of Biological Chemistry</i> , 2013 , 288, 15006-14	5.4	16
39	Protein kinase A-mediated 14-3-3 association impedes human Dapper1 to promote dishevelled degradation. <i>Journal of Biological Chemistry</i> , 2011 , 286, 14870-80	5.4	16
38	2D- and 3D-Based Intestinal Stem Cell Cultures for Personalized Medicine. <i>Cells</i> , 2018 , 7,	7.9	16
37	AMPK downregulates ALK2 via increasing the interaction between Smurf1 and Smad6, leading to inhibition of osteogenic differentiation. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2017 , 1864, 2369-2377	4.9	15
36	Triose Kinase Controls the Lipogenic Potential of Fructose and Dietary Tolerance. <i>Cell Metabolism</i> , 2020 , 32, 605-618.e7	24.6	13
35	Cancer-associated adipocyte-derived G-CSF promotes breast cancer malignancy via Stat3 signaling. <i>Journal of Molecular Cell Biology</i> , 2020 , 12, 723-737	6.3	12
34	BMP signaling in homeostasis, transformation and inflammatory response of intestinal epithelium. <i>Science China Life Sciences</i> , 2018 , 61, 800-807	8.5	12
33	DNA Damage Activates TGF- β Signaling via ATM-c-Cbl-Mediated Stabilization of the Type II Receptor T β RII. <i>Cell Reports</i> , 2019 , 28, 735-745.e4	10.6	10

32	Myc-interacting zinc-finger protein 1 positively regulates Wnt signalling by protecting Dishevelled from Dapper1-mediated degradation. <i>Biochemical Journal</i> , 2015 , 466, 499-509	3.8	8
31	Selective removal of dishevelled by autophagy: a role of p62. <i>Autophagy</i> , 2011 , 7, 334-5	10.2	8
30	Activin Regulates Self-renewal and Differentiation of Trophoblast Stem Cells by Down-regulating the X Chromosome Gene Bcor. <i>Journal of Biological Chemistry</i> , 2015 , 290, 22019-29	5.4	7
29	Generation of 3D human gastrointestinal organoids: principle and applications. <i>Cell Regeneration</i> , 2020 , 9, 6	2.5	7
28	Intestinal epithelial plasticity and regeneration via cell dedifferentiation. <i>Cell Regeneration</i> , 2020 , 9, 14	2.5	7
27	Dedifferentiation: the return road to repair the intestinal epithelium. <i>Cell Regeneration</i> , 2020 , 9, 2	2.5	6
26	LGR5 constitutively activates NF- κ B signaling to regulate the growth of intestinal crypts. <i>FASEB Journal</i> , 2020 , 34, 15605-15620	0.9	6
25	Tankyrases maintain homeostasis of intestinal epithelium by preventing cell death. <i>PLoS Genetics</i> , 2018 , 14, e1007697	6	6
24	Activin/Smad2 and Wnt/ β -catenin up-regulate HAS2 and ALDH3A2 to facilitate mesendoderm differentiation of human embryonic stem cells. <i>Journal of Biological Chemistry</i> , 2018 , 293, 18444-18453	5.4	6
23	The Interplay Between TGF- β Signaling and Cell Metabolism.. <i>Frontiers in Cell and Developmental Biology</i> , 2022 , 10, 846723	5.7	6
22	Noncanonical TGF- β signaling leads to FBXO3-mediated degradation of Np63 β promoting breast cancer metastasis and poor clinical prognosis. <i>PLoS Biology</i> , 2021 , 19, e3001113	9.7	5
21	H3K18ac Primes Mesendodermal Differentiation upon Nodal Signaling. <i>Stem Cell Reports</i> , 2019 , 13, 642-656	8.56	4
20	Fine-tune of intrinsic ERK activity by extrinsic BMP signaling in mouse embryonic stem cells. <i>Protein and Cell</i> , 2012 , 3, 401-4	7.2	4
19	Intestinal epithelial plasticity and regeneration via cell dedifferentiation. <i>Cell Regeneration</i> , 2020 , 9, 14	2.5	4
18	Positive feedback of SuFu negating protein 1 on Hedgehog signaling promotes colorectal tumor growth. <i>Cell Death and Disease</i> , 2021 , 12, 199	9.8	4
17	Regulation of Dishevelled protein activity and stability by post-translational modifications and autophagy. <i>Trends in Biochemical Sciences</i> , 2021 , 46, 1003-1016	10.3	4
16	Small C-terminal Domain Phosphatase 3 Dephosphorylates the Linker Sites of Receptor-regulated Smads (R-Smads) to Ensure Transforming Growth Factor β (TGF β)-mediated Germ Layer Induction in Xenopus Embryos. <i>Journal of Biological Chemistry</i> , 2015 , 290, 17239-49	5.4	3
15	Finale: the last minutes of Smads. <i>Cell</i> , 2009 , 139, 658-60	56.2	3

14	Posttranslational Modifications of TGF- β Receptors. <i>Methods in Molecular Biology</i> , 2016 , 1344, 49-61	1.4	3
13	A resident stromal cell population actively restrains innate immune response in the propagation phase of colitis pathogenesis in mice. <i>Science Translational Medicine</i> , 2021 , 13,	17.5	3
12	Liquid-liquid phase separation drives the E-catenin destruction complex formation. <i>BioEssays</i> , 2021 , 43, e2100138	4.1	3
11	ALK-mediated Tyr95 phosphorylation of Smad4 impairs its transcription activity and the tumor suppressive activity of TGF- β . <i>Science China Life Sciences</i> , 2019 , 62, 431-432	8.5	2
10	Establishment of porcine and monkey colonic organoids for drug toxicity study. <i>Cell Regeneration</i> , 2021 , 10, 32	2.5	2
9	BMP gradient along the intestinal villus axis controls zonated enterocyte and goblet cell states.. <i>Cell Reports</i> , 2022 , 38, 110438	10.6	2
8	Recent advances in tissue stem cells. <i>Science China Life Sciences</i> , 2021 , 64, 1998	8.5	2
7	Interaction of stathmin-like 2 protein with the APP intracellular domain. <i>Tsinghua Science and Technology</i> , 2005 , 10, 484-488	3.4	1
6	Establishment of human distal lung organoids for SARS-CoV-2 infection. <i>Cell Discovery</i> , 2021 , 7, 108	22.3	1
5	DDB1 promotes the proliferation and hypertrophy of chondrocytes during mouse skeleton development. <i>Developmental Biology</i> , 2020 , 465, 100-107	3.1	0
4	Non-muscle myosin heavy chain 9 maintains intestinal homeostasis by preventing epithelium necroptosis and colitis adenoma formation. <i>Stem Cell Reports</i> , 2021 , 16, 1290-1301	8	0
3	Targeting hyperactive TGFBR2 for treating MYOCD deficient lung cancer. <i>Theranostics</i> , 2021 , 11, 6592-6606	6.6	0
2	Cross-species single-cell transcriptomic analysis reveals divergence of cell composition and functions in mammalian ileum epithelium.. <i>Cell Regeneration</i> , 2022 , 11, 19	2.5	0
1	Efficient Culture of Intestinal Organoids with Blebbistatin. <i>Methods in Molecular Biology</i> , 2019 , 1576, 113-121	1.4	0