David J Rossi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5603566/publications.pdf

Version: 2024-02-01

623734 642732 2,632 23 14 23 citations g-index h-index papers 24 24 24 2702 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Glutamate release in severe brain ischaemia is mainly by reversed uptake. Nature, 2000, 403, 316-321.	27.8	991
2	Tonic and Spillover Inhibition of Granule Cells Control Information Flow through Cerebellar Cortex. Neuron, 2002, 33, 625-633.	8.1	333
3	Spillover-Mediated Transmission at Inhibitory Synapses Promoted by High Affinity α6 Subunit GABAA Receptors and Glomerular Geometry. Neuron, 1998, 20, 783-795.	8.1	319
4	Multiple modes of GABAergic inhibition of rat cerebellar granule cells. Journal of Physiology, 2003, 548, 97-110.	2.9	221
5	The developmental onset of NMDA receptor-channel activity during neuronal migration. Neuropharmacology, 1993, 32, 1239-1248.	4.1	146
6	Modification of NMDA Receptor Channels and Synaptic Transmission by Targeted Disruption of the NR2C Gene. Journal of Neuroscience, 1996, 16, 5014-5025.	3.6	144
7	Tonic excitation and inhibition of neurons: ambient transmitter sources and computational consequences. Progress in Biophysics and Molecular Biology, 2005, 87, 3-16.	2.9	141
8	Transient Hypoxemia Chronically Disrupts Maturation of Preterm Fetal Ovine Subplate Neuron Arborization and Activity. Journal of Neuroscience, 2017, 37, 11912-11929.	3.6	55
9	Role of a Lateral Orbital Frontal Cortex-Basolateral Amygdala Circuit in Cue-Induced Cocaine-Seeking Behavior. Neuropsychopharmacology, 2017, 42, 727-735.	5.4	46
10	Bidirectional plasticity in the primate inferior olive induced by chronic ethanol intoxication and sustained abstinence. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 10314-10319.	7.1	39
11	Opposite actions of alcohol on tonic GABAA receptor currents mediated by nNOS and PKC activity. Nature Neuroscience, 2013, 16, 1783-1793.	14.8	39
12	Neurosteroid Influences on Sensitivity to Ethanol. Frontiers in Endocrinology, 2012, 3, 10.	3.5	25
13	Impact of Rouxâ€enâ€Y gastric bypass surgery on appetite, alcohol intake behaviors, and midbrain ghrelin signaling in the rat. Obesity, 2017, 25, 1228-1236.	3.0	24
14	Quantification of ten neuroactive steroids in plasma in Withdrawal Seizure-Prone and -Resistant mice during chronic ethanol withdrawal. Psychopharmacology, 2014, 231, 3401-3414.	3.1	21
15	Primate cerebellar granule cells exhibit a tonic GABAAR conductance that is not affected by alcohol: a possible cellular substrate of the low level of response phenotype. Frontiers in Neural Circuits, 2013, 7, 189.	2.8	14
16	CB1 Receptor Signaling Modulates Amygdalar Plasticity during Context-Cocaine Memory Reconsolidation to Promote Subsequent Cocaine Seeking. Journal of Neuroscience, 2021, 41, 613-629.	3.6	14
17	Recreational concentrations of alcohol enhance synaptic inhibition of cerebellar unipolar brush cells via pre- and postsynaptic mechanisms. Journal of Neurophysiology, 2017, 118, 267-279.	1.8	13
18	The Cerebellar GABAAR System as a Potential Target for Treating Alcohol Use Disorder. Handbook of Experimental Pharmacology, 2018, 248, 113-156.	1.8	11

#	Article	IF	CITATION
19	Ethanol withdrawal-induced dysregulation of neurosteroid levels in plasma, cortex, and hippocampus in genetic animal models of high and low withdrawal. Psychopharmacology, 2017, 234, 2793-2811.	3.1	10
20	Alcohol Suppresses Tonic GABA _A Receptor Currents in Cerebellar Granule Cells in the Prairie Vole: A Neural Signature of Highâ€Alcoholâ€Consuming Genotypes. Alcoholism: Clinical and Experimental Research, 2016, 40, 1617-1626.	2.4	7
21	Genotype Differences in Sensitivity to the Anticonvulsant Effect of the Synthetic Neurosteroid Ganaxolone during Chronic Ethanol Withdrawal. Neuroscience, 2019, 397, 127-137.	2.3	7
22	Developmentally Transient CB1Rs on Cerebellar Afferents Suppress Afferent Input, Downstream Synaptic Excitation, and Signaling to Migrating Neurons. Journal of Neuroscience, 2020, 40, 6133-6145.	3.6	7
23	Independent of differences in taste, B6N mice consume less alcohol than genetically similar B6J mice, and exhibit opposite polarity modulation of tonic GABAAR currents by alcohol. Neuropharmacology, 2022, 206, 108934.	4.1	3