

# Alexander Pechenkov

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5603858/publications.pdf>

Version: 2024-02-01

12  
papers

20  
citations

2258059

3  
h-index

2272923

4  
g-index

12  
all docs

12  
docs citations

12  
times ranked

3  
citing authors

#	ARTICLE	IF	CITATIONS
1	On the solution of the inverse problem of magnetostatic tomography. Russian Journal of Nondestructive Testing, 2009, 45, 176-190.	0.9	7
2	Numerical Simulation of the Inverse Problem of Magnetostatic Flaw Detection. Russian Journal of Nondestructive Testing, 2005, 41, 719-723.	0.9	3
3	Effect of the shape of a body on the uniqueness of the solution to the inverse problem of magnetostatic flaw detection. Russian Journal of Nondestructive Testing, 2006, 42, 653-655.	0.9	3
4	An analytical model of the point magnetization of a thin ferromagnetic plate. Russian Journal of Nondestructive Testing, 2011, 47, 796-802.	0.9	2
5	Software for Solving Inverse Magnetostatic Problem with a View to Calculating Flaw Parameters. Russian Journal of Nondestructive Testing, 2001, 37, 422-425.	0.9	1
6	Method for Generation of Homogeneous Magnetization and Determination of Magnetic Susceptibility. Russian Journal of Nondestructive Testing, 2002, 38, 517-520.	0.9	1
7	A Mathematical Algorithm for Solving the Inverse Problem of Magnetostatic Flaw Detection. Russian Journal of Nondestructive Testing, 2005, 41, 714-718.	0.9	1
8	Inverse problem of magnetostatic flaw detection. Doklady Physics, 2006, 51, 311-314.	0.7	1
9	Calculation of the three-dimensional magnetic field produced by a circular DC-carrying coil of rectangular cross section. Russian Journal of Nondestructive Testing, 2006, 42, 610-615.	0.9	1
10	Title is missing!. Russian Journal of Nondestructive Testing, 2002, 38, 632-636.	0.9	0
11	Approximation of finitely thick complex coils for calculating 3D magnetic fields of these coils. Russian Journal of Nondestructive Testing, 2006, 42, 656-660.	0.9	0
12	Magnetostatic tomography. Doklady Physics, 2009, 54, 190-192.	0.7	0