

# Reinhard Fischer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5604177/publications.pdf>

Version: 2024-02-01

150  
papers

10,377  
citations

36203

51  
h-index

37111

96  
g-index

169  
all docs

169  
docs citations

169  
times ranked

7420  
citing authors

#	ARTICLE	IF	CITATIONS
1	The STRIPAK component SipC is involved in morphology and cell-fate determination in the nematode-trapping fungus <i>Duddingtonia flagrans</i> . <i>Genetics</i> , 2022, 220, .	1.2	16
2	A Simple and Low-Cost Strategy to Improve Conidial Yield and Stress Resistance of <i>Trichoderma guizhouense</i> through Optimizing Illumination Conditions. <i>Journal of Fungi (Basel, Switzerland)</i> , 2022, 8, 50.	1.5	5
3	A dialogue-like cell communication mechanism is conserved in filamentous ascomycete fungi and mediates interspecies interactions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2112518119.	3.3	15
4	Small-secreted proteins as virulence factors in nematode-trapping fungi. <i>Trends in Microbiology</i> , 2022, 30, 615-617.	3.5	13
5	Fungal Melanin Biosynthesis Pathway as Source for Fungal Toxins. <i>MBio</i> , 2022, 13, e0021922.	1.8	17
6	The sulfur metabolism regulator MetR is a global regulator controlling phytochrome-dependent light responses in <i>Aspergillus nidulans</i> . <i>Science Bulletin</i> , 2021, 66, 592-602.	4.3	4
7	The infectious propagules of <i>Aspergillus fumigatus</i> are coated with antimicrobial peptides. <i>Cellular Microbiology</i> , 2021, 23, e13301.	1.1	1
8	Surface display of HFBI and DewA hydrophobins on <i>Saccharomyces cerevisiae</i> modifies tolerance to several adverse conditions and biocatalytic performance. <i>Applied Microbiology and Biotechnology</i> , 2021, 105, 1505-1518.	1.7	2
9	Soft but Not Too Soft—How a Rigid Tube Expands without Breaking. <i>MBio</i> , 2021, 12, e0050121.	1.8	1
10	Fungal phytochrome chromophore biosynthesis at mitochondria. <i>EMBO Journal</i> , 2021, 40, e108083.	3.5	9
11	The role of <i>Aspergillus nidulans</i> polo-like kinase PlkA in microtubule-organizing center control. <i>Journal of Cell Science</i> , 2021, 134, .	1.2	3
12	Fatal attraction of <i>Caenorhabditis elegans</i> to predatory fungi through 6-methyl-salicylic acid. <i>Nature Communications</i> , 2021, 12, 5462.	5.8	34
13	Comprehensive analysis of the regulatory network of blue-light-regulated conidiation and hydrophobin production in <i>Trichoderma guizhouense</i> . <i>Environmental Microbiology</i> , 2021, 23, 6241-6256.	1.8	8
14	Application of PALM Superresolution Microscopy to the Analysis of in <i>Aspergillus nidulans</i> . <i>Methods in Molecular Biology</i> , 2021, 2329, 277-289.	0.4	1
15	Genome-wide analyses of light-regulated genes in <i>Aspergillus nidulans</i> reveal a complex interplay between different photoreceptors and novel photoreceptor functions. <i>PLoS Genetics</i> , 2021, 17, e1009845.	1.5	15
16	The small-secreted cysteine-rich protein CyrA is a virulence factor participating in the attack of <i>Caenorhabditis elegans</i> by <i>Duddingtonia flagrans</i> . <i>PLoS Pathogens</i> , 2021, 17, e1010028.	2.1	14
17	<i>Zygosaccharomyces seidelii</i> sp. nov. a new yeast species from the Maldives, and a revisit of the single-strain species debate. <i>Antonie Van Leeuwenhoek</i> , 2020, 113, 427-436.	0.7	10
18	The HOG Pathway Plays Different Roles in Conidia and Hyphae During Virulence of <i>Alternaria alternata</i> . <i>Molecular Plant-Microbe Interactions</i> , 2020, 33, 1405-1410.	1.4	7

#	ARTICLE	IF	CITATIONS
19	<i>Alternaria alternata</i> uses two siderophore systems for iron acquisition. <i>Scientific Reports</i> , 2020, 10, 3587.	1.6	21
20	On the role of the global regulator RlcA in red-light sensing in <i>Aspergillus nidulans</i> . <i>Fungal Biology</i> , 2020, 124, 447-457.	1.1	6
21	Two hybrid histidine kinases, TcsB and the phytochrome FphA, are involved in temperature sensing in <i>Aspergillus nidulans</i> . <i>Molecular Microbiology</i> , 2019, 112, 1814-1830.	1.2	20
22	<i>Schizosaccharomyces osmophilus</i> sp. nov., an osmophilic fission yeast occurring in bee bread of different solitary bee species. <i>FEMS Yeast Research</i> , 2019, 19, .	1.1	18
23	Fungal hydrophobins render stones impermeable for water but keep them permeable for vapor. <i>Scientific Reports</i> , 2019, 9, 6264.	1.6	16
24	The Cytoskeleton and Polarity Markers During Polarized Growth of Filamentous Fungi. , 2019, , 43-62.		3
25	Intercellular communication is required for trap formation in the nematode-trapping fungus <i>Duddingtonia flagrans</i> . <i>PLoS Genetics</i> , 2019, 15, e1008029.	1.5	59
26	Red- and Blue-Light Sensing in the Plant Pathogen <i>Alternaria alternata</i> Depends on Phytochrome and the White-Collar Protein LreA. <i>MBio</i> , 2019, 10, .	1.8	47
27	Evidence for weak interaction between phytochromes Agp1 and Agp2 from <i>Agrobacterium fabrum</i> . <i>FEBS Letters</i> , 2019, 593, 926-941.	1.3	7
28	Alternariol as virulence and colonization factor of <i>Alternaria alternata</i> during plant infection. <i>Molecular Microbiology</i> , 2019, 112, 131-146.	1.2	59
29	The spindle pole body of <i>Aspergillus nidulans</i> is asymmetrically composed with changing numbers of gamma-tubulin complexes. <i>Journal of Cell Science</i> , 2019, 132, .	1.2	13
30	Light sensing and responses in fungi. <i>Nature Reviews Microbiology</i> , 2019, 17, 25-36.	13.6	161
31	<i>Aspergillus nidulans</i> als Modellsystem für filamentöse Pilze. , 2019, , 93-115.		0
32	Fungal Morphogenesis, from the Polarized Growth of Hyphae to Complex Reproduction and Infection Structures. <i>Microbiology and Molecular Biology Reviews</i> , 2018, 82, .	2.9	231
33	Superresolution and pulse-chase imaging reveal the role of vesicle transport in polar growth of fungal cells. <i>Science Advances</i> , 2018, 4, e1701798.	4.7	40
34	Comparative analysis of surface coating properties of five hydrophobins from <i>Aspergillus nidulans</i> and <i>Trichoderma reesei</i> . <i>Scientific Reports</i> , 2018, 8, 12033.	1.6	31
35	Comparative genomics reveals high biological diversity and specific adaptations in the industrially and medically important fungal genus <i>Aspergillus</i> . <i>Genome Biology</i> , 2017, 18, 28.	3.8	417
36	Pulses of Ca <sup>2+</sup> coordinate actin assembly and exocytosis for stepwise cell extension. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 5701-5706.	3.3	74

#	ARTICLE	IF	CITATIONS
37	Establishment of CRISPR/Cas9 in <i>Alternaria alternata</i> . <i>Fungal Genetics and Biology</i> , 2017, 101, 55-60.	0.9	102
38	Microtubule-organizing centers of <i>Aspergillus nidulans</i> are anchored at septa by a disordered protein. <i>Molecular Microbiology</i> , 2017, 106, 285-303.	1.2	32
39	The <i>Aspergillus nidulans</i> Velvet-interacting protein, VipA, is involved in light-stimulated heme biosynthesis. <i>Molecular Microbiology</i> , 2017, 105, 825-838.	1.2	12
40	The Complexity of Fungal Vision. , 2017, , 441-461.		0
41	Super Resolution Fluorescence Microscopy and Tracking of Bacterial Flotillin (Reggie) Paralogs Provide Evidence for Defined-Sized Protein Microdomains within the Bacterial Membrane but Absence of Clusters Containing Detergent-Resistant Proteins. <i>PLoS Genetics</i> , 2016, 12, e1006116.	1.5	44
42	A phosphorylation code of the <i>Aspergillus nidulans</i> global regulator VelvetA (VeA) determines specific functions. <i>Molecular Microbiology</i> , 2016, 99, 909-924.	1.2	28
43	Selective natural induction of laccases in <i>Pleurotus sajor-caju</i> , suitable for application at a biofuel cell cathode at neutral pH. <i>Bioresource Technology</i> , 2016, 218, 455-462.	4.8	12
44	The Complexity of Fungal Vision. <i>Microbiology Spectrum</i> , 2016, 4, .	1.2	46
45	Laser capture microdissection to identify septum-associated proteins in <i>Aspergillus nidulans</i> . <i>Mycologia</i> , 2016, 108, 528-532.	0.8	1
46	Immobilization of LccC Laccase from <i>Aspergillus nidulans</i> on Hard Surfaces via Fungal Hydrophobins. <i>Applied and Environmental Microbiology</i> , 2016, 82, 6395-6402.	1.4	17
47	Fungi use the SakA (HogA) pathway for phytochrome-dependent light signalling. <i>Nature Microbiology</i> , 2016, 1, 16019.	5.9	89
48	Light-dependent gene activation in <i>Aspergillus nidulans</i> is strictly dependent on phytochrome and involves the interplay of phytochrome and white collar-regulated histone H3 acetylation. <i>Molecular Microbiology</i> , 2015, 97, 733-745.	1.2	45
49	Transportation of <i>Aspergillus nidulans</i> Class III and V Chitin Synthases to the Hyphal Tips Depends on Conventional Kinesin. <i>PLoS ONE</i> , 2015, 10, e0125937.	1.1	29
50	Superresolution microscopy reveals a dynamic picture of cell polarity maintenance during directional growth. <i>Science Advances</i> , 2015, 1, e1500947.	4.7	38
51	The Rab GTPase Ypt1 associates with Golgi cisternae and Spitzenkörper microvesicles in <i>Neurospora crassa</i> . <i>Molecular Microbiology</i> , 2015, 95, 472-490.	1.2	38
52	Genetic evidence for a microtubule-capture mechanism during polar growth of <i>Aspergillus nidulans</i> . <i>Journal of Cell Science</i> , 2015, 128, 3569-82.	1.2	20
53	Improving the performance of a biofuel cell cathode with laccase-containing culture supernatant from <i>Pycnoporus sanguineus</i> . <i>Bioresource Technology</i> , 2015, 175, 445-453.	4.8	24
54	Live Cell Imaging of Endosomal Trafficking in Fungi. <i>Methods in Molecular Biology</i> , 2015, 1270, 347-363.	0.4	13

#	ARTICLE	IF	CITATIONS
55	Genetic evidence for a microtubule-capture mechanism during polarised growth of <i>Aspergillus nidulans</i> . <i>Development (Cambridge)</i> , 2015, 142, e1.2-e1.2.	1.2	1
56	The Vip1 Inositol Polyphosphate Kinase Family Regulates Polarized Growth and Modulates the Microtubule Cytoskeleton in Fungi. <i>PLoS Genetics</i> , 2014, 10, e1004586.	1.5	47
57	<i>Alternaria alternata</i> transcription factor CmrA controls melanization and spore development. <i>Microbiology (United Kingdom)</i> , 2014, 160, 1845-1854.	0.7	37
58	Promiscuity Breeds Diversity: The Role of Polyketide Synthase in Natural Product Biosynthesis. <i>Chemistry and Biology</i> , 2014, 21, 701-702.	6.2	1
59	Improvement of <i>Aspergillus nidulans</i> penicillin production by targeting AcvA to peroxisomes. <i>Metabolic Engineering</i> , 2014, 25, 131-139.	3.6	47
60	Role of the <i>Alternaria alternata</i> Blue-Light Receptor LreA (White-Collar 1) in Spore Formation and Secondary Metabolism. <i>Applied and Environmental Microbiology</i> , 2014, 80, 2582-2591.	1.4	49
61	F-Box Protein RcyA Controls Turnover of the Kinesin-7 Motor KipA in <i>Aspergillus nidulans</i> . <i>Eukaryotic Cell</i> , 2014, 13, 1085-1094.	3.4	5
62	Interdependence of the actin and the microtubule cytoskeleton during fungal growth. <i>Current Opinion in Microbiology</i> , 2014, 20, 34-41.	2.3	72
63	Six Hydrophobins Are Involved in Hydrophobin Rodlet Formation in <i>Aspergillus nidulans</i> and Contribute to Hydrophobicity of the Spore Surface. <i>PLoS ONE</i> , 2014, 9, e94546.	1.1	61
64	Breaking down walls to live in harmony. <i>ELife</i> , 2014, 3, e04603.	2.8	0
65	Bacteriophage T7 RNA polymerase-based expression in <i>Pichia pastoris</i> . <i>Protein Expression and Purification</i> , 2013, 92, 100-104.	0.6	19
66	Time-Lapse Super-Resolution Imaging of Apical Membrane Protein Domains in Live Filamentous Fungi. <i>Biophysical Journal</i> , 2013, 104, 652a.	0.2	3
67	Light inhibits spore germination through phytochrome in <i>Aspergillus nidulans</i> . <i>Current Genetics</i> , 2013, 59, 55-62.	0.8	58
68	Evidence that Two Pcl-Like Cyclins Control Cdk9 Activity during Cell Differentiation in <i>Aspergillus nidulans</i> Asexual Development. <i>Eukaryotic Cell</i> , 2013, 12, 23-36.	3.4	14
69	<i>Neurospora crassa</i> NKIN2, a Kinesin-3 Motor, Transports Early Endosomes and Is Required for Polarized Growth. <i>Eukaryotic Cell</i> , 2013, 12, 1020-1032.	3.4	44
70	Transcriptional Changes in the Transition from Vegetative Cells to Asexual Development in the Model Fungus <i>Aspergillus nidulans</i> . <i>Eukaryotic Cell</i> , 2013, 12, 311-321.	3.4	40
71	The cell end marker TeaA and the microtubule polymerase AlpA contribute to microtubule guidance at the hyphal tip cortex of <i>Aspergillus nidulans</i> for polarity maintenance. <i>Journal of Cell Science</i> , 2013, 126, 5400-11.	1.2	46
72	Mikroskopie jenseits der Auflösungs-grenze. <i>Biologie in Unserer Zeit</i> , 2012, 42, 244-253.	0.3	1

#	ARTICLE	IF	CITATIONS
73	Identification of a Polyketide Synthase Required for Alternariol (AOH) and Alternariol-9-Methyl Ether (AME) Formation in <i>Alternaria alternata</i> . PLoS ONE, 2012, 7, e40564.	1.1	68
74	Engineering hydrophobin DewA to generate surfaces that enhance adhesion of human but not bacterial cells. Acta Biomaterialia, 2012, 8, 1037-1047.	4.1	31
75	The role of flotillin FloA and stomatin StoA in the maintenance of apical sterol-rich membrane domains and polarity in the filamentous fungus <i>Aspergillus nidulans</i> . Molecular Microbiology, 2012, 83, 1136-1152.	1.2	35
76	The <i>Aspergillus nidulans</i> Kinesin-3 Tail Is Necessary and Sufficient to Recognize Modified Microtubules. PLoS ONE, 2012, 7, e30976.	1.1	13
77	On the role of microtubules, cell end markers, and septal microtubule organizing centres on site selection for polar growth in <i>Aspergillus nidulans</i> . Fungal Biology, 2011, 115, 506-517.	1.1	35
78	The <i>Aspergillus nidulans</i> CENP-E kinesin motor KipA interacts with the fungal homologue of the centromere-associated protein CENP-H at the kinetochore. Molecular Microbiology, 2011, 80, 981-994.	1.2	21
79	The <i>Aspergillus nidulans</i> CENP-E kinesin KipA is able to dimerize and to move processively along microtubules. Current Genetics, 2011, 57, 335-341.	0.8	4
80	The impact of recombinant fusion-hydrophobin coated surfaces on <i>E. coli</i> and natural mixed culture biofilm formation. Biofouling, 2011, 27, 1073-1085.	0.8	14
81	Regulation of Conidiation by Light in <i>Aspergillus nidulans</i> . Genetics, 2011, 188, 809-822.	1.2	127
82	Genotyping of Environmental and Clinical <i>Stenotrophomonas maltophilia</i> Isolates and their Pathogenic Potential. PLoS ONE, 2011, 6, e27615.	1.1	54
83	Use of Nanoparticles to Study and Manipulate Plant cells. Advanced Engineering Materials, 2010, 12, B406.	1.6	18
84	Functional Characterization of a New Member of the Cdk9 Family in <i>Aspergillus nidulans</i> . Eukaryotic Cell, 2010, 9, 1901-1912.	3.4	7
85	Screening for Antifungal Peptides and Their Modes of Action in <i>Aspergillus nidulans</i> . Applied and Environmental Microbiology, 2010, 76, 7102-7108.	1.4	52
86	Interaction of the <i>Aspergillus nidulans</i> Microtubule-Organizing Center (MTOC) Component ApsB with Gamma-Tubulin and Evidence for a Role of a Subclass of Peroxisomes in the Formation of Septal MTOCs. Eukaryotic Cell, 2010, 9, 795-805.	3.4	56
87	Spotlight on <i>Aspergillus nidulans</i> photosensory systems. Fungal Genetics and Biology, 2010, 47, 900-908.	0.9	138
88	Cross-talk between light and glucose regulation controls toxin production and morphogenesis in <i>Aspergillus nidulans</i> . Fungal Genetics and Biology, 2010, 47, 962-972.	0.9	57
89	Fungi, Hidden in Soil or Up in the Air: Light Makes a Difference. Annual Review of Microbiology, 2010, 64, 585-610.	2.9	224
90	The Cell End Marker Protein TeaC Is Involved in Growth Directionality and Septation in <i>Aspergillus nidulans</i> . Eukaryotic Cell, 2009, 8, 957-967.	3.4	43

#	ARTICLE	IF	CITATIONS
91	The <i>Aspergillus nidulans</i> Kinesin-3 UncA Motor Moves Vesicles along a Subpopulation of Microtubules. <i>Molecular Biology of the Cell</i> , 2009, 20, 673-684.	0.9	104
92	Mapping the interaction sites of <i>Aspergillus nidulans</i> phytochrome FphA with the global regulator VeA and the White Collar protein LreB. <i>Molecular Genetics and Genomics</i> , 2009, 281, 35-42.	1.0	73
93	<i>Aspergillus nidulans</i> FlbE is an upstream developmental activator of conidiation functionally associated with the putative transcription factor FlbB. <i>Molecular Microbiology</i> , 2009, 71, 172-184.	1.2	80
94	Genetic evidence for a microtubule-destabilizing effect of conventional kinesin and analysis of its consequences for the control of nuclear distribution in <i>Aspergillus nidulans</i> . <i>Molecular Microbiology</i> , 2008, 42, 121-132.	1.2	66
95	Polarized growth in fungi interplay between the cytoskeleton, positional markers and membrane domains. <i>Molecular Microbiology</i> , 2008, 68, 813-826.	1.2	180
96	Functional and Physical Interaction of Blue- and Red-Light Sensors in <i>Aspergillus nidulans</i> . <i>Current Biology</i> , 2008, 18, 255-259.	1.8	264
97	Basic-Zipper-Type Transcription Factor FlbB Controls Asexual Development in <i>Aspergillus nidulans</i> . <i>Eukaryotic Cell</i> , 2008, 7, 38-48.	3.4	97
98	Sex and Poison in the Dark. <i>Science</i> , 2008, 320, 1430-1431.	6.0	30
99	Apical Sterol-rich Membranes Are Essential for Localizing Cell End Markers That Determine Growth Directionality in the Filamentous Fungus <i>Aspergillus nidulans</i> . <i>Molecular Biology of the Cell</i> , 2008, 19, 339-351.	0.9	145
100	<i>Aspergillus nidulans</i> Dis1/XMAP215 Protein AlpA Localizes to Spindle Pole Bodies and Microtubule Plus Ends and Contributes to Growth Directionality. <i>Eukaryotic Cell</i> , 2007, 6, 555-562.	3.4	31
101	The <i>Aspergillus nidulans</i> putative kinase, KfsA (kinase for septation), plays a role in septation and is required for efficient asexual spore formation. <i>Fungal Genetics and Biology</i> , 2007, 44, 1205-1214.	0.9	14
102	Seeing the rainbow: light sensing in fungi. <i>Current Opinion in Microbiology</i> , 2006, 9, 566-571.	2.3	137
103	The Zn(II)2Cys6 putative transcription factor NosA controls fruiting body formation in <i>Aspergillus nidulans</i> . <i>Molecular Microbiology</i> , 2006, 61, 544-554.	1.2	93
104	Use of Laccase as a Novel, Versatile Reporter System in Filamentous Fungi. <i>Applied and Environmental Microbiology</i> , 2006, 72, 5020-5026.	1.4	42
105	Genomic sequence of the pathogenic and allergenic filamentous fungus <i>Aspergillus fumigatus</i> . <i>Nature</i> , 2005, 438, 1151-1156.	13.7	1,272
106	Sequencing of <i>Aspergillus nidulans</i> and comparative analysis with <i>A. fumigatus</i> and <i>A. oryzae</i> . <i>Nature</i> , 2005, 438, 1105-1115.	13.7	1,250
107	The <i>Aspergillus nidulans</i> Phytochrome FphA Represses Sexual Development in Red Light. <i>Current Biology</i> , 2005, 15, 1833-1838.	1.8	311
108	The Zn(II)2Cys6 Putative <i>Aspergillus nidulans</i> Transcription Factor Repressor of Sexual Development Inhibits Sexual Development Under Low-Carbon Conditions and in Submersed Culture Sequence data from this article have been deposited with the EMBL/GenBank Data Libraries under accession no. CAD58393.. <i>Genetics</i> , 2005, 169, 619-630.	1.2	77



#	ARTICLE	IF	CITATIONS
109	The Role of the Kinesin Motor KipA in Microtubule Organization and Polarized Growth of <i>Aspergillus nidulans</i> . <i>Molecular Biology of the Cell</i> , 2005, 16, 497-506.	0.9	137
110	Role of the spindle-pole-body protein ApsB and the cortex protein ApsA in microtubule organization and nuclear migration in <i>Aspergillus nidulans</i> . <i>Journal of Cell Science</i> , 2005, 118, 3705-3716.	1.2	62
111	The Kip3-Like Kinesin KipB Moves along Microtubules and Determines Spindle Position during Synchronized Mitoses in <i>Aspergillus nidulans</i> Hyphae. <i>Eukaryotic Cell</i> , 2004, 3, 632-645.	3.4	56
112	Establishment of mRFP1 as a fluorescent marker in <i>Aspergillus nidulans</i> and construction of expression vectors for high-throughput protein tagging using recombination in vitro (GATEWAY). <i>Current Genetics</i> , 2004, 45, 383-389.	0.8	98
113	A putative high affinity hexose transporter, <i>hxtA</i> , of <i>Aspergillus nidulans</i> is induced in vegetative hyphae upon starvation and in ascogenous hyphae during cleistothecium formation. <i>Fungal Genetics and Biology</i> , 2004, 41, 148-156.	0.9	60
114	Nuclear migration and positioning in filamentous fungi. <i>Fungal Genetics and Biology</i> , 2004, 41, 411-419.	0.9	93
115	Different nitrogen sources modulate activity but not expression of glutamine synthetase in arbuscular mycorrhizal fungi. <i>Fungal Genetics and Biology</i> , 2004, 41, 542-552.	0.9	65
116	Apical growth and mitosis are independent processes in <i>Aspergillus nidulans</i> . <i>Protoplasma</i> , 2003, 222, 211-215.	1.0	43
117	Deletion of <i>mdmB</i> impairs mitochondrial distribution and morphology in <i>Aspergillus nidulans</i> . <i>Cytoskeleton</i> , 2003, 55, 114-124.	4.4	20
118	The MAPKK kinase <i>SteC</i> regulates conidiophore morphology and is essential for heterokaryon formation and sexual development in the homothallic fungus <i>Aspergillus nidulans</i> . <i>Molecular Microbiology</i> , 2003, 47, 1577-1588.	1.2	86
119	Cloning and characterization of a gene coding for a class I chitin synthase from <i>Fusarium graminearum</i> . <i>Canadian Journal of Plant Pathology</i> , 2003, 25, 240-248.	0.8	4
120	Accumulation of Cytoplasmic Dynein and Dynactin at Microtubule Plus Ends in <i>Aspergillus nidulans</i> Is Kinesin Dependent. <i>Molecular Biology of the Cell</i> , 2003, 14, 1479-1488.	0.9	161
121	Developmental Processes in Filamentous Fungi. , 2003, , .		1
122	<i>Aspergillus nidulans</i> Catalase-Peroxidase Gene ( <i>cpeA</i> ) Is Transcriptionally Induced during Sexual Development through the Transcription Factor <i>StuA</i> . <i>Eukaryotic Cell</i> , 2002, 1, 725-735.	3.4	80
123	The <i>Aspergillus nidulans</i> cyclin <i>PclA</i> accumulates in the nucleus and interacts with the central cell cycle regulator <i>NimXCdc2</i> . <i>FEBS Letters</i> , 2002, 523, 143-146.	1.3	13
124	Motoren in der Zelle: Kinesine. <i>Biologie in Unserer Zeit</i> , 2002, 32, 311-318.	0.3	2
125	Conidiation in <i>Aspergillus nidulans</i> . , 2002, , .		6
126	<i>Aspergillus nidulans</i> $\hat{1}\pm$ -1,3 Glucanase (Mutanase), <i>mutA</i> , Is Expressed during Sexual Development and Mobilizes Mutan. <i>Fungal Genetics and Biology</i> , 2001, 34, 217-227.	0.9	77



#	ARTICLE	IF	CITATIONS
127	Aspergillus nidulans DigA, a potential homolog of Saccharomyces cerevisiae Pep3 (Vps18), is required for nuclear migration, mitochondrial morphology and polarized growth. Molecular Genetics and Genomics, 2001, 266, 672-685.	1.0	25
128	A genomics approach towards salt stress tolerance. Plant Physiology and Biochemistry, 2001, 39, 295-311.	2.8	176
129	Molecular characterization of a blue-copper laccase, TILA, of Aspergillus nidulans. FEMS Microbiology Letters, 2001, 199, 207-213.	0.7	22
130	A Pcl-Like Cyclin of Aspergillus nidulans Is Transcriptionally Activated by Developmental Regulators and Is Involved in Sporulation. Molecular and Cellular Biology, 2001, 21, 4075-4088.	1.1	33
131	Mitochondrial movement and morphology depend on an intact actin cytoskeleton in Aspergillus nidulans. Cytoskeleton, 2000, 45, 42-50.	4.4	83
132	Methylcitrate synthase from Aspergillus nidulans: implications for propionate as an antifungal agent. Molecular Microbiology, 2000, 35, 961-973.	1.2	81
133	Nuclear migration in fungi – different motors at work. Research in Microbiology, 2000, 151, 247-254.	1.0	26
134	Nuclear movement in filamentous fungi. FEMS Microbiology Reviews, 1999, 23, 39-68.	3.9	74
135	Molecular characterization of HymA, an evolutionarily highly conserved and highly expressed protein of Aspergillus nidulans. Molecular Genetics and Genomics, 1999, 260, 510-521.	2.4	46
136	Isolation of nuclear migration mutants of Aspergillus nidulans using GFP expressing strains. Mycological Research, 1999, 103, 961-966.	2.5	11
137	Integrity of a Zn finger-like domain in SamB is crucial for morphogenesis in ascomycetous fungi. EMBO Journal, 1998, 17, 204-214.	3.5	21
138	Purification and characterization of laccase II of Aspergillus nidulans. Archives of Microbiology, 1998, 170, 78-84.	1.0	65
139	Increased nuclear traffic chaos in hyphae of Aspergillus nidulans: molecular characterization of apsBandin vivo observation of nuclear behaviour. Molecular Microbiology, 1998, 30, 831-842.	1.2	39
140	Nuclear traffic in fungal hyphae: in vivo study of nuclear migration and positioning in Aspergillus nidulans. Molecular Microbiology, 1997, 25, 757-769.	1.2	183
141	hymA (hypha-like metulae), a new developmental mutant of Aspergillus nidulans. Microbiology (United Kingdom), 1997, 141, 107-114.	0.7	30
142	Isolation of Two apsA Suppressor Strains in Aspergillus nidulans. Genetics, 1996, 144, 533-540.	1.2	16
143	Aspergillus nidulans apsA (anucleate primary sterigmata) encodes a coiled-coil protein required for nuclear positioning and completion of asexual development.. Journal of Cell Biology, 1995, 128, 485-498.	2.3	126
144	Purification and properties of N5-methyltetrahydromethanopterin: coenzyme M methyltransferase from Methanobacterium thermoautotrophicum. FEBS Journal, 1993, 213, 537-545.	0.2	79

#	ARTICLE	IF	CITATIONS
145	Reactions and Enzymes Involved in Methanogenesis from CO <sub>2</sub> and H <sub>2</sub> . , 1993, , 209-252.		87
146	N 5-Methyltetrahydromethanopterin: coenzyme M methyltransferase in methanogenic archaeobacteria is a membrane protein. Archives of Microbiology, 1992, 158, 208-217.	1.0	59
147	Methanogenesis from acetate in cell extracts of Methanosarcina barkeri: Isotope exchange between CO <sub>2</sub> and the carbonyl group of acetyl-CoA, and the role of H <sub>2</sub> . Archives of Microbiology, 1990, 153, 156-162.	1.0	40
148	Ferredoxin-dependent methane formation from acetate in cell extracts ofMethanosarcina barkeri(strain MS). FEBS Letters, 1990, 269, 368-372.	1.3	63
149	Methyltetrahydromethanopterin as an intermediate in methanogenesis from acetate in Methanosarcina barkeri. Archives of Microbiology, 1989, 151, 459-465.	1.0	64
150	Methane formation from acetyl phosphate in cell extracts ofMethanosarcina barkeriDependence of the reaction on coenzyme A. FEBS Letters, 1988, 228, 249-253.	1.3	50