

# Jung-Hwan Oh

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5604866/jung-hwan-oh-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

203  
papers

7,417  
citations

48  
h-index

78  
g-index

224  
ext. papers

8,608  
ext. citations

8.4  
avg, IF

6.45  
L-index

#	Paper	IF	Citations
203	Collectively Exhaustive Hybrid Triboelectric Nanogenerator Based on Flow-Induced Impacting-Sliding Cylinder for Ocean Energy Harvesting (Adv. Energy Mater. 3/2022). <i>Advanced Energy Materials</i> , <b>2022</b> , 12, 2270008	21.8	0
202	Elastic Valley Hall Edge Wave in a Hierarchical Hexagonal Lattice. <i>Journal of Sound and Vibration</i> , <b>2022</b> , 526, 116817	3.9	2
201	Fabrication and characterizations of electro-mechanical actuators based on fullerene-reinforced biocompatible polymer. <i>Sensors and Actuators A: Physical</i> , <b>2022</b> , 339, 113510	3.9	3
200	Antagonistically Functionalized Diatom Biosilica for Bio-Triboelectric Generators.. <i>Small</i> , <b>2022</b> , e2107638	1	1
199	Spherical Micro/Nano Hierarchical Structures for Energy and Water Harvesting Devices.. <i>Small Methods</i> , <b>2022</b> , e2200248	12.8	1
198	Cooling-Accelerated Nanowire-Nitinol Hybrid Muscle for Versatile Prosthetic Hand and Biomimetic Retractable Claw (Adv. Funct. Mater. 18/2022). <i>Advanced Functional Materials</i> , <b>2022</b> , 32, 2270104	15.6	
197	Electro-Active and Photo-Active Vanadium Oxide Nanowire Thermo-Hygroscopic Actuators for Kirigami Pop-up. <i>Advanced Science</i> , <b>2021</b> , 8, e2102064	13.6	3
196	Mutually exclusive ytterbium and nitrogen co-doping of mesoporous titania-carbon for self-cleanable and sustainable triboelectric nanogenerators. <i>Nano Energy</i> , <b>2021</b> , 90, 106615	17.1	2
195	Micro-structured porous electrolytes for highly responsive ionic soft actuators. <i>Sensors and Actuators B: Chemical</i> , <b>2021</b> , 352, 131006	8.5	1
194	Diatom Bio-Silica and Cellulose Nanofibril for Bio-Triboelectric Nanogenerators and Self-Powered Breath Monitoring Masks. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 219-232	9.5	20
193	Long-Lasting and Steady Triboelectric Energy Harvesting from Low-Frequency Irregular Motions Using Escapement Mechanism. <i>Advanced Energy Materials</i> , <b>2021</b> , 11, 2002929	21.8	11
192	Stretchable and self-healable catechol-chitosan-diatom hydrogel for triboelectric generator and self-powered tremor sensor targeting at Parkinson disease. <i>Nano Energy</i> , <b>2021</b> , 82, 105705	17.1	34
191	Boosting Oxygen Evolution Reaction on Metallocene-based Transition Metal Sulfides Integrated with N-doped Carbon Nanostructures. <i>ChemSusChem</i> , <b>2021</b> , 14, 5004-5020	8.3	4
190	Ti3C2Tx MXene for wearable energy devices: Supercapacitors and triboelectric nanogenerators. <i>APL Materials</i> , <b>2020</b> , 8, 110701	5.7	15
189	Skin-attachable and biofriendly chitosan-diatom triboelectric nanogenerator. <i>Nano Energy</i> , <b>2020</b> , 75, 104904	17.1	41
188	Stimuli-Responsive MXene-Based Actuators. <i>Advanced Functional Materials</i> , <b>2020</b> , 30, 1909504	15.6	55
187	Ferrocene-Incorporated Cobalt Sulfide Nanoarchitecture for Superior Oxygen Evolution Reaction. <i>Small</i> , <b>2020</b> , 16, e2001665	11	30

186	Nest-inspired nanosponge-Cu woven mesh hybrid for ultrastable and high-power triboelectric nanogenerator. <i>Nano Energy</i> , <b>2020</b> , 71, 104561	17.1	21
185	Auxetic graphene oxide-porous foam for acoustic wave and shock energy dissipation. <i>Composites Part B: Engineering</i> , <b>2020</b> , 186, 107817	10	32
184	Intertwined Nanosponge Solid-State Polymer Electrolyte for Rollable and Foldable Lithium-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 11657-11668	9.5	11
183	Basic design of a biomimetic underwater soft robot with switchable swimming modes and programmable artificial muscles. <i>Smart Materials and Structures</i> , <b>2020</b> , 29, 035038	3.4	9
182	Sonochemical self-growth of functionalized titanium carbide nanorods on Ti3C2 nanosheets for high capacity anode for lithium-ion batteries. <i>Composites Part B: Engineering</i> , <b>2020</b> , 181, 107583	10	23
181	Flow-induced snap-through triboelectric nanogenerator. <i>Nano Energy</i> , <b>2020</b> , 68, 104379	17.1	17
180	Rose-like MoS2 nanostructures with a large interlayer spacing of ~9.9 Å and exfoliated WS2 nanosheets supported on carbon nanotubes for hydrogen evolution reaction. <i>Carbon</i> , <b>2020</b> , 158, 216-225	10.4	23
179	Phenol-Derived Carbon Sealant Inspired by a Coalification Process. <i>Angewandte Chemie</i> , <b>2020</b> , 132, 3892-3898	3.8	4
178	Phenol-Derived Carbon Sealant Inspired by a Coalification Process. <i>Angewandte Chemie - International Edition</i> , <b>2020</b> , 59, 3864-3870	16.4	7
177	Electroionic Artificial Muscles: Metal-Organic Framework-Derived Graphitic Nanoribbons Anchored on Graphene for Electroionic Artificial Muscles (Adv. Funct. Mater. 29/2020). <i>Advanced Functional Materials</i> , <b>2020</b> , 30, 2070195	15.6	2
176	Sulfur- and Nitrogen-Rich Porous Conjugated COFs as Stable Electrode Materials for Electro-Ionic Soft Actuators. <i>Advanced Functional Materials</i> , <b>2020</b> , 30, 2003863	15.6	10
175	CTF-based soft touch actuator for playing electronic piano. <i>Nature Communications</i> , <b>2020</b> , 11, 5358	17.4	23
174	A dual-ion accepting vanadium carbide nanowire cathode integrated with carbon cloths for high cycling stability. <i>Nanoscale</i> , <b>2020</b> , 12, 20868-20874	7.7	4
173	Metal-Organic Framework-Derived Graphitic Nanoribbons Anchored on Graphene for Electroionic Artificial Muscles. <i>Advanced Functional Materials</i> , <b>2020</b> , 30, 1910326	15.6	14
172	Treefrog Toe Pad-Inspired Micropatterning for High-Power Triboelectric Nanogenerator. <i>Advanced Functional Materials</i> , <b>2019</b> , 29, 1901638	15.6	33
171	Anticarcinogenic activity of blue fluorescent hexagonal boron nitride quantum dots: as an effective enhancer for DNA cleavage activity of anticancer drug doxorubicin. <i>Materials Today Bio</i> , <b>2019</b> , 1, 100001	9.9	11
170	Self-aligned and hierarchically porous graphene-polyurethane foams for acoustic wave absorption. <i>Carbon</i> , <b>2019</b> , 147, 510-518	10.4	18
169	A Pair of NiCo2O4 and V2O5 Nanowires Directly Grown on Carbon Fabric for Highly Bendable Lithium-Ion Batteries. <i>Advanced Energy Materials</i> , <b>2019</b> , 9, 1900477	21.8	38

168	MXene artificial muscles based on ionically cross-linked TiCT electrode for kinetic soft robotics. <i>Science Robotics</i> , <b>2019</b> , 4,	18.6	93
167	Crumpled Quaternary Nanoarchitecture of Sulfur-Doped Nickel Cobalt Selenide Directly Grown on Carbon Cloth for Making Stronger Ionic Soft Actuators. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 40451-40460	9.5	10
166	Graphene Mesh for Self-Sensing Ionic Soft Actuator Inspired from Mechanoreceptors in Human Body. <i>Advanced Science</i> , <b>2019</b> , 6, 1901711	13.6	15
165	Mutually Exclusive p-Type and n-Type Hybrid Electrode of MoS <sub>2</sub> and Graphene for Artificial Soft Touch Fingers. <i>Advanced Functional Materials</i> , <b>2019</b> , 29, 1905454	15.6	18
164	Collectively Exhaustive Electrodes Based on Covalent Organic Framework and Antagonistic Co-Doping for Electroactive Ionic Artificial Muscles. <i>Advanced Functional Materials</i> , <b>2019</b> , 29, 1900161	15.6	32
163	Integrated dielectric-electrode layer for triboelectric nanogenerator based on Cu nanowire-Mesh hybrid electrode. <i>Nano Energy</i> , <b>2019</b> , 59, 120-128	17.1	19
162	A robotic multiple-shape-memory ionic polymer-metal composite (IPMC) actuator: modeling approach. <i>Smart Materials and Structures</i> , <b>2019</b> , 28, 015009	3.4	12
161	Electroactive Artificial Muscles Based on Functionally Antagonistic Core-Shell Polymer Electrolyte Derived from PS-PSS Block Copolymer. <i>Advanced Science</i> , <b>2019</b> , 6, 1801196	13.6	17
160	Actuators: Functionally Antagonistic Hybrid Electrode with Hollow Tubular Graphene Mesh and Nitrogen-Doped Crumpled Graphene for High-Performance Ionic Soft Actuators (Adv. Funct. Mater. 5/2018). <i>Advanced Functional Materials</i> , <b>2018</b> , 28, 1870033	15.6	2
159	Highly Bendable Ionic Soft Actuator Based on Nitrogen-Enriched 3D Hetero-Nanostructure Electrode. <i>Advanced Functional Materials</i> , <b>2018</b> , 28, 1802464	15.6	32
158	An Electroactive and Transparent Haptic Interface Utilizing Soft Elastomer Actuators with Silver Nanowire Electrodes. <i>Small</i> , <b>2018</b> , 14, e1801603	11	29
157	Directionally Antagonistic Graphene Oxide-Polyurethane Hybrid Aerogel as a Sound Absorber. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 22650-22660	9.5	48
156	Load-bearing supercapacitor based on bicontinuous PEO-b-P(S-co-DVB) structural electrolyte integrated with conductive nanowire-carbon fiber electrodes. <i>Carbon</i> , <b>2018</b> , 139, 10-20	10.4	20
155	Functionally Antagonistic Hybrid Electrode with Hollow Tubular Graphene Mesh and Nitrogen-Doped Crumpled Graphene for High-Performance Ionic Soft Actuators. <i>Advanced Functional Materials</i> , <b>2018</b> , 28, 1705714	15.6	39
154	Motion Control of Piezoelectric Tripod Platform via Feedforward Hysteresis Compensation. <i>Advanced Materials Technologies</i> , <b>2018</b> , 3, 1800298	6.8	2
153	Piezoelectric Actuators: Motion Control of Piezoelectric Tripod Platform via Feedforward Hysteresis Compensation (Adv. Mater. Technol. 12/2018). <i>Advanced Materials Technologies</i> , <b>2018</b> , 3, 1870049	6.8	
152	Two-Dimensional rGO-MoS Hybrid Additives for High-Performance Magnetorheological Fluid. <i>Scientific Reports</i> , <b>2018</b> , 8, 12672	4.9	10
151	Microwave-Accelerated Rapid, Chemical Oxidant-Free, Material-Independent Surface Chemistry of Poly(dopamine). <i>Small</i> , <b>2017</b> , 13, 1600443	11	62

150	Bacterial Nano-Cellulose Triboelectric Nanogenerator. <i>Nano Energy</i> , <b>2017</b> , 33, 130-137	17.1	142
149	A composite layer of atomic-layer-deposited Al <sub>2</sub> O <sub>3</sub> and graphene for flexible moisture barrier. <i>Carbon</i> , <b>2017</b> , 116, 553-561	10.4	40
148	CNT branching of three-dimensional steam-activated graphene hybrid frameworks for excellent rate and cyclic capabilities to store lithium ions. <i>Carbon</i> , <b>2017</b> , 116, 500-509	10.4	22
147	Nanohole-structured, iron oxide-decorated and gelatin-functionalized graphene for high rate and high capacity Li-Ion anode. <i>Carbon</i> , <b>2017</b> , 119, 355-364	10.4	23
146	Self-assembly and morphological control of three-dimensional macroporous architectures built of two-dimensional materials. <i>Nano Today</i> , <b>2017</b> , 14, 100-123	17.9	56
145	Modified transfer path analysis considering transmissibility functions for accurate estimation of vibration source. <i>Journal of Sound and Vibration</i> , <b>2017</b> , 398, 70-83	3.9	12
144	Theoretical and experimental investigation of the shape memory properties of an ionic polymer-metal composite. <i>Smart Materials and Structures</i> , <b>2017</b> , 26, 045020	3.4	3
143	Electroionic Antagonistic Muscles Based on Nitrogen-Doped Carbons Derived from Poly(Triazine-Triptycene). <i>Advanced Science</i> , <b>2017</b> , 4, 1700410	13.6	25
142	Wrinkled Graphene-AgNWs Hybrid Electrodes for Smart Window. <i>Micromachines</i> , <b>2017</b> , 8, 43	3.3	10
141	Sulfur and nitrogen co-doped holey graphene aerogel for structurally resilient solid-state supercapacitors under high compressions. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 17253-17266	13	55
140	Surface Modification of Anisotropic Dielectric Elastomer Actuators with Uni- and Bi-axially Wrinkled Carbon Electrodes for Wettability Control. <i>Scientific Reports</i> , <b>2017</b> , 7, 6091	4.9	15
139	Soft but Powerful Artificial Muscles Based on 3D Graphene-CNT-Ni Heteronanostructures. <i>Small</i> , <b>2017</b> , 13, 1701314	11	40
138	Multilayered graphene-carbon nanotube-iron oxide three-dimensional heterostructure for flexible electromagnetic interference shielding film. <i>Carbon</i> , <b>2017</b> , 111, 248-257	10.4	157
137	Seamlessly Conductive 3D Nanoarchitecture of Core-Shell Ni-Co Nanowire Network for Highly Efficient Oxygen Evolution. <i>Advanced Energy Materials</i> , <b>2017</b> , 7, 1601492	21.8	184
136	Artificial Muscles: Electroionic Antagonistic Muscles Based on Nitrogen-Doped Carbons Derived from Poly(Triazine-Triptycene) (Adv. Sci. 12/2017). <i>Advanced Science</i> , <b>2017</b> , 4, 1770062	13.6	2
135	IPMCs as EAPs: <i>Materials</i> <b>2016</b> , 151-170		
134	Defect engineering route to boron nitride quantum dots and edge-hydroxylated functionalization for bio-imaging. <i>RSC Advances</i> , <b>2016</b> , 6, 73939-73946	3.7	25
133	IPMCs as EAPs: <i>Materials</i> <b>2016</b> , 1-20		

132	Compact piezoelectric tripod manipulator based on a reverse bridge-type amplification mechanism. <i>Smart Materials and Structures</i> , <b>2016</b> , 25, 095028	3.4	10
131	Reply to "Comment on Nanohole-Structured and Palladium-Embedded 3D Porous Graphene for Ultrahigh Hydrogen Storage and CO Oxidation Multifunctionalities". <i>ACS Nano</i> , <b>2016</b> , 10, 9057-9060	16.7	
130	Graphene-coated meshes for electroactive flow control devices utilizing two antagonistic functions of repellency and permeability. <i>Nature Communications</i> , <b>2016</b> , 7, 13345	17.4	23
129	A multiple-shape memory polymer-metal composite actuator capable of programmable control, creating complex 3D motion of bending, twisting, and oscillation. <i>Scientific Reports</i> , <b>2016</b> , 6, 24462	4.9	67
128	Sulfur and Nitrogen Co-Doped Graphene Electrodes for High-Performance Ionic Artificial Muscles. <i>Advanced Materials</i> , <b>2016</b> , 28, 1610-5	24	139
127	Bendable and flexible supercapacitor based on polypyrrole-coated bacterial cellulose core-shell composite network. <i>Composites Science and Technology</i> , <b>2016</b> , 128, 33-40	8.6	71
126	A soft biomolecule actuator based on a highly functionalized bacterial cellulose nano-fiber network with carboxylic acid groups. <i>Soft Matter</i> , <b>2016</b> , 12, 246-54	3.6	50
125	Hybrid Carbon Nanomaterials for Electromagnetic Interference Shielding. <i>Composites Research</i> , <b>2016</b> , 29, 138-144		1
124	Film Properties of Al Thin Films Depending on Process Parameters and Film Thickness Grown by Sputter. <i>Korean Journal of Materials Research</i> , <b>2016</b> , 26, 438-443	0.2	1
123	Recent Progress in Multifunctional Graphene Aerogels. <i>Frontiers in Materials</i> , <b>2016</b> , 3,	4	19
122	Silk Nanofiber-Networked Bio-Triboelectric Generator: Silk Bio-TEG. <i>Advanced Energy Materials</i> , <b>2016</b> , 6, 1502329	21.8	138
121	An Electroactive, Tunable, and Frequency Selective Surface Utilizing Highly Stretchable Dielectric Elastomer Actuators Based on Functionally Antagonistic Aperture Control. <i>Small</i> , <b>2016</b> , 12, 1840-6	11	18
120	Piezoelectric thin films: an integrated review of transducers and energy harvesting. <i>Smart Materials and Structures</i> , <b>2016</b> , 25, 053002	3.4	112
119	Defect-engineered mesoporous ternary nanoarchitecture of zinc-cobalt-oxide/nitrogen-doped graphene as anode material in lithium ion batteries. <i>Carbon</i> , <b>2015</b> , 94, 455-463	10.4	32
118	High-Fidelity Bioelectronic Muscular Actuator Based on Graphene-Mediated and TEMPO-Oxidized Bacterial Cellulose. <i>Advanced Functional Materials</i> , <b>2015</b> , 25, 3560-3570	15.6	85
117	Microwave-Assisted Synthesis of Boron and Nitrogen co-doped Reduced Graphene Oxide for the Protection of Electromagnetic Radiation in Ku-Band. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2015</b> , 7, 19831-42	9.5	121
116	Low voltage actuator using ionic polymer metal nanocomposites based on a miscible polymer blend. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 19718-19727	13	15
115	Tunable acoustic waveguide based on vibro-acoustic metamaterials with shunted piezoelectric unit cells. <i>Smart Materials and Structures</i> , <b>2015</b> , 24, 105018	3.4	8

114	Omnidirectional two-dimensional acoustic cloak by axisymmetric cylindrical lattices. <i>Wave Motion</i> , <b>2015</b> , 54, 157-169	1.8	3
113	Accurate Dynamic Modeling of Helical Ionic Polymer-Metal Composite Actuator Based on Intrinsic Equations. <i>IEEE/ASME Transactions on Mechatronics</i> , <b>2015</b> , 20, 1680-1688	5.5	3
112	Microwave bottom-up route for size-tunable and switchable photoluminescent graphene quantum dots using acetylacetone: New platform for enzyme-free detection of hydrogen peroxide. <i>Carbon</i> , <b>2015</b> , 81, 514-524	10.4	74
111	Nanohole-Structured and Palladium-Embedded 3D Porous Graphene for Ultrahigh Hydrogen Storage and CO Oxidation Multifunctionalities. <i>ACS Nano</i> , <b>2015</b> , 9, 7343-51	16.7	99
110	Design of a Fuel-Cell-Powered Catamaran-Type Unmanned Surface Vehicle. <i>IEEE Journal of Oceanic Engineering</i> , <b>2015</b> , 40, 388-396	3.3	22
109	Wetting-transparent graphene films for hydrophobic water-harvesting surfaces. <i>Advanced Materials</i> , <b>2014</b> , 26, 5166-72	24	81
108	Durable and water-floatable ionic polymer actuator with hydrophobic and asymmetrically laser-scribed reduced graphene oxide paper electrodes. <i>ACS Nano</i> , <b>2014</b> , 8, 2986-97	16.7	168
107	Highly conductive, capacitive, flexible and soft electrodes based on a 3D graphene-nanotube-palladium hybrid and conducting polymer. <i>Small</i> , <b>2014</b> , 10, 5023-9	11	11
106	Ionic liquid template assisted synthesis of porous nano-silica nails. <i>RSC Advances</i> , <b>2014</b> , 4, 39978-39983	3.7	9
105	Graphene Films: Wetting-Transparent Graphene Films for Hydrophobic Water-Harvesting Surfaces (Adv. Mater. 30/2014). <i>Advanced Materials</i> , <b>2014</b> , 26, 5070-5070	24	2
104	3D networked graphene-ferromagnetic hybrids for fast shape memory polymers with enhanced mechanical stiffness and thermal conductivity. <i>Small</i> , <b>2014</b> , 10, 3880-6	11	65
103	Graphene-wrapped and cobalt oxide-intercalated hybrid for extremely durable super-capacitor with ultrahigh energy and power densities. <i>Carbon</i> , <b>2014</b> , 79, 192-202	10.4	140
102	A revisit to imperfect acoustic cloak of multi-layered shell structures considering sound speed and impedance matching. <i>Journal of Sound and Vibration</i> , <b>2014</b> , 333, 4637-4652	3.9	4
101	BIOINSPIRED ARTIFICIAL MUSCLES AND ROBOTS. <i>World Scientific Series in Nanoscience and Nanotechnology</i> , <b>2014</b> , 443-474	0.1	
100	Bio-Inspired dielectric elastomer actuator with AgNWs coated on carbon black electrode. <i>Journal of Nanoscience and Nanotechnology</i> , <b>2014</b> , 14, 7483-7	1.3	6
99	Nano for Biomimetics and Biomaterials. <i>Journal of Nanomaterials</i> , <b>2014</b> , 2014, 1-1	3.2	
98	Novel electroactive PVA-TOCN actuator that is extremely sensitive to low electrical inputs. <i>Smart Materials and Structures</i> , <b>2014</b> , 23, 074006	3.4	16
97	Bio-Inspired All-Organic Soft Actuator Based on a Stacked 3D Ionic Network Membrane and Ultra-Fast Solution Processing. <i>Advanced Functional Materials</i> , <b>2014</b> , 24, 6005-6015	15.6	63



96	Linear-to-rotary motion converter using asymmetric compliant mechanics and single-crystal PMN-PT stack actuator. <i>Journal of Intelligent Material Systems and Structures</i> , <b>2014</b> , 25, 2221-2227	2.3	6
95	Far-infrared reduced graphene oxide as high performance electrodes for supercapacitors. <i>Carbon</i> , <b>2014</b> , 75, 201-208	10.4	30
94	Arsenic removal from contaminated water using three-dimensional graphene-carbon nanotube-iron oxide nanostructures. <i>Environmental Science &amp; Technology</i> , <b>2013</b> , 47, 10510-7	10.3	65
93	Microwave self-assembly of 3D graphene-carbon nanotube-nickel nanostructure for high capacity anode material in lithium ion battery. <i>Carbon</i> , <b>2013</b> , 64, 527-536	10.4	79
92	Synthesis and electrochemical performance characterization of Ce-doped $\text{Li}_3\text{V}_2(\text{PO}_4)_3/\text{C}$ as cathode materials for lithium-ion batteries. <i>Journal of Power Sources</i> , <b>2013</b> , 243, 33-39	8.9	71
91	Electroactive bio-composite actuators based on cellulose acetate nanofibers with specially chopped polyaniline nanoparticles through electrospinning. <i>Composites Science and Technology</i> , <b>2013</b> , 87, 135-141	8.6	40
90	Active Disturbance Rejection Control for Precise Position Tracking of Ionic Polymer/Metal Composite Actuators. <i>IEEE/ASME Transactions on Mechatronics</i> , <b>2013</b> , 18, 86-95	5.5	47
89	Graphene-nanotube-iron hierarchical nanostructure as lithium ion battery anode. <i>ACS Nano</i> , <b>2013</b> , 7, 4242-51	16.7	173
88	An ionic liquid-assisted method for splitting carbon nanotubes to produce graphene nano-ribbons by microwave radiation. <i>Carbon</i> , <b>2013</b> , 53, 391-398	10.4	40
87	Recent advances in ionic polymer/metal composite actuators and their modeling and applications. <i>Progress in Polymer Science</i> , <b>2013</b> , 38, 1037-1066	29.6	270
86	Dry-Type Artificial Muscles Based on Pendant Sulfonated Chitosan and Functionalized Graphene Oxide for Greatly Enhanced Ionic Interactions and Mechanical Stiffness. <i>Advanced Functional Materials</i> , <b>2013</b> , 23, 6007-6018	15.6	87
85	Electro-active hybrid actuators based on freeze-dried bacterial cellulose and PEDOT:PSS. <i>Smart Materials and Structures</i> , <b>2013</b> , 22, 085026	3.4	44
84	Pressure-dependent synthesis of high-quality few-layer graphene by plasma-enhanced arc discharge and their thermal stability. <i>Journal of Nanoparticle Research</i> , <b>2013</b> , 15, 1	2.3	45
83	How does clamping pressure influence actuation performance of soft ionic polymer/metal composites?. <i>Smart Materials and Structures</i> , <b>2013</b> , 22, 025014	3.4	13
82	Plasma Surface Modification of Graphene and Combination with Bacteria Cellulose. <i>Korean Chemical Engineering Research</i> , <b>2013</b> , 51, 388-393		2
81	Defect-engineered three-dimensional graphene-nanotube-palladium nanostructures with ultrahigh capacitance. <i>ACS Nano</i> , <b>2012</b> , 6, 10562-70	16.7	124
80	Electromagnetic Synchronized Switch Damping for Vibration Control of Flexible Beams. <i>IEEE/ASME Transactions on Mechatronics</i> , <b>2012</b> , 17, 1031-1038	5.5	19
79	Effect of viscosity-inducing factors on oxygen transfer in production culture of bacterial cellulose. <i>Korean Journal of Chemical Engineering</i> , <b>2012</b> , 29, 792-797	2.8	13



78	Nonlinear dynamics of curved IPMC actuators undergoing electrically driven large deformations. <i>International Journal of Smart and Nano Materials</i> , <b>2012</b> , 3, 214-225	3.6	2
77	Highly conducting multilayer films from graphene nanosheets by a spin self-assembly method. <i>Journal of Materials Chemistry</i> , <b>2011</b> , 21, 5378		22
76	A helical ionic polymer-metal composite actuator for radius control of biomedical active stents. <i>Smart Materials and Structures</i> , <b>2011</b> , 20, 035008	3.4	28
75	Graphene oxide-polyethylenimine nanoconstruct as a gene delivery vector and bioimaging tool. <i>Bioconjugate Chemistry</i> , <b>2011</b> , 22, 2558-67	6.3	325
74	Fullerenol-based electroactive artificial muscles utilizing biocompatible polyetherimide. <i>ACS Nano</i> , <b>2011</b> , 5, 2248-56	16.7	75
73	Electrospun fullerenol-cellulose biocompatible actuators. <i>Biomacromolecules</i> , <b>2011</b> , 12, 2048-54	6.9	45
72	Durability studies shed light on the design of novel self-healing artificial muscles by employing ionic network polymers. <i>Journal of Controlled Release</i> , <b>2011</b> , 152 Suppl 1, e229-30	11.7	4
71	Determination of the stoichiometry and critical oxygen tension in the production culture of bacterial cellulose using saccharified food wastes. <i>Korean Journal of Chemical Engineering</i> , <b>2011</b> , 28, 2306-2311 <sup>25</sup>	2.8	25
70	Actuation of Electro-Active Artificial Muscle at Ultralow Frequency. <i>Macromolecular Chemistry and Physics</i> , <b>2011</b> , 212, 635-642	2.6	9
69	Well-aligned nano-fibrous membranes based on three-pole electrospinning with channel electrode. <i>Macromolecular Rapid Communications</i> , <b>2011</b> , 32, 921-6	4.8	15
68	Electro-active Polymer Actuator Based on Sulfonated Polyimide with Highly Conductive Silver Electrodes Via Self-metallization. <i>Macromolecular Rapid Communications</i> , <b>2011</b> , 32, 1583-7	4.8	20
67	Microwave extraction of graphene from carbon fibers. <i>Carbon</i> , <b>2011</b> , 49, 222-226	10.4	30
66	Microwave syntheses of graphene and graphene decorated with metal nanoparticles. <i>Carbon</i> , <b>2011</b> , 49, 4449-4457	10.4	54
65	Electro-active graphene-Nafion actuators. <i>Carbon</i> , <b>2011</b> , 49, 1279-1289	10.4	162
64	Electro-chemo-mechanical characteristics of fullerene-reinforced ionic polymer-metal composite transducers. <i>Smart Materials and Structures</i> , <b>2010</b> , 19, 075009	3.4	23
63	Sulfonated poly(styrene-b-ethylene-co-butylene-b-styrene) and fullerene composites for ionic polymer actuators. <i>Journal of Nanoscience and Nanotechnology</i> , <b>2010</b> , 10, 3203-6	1.3	6
62	Snap-through dynamics of buckled IPMC actuator. <i>Sensors and Actuators A: Physical</i> , <b>2010</b> , 158, 300-305	3.9	24
61	A coagulation technique for purification of graphene sheets with graphene-reinforced PVA hydrogel as byproduct. <i>Journal of Colloid and Interface Science</i> , <b>2010</b> , 348, 384-7	9.3	39

60	Electro-active artificial muscle based on irradiation-crosslinked sulfonated poly(styrene-ran-ethylene). <i>Sensors and Actuators B: Chemical</i> , <b>2010</b> , 145, 635-642	8.5	29
59	Bacterial cellulose actuator with electrically driven bending deformation in hydrated condition. <i>Sensors and Actuators B: Chemical</i> , <b>2010</b> , 146, 307-313	8.5	69
58	Electroactive artificial muscle based on crosslinked PVA/SPTES. <i>Sensors and Actuators B: Chemical</i> , <b>2010</b> , 150, 57-64	8.5	35
57	Electric-stimuli-responsive bending actuator based on sulfonated polyetherimide. <i>Sensors and Actuators B: Chemical</i> , <b>2010</b> , 151, 198-204	8.5	59
56	Electro-active nano-composite actuator based on fullerene-reinforced Nafion. <i>Composites Science and Technology</i> , <b>2010</b> , 70, 584-592	8.6	73
55	Synthesis of graphene nano-sheets using eco-friendly chemicals and microwave radiation. <i>Carbon</i> , <b>2010</b> , 48, 2953-2957	10.4	87
54	Palladium-catalyzed Mizoroki-Heck coupling reactions using sterically bulky phosphite ligand. <i>Inorganic Chemistry Communication</i> , <b>2010</b> , 13, 1329-1331	3.1	13
53	Electro-active polymer actuators employing sulfonated poly(styrene-ran-ethylene) as ionic membranes. <i>Polymer International</i> , <b>2010</b> , 59, 305-312	3.3	34
52	Ligand-Free Palladium Catalytic System Supported by CNT and its Application to the Mizoroki Heck Reactions. <i>Bulletin of the Korean Chemical Society</i> , <b>2010</b> , 31, 1735-1738	1.2	8
51	Ligand-free Palladium-Catalyzed Mizoroki-Heck-type Reaction of Arylboronic Acids and Alkenes Using Silver Cation. <i>Bulletin of the Korean Chemical Society</i> , <b>2010</b> , 31, 1789-1792	1.2	4
50	Coil-based Electromagnetic Damper and Actuator for Vibration Suppression of Cantilever Beams. <i>Journal of Intelligent Material Systems and Structures</i> , <b>2009</b> , 20, 2237-2247	2.3	8
49	Suzuki-Miyaura Coupling Reactions Using Phosphite Ligands. <i>Synthesis</i> , <b>2009</b> , 2009, 2073-2075	2.9	2
48	Adaptive neuro-fuzzy control of ionic polymer metal composite actuators. <i>Smart Materials and Structures</i> , <b>2009</b> , 18, 065016	3.4	30
47	A current-flowing electromagnetic shunt damper for multi-mode vibration control of cantilever beams. <i>Smart Materials and Structures</i> , <b>2009</b> , 18, 095036	3.4	35
46	Growth of Spatial Dendrites in Bisphenol-A Polycarbonate Induced by Dioctyl Phthalate at High Pressure. <i>Molecular Crystals and Liquid Crystals</i> , <b>2009</b> , 511, 327/[1797]-336/[1806]	0.5	3
45	Ultrasonic Active Fiber Sensor based on Pulse-echo Method. <i>Journal of Intelligent Material Systems and Structures</i> , <b>2009</b> , 20, 1035-1043	2.3	3
44	Vibration Suppression of Flexible Beam Using Electromagnetic Shunt Damper. <i>IEEE Transactions on Magnetics</i> , <b>2009</b> , 45, 2758-2761	2	32
43	Selective growth of platinum electrodes for MDOF IPMC actuators. <i>Thin Solid Films</i> , <b>2009</b> , 517, 5288-5292	2.2	33

42	Novel biomimetic actuator based on SPEEK and PVDF. <i>Sensors and Actuators B: Chemical</i> , <b>2009</b> , 143, 357-364	8.6	80
41	Thermal post-buckled behaviors of cylindrical composite shells with viscoelastic damping treatments. <i>Journal of Sound and Vibration</i> , <b>2009</b> , 323, 93-111	3.9	7
40	Nonlinear flutter of aerothermally buckled composite shells with damping treatments. <i>Journal of Sound and Vibration</i> , <b>2009</b> , 324, 556-569	3.9	27
39	Enhanced electromechanical performance of carbon nano-fiber reinforced sulfonated poly(styrene-b-[ethylene/butylene]-b-styrene) actuator. <i>Composites Science and Technology</i> , <b>2009</b> , 69, 2098-2101	8.6	39
38	Vibration characteristics and supersonic flutter of cylindrical composite panels with large thermoelastic deflections. <i>Composite Structures</i> , <b>2009</b> , 90, 208-216	5.3	19
37	A biomimetic jellyfish robot based on ionic polymer metal composite actuators. <i>Smart Materials and Structures</i> , <b>2009</b> , 18, 085002	3.4	201
36	Synthesis of Phosphinodiselenoic Acid Ester Derivatives and their Application in the Controlled Radical Polymerization of Styrene. <i>Bulletin of the Korean Chemical Society</i> , <b>2009</b> , 30, 2129-2131	1.2	13
35	Fabrication and actuation of ionic polymer metal composites patterned by combining electroplating with electroless plating. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2008</b> , 39, 588-596	8.4	69
34	Electron microscopy of high pressure crystallised poly (p-phenylene sulfide). <i>Plastics, Rubber and Composites</i> , <b>2008</b> , 37, 263-267	1.5	2
33	Fabrication and actuation of electro-active polymer actuator based on PSMI-incorporated PVDF. <i>Smart Materials and Structures</i> , <b>2008</b> , 17, 045002	3.4	30
32	Fiber Sensor Based on Piezoelectric Ultrasonic Wave. <i>Journal of Intelligent Material Systems and Structures</i> , <b>2008</b> , 19, 299-304	2.3	4
31	Damping Characteristics of Cylindrical Laminates with Viscoelastic Layer Considering Temperature- and Frequency-Dependence. <i>Journal of Thermal Stresses</i> , <b>2008</b> , 32, 1-20	2.2	7
30	A Biomimetic Actuator Based on an Ionic Networking Membrane of Poly(styrene-alt-maleimide)-Incorporated Poly(vinylidene fluoride). <i>Advanced Functional Materials</i> , <b>2008</b> , 18, 1290-1298	15.6	114
29	Biomimetic Nano-composite Actuators Based on Carbon Nanotubes and Ionic Polymers. <i>Journal of Intelligent Material Systems and Structures</i> , <b>2008</b> , 19, 305-311	2.3	9
28	Melt Crystallization and Morphology of Poly(p-phenylene sulfide) under High Pressure. <i>Macromolecular Chemistry and Physics</i> , <b>2007</b> , 208, 405-414	2.6	17
27	Dynamic characteristics of cylindrical hybrid panels containing viscoelastic layer based on layerwise mechanics. <i>Composites Part B: Engineering</i> , <b>2007</b> , 38, 159-171	10	33
26	Resonant frequency and instability of multi-layered micro-resonators with initial imperfection subject to piezoelectric loads. <i>Microelectronic Engineering</i> , <b>2007</b> , 84, 1388-1392	2.5	7
25	Micro/nano-heater integrated cantilevers for micro/nano-lithography applications. <i>Microelectronic Engineering</i> , <b>2007</b> , 84, 1041-1044	2.5	10

24	Morphology investigation on high-pressure crystallized bisphenol-A polycarbonate/dioctyl phthalate blends. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>2007</b> , 45, 2715-2728	2.6	11
23	Biomimetic electro-active polymer based on sulfonated poly (styrene-b-ethylene-co-butylene-b-styrene). <i>Materials Letters</i> , <b>2007</b> , 61, 5117-5120	3.3	66
22	Novel Nanocomposite Actuator Based on Sulfonated Poly(styrene-b-ethylene-co-butylene-b-styrene) Polymer. <i>Journal of Nanoscience and Nanotechnology</i> , <b>2007</b> , 7, 3740-3743	1.3	24
21	Novel nanocomposite actuator based on sulfonated poly(styrene-b-ethylene-co-butylene-b-styrene) polymer. <i>Journal of Nanoscience and Nanotechnology</i> , <b>2007</b> , 7, 3740-3	1.3	1
20	Piezoelectric suppression of thermoelastic snap-through in active piezolaminated curved shells. <i>Smart Materials and Structures</i> , <b>2006</b> , 15, 1616-1626	3.4	8
19	Dynamic Characteristics of Novel Ionic-Polymer-Metal-Composites. <i>Key Engineering Materials</i> , <b>2006</b> , 321-323, 208-211	0.4	3
18	Supersonic flutter suppression of piezolaminated cylindrical panels based on multifold layerwise theory. <i>Journal of Sound and Vibration</i> , <b>2006</b> , 291, 1186-1201	3.9	30
17	Aeroelastic characteristics of cylindrical hybrid composite panels with viscoelastic damping treatments. <i>Journal of Sound and Vibration</i> , <b>2006</b> , 296, 99-116	3.9	48
16	Thermopiezoelectric nonlinear dynamics of active piezolaminated plates. <i>Smart Materials and Structures</i> , <b>2005</b> , 14, 823-834	3.4	20
15	Thermal post-buckling analysis of shape memory alloy hybrid composite shell panels. <i>Smart Materials and Structures</i> , <b>2004</b> , 13, 1337-1344	3.4	52
14	AEROTHERMOELASTIC PHENOMENA OF AEROSPACE AND COMPOSITE STRUCTURES. <i>Journal of Thermal Stresses</i> , <b>2003</b> , 26, 525-546	2.2	22
13	Non-linear static and dynamic instability of complete spherical shells using mixed finite element formulation. <i>International Journal of Non-Linear Mechanics</i> , <b>2003</b> , 38, 923-934	2.8	14
12	Thermal post-buckling behavior of patched laminated panels under uniform and non-uniform temperature distributions. <i>Composite Structures</i> , <b>2002</b> , 55, 137-145	5.3	11
11	Dynamic Characteristics of Cylindrical Composite Panels with Co-cured and Constrained Viscoelastic Layers.. <i>JSME International Journal Series C-Mechanical Systems Machine Elements and Manufacturing</i> , <b>2002</b> , 45, 16-25		9
10	Thermal snapping and vibration characteristics of cylindrical composite panels using layerwise theory. <i>Composite Structures</i> , <b>2001</b> , 51, 49-61	5.3	48
9	NON-LINEAR TRANSIENT RESPONSE OF FLUTTERING STIFFENED COMPOSITE PLATES SUBJECT TO THERMAL LOAD. <i>Journal of Sound and Vibration</i> , <b>2001</b> , 245, 715-736	3.9	16
8	Thermopiezoelectric Snapping of Piezolaminated Plates Using Layerwise Nonlinear Finite Elements. <i>AIAA Journal</i> , <b>2001</b> , 39, 1188-1197	2.1	56
7	POSTBUCKLING AND VIBRATION CHARACTERISTICS OF PIEZOLAMINATED COMPOSITE PLATE SUBJECT TO THERMO-PIEZOELECTRIC LOADS. <i>Journal of Sound and Vibration</i> , <b>2000</b> , 233, 19-40	3.9	118

6	Supersonic Flutter Analysis of Stiffened Laminated Plates Subject to Thermal Load. <i>Journal of Sound and Vibration</i> , <b>1999</b> , 224, 49-67	3.9	39
5	Collectively Exhaustive Hybrid Triboelectric Nanogenerator Based on Flow-Induced Impacting-Sliding Cylinder for Ocean Energy Harvesting. <i>Advanced Energy Materials</i> ,2103076	21.8	6
4	Collectively Exhaustive MXene and Graphene Oxide Multilayer for Suppressing Shuttling Effect in Flexible Lithium Sulfur Battery. <i>Advanced Materials Technologies</i> ,2101025	6.8	2
3	Electronically Conjugated Multifunctional Covalent Triazine Framework for Unprecedented CO <sub>2</sub> Selectivity and High-Power Flexible Supercapacitor. <i>Advanced Functional Materials</i> ,2107442	15.6	3
2	Cooling-Accelerated Nanowire-Nitinol Hybrid Muscle for Versatile Prosthetic Hand and Biomimetic Retractable Claw. <i>Advanced Functional Materials</i> ,2111145	15.6	1
1	Design of multi-auxetic microstructures for sound absorbing applications. <i>Advanced Composite Materials</i> ,1-12	2.8	0