

João C Waerenborgh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/560643/publications.pdf>

Version: 2024-02-01

221
papers

4,713
citations

100601

38
h-index

175968

55
g-index

228
all docs

228
docs citations

228
times ranked

6035
citing authors

#	ARTICLE	IF	CITATIONS
1	The Mössbauer effect using ⁵⁷ Fe-ferrabisdicarbollide ([<i>o</i> - ⁵⁷ FESAN] ⁺): a glance into the potential of a low-dose approach for glioblastoma radiotherapy. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 1490-1503.	3.0	8
2	Exploiting the Redox Activity of MIL-100(Fe) Carrier Enables Prolonged Carvacrol Antimicrobial Activity. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 10758-10768.	4.0	11
3	Correlation between Supramolecular Connectivity and Magnetic Behaviour of [FeIII(5-X-qsal)2] ⁺ -Based Salts Prone to Exhibit SCO Transition. <i>Magnetochemistry</i> , 2022, 8, 1.	1.0	5
4	The Conformation of the N-Terminal Tails of <i>Deinococcus grandis</i> Dps Is Modulated by the Ionic Strength. <i>International Journal of Molecular Sciences</i> , 2022, 23, 4871.	1.8	5
5	3D-printed platform multi-loaded with bioactive, magnetic nanoparticles and an antibiotic for re-growing bone tissue. <i>International Journal of Pharmaceutics</i> , 2021, 593, 120097.	2.6	19
6	Temperature dependence of desolvation effects in hydrogen-bonded spin crossover complexes. <i>Dalton Transactions</i> , 2021, 50, 2536-2544.	1.6	3
7	On the Dissolution of Metals in Ionic Liquids 1. Iron, Cobalt, Nickel, Copper, and Zinc. <i>Sustainable Chemistry</i> , 2021, 2, 63-73.	2.2	3
8	Structural features and stability of apo- and holo-forms of a simple iron-sulfur protein. <i>European Biophysics Journal</i> , 2021, 50, 561-570.	1.2	4
9	Ionic transport in (La,Sr)CoO _{3-δ} ceramics. <i>Journal of Solid State Electrochemistry</i> , 2021, 25, 2777.	1.2	0
10	Heterometallic Titanium-Organic Frameworks as Dual-Metal Catalysts for Synergistic Non-buffered Hydrolysis of Nerve Agent Simulants. <i>CheM</i> , 2020, 6, 3118-3131.	5.8	37
11	Biomimetic Amorphous Titania Nanoparticles as Ultrasound Responding Agents to Improve Cavitation and ROS Production for Sonodynamic Therapy. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 8479.	1.3	14
12	Encapsulation of active molecules in pharmaceutical sector: the role of ceramic nanocarriers. , 2020, , 53-83.		0
13	[Co/Fe(\pm -Alkyl-tpdt) ₂] ^x : Alkyl-Substituted Cobalt and Iron Bis-dithiolenethiophenic Complexes. <i>Inorganic Chemistry</i> , 2020, 59, 9261-9269.	1.9	0
14	Fundamental Insights into the Covalent Silane Functionalization of NiFe Layered Double Hydroxides. <i>Chemistry - A European Journal</i> , 2020, 26, 6504-6517.	1.7	12
15	SPIOs Prepared in Air through Improved Synthesis Methodology: The Influence of δ -Fe ₂ O ₃ /Fe ₃ O ₄ Ratio and Coating Composition on Magnetic Properties. <i>Nanomaterials</i> , 2019, 9, 943.	1.9	11
16	Incommensurate crystal structure, thermal expansion study and magnetic properties of (dimethylimidazolium) ₂ [Fe ₂ Cl ₆ ($\frac{1}{4}$ -O)]. <i>JPhys Materials</i> , 2019, 3, 015002.	1.8	0
17	Geochemistry and Fe speciation in active volcanic environments – the case of Fogo Island, Cape Verde. <i>E3S Web of Conferences</i> , 2019, 98, 06009.	0.2	0
18	Hydroboration of terminal olefins with pinacolborane catalyzed by new 2-iminopyrrolyl iron(<i>ii</i>) complexes. <i>Catalysis Science and Technology</i> , 2019, 9, 3347-3360.	2.1	12

#	ARTICLE	IF	CITATIONS
19	Role of Structure and Composition on the Performances of P-Type Tin Oxide Thin-Film Transistors Processed at Low-Temperatures. <i>Nanomaterials</i> , 2019, 9, 320.	1.9	28
20	Naturally occurring radioactive material and risk assessment of tailings of polymetallic and Ra/U mines from legacy sites. <i>Chemosphere</i> , 2019, 223, 171-179.	4.2	10
21	Time degradation of electronic and ionic transport in perovskite-like $\text{La}_{0.5}\text{Ca}_{0.5}\text{FeO}_3$. <i>Materials Letters</i> , 2019, 239, 167-171.	1.3	2
22	Variable Dimensionality, Valence, and Magnetism in Fluoride-Rich Iron Phosphates $\text{Ba}_x\text{Fe}_y(\text{PO}_4)_z$ ($1 \leq x \leq 3$, $2 \leq y \leq 10$, $0 \leq z \leq 10$)	1.2	10
23	Magnetic and structural correlations in $[\text{Fe}(\text{trien})_2]$ salts: the role of cation-anion interactions in the spin crossover phenomenon. <i>CrystEngComm</i> , 2018, 20, 2465-2475.	1.3	6
24	A highly stable and hierarchical tetrathiafulvalene-based metal-organic framework with improved performance as a solid catalyst. <i>Chemical Science</i> , 2018, 9, 2413-2418.	3.7	50
25	Prussian Blue@ MoS_2 Layer Composites as Highly Efficient Cathodes for Sodium and Potassium Ion Batteries. <i>Advanced Functional Materials</i> , 2018, 28, 1706125.	7.8	88
26	Selective Carbon Dioxide Hydrogenation Driven by Ferromagnetic RuFe Nanoparticles in Ionic Liquids. <i>ACS Catalysis</i> , 2018, 8, 1621-1627.	5.5	77
27	Defect formation, ordering, and transport in $\text{SrFe}_{1-x}\text{Si}_x\text{O}_3$ ($x=0.05-0.20$). <i>Journal of Solid State Electrochemistry</i> , 2018, 22, 727-737.	1.2	15
28	Conducting Anilate-Based Mixed-Valence Fe(II)Fe(III) Coordination Polymer: Small-Polaron Hopping Model for Oxalate-Type Fe(II)Fe(III) 2D Networks. <i>Journal of the American Chemical Society</i> , 2018, 140, 12611-12621.	6.6	58
29	Transport and Electrochemical Properties of $\text{SrFe}(\text{Al},\text{Mo})\text{O}_3$. <i>Russian Journal of Electrochemistry</i> , 2018, 54, 514-526.	0.3	3
30	Chemistry of volcanic soils used for agriculture in Brava Island (Cape Verde) envisaging a sustainable management. <i>Journal of African Earth Sciences</i> , 2018, 147, 28-42.	0.9	5
31	Isorecticular two-dimensional magnetic coordination polymers prepared through pre-synthetic ligand functionalization. <i>Nature Chemistry</i> , 2018, 10, 1001-1007.	6.6	94
32	Iron(II) complexes of tris(2-pyridylmethyl)amine (TPMA) and neutral bidentate ligands showing thermal- and photo-induced spin crossover. <i>Dalton Transactions</i> , 2018, 47, 9156-9163.	1.6	8
33	Synthesis, characterization and magnetism of homoleptic bis(5-aryl-2-iminopyrrolyl) complexes of iron(II) and cobalt(II). <i>Polyhedron</i> , 2018, 152, 179-187.	1.0	18
34	Structural and redox effects in iron-doped magnesium aluminosilicates. <i>Journal of Crystal Growth</i> , 2017, 457, 19-23.	0.7	3
35	Grain-boundary states in solid oxide electrolyte ceramics processed using iron oxide sintering aids: a Mössbauer spectroscopy study. <i>Journal of Solid State Electrochemistry</i> , 2017, 21, 2965-2974.	1.2	12
36	Volcanic Conduits of the Chã das Caldeiras Caldera (Fogo Island, Cape Verde) - REE and Fe Crystalchemistry. <i>Procedia Earth and Planetary Science</i> , 2017, 17, 928-931.	0.6	3

#	ARTICLE	IF	CITATIONS
37	Spontaneous Magnetization in Heterometallic NiFe-MOF-74 Microporous Magnets by Controlled Iron Doping. <i>Chemistry of Materials</i> , 2017, 29, 6181-6185.	3.2	28
38	Light-induced decarboxylation in a photo-responsive iron-containing complex based on polyoxometalate and oxalato ligands. <i>Chemical Science</i> , 2017, 8, 305-315.	3.7	29
39	Synthesis, structure and physical properties of a low dimensional compound. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2017, 172, 9-13.	2.0	1
40	Extrusive carbonatite outcrops – A source of chemical elements imbalance in topsoils of oceanic volcanic islands. <i>Catena</i> , 2017, 157, 333-343.	2.2	5
41	Spin-crossover complex encapsulation within a magnetic metal-organic framework. <i>Chemical Communications</i> , 2016, 52, 7360-7363.	2.2	39
42	Magnetic properties of binary and ternary mixed metal oxides NiFe ₂ O ₄ and Zn _{0.5} Ni _{0.5} Fe ₂ O ₄ doped with rare earths by sol-gel synthesis. <i>Chemical Papers</i> , 2016, 70, .	1.0	17
43	Dynamically slow solid-to-solid phase transition induced by thermal treatment of DimimFeCl ₄ magnetic ionic liquid. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 21881-21892.	1.3	13
44	Hydrogen-bonded networks of [Fe(bpp) ₂] ²⁺ spin crossover complexes and dicarboxylate anions: structural and photomagnetic properties. <i>Dalton Transactions</i> , 2016, 45, 17918-17928.	1.6	17
45	Iron incorporation into magnesium aluminosilicate glass network under fast laser floating zone processing. <i>Ceramics International</i> , 2016, 42, 2693-2698.	2.3	11
46	Thermal Hysteresis in a Spin-Crossover Fe ^{III} Quinolylsalicylaldimine Complex, Fe ^{III} (5-Br-qsal) ₂ Ni(dmit) ₂ ·solv: Solvent Effects. <i>Inorganic Chemistry</i> , 2015, 54, 1354-1362.	1.9	40
47	Ion transport in dual-phase SrFe _{1-x} Co _x O ₃ (x=0.03-0.10): effects of redox cycling. <i>Journal of Solid State Electrochemistry</i> , 2015, 19, 841-849.	1.2	4
48	Easy Excited-State Trapping and Record High χT in a Spin-Crossover Polyanionic Fe ^{II} Trimer. <i>Journal of the American Chemical Society</i> , 2015, 137, 11924-11927.	6.6	71
49	Synthesis and Structural/Physical Properties of U ₃ Fe ₂ Ge ₇ : A Single-Crystal Study. <i>Inorganic Chemistry</i> , 2015, 54, 9646-9655.	1.9	6
50	Crystal structure and spin crossover behavior of the [Fe(5-Cl-qsal) ₂][Ni(dmit) ₂ ·2CH ₃ CN] complex. <i>Polyhedron</i> , 2015, 85, 643-651.	1.0	14
51	Interplay of Superstructural Ordering and Magnetic Properties of the Sr ₂ FeMoO ₆ Double Perovskite. <i>Science of Advanced Materials</i> , 2015, 7, 446-454.	0.1	12
52	On the crystal structure and physical properties of the UFeSb ₂ compound. <i>Journal of Alloys and Compounds</i> , 2014, 616, 601-606.	2.8	4
53	Crystal structure, oxidation state and magnetism of Sr _x La _{2-x} Cu _{0.5} Ru _{0.5} O ₄ (x=1, 1.5). <i>Journal of Solid State Chemistry</i> , 2014, 211, 1-7.	1.4	3
54	Iron speciation in volcanic topsoils from Fogo island (Cape Verde) – Iron oxide nanoparticles and trace elements concentrations. <i>Catena</i> , 2014, 113, 95-106.	2.2	26

#	ARTICLE	IF	CITATIONS
55	Origin of reddening in a paleosol buried by lava flows in Fogo island (Cape Verde). <i>Journal of African Earth Sciences</i> , 2014, 96, 60-70.	0.9	21
56	Mixed conductivity, thermochemical expansion and electrochemical activity of Fe-substituted (La,Sr)(Cr,Mg)O ₃ for solid oxide fuel cell anodes. <i>Journal of Power Sources</i> , 2014, 249, 483-496.	4.0	14
57	Anion ^π and Halide ^σ Halide Nonbonding Interactions in a New Ionic Liquid Based on Imidazolium Cation with Three-Dimensional Magnetic Ordering in the Solid State. <i>Inorganic Chemistry</i> , 2014, 53, 8384-8396.	1.9	43
58	A novel ternary uranium-based intermetallic U ₃ Fe ₄ xGe ₃ : Structure and physical properties. <i>Journal of Alloys and Compounds</i> , 2014, 606, 154-163.	2.8	6
59	Crystallization of iron-containing Si-Al-Mg-O glasses under laser floating zone conditions. <i>Journal of Alloys and Compounds</i> , 2014, 611, 57-64.	2.8	12
60	Hybrid Magnetic Superconductors Formed by TaS ₂ Layers and Spin Crossover Complexes. <i>Inorganic Chemistry</i> , 2013, 52, 8451-8460.	1.9	17
61	Interplay between Chemical Composition and Cation Ordering in the Magnetism of Ni/Fe Layered Double Hydroxides. <i>Inorganic Chemistry</i> , 2013, 52, 10147-10157.	1.9	50
62	Magnetic structure of Sr ₂ Fe ₂ O ₅ brownmillerite by single-crystal Mössbauer spectroscopy. <i>Journal of Solid State Chemistry</i> , 2013, 205, 5-9.	1.4	9
63	Magnetic, thermal, and transport properties of single-crystalline U ₃ Fe ₄ Ge ₄ . <i>Journal of Alloys and Compounds</i> , 2013, 555, 304-310.	2.8	9
64	Phase separation-promoted ion conduction in SrFe _{0.67} Co _{0.33} O ₃ ceramics. <i>Solid State Ionics</i> , 2013, 244, 17-22.	1.3	11
65	Modeling the Magnetic Properties and Mössbauer Spectra of Multifunctional Magnetic Materials Obtained by Insertion of a Spin-Crossover Fe(III) Complex into Bimetallic Oxalate-Based Ferromagnets. <i>Inorganic Chemistry</i> , 2013, 52, 13536-13545.	1.9	8
66	Sr ₄ Fe ₆ O ₁₂ : Low-temperature Fe ²⁺ Fe ³⁺ Charge Order within Pairs of Edge-Linked Tetrahedra. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 4833-4836.	7.2	2
67	Redox stability and electrical conductivity of Fe _{2.3} Mg _{0.7} O ₄ spinel prepared by mechanochemical activation. <i>Journal of the European Ceramic Society</i> , 2013, 33, 1307-1315.	2.8	6
68	Lifting the geometric frustration through a monoclinic distortion in La _{1.14} YBaFe ₄ O _{7.0} : Magnetism and transport. <i>Journal of Solid State Chemistry</i> , 2013, 205, 225-235.	1.4	8
69	Crystal structure and electronic properties of the new compound U ₃ Fe ₄ Ge ₄ . <i>Journal of Alloys and Compounds</i> , 2013, 554, 408-413.	2.8	9
70	[Fe(nsal ₂ trien)]SCN, a New Two-Step Iron(III) Spin Crossover Compound, with Symmetry Breaking Spin-State Transition and an Intermediate Ordered State. <i>Inorganic Chemistry</i> , 2013, 52, 3845-3850.	1.9	59
71	Stimuli Responsive Hybrid Magnets: Tuning the Photoinduced Spin-Crossover in Fe(III) Complexes Inserted into Layered Magnets. <i>Journal of the American Chemical Society</i> , 2013, 135, 8655-8667.	6.6	54
72	Magnetic ionic plastic crystal: choline[FeCl ₄]. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 12724.	1.3	23

#	ARTICLE	IF	CITATIONS
73	Synthesis of Sr _{0.9} K _{0.1} FeO ₃ electrocatalysts by mechanical activation. Journal of Solid State Chemistry, 2013, 198, 169-175.	1.4	5
74	Unusual 5f magnetism in the U ₂ Fe ₃ Ge ternary Laves phase: a single crystal study. Journal of Physics Condensed Matter, 2013, 25, 066010.	0.7	10
75	Cubane-Type Mo ₃ FeS ₄ ^{4+,5+} Complexes Containing Outer Diphosphane Ligands: Ligand Substitution Reactions, Spectroscopic Studies, and Electronic Structure. Inorganic Chemistry, 2012, 51, 10512-10521.	1.9	11
76	Oxygen ionic transport in brownmillerite-type Ca ₂ Fe ₂ O ₅ and calcium ferrite-based composites. , 2012, , .		1
77	Redox chemistry and magnetism of LaSrM _{0.5} Ru _{0.5} O ₄ (M = Co, Ni and Zn) Ruddlesden-Popper phases. Dalton Transactions, 2012, 41, 11507.	1.6	12
78	Magnetization, Mössbauer and isothermal dilatometric behavior of oxidized YBa ₄ O ₇ . Dalton Transactions, 2012, 41, 667-678.	1.6	7
79	Metal partitioning in sediments and mineralogical controls on the acid mine drainage in Ribeira da Água Forte (Aljustrel, Iberian Pyrite Belt, Southern Portugal). Applied Geochemistry, 2012, 27, 1063-1080.	1.4	26
80	Redox behavior and transport properties of brownmillerite Ca ₂ (Fe,M) ₂ O ₅ (M = Mn, Co). Solid State Ionics, 2012, 225, 206-210.	1.3	12
81	Thermomechanical, transport and anodic properties of perovskite-type (La _{0.75} Sr _{0.25}) _{0.95} Cr ₁ Fe _{0.3} . Journal of Power Sources, 2012, 206, 59-69.	4.0	35
82	Multifunctional Magnetic Materials Obtained by Insertion of Spin-Crossover Fe ^{III} Complexes into Chiral 3D Bimetallic Oxalate-Based Ferromagnets. Inorganic Chemistry, 2011, 50, 9122-9130.	1.9	52
83	Rare earth and other trace and major elemental distribution in a pedogenic calcrete profile (Slimene, Tj ETQq1 1 0.784314 rgBT /Ove	2.2	32
84	Hydrogen absorption and ⁵⁷ Fe Mössbauer effect in UFeGe. Journal of Alloys and Compounds, 2011, 509, 5453-5459.	2.8	8
85	Increase of TC in UFe _{2+x} synthesized by ultrafast cooling. Intermetallics, 2011, 19, 113-120.	1.8	6
86	Surface analysis of mixed-conducting ferrite membranes by the conversion-electron Mössbauer spectroscopy. Journal of Solid State Chemistry, 2011, 184, 2610-2614.	1.4	2
87	Stability, oxygen permeability and chemical expansion of Sr(Fe,Al)O ₃ - and Sr(Co,Fe)O ₃ -based membranes. Solid State Ionics, 2011, 192, 259-268.	1.3	21
88	Surface states and stability of Fe-containing perovskite electrodes for SOFCs/SOECs by conversion-electron Mössbauer spectroscopy. Electrochemistry Communications, 2011, 13, 685-688.	2.3	3
89	Oxygen deficiency, vacancy clustering and ionic transport in (La,Sr)CoO ₃ . Solid State Ionics, 2011, 192, 42-48.	1.3	29
90	Peculiarities of U-based Laves phases. IOP Conference Series: Materials Science and Engineering, 2010, 9, 012090.	0.3	4

#	ARTICLE	IF	CITATIONS
91	Oxygen nonstoichiometry, chemical expansion, mixed conductivity, and anodic behavior of Mo-substituted Sr ₃ Fe ₂ O _{7-δ} . <i>Solid State Ionics</i> , 2010, 181, 1052-1063.	1.3	29
92	Multifunctional Magnetic Materials Obtained by Insertion of a Spin-Crossover Fe ^{III} Complex into Bimetallic Oxalate-Based Ferromagnets. <i>Chemistry - A European Journal</i> , 2010, 16, 2207-2219.	1.7	79
93	Mössbauer spectroscopy and magnetic transition of $\text{La}_{1-x}\text{Sr}_x\text{FeO}_{3-\delta}$. <i>Physical Review B</i> , 2010, 81, .	1.1	27
94	Soils in the semi-arid area of the El Melah Lagoon (NE Tunisia) – Variability associated with a closing evolution. <i>Catena</i> , 2010, 80, 9-22.	2.2	25
95	Mössbauer spectroscopy analysis of 57Fe-doped YBaCo ₄ O _{7+δ} : Effects of oxygen intercalation. <i>Journal of Solid State Chemistry</i> , 2009, 182, 640-643.	1.4	30
96	X-ray diffraction and Mössbauer effect study of site occupation and magnetic properties in UCu _x Fe _{5-x} Al ₇ (x=2, 3.5) alloys. <i>Physica B: Condensed Matter</i> , 2009, 404, 1102-1111.	1.3	1
97	Defect Interactions in Sr ₃ La(Fe,Al) ₃ O _{10-δ} by Computer Simulations and Mössbauer Spectroscopy. <i>Chemistry of Materials</i> , 2009, 21, 5072-5078.	3.2	10
98	Clay minerals and iron oxides-oxyhydroxides as fingerprints of firing effects in a limestone monument. <i>Applied Clay Science</i> , 2009, 42, 629-638.	2.6	25
99	Spin-glass-like behaviour in the ternary U ₃ Fe _{4+x} Al _{12-x} uranium-iron aluminide. <i>Intermetallics</i> , 2009, 17, 25-31.	1.8	10
100	Dynamic susceptibility study of YFe _x Al _{12-x} (4 ≤ x ≤ 5). <i>Journal of Alloys and Compounds</i> , 2009, 477, 23-26.	2.8	1
101	A new hybrid material exhibiting room temperature spin-crossover and ferromagnetic cluster-glass behavior. <i>CrystEngComm</i> , 2009, 11, 2160.	1.3	28
102	Structure and magnetic properties of Ca ₂ Fe _{1-x} Mn _{x} AlO _{5+δ} . <i>Journal of Solid State Chemistry</i> , 2008, 181, 2530-2541.	1.4	10
103	Mixed conductivity, oxygen permeability and redox behavior of K ₂ NiF ₄ -type La ₂ Ni _{0.9} Fe _{0.1} O _{4+δ} . <i>Journal of Solid State Chemistry</i> , 2008, 181, 1425-1433.	1.4	65
104	Evidence of uranium magnetic ordering on U ₂ Fe ₃ Ge. <i>Solid State Communications</i> , 2008, 148, 159-162.	0.9	15
105	Oxygen nonstoichiometry and ionic transport in La ₂ Ni(Fe)O _{4 + δ} . <i>Solid State Ionics</i> , 2008, 179, 57-60.	1.3	28
106	Mixed conductivity, Mössbauer spectra and thermal expansion of (La,Sr)(Fe,Ni)O _{3+δ} perovskites. <i>Solid State Ionics</i> , 2008, 179, 2170-2180.	1.3	41
107	New Mo-Fe-O silica supported catalysts for methanol to formaldehyde oxidation. <i>Applied Catalysis A: General</i> , 2008, 345, 185-194.	2.2	20
108	(n-Bu ₄ N)[Fe(cbdt) ₂]: Synthesis, crystal structure and magnetic characterisation of a new Fe ^{III} bisdithiolene complex. <i>Inorganica Chimica Acta</i> , 2008, 361, 3836-3841.	1.2	18

#	ARTICLE	IF	CITATIONS
109	Insertion of a Spin Crossover Fe ^{III} Complex into an Oxalate-Based Layered Material: Coexistence of Spin Canting and Spin Crossover in a Hybrid Magnet. <i>Inorganic Chemistry</i> , 2008, 47, 9111-9120.	1.9	59
110	Coexistence of ferromagnetism and cluster-glass behavior in YFe _{5.5} Al _{6.5} and YFe _{5.8} Al _{6.2} . <i>Journal of Alloys and Compounds</i> , 2008, 454, 16-23.	2.8	8
111	¹¹⁹ Sn Mössbauer effect study of U _x Fe ₆ Sn ₆ (x=0, 0.2, 0.4, 0.6). <i>Journal of Alloys and Compounds</i> , 2008, 451, 484-487.	2.8	2
112	Static and dynamic magnetic study of DyFe _x Al _{12-^x} (4 ≤ x ≤ 4.7). <i>Intermetallics</i> , 2008, 16, 1219-1226.	1.8	6
113	Mixed Conductivity and Stability of CaFe ₂ O ₄ . <i>Journal of the Electrochemical Society</i> , 2008, 155, P13.	1.3	19
114	Oxalate-Based Soluble 2D Magnets: The Series [K(18-crown-6)] ₃ [M ^{II}] ₃ (H ₂ O) ₄ {M ^{III} (ox) ₃ } ₃ (M ^{III} = Cr, Fe; M ^{II} = Mn, Fe, Ni, Co, Cu; ox =) <i>J. Electrochem. Soc.</i> 2008, 155, 238-243.	1.0	23
115	Oxygen Nonstoichiometry, Mixed Conductivity, and Mössbauer Spectra of Ln _{0.5} A _{0.5} FeO ₃ (Ln = La, Sm, A = Sr, Ba): Effects of Cation Size. <i>Chemistry of Materials</i> , 2008, 20, 6457-6467.	3.2	98
116	Precipitation of zinc ferrite nanoparticles in the Fe ₂ O ₃ -ZnO-SiO ₂ glass system. <i>Journal of Non-Crystalline Solids</i> , 2007, 353, 2374-2382.	1.5	14
117	Transport and magnetic properties of Ce ₂ NiIn ₃ . <i>Journal of Alloys and Compounds</i> , 2007, 432, 34-38.	2.8	14
118	¹¹⁹ Sn Mössbauer effect study of Dy _x Fe ₆ Sn ₆ (x=0.3, 0.5, 1) compounds. <i>Journal of Alloys and Compounds</i> , 2007, 442, 158-161.	2.8	2
119	Oxygen non-stoichiometry of Ln ₄ Ni _{2.7} Fe _{0.3} O ₁₀ (Ln=La, Pr). <i>Journal of Solid State Chemistry</i> , 2007, 180, 1902-1910.	1.4	17
120	Spin crossover Fell complexes as templates for bimetallic oxalate-based 3D magnets. <i>Polyhedron</i> , 2007, 26, 1838-1844.	1.0	48
121	Oxygen nonstoichiometry, Mössbauer spectra and mixed conductivity of Pr _{0.5} Sr _{0.5} FeO ₃ . <i>Journal of Physics and Chemistry of Solids</i> , 2007, 68, 355-366.	1.9	26
122	Redox behavior and transport properties of La _{0.5-^{2x}} Ce _x Sr _{0.5+x} FeO ₃ and La _{0.5-^{2y}} Sr _{0.5+2y} Fe _{1-^y} Nb _y O ₃ perovskites. <i>Solid State Sciences</i> , 2007, 9, 32-42.	1.5	4
123	Trapping of Anionic Organic Radicals by (Tp) ₂ Ln (Ln = Sm, Eu). <i>Inorganic Chemistry</i> , 2007, 46, 9415-9424.	1.9	36
124	Insertion of iron oxide in calciumsilicate gel-derived materials. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2007, 272, 177-185.	0.7	0
125	Oxygen ionic conductivity, Mössbauer spectra and thermal expansion of CaFe ₂ O ₄ . <i>Solid State Ionics</i> , 2007, 178, 1428-1436.	1.3	30
126	Oxygen non-stoichiometry and defect thermodynamics in La ₂ Ni _{0.9} Fe _{0.1} O ₄ . <i>Journal of Physics and Chemistry of Solids</i> , 2007, 68, 1443-1455.	1.9	33

#	ARTICLE	IF	CITATIONS
127	Magnesium doping on brownmillerite $\text{Ca}_2\text{FeAlO}_5$. Journal of Solid State Chemistry, 2007, 180, 1863-1874.	1.4	15
128	Synthesis, Chirality, and Magnetic Properties of Bimetallic Cyanide-Bridged Two-Dimensional Ferromagnets. Chemistry of Materials, 2006, 18, 2670-2681.	3.2	111
129	Redox behavior of acceptor-doped $\text{La}(\text{Al},\text{Fe})\text{O}_{3-\delta}$. Journal of Alloys and Compounds, 2006, 413, 244-250.	2.8	1
130	Structural and magnetic properties of UFe_6Ga_6 . Intermetallics, 2006, 14, 530-536.	1.8	2
131	Defect formation and transport in mixed-conducting $\text{La}_{0.90}\text{Sr}_{0.10}\text{Al}_{0.85}\text{Fe}_x\text{Mg}_{0.15}\text{O}_{3-\delta}$. Journal of Physics and Chemistry of Solids, 2006, 67, 1882-1887.	1.9	1
132	Mixed conductivity and Mössbauer spectra of $(\text{La}_{0.5}\text{Sr}_{0.5})_{1-x}\text{Fe}_x\text{Al}_y\text{O}_{3-\delta}$ ($x=0-0.05$, $y=0-0.30$). Journal of Solid State Chemistry, 2006, 179, 1273-1284.	1.4	27
133	Crystal structure and magnetic properties of UFe_3Al_9 . Physica B: Condensed Matter, 2006, 373, 8-15.	1.3	5
134	Ionic conductivity of brownmillerite-type calcium ferrite under oxidizing conditions. Solid State Ionics, 2006, 177, 2923-2930.	1.3	84
135	Magnetic studies on $\text{Sr}_{0.8}\text{Ce}_{0.1}\text{Fe}_{0.7}\text{Co}_{0.3}\text{O}_{3-\delta}$ perovskite. Solid State Sciences, 2006, 8, 444-449.	1.5	7
136	Effect of Fe site distribution on the magnetic properties of $\text{UFe}_4\text{Al}_8\text{Ga}_x$ ($x=0$ and 1.5) and UFexAl_{12-x} ($x=0$). Journal of Magnetism and Magnetic Materials, 2006, 302, 282-289.	1.0	6
137	Mössbauer effect studies of RFe_{11}Ti and $\text{RFe}_{11}\text{TiH}$ ($\text{R}=\text{Y}, \text{Gd}, \text{Er}$). Journal of Magnetism and Magnetic Materials, 2006, 302, 503-510.	1.0	4
138	Untersuchungen zu Farbänderungen, hervorgerufen durch Wärmeeinwirkung an Kalksteinen, die in Baudenkmalen verwendet wurden / Study of Heat Induced Colour Modifications in Limestones used in Monuments. Restoration of Buildings and Monuments, 2005, 11, 199-210.	0.6	1
139	Oxygen ionic and electronic transport in apatite ceramics. Journal of the European Ceramic Society, 2005, 25, 2583-2586.	2.8	48
140	Phase formation and iron oxidation states in $\text{SrFe}(\text{Al})\text{O}_{3-\delta}$ perovskites. Materials Letters, 2005, 59, 1644-1648.	1.3	45
141	Methane oxidation over perovskite-related ferrites: Effects of oxygen nonstoichiometry. Solid State Sciences, 2005, 7, 1344-1352.	1.5	26
142	Oxalate-Based 3D Chiral Magnets: The Series $[\text{ZII}(\text{bpy})_3][\text{ClO}_4][\text{MII}(\text{FeIII}(\text{ox})_3)]$ ($\text{ZII} = \text{Fe}, \text{Ru}$; $\text{MII} = \text{Mn}, \text{Fe}$; bpy) $\text{Tj ETQ} \text{q} \text{O} \text{O} \text{O} \text{rgBT} / \text{Overlo}$	1.0	44
143	Mössbauer Spectra and Catalytic Behavior of Perovskite-like $\text{SrFe}_{0.7}\text{Al}_{0.3}\text{O}_{3-\delta}$. Catalysis Letters, 2005, 99, 249-255.	1.4	19
144	Hybrid materials containing organometallic cations and 3-D anionic metal dicyanamide networks of type $[\text{Cp}^*\text{2M}][\text{M}(\text{dca})_3]$. Dalton Transactions, 2005, , 285-290.	1.6	32

#	ARTICLE	IF	CITATIONS
145	Evidences for intermediate valence behavior in CeNi ₅ In. Journal of Alloys and Compounds, 2005, 391, L5-L7.	2.8	4
146	Isothermal section of the Dy-Fe-Sn phase diagram at 800°C. Journal of Alloys and Compounds, 2005, 396, 108-113.	2.8	8
147	Dependence of the Fe anisotropy on the Dy concentration in the Dy _x Fe ₆ Sn ₆ (0.3 < x < 1) compounds. Journal of Alloys and Compounds, 2005, 398, 1-7.	2.8	2
148	Structural and magnetic characterization of DyFe _x Sn ₂ (0 ≤ x ≤ 0.3) intermetallics. Intermetallics, 2005, 13, 61-67.	1.8	10
149	Crystal structure, ⁵⁷ Fe Mössbauer spectroscopy and magnetization of U _x Fe ₆ Sn ₆ (0 ≤ x ≤ 0.6). Intermetallics, 2005, 13, 490-496.	1.8	6
150	Oxygen Ionic and Electronic Transport in Apatite-Type Solid Electrolytes. Journal of the Electrochemical Society, 2004, 151, A1236.	1.3	93
151	Influence of Microstructure on the Electrical Properties of Iron-Substituted Calcium Titanate Ceramics. Journal of the American Ceramic Society, 2004, 87, 2252-2261.	1.9	30
152	Transport properties and Mössbauer spectra of Fe-substituted La _{10-x} (Si,Al) ₆ O ₂₆ apatites. Materials Research Bulletin, 2004, 39, 763-773.	2.7	40
153	Defect formation and transport in SrFe _{1-x} Al _x O ₃ . Ionics, 2004, 10, 378-384.	1.2	22
154	Thermodynamic and electronic transport properties of CeNiIn ₂ . Physica B: Condensed Matter, 2004, 352, 372-377.	1.3	3
155	Properties of CaTi _{1-x} Fe _x O ₃ Ceramic Membranes. Journal of Electroceramics, 2004, 13, 627-636.	0.8	16
156	Ionic and electronic conductivity of La _{9.83-x} Pr _x Si _{4.5} Fe _{1.5} O ₂₆ apatites. Solid State Ionics, 2004, 171, 51-59.	1.3	40
157	Magnetic properties of the U _{1-x} La _x Pd ₂ Ga ₃ series of compounds. Journal of Magnetism and Magnetic Materials, 2004, 272-276, E1-E3.	1.0	2
158	Magnetic properties of YFeAl ₁₂ . Journal of Magnetism and Magnetic Materials, 2004, 272-276, E1947-E1948.	1.0	4
159	Microdomain texture and microstructures of Fe ⁴⁺ -containing CaTi _{0.4} Fe _{0.6} O ₃ . Journal of Solid State Chemistry, 2004, 177, 3105-3113.	1.4	12
160	Synthesis and characterization of samarium, europium and ytterbium aryloxides. Journal of Alloys and Compounds, 2004, 374, 289-292.	2.8	0
161	Characterization of the ternary uranium-iron aluminide UFe ₂ Al ₁₀ . Intermetallics, 2004, 12, 189-194.	1.8	28
162	Defect formation in Gd ₃ Fe ₅ O ₁₂ -based garnets: a Mössbauer spectroscopy study. Materials Letters, 2004, 58, 3432-3436.	1.3	38

#	ARTICLE	IF	CITATIONS
163	Structural and morphological characterization of FeCo ₂ O ₄ and CoFe ₂ O ₄ spinels prepared by a coprecipitation method. <i>Solid State Sciences</i> , 2003, 5, 383-392.	1.5	257
164	Magnetic properties of UFe ₅ Sn single crystals. <i>Journal of Magnetism and Magnetic Materials</i> , 2003, 260, 473-479.	1.0	4
165	⁵⁷ Fe Mössbauer spectroscopy and magnetization study of YFe _x Al _{12-2x} (4.4 ≤ x ≤ 12.5). <i>Journal of Magnetism and Magnetic Materials</i> , 2003, 265, 33-43.	1.0	8
166	Structural, Magnetic, and Moessbauer Study of U ₂ Fe ₁₂ Al ₅ . <i>ChemInform</i> , 2003, 34, no-no.	0.1	1
167	Crystal structure and magnetic properties of the UFe ₇ Al ₅ uranium-iron aluminide. <i>Journal of Solid State Chemistry</i> , 2003, 174, 302-309.	1.4	9
168	On the relationships between structure, oxygen stoichiometry and ionic conductivity of CaTi _{1-x} Fe _x O _{3-1/2x} (x=0.05, 0.20, 0.40, 0.60). <i>Solid State Ionics</i> , 2003, 156, 371-381.	1.3	40
169	Redox behaviour of Sr ₄ Fe ₆ O _{13±1/2} by Mössbauer spectroscopy and neutron diffraction. <i>Materials Letters</i> , 2003, 57, 3245-3250.	1.3	19
170	Fe ⁴⁺ formation in brownmillerite CaAl _{0.5} Fe _{0.5} O _{2.5±1/2} . <i>Materials Letters</i> , 2003, 57, 4388-4393.	1.3	46
171	HYPOGENE TITANIAN, VANADIAN MAGHEMITE IN REWORKED OXIDE CUMULATES IN THE BEJA LAYERED GABBRO COMPLEX, ODIVELAS, SOUTHEASTERN PORTUGAL. <i>Canadian Mineralogist</i> , 2003, 41, 1105-1124.	0.3	11
172	Nature and mechanism of ilmenite alteration: a Mössbauer and X-ray diffraction study of oxidized ilmenite from the Beja-Acebuches Ophiolite Complex (SE Portugal). <i>Mineralogical Magazine</i> , 2002, 66, 421-430.	0.6	7
173	Structural, Magnetic, and Mössbauer Study of U ₂ Fe ₁₂ Al ₅ . <i>Chemistry of Materials</i> , 2002, 14, 4219-4228.	3.2	9
174	⁵⁷ Fe Mossbauer spectroscopy study of the correlation between the Fe ³⁺ content and the magnetic properties of natural Cr-spinels. <i>European Journal of Mineralogy</i> , 2002, 14, 437-446.	0.4	2
175	Geodynamic evolution of the South Variscan Iberian Suture as recorded by mineral transformations. <i>Geodinamica Acta</i> , 2002, 15, 45-61.	2.2	9
176	Clay mineral assemblages in weathered basalt profiles from central and southern Portugal: climatic significance. <i>Catena</i> , 2002, 49, 77-89.	2.2	40
177	Typology of the granitic stones of the cathedral of Évora (Portugal): a combined contribution of geochemistry and ⁵⁷ Fe Mössbauer spectroscopy. <i>Journal of Cultural Heritage</i> , 2002, 3, 127-132.	1.5	3
178	Redox behavior and transport properties of La _{0.5-x} Sr _{0.5-x} Fe _{0.4} Ti _{0.6} O _{3-1/2x} (0 < x < 0.1) validated by Mössbauer spectroscopy. <i>Solid State Ionics</i> , 2002, 146, 87-93.	1.3	19
179	Crystallographic and magnetic properties of the U _{2.1} Fe ₂ Sn _{0.9} ternary stannide. <i>Journal of Magnetism and Magnetic Materials</i> , 2002, 251, 1-8.	1.0	5
180	Formation of Al-Fe surface alloys by ion implantation of Fe in Al. <i>Surface and Coatings Technology</i> , 2002, 158-159, 339-342.	2.2	6

#	ARTICLE	IF	CITATIONS
181	Magnetic structures of MFe_4Al_8 ($\text{M}=\text{Lu}, \text{Y}$). <i>Physical Review B</i> , 2001, 63, .	1.1	26
182	Fe^{4+} content and ordering of anion vacancies in partially reduced $\text{AFexTi}_{1-x}\text{O}_{3-y}$ ($\text{A} = \text{Ca}, \text{Sr}; x \approx 0.6$) perovskites. An ^{57}Fe Mössbauer spectroscopy study. <i>Journal of Physics Condensed Matter</i> , 2001, 13, 8171-8187.	0.7	41
183	^{57}Fe Mössbauer spectroscopy study of the AFexAl_{12-x} intermetallics ($\text{A} = \text{Y}, \text{Tm}, \text{Lu}$ and U , $4 \leq x \leq 4.3$). <i>Journal of Alloys and Compounds</i> , 2001, 317-318, 44-51.	2.8	16
184	Effect of interstitial hydrogen on UFexAl_{12-x} . <i>Journal of Alloys and Compounds</i> , 2001, 317-318, 88-91.	2.8	5
185	The effect of Th substitution for U in the heavy fermion $\text{U}_2\text{Pt}_2\text{In}$. <i>Journal of Alloys and Compounds</i> , 2001, 317-318, 419-422.	2.8	1
186	$\text{Y}-\text{Fe}-\text{Al}$ ternary system: partial isothermal section at 1070 K. <i>Journal of Alloys and Compounds</i> , 2001, 323-324, 78-82.	2.8	17
187	Layered Molecule-Based Magnets Formed by Decamethylmetallocenium Cations and Two-Dimensional Bimetallic Complexes $[\text{M}(\text{R}^{\text{ox}})_3]^{2+}$ ($\text{M} = \text{Mn}, \text{Fe}, \text{Co}, \text{Cu}$ and Zn ; $\text{ox} = \text{oxalate}$). <i>Journal of Solid State Chemistry</i> , 2001, 159, 391-402.	1.4	68
188	Study of Fe^{+} implanted GaN. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2001, 175-177, 241-245.	0.6	9
189	Fe SPECIATION IN WEATHERED PYROCHLORE-GROUP MINERALS FROM THE LUESHE AND ARAXA (BARREIRO) CARBONATITES BY ^{57}Fe MOSSBAUER SPECTROSCOPY. <i>Canadian Mineralogist</i> , 2001, 39, 1073-1080.	0.3	16
190	Growth, Crystal Structure, and Thermopower of Single Crystals of $\text{UNi}_{1.9}\text{Sn}$. <i>Journal of Solid State Chemistry</i> , 2000, 149, 120-122.	1.4	0
191	Crystal structure and physical properties of $\text{U}_3\text{T}_3\text{Sn}_4$ ($\text{T} = \text{Ni}, \text{Cu}$) single crystals. <i>Physica B: Condensed Matter</i> , 2000, 292, 89-96.	1.3	5
192	Systematical investigation of the $\text{Y}-\text{Fe}-\text{Al}$ ternary system. <i>Journal of Alloys and Compounds</i> , 2000, 296, 98-102.	2.8	6
193	Influence of Thermal Treatment and Crystal Growth on the Final Composition and Magnetic Properties of the YFexAl_{12-x} ($4 \leq x \leq 4.2$) Intermetallics. <i>Chemistry of Materials</i> , 2000, 12, 1743-1749.	3.2	42
194	Non-Fermi-liquid behaviour of $\text{U}_{3-x}\text{Ni}_3\text{Sn}_4$ single crystals. <i>Journal of Physics Condensed Matter</i> , 1999, 11, 3525-3534.	0.7	7
195	Magnetic phase diagram of the semioordered alloys UFexAl_{12-x} . <i>Physical Review B</i> , 1999, 60, 9494-9500.	1.1	43
196	Anomalous magnetization cycle of UF_4Al_8 single crystals: A Mössbauer effect study. <i>Physical Review B</i> , 1999, 60, 4074-4081.	1.1	25
197	Magnetization of the Fe sublattices in $\text{UF}_e\text{Al}_{12-x}$ ($4 \leq x \leq 5.8$) studied by Mössbauer spectroscopy. <i>Solid State Communications</i> , 1999, 110, 369-374.	0.9	35
198	Physical properties of UF_eAl_8 carbides. <i>Journal of Magnetism and Magnetic Materials</i> , 1999, 196-197, 784-785.	1.0	0

#	ARTICLE	IF	CITATIONS
199	Structural characterization of cobalt(III), nickel(II), copper(II) and iron(III) complexes of tetraazamacrocycles with N-carboxymethyl arms. Journal of the Chemical Society Dalton Transactions, 1999, , 3253-3265.	1.1	19
200	Magnetization density in. Journal of Physics Condensed Matter, 1998, 10, 4071-4079.	0.7	5
201	Fully oxidized chromite in the Serra Alta (South Portugal) quartzites: chemical and structural characterization and geological implications. Mineralogical Magazine, 1997, 61, 627-638.	0.6	19
202	On the influence of transuranium dilution in well-known U heavy fermion compounds. Physica B: Condensed Matter, 1996, 223-224, 211-214.	1.3	6
203	Magnetic properties of NpGa ₃ at high pressures. Physical Review B, 1996, 54, 12283-12293.	1.1	17
204	On the Magnetic Interactions in Metal-Be ₁₃ Compounds. Physical Review Letters, 1996, 77, 3917-3920.	2.9	19
205	Electrical resistivity of AnT ₂ Al ₃ (An → Np, Pu; T → Ni, Pd). Physica B: Condensed Matter, 1995, 206-207, 525-527.	1.3	10
206	Structural and physical properties of UFe ₁₀ Mo ₂ . Journal of Alloys and Compounds, 1995, 218, 183-189.	2.8	10
207	Powder XRD structure refinements and ⁵⁷ Fe Mössbauer effect study of synthetic Zn _{1-x} Fe _x Al ₂ O ₄ (0 < x < 1). J. Phys. Chem. B, 2001, 105, 10784-10791.	1.1	14
208	Temperature and Composition Dependence of the Cation Distribution in Synthetic Zn _{1-y} Fe _y Al ₂ O ₄ (0 ≤ y ≤ 1). J. Phys. Chem. B, 2001, 105, 10792-10797.	1.4	16
209	UFe ₆ Ge ₆ : a new ternary magnetic compound. Journal of Alloys and Compounds, 1994, 204, 59-64.	2.8	17
210	Synthesis, structure and properties of [Hpy] ₂ [M(mnt) ₂] ₂ (M = Co or Fe, Hpy = pyridinium, mnt =) J. Phys. Chem. B, 2001, 105, 10798-10803.	1.1	10
211	Behavior of REE and other trace and major elements during weathering of granitic rocks, Évora, Portugal. Chemical Geology, 1993, 107, 293-296.	1.4	69
212	A comparative study of biotite weathering from two different granitic rocks. Chemical Geology, 1993, 107, 301-306.	1.4	0
213	Surface treatment of rusted steel with phosphoric acid solutions: a study using physico-chemical methods. Progress in Organic Coatings, 1993, 21, 327-338.	1.9	6
214	⁵⁷ Fe Mössbauer effect in sol-gel silicate glasses. Journal of Non-Crystalline Solids, 1992, 147-148, 146-151.	1.5	9
215	Low-dimensional molecular metals bis(maleonitriledithiolato)bis(perylene)metal, metal = iron and cobalt. Inorganic Chemistry, 1992, 31, 2598-2604.	1.9	60
216	The mineralogy and chemistry of a hydrothermal veinlet intruded into a gabbroic rock alteration profile (Serpa, Portugal). Chemical Geology, 1990, 84, 246-248.	1.4	1

#	ARTICLE	IF	CITATIONS
217	A Mössbauer study of natural gahnite spinels showing strongly temperature-dependent quadrupole splitting distributions. <i>European Journal of Mineralogy</i> , 1990, 2, 267-272.	0.4	24
218	Oriented overgrowth of acicular maghemite crystals on quartz. <i>Clay Minerals</i> , 1988, 23, 357-365.	0.2	7
219	Chemical and mineralogical characterization of a Cretaceous clay from the Loup Basin (Central Tj ETQq1 1 0.784314 rgBT ₂ /Overlo	0.2	10
220	X-ray powder diffraction and ⁵⁷ Fe Mössbauer spectroscopy study of the thermal breakdown of vivianite, Fe ₃ (PO ₄) ₂ ·8H ₂ O. <i>Hyperfine Interactions</i> , 1986, 29, 1101-1104.	0.2	10
221	Oxo-Bridged Trinuclear Fe(III) Complexes: Structural and Magnetic Properties. <i>Solid State Phenomena</i> , 0, 194, 162-170.	0.3	3